

- 1 -
DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST- NEONATAL
ALL RACES 1/ ALL BIRTH WEIGHTS						
ALL CAUSES.....	NUMBER... 3,941,553	28,325	18,915	15,061	3,853	9,410
	RATE..	718.6	479.9	382.1	97.8	238.8
CONGENITAL ANOMALIES (740-759).....	NUMBER... 6,241	4,532	3,459	1,073	1,709	
	RATE..	158.3	115.0	87.8	27.2	43.4
PREMATURITY (765).....	NUMBER... 4,093	4,042	3,955	87	52	
	RATE..	103.9	102.5	100.3	2.2	1.3
SUDDEN INFANT DEATH SYNDROME (798.0).....	NUMBER... 2,827	183	24	159	2,644	
	RATE..	71.7	4.7	.6	4.0	67.1
RESPIRATORY DISTRESS SYNDROME (769).....	NUMBER... 1,306	1,220	957	263	86	
	RATE..	33.1	30.9	24.3	6.7	2.2
MATERNAL COMPLICATIONS (761).....	NUMBER... 1,347	1,341	1,323	18	6	
	RATE..	34.2	34.0	33.6	.5	.2
COMPLICATIONS OF PLACENTA, ETC. (762).....	NUMBER... 951	939	909	30	12	
	RATE..	24.1	23.8	23.1	.8	.3
ACCIDENTS (E800-E949).....	NUMBER... 745	83	41	42	662	
	RATE..	18.9	2.1	1.0	1.1	16.8
INFECTIONS (771).....	NUMBER... 818	772	345	427	47	
	RATE..	20.8	19.6	8.7	10.8	1.2
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER... 440	90	25	65	351	
	RATE..	11.2	2.3	.6	1.6	8.9
HYPOXIA AND ASPHYXIA (768).....	NUMBER... 456	419	350	69	38	
	RATE..	11.6	10.6	8.9	1.7	1.0
ALL OTHER CAUSES.....	NUMBER... 9,101	5,295	3,674	1,621	3,805	
	RATE..	230.9	134.3	93.2	41.1	96.5

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES 1/ LESS THAN 2,500 GRAMS						
ALL CAUSES.....NUMBER...	299,209	18,410	15,114	12,643	2,471	3,296
RATE..		6,153.0	5,051.3	4,225.6	825.8	1,101.7
CONGENITAL ANOMALIES (740-759).....NUMBER...		3,581	2,943	2,438	505	638
RATE..		1,196.9	983.6	814.8	168.8	213.3
PREMATURITY (765).....NUMBER...		3,913	3,863	3,778	86	50
RATE..		1,307.8	1,291.2	1,262.5	28.7	16.6
SUDDEN INFANT DEATH SYNDROME (798.0)..NUMBER...		560	39	4	34	521
RATE..		187.1	12.9	1.4	11.5	174.2
RESPIRATORY DISTRESS SYNDROME (769)...NUMBER...		1,235	1,170	922	247	66
RATE..		412.9	390.9	308.3	82.6	22.0
MATERNAL COMPLICATIONS (761).....NUMBER...		1,255	1,250	1,234	16	5
RATE..		419.5	417.8	412.4	5.4	1.7
COMPLICATIONS OF PLACENTA, ETC. (762)..NUMBER...		808	800	776	23	8
RATE..		270.0	267.3	259.5	7.8	2.7
ACCIDENTS (E800-E949).....NUMBER...		131	24	14	10	106
RATE..		43.6	8.1	4.8	3.4	35.5
INFECTIONS (771).....NUMBER...		686	652	292	360	33
RATE..		229.2	218.0	97.7	120.3	11.2
PNEUMONIA AND INFLUENZA (480-487).....NUMBER...		198	56	19	37	142
RATE..		66.1	18.7	6.2	12.5	47.4
HYPOXIA AND ASPHYXIA (768).....NUMBER...		215	210	188	21	5
RATE..		71.8	70.1	63.0	7.1	1.7

ALL OTHER CAUSES.....NUMBER...	5,829	4,107	2,977	1,130	1,722
RATE..	1,948.2	1,372.6	995.0	377.6	575.5

- 3 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
ALL RACES 1/ 2,500 GRAMS OR MORE						
ALL CAUSES.....NUMBER...	3,640,324	9,551	3,448	2,075	1,374	6,103
RATE..		262.4	94.7	57.0	37.7	167.6
CONGENITAL ANOMALIES (740-759).....NUMBER...		2,622	1,554	989	566	1,068
RATE..		72.0	42.7	27.2	15.5	29.3
PREMATURITY (765).....NUMBER...		58	58	57	1	-
RATE..		1.6	1.6	1.6	.0	-
SUDDEN INFANT DEATH SYNDROME (798.0).....NUMBER...		2,266	144	19	125	2,123
RATE..		62.3	3.9	.5	3.4	58.3
RESPIRATORY DISTRESS SYNDROME (769).....NUMBER...		63	43	28	15	20
RATE..		1.7	1.2	.8	.4	.6
MATERNAL COMPLICATIONS (761).....NUMBER...		33	32	30	2	1
RATE..		.9	.9	.8	.1	.0
COMPLICATIONS OF PLACENTA, ETC. (762).....NUMBER...		103	99	92	7	4
RATE..		2.8	2.7	2.5	.2	.1
ACCIDENTS (E800-E949).....NUMBER...		614	59	26	32	555
RATE..		16.9	1.6	.7	.9	15.3
INFECTIONS (771).....NUMBER...		129	116	52	65	13
RATE..		3.6	3.2	1.4	1.8	.4
PNEUMONIA AND INFLUENZA (480-487).....NUMBER...		242	33	6	27	209
RATE..		6.7	.9	.2	.8	5.7
HYPOXIA AND ASPHYXIA (768).....NUMBER...		230	200	152	47	30

	RATE..	6.3	5.5	4.2	1.3	.8
ALL OTHER CAUSES.....	NUMBER...	3,189	1,110	623	486	2,079
	RATE..	87.6	30.5	17.1	13.4	57.1

- 4 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
--	-------------	---------------	----------------	----------------	---------------	---------------

ALL RACES 1/
NOT STATED BIRTH WEIGHT

ALL CAUSES.....	NUMBER...	2,020	364	352	343	9	11
	RATE..		17,999.8	17,448.4	16,996.7	451.7	551.4
CONGENITAL ANOMALIES (740-759).....	NUMBER...		38	35	33	2	3
	RATE..		1,859.0	1,709.3	1,609.0	100.2	149.7
PREMATURITY (765).....	NUMBER...		122	120	120	-	2
	RATE..		6,057.9	5,958.2	5,958.2	-	99.7
SUDDEN INFANT DEATH SYNDROME (798.0).....	NUMBER...		1	1	1	-	-
	RATE..		51.5	51.5	51.5	-	-
RESPIRATORY DISTRESS SYNDROME (769).....	NUMBER...		7	7	7	-	-
	RATE..		351.6	351.6	351.6	-	-
MATERNAL COMPLICATIONS (761).....	NUMBER...		58	58	58	-	-
	RATE..		2,892.6	2,892.6	2,892.6	-	-
COMPLICATIONS OF PLACENTA, ETC. (762).....	NUMBER...		40	40	40	-	-
	RATE..		1,984.7	1,984.7	1,984.7	-	-
ACCIDENTS (E800-E949).....	NUMBER...		-	-	-	-	-
	RATE..		-	-	-	-	-
INFECTIONS (771).....	NUMBER...		3	3	1	2	-
	RATE..		150.7	150.7	49.7	101.0	-
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...		-	-	-	-	-

	RATE..	-	-	-	-	-
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	11	9	9	-	2
	RATE..	555.8	455.4	455.4	-	100.3
ALL OTHER CAUSES.....	NUMBER...	83	79	74	5	4
	RATE..	4,096.1	3,894.5	3,643.9	250.5	201.7

- 5 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, ALL BIRTH WEIGHTS						
ALL CAUSES.....	NUMBER... 3,118,727	18,575	12,338	9,727	2,611	6,238
	RATE..	595.6	395.6	311.9	83.7	200.0
CONGENITAL ANOMALIES (740-759).....	NUMBER... 4,810	4,810	3,523	2,720	803	1,287
	RATE..	154.2	113.0	87.2	25.7	41.3
PREMATURITY (765).....	NUMBER... 2,223	2,223	2,190	2,136	54	33
	RATE..	71.3	70.2	68.5	1.7	1.1
SUDDEN INFANT DEATH SYNDROME (798.0)..	NUMBER... 1,857	1,857	126	14	111	1,732
	RATE..	59.5	4.0	.5	3.6	55.5
RESPIRATORY DISTRESS SYNDROME (769)..	NUMBER... 821	821	773	605	167	48
	RATE..	26.3	24.8	19.4	5.4	1.5
MATERNAL COMPLICATIONS (761).....	NUMBER... 838	838	833	823	10	5
	RATE..	26.9	26.7	26.4	.3	.2
COMPLICATIONS OF PLACENTA, ETC. (762)..	NUMBER... 621	621	612	592	20	9
	RATE..	19.9	19.6	19.0	.7	.3
ACCIDENTS (E800-E949).....	NUMBER... 511	511	65	31	33	446
	RATE..	16.4	2.1	1.0	1.1	14.3
INFECTIONS (771).....	NUMBER... 534	534	503	230	273	30
	RATE..	17.1	16.1	7.4	8.8	1.0

PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	247	62	19	44	184
	RATE..	7.9	2.0	.6	1.4	5.9
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	319	294	241	52	25
	RATE..	10.2	9.4	7.7	1.7	.8
ALL OTHER CAUSES.....	NUMBER...	5,794	3,357	2,314	1,043	2,437
	RATE..	185.8	107.6	74.2	33.4	78.1

- 6 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, LESS THAN 2,500 GRAMS						
ALL CAUSES.....	NUMBER...	203,886	11,438	9,501	7,925	1,937
	RATE..		5,610.0	4,660.0	3,886.8	950.0
CONGENITAL ANOMALIES (740-759).....	NUMBER...		2,716	2,272	1,909	444
	RATE..		1,332.3	1,114.6	936.2	217.7
PREMATURITY (765).....	NUMBER...		2,115	2,083	2,030	54
	RATE..		1,037.1	1,021.7	995.5	26.3
SUDDEN INFANT DEATH SYNDROME (798.0).....	NUMBER...		305	28	1	27
	RATE..		149.4	13.9	.5	13.4
RESPIRATORY DISTRESS SYNDROME (769).....	NUMBER...		772	734	579	155
	RATE..		378.9	359.9	283.9	76.1
MATERNAL COMPLICATIONS (761).....	NUMBER...		788	783	773	9
	RATE..		386.3	383.8	379.4	4.5
COMPLICATIONS OF PLACENTA, ETC. (762).....	NUMBER...		512	507	491	16
	RATE..		251.4	248.9	240.9	8.0
ACCIDENTS (E800-E949).....	NUMBER...		76	19	11	8
	RATE..		37.3	9.5	5.5	4.0

INFECTIONS (771).....	NUMBER...	429	409	186	224	20
	RATE..	210.6	200.7	91.0	109.7	9.9
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	104	38	14	24	66
	RATE..	50.9	18.5	6.6	11.9	32.3
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	132	129	116	13	3
	RATE..	64.6	63.1	56.7	6.4	1.5
ALL OTHER CAUSES.....	NUMBER...	3,489	2,498	1,816	683	991
	RATE..	1,711.3	1,225.4	890.6	334.8	485.9

- 7 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, 2,500 GRAMS OR MORE						
ALL CAUSES.....	2,913,643	6,934	2,642	1,611	1,031	4,292
	RATE..	238.0	90.7	55.3	35.4	147.3
CONGENITAL ANOMALIES (740-759).....		2,064	1,224	786	438	840
	RATE..	70.8	42.0	27.0	15.0	28.8
PREMATURITY (765).....		40	40	40	-	-
	RATE..	1.4	1.4	1.4	-	-
SUDDEN INFANT DEATH SYNDROME (798.0).....		1,553	97	13	84	1,455
	RATE..	53.3	3.3	.4	2.9	49.9
RESPIRATORY DISTRESS SYNDROME (769).....		45	36	24	12	9
	RATE..	1.5	1.2	.8	.4	.3
MATERNAL COMPLICATIONS (761).....		23	23	22	1	-
	RATE..	.8	.8	.7	.0	-
COMPLICATIONS OF PLACENTA, ETC. (762).....		82	78	74	4	4
	RATE..	2.8	2.7	2.5	.1	.1
ACCIDENTS (E800-E949).....		435	46	20	25	390

	RATE..	14.9	1.6	.7	.9	13.4
INFECTIONS (771).....	NUMBER...	103	93	44	50	10
	RATE..	3.5	3.2	1.5	1.7	.3
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	143	24	5	19	119
	RATE..	4.9	.8	.2	.7	4.1
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	179	158	119	39	21
	RATE..	6.2	5.4	4.1	1.4	.7
ALL OTHER CAUSES.....	NUMBER...	2,266	823	465	358	1,443
	RATE..	77.8	28.2	16.0	12.3	49.5

- 8 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
WHITE, NOT STATED BIRTH WEIGHT						
ALL CAUSES.....	1,198	204	195	191	4	9
	RATE..	17,020.4	16,262.4	15,925.0	337.5	758.0
CONGENITAL ANOMALIES (740-759).....		29	26	25	1	3
	RATE..	2,455.5	2,203.1	2,119.3	83.8	252.4
PREMATURITY (765).....		69	67	67	-	2
	RATE..	5,726.7	5,558.6	5,558.6	-	168.1
SUDDEN INFANT DEATH SYNDROME (798.0).....		-	-	-	-	-
	RATE..	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME (769).....		3	3	3	-	-
	RATE..	256.3	256.3	256.3	-	-
MATERNAL COMPLICATIONS (761).....		28	28	28	-	-
	RATE..	2,313.4	2,313.4	2,313.4	-	-

COMPLICATIONS OF PLACENTA, ETC. (762).....	NUMBER...	27	27	27	-	-
	RATE..	2,249.7	2,249.7	2,249.7	-	-
ACCIDENTS (E800-E949).....	NUMBER...	-	-	-	-	-
	RATE..	-	-	-	-	-
INFECTIONS (771).....	NUMBER...	1	1	1	-	-
	RATE..	83.8	83.8	83.8	-	-
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	-	-	-	-	-
	RATE..	-	-	-	-	-
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	8	7	7	-	1
	RATE..	680.8	597.3	597.3	-	83.5
ALL OTHER CAUSES.....	NUMBER...	39	36	33	3	3
	RATE..	3,254.2	3,000.2	2,746.6	253.6	254.0

- 9 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, ALL BIRTH WEIGHTS						
ALL CAUSES.....	NUMBER... 609,902	8,418	5,708	4,646	1,062	2,710
	RATE..	1,380.3	935.9	761.8	174.1	444.4
CONGENITAL ANOMALIES (740-759).....	NUMBER...	1,099	771	564	206	329
	RATE..	180.2	126.4	92.5	33.8	53.9
PREMATURITY (765).....	NUMBER...	1,693	1,675	1,644	31	18
	RATE..	277.6	274.6	269.5	5.1	3.0
SUDDEN INFANT DEATH SYNDROME (798.0).....	NUMBER...	841	46	7	38	796
	RATE..	138.0	7.5	1.2	6.3	130.5
RESPIRATORY DISTRESS SYNDROME (769).....	NUMBER...	438	402	315	87	36
	RATE..	71.9	65.9	51.6	14.3	6.0
MATERNAL COMPLICATIONS (761).....	NUMBER...	447	446	440	6	1
	RATE..	73.3	73.1	72.1	1.0	.2

COMPLICATIONS OF PLACENTA, ETC. (762) ..NUMBER...	297	294	285	9	3
RATE..	48.7	48.2	46.7	1.5	.5
ACCIDENTS (E800-E949).....NUMBER...	206	14	8	6	192
RATE..	33.8	2.3	1.3	1.0	31.5
INFECTIONS (771).....NUMBER...	250	236	100	135	14
RATE..	41.0	38.6	16.5	22.2	2.3
PNEUMONIA AND INFLUENZA (480-487).....NUMBER...	156	23	5	18	133
RATE..	25.6	3.8	.8	3.0	21.8
HYPOXIA AND ASPHYXIA (768).....NUMBER...	113	102	87	15	11
RATE..	18.6	16.8	14.3	2.5	1.8
ALL OTHER CAUSES.....NUMBER...	2,877	1,700	1,191	509	1,177
RATE..	471.7	278.7	195.3	83.4	193.0

- 10 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, LESS THAN 2,500 GRAMS						
ALL CAUSES.....NUMBER...	79,772	6,171	4,959	4,163	796	1,212
RATE..		7,735.8	6,217.0	5,219.2	997.8	1,518.7
CONGENITAL ANOMALIES (740-759).....NUMBER...		678	523	406	117	156
RATE..		850.5	655.5	508.4	147.0	195.1
PREMATURITY (765).....NUMBER...		1,636	1,618	1,586	31	18
RATE..		2,050.7	2,027.9	1,988.7	39.2	22.8
SUDDEN INFANT DEATH SYNDROME (798.0) ..NUMBER...		242	9	2	7	233
RATE..		303.3	11.5	2.6	8.9	291.8
RESPIRATORY DISTRESS SYNDROME (769) ..NUMBER...		417	391	307	84	26
RATE..		522.7	489.8	384.4	105.4	32.9

MATERNAL COMPLICATIONS (761).....	NUMBER...	414	414	409	5	-
	RATE..	519.0	519.0	512.7	6.4	-
COMPLICATIONS OF PLACENTA, ETC. (762)..	NUMBER...	270	267	260	7	3
	RATE..	338.1	334.3	325.3	8.9	3.8
ACCIDENTS (E800-E949).....	NUMBER...	52	4	3	1	48
	RATE..	64.6	5.1	3.8	1.3	59.6
INFECTIONS (771).....	NUMBER...	229	218	94	123	11
	RATE..	286.6	272.7	118.2	154.4	14.0
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	80	15	4	11	65
	RATE..	100.2	19.0	5.1	14.0	81.2
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	68	66	58	8	2
	RATE..	85.1	82.6	72.4	10.1	2.5
ALL OTHER CAUSES.....	NUMBER...	2,086	1,436	1,035	401	650
	RATE..	2,614.9	1,799.7	1,297.5	502.3	815.1

- 11 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, 2,500 GRAMS OR MORE						
ALL CAUSES.....	NUMBER...	529,816	2,121	624	358	266
	RATE..		400.4	117.7	67.5	50.2
CONGENITAL ANOMALIES (740-759).....	NUMBER...		417	244	155	89
	RATE..		78.7	46.0	29.2	16.8
PREMATURITY (765).....	NUMBER...		12	12	12	-
	RATE..		2.2	2.2	2.2	-
SUDDEN INFANT DEATH SYNDROME (798.0)..	NUMBER...		598	35	4	31
	RATE..		113.0	6.7	.8	5.9
						106.3

RESPIRATORY DISTRESS SYNDROME (769)...	NUMBER...	17	7	4	3	10
	RATE..	3.3	1.4	.8	.6	1.9
MATERNAL COMPLICATIONS (761).....	NUMBER...	7	6	5	1	1
	RATE..	1.3	1.2	1.0	.2	.2
COMPLICATIONS OF PLACENTA, ETC. (762)..	NUMBER...	15	15	13	2	-
	RATE..	2.9	2.9	2.5	.4	-
ACCIDENTS (E800-E949).....	NUMBER...	155	10	5	5	144
	RATE..	29.2	1.9	1.0	1.0	27.3
INFECTIONS (771).....	NUMBER...	21	18	6	12	3
	RATE..	4.0	3.4	1.1	2.3	.6
PNEUMONIA AND INFLUENZA (480-487)....	NUMBER...	76	8	1	7	68
	RATE..	14.3	1.5	.2	1.3	12.8
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	42	34	27	7	8
	RATE..	8.0	6.5	5.1	1.3	1.5
ALL OTHER CAUSES.....	NUMBER...	761	234	126	108	527
	RATE..	143.6	44.1	23.7	20.4	99.5

- 12 -

DOCUMENTATION TABLE 5

LIVE BIRTHS BY BIRTH WEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTH WEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 1998 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

(RATES ARE PER 100,000 LIVE BIRTHS)

CAUSE OF DEATH, BIRTH WEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	TOTAL NEONATAL	EARLY NEONATAL	LATE NEONATAL	POST-NEONATAL
BLACK, NOT STATED BIRTH WEIGHT						
ALL CAUSES.....	NUMBER...	314	126	125	125	-
	RATE..		40,132.8	39,805.8	39,805.8	-
						327.0
CONGENITAL ANOMALIES (740-759).....	NUMBER...		4	4	4	-
	RATE..		1,296.0	1,296.0	1,296.0	-
PREMATURITY (765).....	NUMBER...		46	46	46	-
	RATE..		14,516.5	14,516.5	14,516.5	-

SUDDEN INFANT DEATH SYNDROME (798.0)...	NUMBER...	1	1	1	-	-
	RATE..	331.1	331.1	331.1	-	-
RESPIRATORY DISTRESS SYNDROME (769)...	NUMBER...	4	4	4	-	-
	RATE..	1,284.4	1,284.4	1,284.4	-	-
MATERNAL COMPLICATIONS (761).....	NUMBER...	26	26	26	-	-
	RATE..	8,163.0	8,163.0	8,163.0	-	-
COMPLICATIONS OF PLACENTA, ETC. (762)...	NUMBER...	12	12	12	-	-
	RATE..	3,859.6	3,859.6	3,859.6	-	-
ACCIDENTS (E800-E949).....	NUMBER...	-	-	-	-	-
	RATE..	-	-	-	-	-
INFECTIONS (771).....	NUMBER...	-	-	-	-	-
	RATE..	-	-	-	-	-
PNEUMONIA AND INFLUENZA (480-487).....	NUMBER...	-	-	-	-	-
	RATE..	-	-	-	-	-
HYPOXIA AND ASPHYXIA (768).....	NUMBER...	3	2	2	-	1
	RATE..	977.9	650.9	650.9	-	327.0
ALL OTHER CAUSES.....	NUMBER...	30	30	30	-	-
	RATE..	9,704.4	9,704.4	9,704.4	-	-

1/ INCLUDES RACES OTHER THAN WHITE AND BLACK