



## **Outline**


- 1. An example of Aggregated PM10 data for
- 2. Disaggregate the data for two city pairs in three ways: San Diego/Tijuana and the Imperial Valley/Mexicali
- 3. Hope you take away the today is the value of disaggregating the data to:
  - a. Demonstrate how aggregated data can sometimes camouflage interesting features
  - b. How simple statistics can be added to allow you to answer questions about the data
  - c. Remember that areas exist for possible allocation of resources

Providing Access to Environmental Information and Tools for Decision Making





3



## Yearly Averages of PM10


- Disaggregated into
- US and Mexico Components for
- Tijuana/San Diego and
- The Imperial Valley Region


Providing Access to Euvironmental Information and Tools for Decision Making







PM10 for Tijuana and San Diego PM10 Mean for TJ and San Diego 70.0 60.0 50.0 Tijuana PM10 (ppb) 40.0 30.0 San Diego 20.0 10.0 0.0 1999.0 2000.0 2001.0 2002.0 2003.0 2004.0 2005.0 → Mean-San Diego — TJ\_PM10\_Mean








## The Max. Mean and Min. of PM10 in Sub Regions Providing Access to Environmental Information and Tools for Ducksion Making (2)





























## **Collaborators**

- Thomas Forbes Ph.D. Ecology, EPA
- Nagaraj Neerchal, Ph.D. Statistics, UMBC Head of the Mathematics and Stat Dept
- Barry Nussbaum, D.Sc. Statistics, EPA
   Chief Statistician for EPA

Providing Access to Environmental Information and Tools for Decision Making





2

Providing Access to Environmental Informaction and Tools for Decision Making (2)

