## 2009 VFC Provider Site Visit Questionnaire

## All Grantees (includes all vaccine purchase policies)

(This form is to be completed by the public health official who is conducting the site visit review. Section I of this questionnaire is considered the CDC minimum standard for conducting routine VFC provider site visits. Immunization Projects are required to incorporate these standard questions into their existing VFC site visit protocols and VFC provider on-site questionnaires. Section II is based on the Standards of Pediatric Care. Completion of Section II is optional.)

Da	e: Reviewer's Name:	
Pro	rider Site Name:	
Pro	rider address:	
Co	rider address: tact person: Telephone & FAX Numbers:	
Em	il: VFC Number:	
Co	nty: Region:	
	<b>te:</b> An incorrect or inappropriate response to any question marked with this icon automatically requires a corrective action be recommended.	
Hov	e of Practice:  Public hospital based clinic Private Practice Public Health Dept Clinic Military Health Care Private hospital based clinic FQHC/RHC Private Preschool/daycare/etc Public Preschool/day Substance abuse WIC Indian Health Center Corrections Facility HIV/STD Clinic Public clinic non-health dept many physicians are practicing at this site? ollowing question should be answered prior to the site visit, so the findings can be discussed during the site visit.	
	e vaccine orders consistent with most current provider profile? If no, follow up actions must be documented in 32b. ETION I. VFC COMPLIANCE	
Qu	stions 1-7 should be answered by the provider.	
1.	What is the vaccine administration fee charged to non-Medicaid VFC eligible patients (uninsured, American Indian/Alaska Native, under-insured if vaccinated at FQHC/RHC)?	
2.	Under what circumstances is a child referred to another facility for immunization services?  ☐ Not applicable children are never referred ☐ Child is underinsured ☐ Vaccine is unavailable ☐ Parent is unable to pay administration fee ☐ Parent is unable to pay office visit fee ☐ Other (specify)	
3.	Which of the following vaccines are <b>NOT</b> routinely administered in this clinic/practice?  DTaP	
	Other:*  * to high-risk patients	

<ul> <li>4. When does this clinic/practice provide patients with copies</li> <li>Every time the patient receives a vaccination</li> <li>When the child receives the first dose of vaccine within a</li> <li>Do not provide</li> <li>Other (specify)</li> </ul>	particular serie:	s (e.g. 1st dose	
<ul> <li>In order to complete the annual provider profile, how does this in this clinic/practice?</li> <li>Use doses administered data</li> <li>Use benchmarking data</li> <li>Use Medicaid &amp; billing data</li> <li>Immunization Information System (Registry)</li> <li>Other (please describe):</li> </ul>	·		number of VFC-eligible patients
<ul> <li>When does the clinic/practice screen patients for VFC eligible.</li> <li>First immunization visit to the office.</li> <li>Every immunization visit.</li> <li>Do not screen for VFC eligibility.</li> <li>Not applicable, clinic/practice serves 100% VFC eligible cwith up to date signature on file.</li> <li>Other (specify)</li> </ul>	hildren and has		emprehensive Certification form
<ul> <li>7. Does this clinic/practice always notify the Immunization Proceed Cold Chain failure, has expired or been wasted?</li> <li>Yes</li> </ul>	gram when pub	licly purchased	vaccine has been involved in a
8. ! When does this clinic/practice prepare vaccine for administr			
Questions (9-28) should be answered based on a physical review of provi 9. ! Does the clinic/practice have a written plan for vaccine mar content):	-		• • • • • • • • • • • • • • • • • • • •
	Yes	No	
Designation of primary vaccine coordinator and at least one back-up staff			
Proper vaccine storage and handling			
Vaccine shipping (includes receiving, & transport)			
Procedures for vaccine relocation in the event of a power failure,			
mechanical difficulty or emergency situation (emergency plan)			
Has the emergency plan been reviewed or updated annually or since change in responsible staff?			
Vaccine ordering			
Inventory control (e.g. stock rotation)			
Vaccine wastage			

10. Please identify the publication date for each of the VIS currently being used in this clinic/practice and then check the appropriate status for each VIS.

	VIS VERSIO	ON BEING USED IN T	HIS CLINIC/PRACT	TCE
VACCINE*	Current	Outdated	None Used	Does Not Administer
DTaP (5/17/07)				
Polio (1/1/00)				
MMR (03/13/08)				
Hepatitis B (7/18/07)				
Varicella (03/13/08)				
Hepatitis A (3/21/06)				
Hib (12/16/98)				
Pneumococcal Conjugate (12/09/08)				
Inactivated Influenza (07/24/08)				
Live Intranasal Influenza (07/24/08)				
Adult Pneumococcal Polysaccharide (PPV23) (7/29/97)				
Meningococcal (01/28/08)				
Td/Tdap (11/18/08)				
Rotavirus (08/28/08)				
Human Papillomavirus (2/02/07)				
Multiple Vaccine (09/18/08)				
Other				

VIS Website: <a href="http://www.cdc.gov/vaccines/pubs/vis/downloads/vis-multi.pdf">http://www.cdc.gov/vaccines/pubs/vis/downloads/vis-multi.pdf</a> Current VIS publication dates as of 11/18/2008

11. What type of storage units does this clinic/practice use to store varicella-containing vaccines and all other vaccines? (check all that apply)

Varicella Containing Vaccines	All Other Vaccines
Stand alone freezer	Stand alone freezer
Stand alone refrigerator	Stand alone refrigerator
Dormitory style refrigerator/freezer	Dormitory style refrigerator/freezer
Combined refrigerator/freezer with	Combined refrigerator/freezer with separate
separate external refrigerator and freezer doors	external refrigerator and freezer doors (e.g.
(e.g. household style appliance).	household style appliance).
Combined refrigerator/freezer with single	Combined refrigerator/freezer with single
door	door
☐ Does not administer vaccines requiring freezer	
storage	

12. Are working thermometers placed in a central area of each refrigerator and freezer?

		Ref	frigera	tor			F	reeze	r	
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
Yes										
Have thermometer but not placed properly										
No thermometer										

13. (A) What type of thermometer is used by the clinic/practice (check all that apply)?

		Ref	rigera	ator			F	reeze				
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.		
Standard Fluid Filled												
Continuous Recording												
Min-Max												
Dial												
Digital												
Other (specify)												

13. (B) For each type of thermometer used by the clinic/practice, indicate if the thermometer is certified (check all that apply)

αμμιγ).			Refrigerat	or				Freezer		
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
Standard	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES_
Fluid Filled	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Continuous	YES	YES	YES_	YES	YES_	YES_	YES	YES_	YES_	YES_
Recording	No	NO	NO	NO	NO	NO	NO	NO	NO	NO
Min-Max	YES_	YES	YES_	YES	YES_	YES_	YES	YES_	YES_	YES_
Willi-iviax	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Dial	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Diai	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Digital	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Digital	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Other	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
(specify)	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

14. For each refrigerator and freezer indicate how often temperatures are recorded (check all that apply).

		Ref	rigera	ator		Freezer				
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
Once a day										
Less than once a day										
Twice a day										
More than twice a day										

15. Record the highest and lowest temperatures logged in the last 3 months. If partial log is available for the past three months, record the highest and lowest temperatures from available logs. If no log is available, use current temperature for both lowest and highest temperatures and select no log is available for last 3 months. If practice does not have a thermometer use reviewer's thermometer temperature to record both lowest and highest temperatures. Use same temperatures for reviewer's section in question #19. If log is available for less than 3 months, use lowest and highest temperatures from timeframe available on log and select partial log is available for last 3 months. All three sections must be answered.

Please indicate if recordings are Celsius (°C) or Fahrenheit (°F).

Recommended temperature ranges: Refrigerator: (2-8°C / 35-46°F) Freezer: (-15°C / 5°F or lower)

	,	Refrigerat	or (2-8°C	/ 35-46°F)		,	Freezer(-	15°C / 5°F	or lower)	
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
Lowest	°C °F	°C 'F	°C °F	°C °F	°C °F	°C °F	°C °F	°C °F	°C °F	°C °F
Highest	°C °F	°C °F	°C	°C °F	°C °F	°C °F	°C °F	°C °F	°C °F	°C °F
Log available	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO	YES NO
for last 3 months?	Partial	Partial	Partial	Partial	Partial	Partial	Partial	Partial	Partial	Partial

16. During past 3 months or for the amount of time log is available, if less than 3 months, how many times were the temperatures outside the recommended range? If no log is available, select the "unknown: no log available" answer.

			frigera C / 35-		(	Freezer (-15°C / 5°F or lower) #1. #2. #3. #4. #9			·)		
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.	
Below Guidelines											
Above Guidelines											
Unknown: no log available											

17. When the temp	peratures v	vere outsio	de the reco	mmended	range, wh	nat action o	lid the clin	ic/practice	take?	
(✓ all that apply					3-7					
Adjusted the		refrigerato	r/freezer							
☐ Measured te				meter to c	heck accu	iracy of ori	ninal readi	na		
Moved vacci								iig		
Called the va							Cialaic			
Called the lo				•	,	vaccinc				
Did not do a		IIIIui IIZali	ni progran	1 101 033130	ance					
☐ Not applicab		naraturas d	nutsida ran	nο						
Unable to an				ye						
	ISWEL, HU IC	iy avallabi	C							
18. Does the clinic	-	ave writter	n documen	itation of th	ne action ta	aken when	the tempe	eratures we	ere outside	the
recommended ra										
YesNo	□ No	ot applicab	le, no tem	peratures o	outside rar	nge 💹 Un	able to an	swer, no lo	g available	9
19. Record the curre	ent tempera									
			efrigerato					Freezer		
		(2-8	3°C / 35-46	o°F)			(-15°C	C / 5°F or lo	ower)	
	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
	°C		°C	°C	°C	°C	°C	°C	°C	°C
Practice	°F	°F	°F	°F	°F	°F	°F	°F	°F	°F
Thermometer										
	°C	°C	°C	°C	°C	°C	°C	°C	°C	°C
Reviewer's										

20. Are current temperatures within the guidelines according to the reviewer's thermometer? (Refrigerator: 2-8°C / 35-46°F, Freezer: -15°C / 5°F or lower)

(	o <u> </u>	,, 00 .0	. ,	_ 011 10 0	7 0 1 01 10	,,			
	YES YES YES Y						Freezer		
#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

21. Is food stored with vaccines in the refrigerator or freezer?

	Refrigerator						Freezer		
#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.

**Thermometer** 

| YES |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| NO  |
|     |     |     |     |     |     |     |     |     |     |
|     |     |     |     |     |     |     |     |     |     |

22. Are vaccines stored in the doors of the refrigerator or freezer?

		r		Freezer						
ſ	#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
Ī	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

23. Is vaccine stored in the middle of the storage unit and stacked with air space between the stacks and side/back of the unit to allow cold air to circulate around the vaccine?

	Refrigerator						Freezer			
#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.	
YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	

24. Is there a "DO NOT DISCONNECT" sign on the refrigerator/freezer electrical outlet?

	Refrigerator						Freezer	,	
#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.
YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO

25. Is there a "DO NOT DISCONNECT" sign on the circuit breaker?

☐ Yes ☐ No ☐ Don't Know

26. Are short-dated vaccines stored in front and used first, rotating stock effectively?

	Refrigerator						Freezer				
#1.	#2.	#3.	#4.	#5.	#1.	#2.	#3.	#4.	#5.		
YES	YES	YES	YES	YES	YES	YES	YES	YES	YES		
NO	NO	NO	NO	NO	NO	NO	NO	NO	NO		

yes, clinic/practice Yes, clinic/pra No, clinic/prac Not applicable	practice physically differentiate privately purchased vaccing must be able to demonstrate how this is done. In citice can physically differentiate public vaccine from privatice cannot physically differentiate public vaccine from privatice cannot physically differentiate public vaccine from privation, clinic/practice is located in a universal state, has no privation, clinic/practice serves 100% VFC eligible children, has no	ate vaccine ivate vaccine vate stock	e	nased vaccine? To answer
28. Upon checking t	he clinic/ practice's vaccine supply, did the reviewer find	any unrepor	ted waste	ed or expired vaccine?
(electronic or manual) 29. What is the VFC of VFC screening VFC screenin	ald be answered based on a review of patient charts, or registry which records VFC eligibility status. eligibility screening coverage in this clinic/practice? g coverage of 100% of charts reviewed g coverage of at least 95% of charts reviewed g coverage of at least 90% of charts reviewed g coverage below 90% of charts reviewed	electronic r	medical r	ecords, or patient log
☐ CDC-supplied ☐ CoCASA ☐ Grantee-deve	y was used to determine VFC eligibility screening coverage Lot Quality Assurance (LQA) 30 chart protocol loped methodology	ge during th	is site visi	it?
31. Do all immunization  (✓ one box per ite	on records contain the following documentation required bem)	oy statute 42	2 US Code	e 300aa-25 and 300aa-26?
( ene zen per ne	Required Documentation	Yes	No	7
	Name of vaccine given			7
	Date vaccine was given			
	Date VIS was given			
	Name of vaccine manufacturer			
	Lot number			
	Name and title of person who gave the vaccine			
	Address of clinic where vaccine was given			
	Publication date of VIS			

Questions 32-33 should be answered based on results of the VFC site visit.  32a. Are corrective actions recommended for this VFC enrolled site?  Yes  No (STOP here)
32b. Please indicate which corrective actions regarding vaccine practices were recommended for this VFC-enrolled site.  Please refer to high-risk question (!) key to determine what questions were answered inappropriately. All questions answered with inappropriate responses require corrective actions. The reviewer may also enter corrective actions for non high risk questions. Enter all recommended corrective actions in the appropriate space provided below. (✓ all that apply and specific problem)  ☐ Administrative practices
22. Disease indicate your plan for following up with the site to ensure recommendations were implemented.
<ul> <li>33. Please indicate your plan for following-up with the site to ensure recommendations were implemented.</li> <li>Provided technical assistance at time of site visit, no further follow-up is needed</li> <li>Telephone call</li> <li>Site visit</li> <li>F/U letter</li> <li>Suspended delivery of VFC vaccine until storage/handling problems resolved</li> <li>Other:</li> </ul>

## SECTION II. Standards for Pediatric & Adolescent Immunization Practices (Optional)

1.	e Administrative Policy							
	How does the clinic/practice offer immunization services	vices to patient	s? (Check a	all that apply)				
	□ During well-child visits	☐ Immunizati						
	□ Walk-in immunizations □ Dedicated days/times for immunizations							
	☐ Off-site immunizations	☐ Other (spe	cify)					
2.	Is an office visit fee charged in addition to any vacci  ☐ Yes ☐ No	ine administrati	on fees?					
	If yes, what is the amount of the office visit fee?							
3.	Is a physical exam required before immunizations are ☐ Yes ☐ No	given?						
	sment of Vaccination Delivery							
4.	Does the clinic/practice routinely immunize when the c	Yes	No	Situational				
	A cold							
	Low grade fever (e.g. 100.4°F [38°C] or lower)							
	Recently been exposed to infectious illness							
	Mild diarrhea							
	Convalescing from an acute illness							
5.	patients/families whose first language is not English?  ☐ Yes ☐ No			nation Statements (VIS	) for			
-	Storage and Administration of Vaccines and Documen							
6.	Does the clinic/practice have a current copy of the foll	owing docume	nts?	Vaa	Na			
	Recommended Childhood Immunization Schedule			Yes	No			
		ization Practice	)C					
	Revised Standards for Child and Adolescent Immunization Practices							
	Contraindications for Childhood Immunization							
	Contraindications for Childhood Immunization  Vaccine Management: Recommendations for Handle	ina & Storage (	of Selected I	Biologicals $\Box$				
	Contraindications for Childhood Immunization Vaccine Management: Recommendations for Handle	ing & Storage o	of Selected L	Biologicals $\Box$				
7.				J				

9.	How do persons who administer vac education regarding immunization?  ☐ No ongoing training	(Check all that apply.)  ☐ In-hou least one	use training by health dept./professi ce a year	ional organization at
	☐ In-house training by staff at least	st once a year □ Off-sit year	te conferences or workshops at leas	st once a
	<ul><li>□ Distribution of written materials</li><li>□ Other (specify)</li></ul>		based training	
10.	Does the practice document ongoing who manage or support vaccine adm ☐ Yes ☐ No		nization for persons who administe	r vaccines and staff
11.	Does the clinic/practice simultaneou $\square$ Yes $\square$ No	sly administer all vaccines f	or which the child is eligible?	
12.	What size needles are generally use  ☐ 5/8 " (inch) ☐ 1 " (inch)  ☐ Depends on age ☐ Other (Spe	□ 7/8" (i	nch)	
13.	Does the clinic/practice pre-fill syring  ☐ Yes ☐ No	ges?		
14.	Does the clinic/practice have VAERS  ☐ Yes ☐ No	S forms and know how to re	port to VAERS?	
15.	Does the clinic/practice require staff the following vaccine-preventable dis □ None required □ Measles/N □ Hepatitis A □ Varicella □ Td □ Other (spe	seases? (Check all that app //umps/Rubella	oly)	f of immunity against
	entation of Strategies to Improve Vac			
16.	How does the clinic/practice remind  Mail	patients of their next appoir Written appointment slip given		
		Does not remind patients o	of next appointment	
17.	□ Does not contact patients who	Telephone	oointments? (Check all that apply)	

18.	How does the clinic/practice identify patients if no appoall that apply)  □ Cannot identify patients due/overdue for immuniz  □ Computer (office-based, not connected to a regis  □ Other (specify)	try) □ Paper-based "tickler" system							
19.	How frequently does the clinic/practice generate remin due/overdue for a vaccination? (Check all that apply)  ☐ Quarterly ☐ Monthly ☐ Clinic/practice does not distr	□ No regular schedule							
20. Is an office- or clinic-based patient record review and vaccination coverage assessment performed at least once a (check all that apply)?									
	<ul><li>□ No</li><li>□ Yes</li><li>□ Yes, by immunization/VFC program</li></ul>	<ul><li>☐ Yes, by practice staff</li><li>☐ Yes, by other external reviewer</li></ul>							
	When was the most recent office- or clinic-based patie Date:	ent record review and vaccination coverage assessment?							
21.	Does the practice/clinic participate in an immunization $\hfill\Box$ Yes $\hfill\Box$ No	registry?							
22.		What community-based approaches does the clinic/practice use to increase immunization coverage? (Check all that							
	apply)  □ No community-based approaches used □ Provides off-site immunization services □ Partners schools/school nurses	<ul> <li>□ Participates in health fairs</li> <li>□ Conducts community-based outreach/education</li> <li>□ Other (specify)</li> </ul>							