

CHAPTER 1

OPK Requirements and Restrictions

Hugh *Brown*
- Copy

Schrock
Dann *m. Loh* *(Code)*
Kw!
John Rose

Carol Duffin

List of Requirements and Restrictions

Note

Microsoft reserves the right to change the requirements and restrictions in this chapter at any time without notice.

The items in the following list are described in greater detail later in the document. To comply with the terms of your OEM license agreement, you must do the following:

- Replace the Manufacturer= field in OEMINFO.INI with your company name.
- Replace or delete the sample text in Model= field and the [OEMSpecific], [Support Information], and [Create System Disks] sections in OEMINFO.INI with your company-specific information. Do not list Microsoft or a Microsoft phone number for support information.
- Replace or delete the OEM sample Help files (OEM.HLP and OEM.CNT).
- Replace or delete the sample OEMLOGO.BMP included in the OPK with your company logo bitmap. This bitmap must conform to the requirements on page 84.
- Always display the on-line Microsoft Certificate of Authenticity, Microsoft End User License Agreement, and the Username/Company screens.
- If you do not ship MSCSD, you must make the following changes to either the reference server or the target PC:

- Comment the following line in \OEMFILES\PISETUP\RUNONCE.FNI:

```
HKLM, %KEY_RUNONCE%, MSCSD_Desc, "%10%\OPTIONS\mscsd.exe /start"
```


- Comment the following line in \PISETUP\PISETUP.INF:

```
C:\windows\inf\mscsd.inf,mscsd : Creates link to MSCSD in System tools folder
```

- If your target PC has a modem with fax capabilities, you must modify the following lines in the RUNONCE.INF file.

```
HKLM, %KEY_RUNONCE%, FAXPrint, "%11%\avedpr32.exe /D"  
:HKLM, %KEY_RUNONCE%, FAXPrint, "%12%\avedpr32.exe /AM"
```

REM or delete the first line and UNREM the second line. The default case assumes you either do not have a modem or it does not have fax capabilities.



To comply with the terms of your OEM license agreement, you must conform to the following restrictions:

- Do not preinstall Windows 95 using any other method than the Windows 95 OEM Freinstallation Kit.
- Do not remove, replace, or modify the Startup Screen Logo except using the OEMSTAMP tool provided with this kit. Do not make any other changes to the Startup Screen Logo. See Appendix A for a picture of this screen. You can not remove, replace, or modify any other Product Logos or Trademarks (as noted in your OEM License Agreement) included in the Windows 95 product.
- Do not replace, remove, or supersede the Microsoft Welcome to Windows 95 dialog (WELCOME.EXE). See Appendix A for a picture of this dialog. This application includes: "What's New", "Online registration", "Tip of the day", and "The Tour". The Welcome to Windows 95 dialog must appear on the desktop automatically for the first user session. You are allowed to add additional tips to "Tip of day", but not to remove any of the existing Microsoft provided tips. You are also allowed to add additional pages to the tour. (Note that the Welcome to Windows 95 dialog is different than the P1SETUP Welcome Screen. For an example of both, see Appendix A.)
- Do not modify the on-line Microsoft End User License Agreement without express written permission from Microsoft. You are allowed to replace the term "PC Manufacturer" with your company name or modify the agreement to comply with local law concerns without written permission from Microsoft.
- Do not append to the end of the Microsoft End User License Agreement.
- Do not ship the tools included in the OPK on a non-Microsoft operating system. It is our intent to share these tools with the Windows NT and MS-DOS teams so that eventually you will be able to use a common set of preinstallation tools across our operating system base.
- Do not redistribute the document files included with the OPK without express written permission from Microsoft.
- If you ship your target PCs with a Microsoft Windows 95 system CD-ROM or Microsoft Windows 95 setup disks, you must remove SETUP.EXE, DOSSETUP.BIN, and WINSETUP.BIN from the target PC's hard disk before shipping the PC to the end user. The Microsoft Create System Disk utility (MSCSD.EXE) can be shipped with systems that include a Microsoft Windows 95 system CD-ROM or setup disks if these three files are not included and the MSCSD00.INI file is not shipped on the system.
- You are authorized to ship any or all of the Windows 95 CAB files on the hard drive, the DRIVER1.CAB file, or both if you want. For additional information, see page 51.
- Do not use MSCSD.EXE to create a set of Microsoft Windows 95 setup disks for shipment with your machines. MSCSD can be used by the end user to create a full set of Windows 95 disks. MSCSD is an end-user tool for creating these disks. If you want to include Microsoft Windows 95 setup disks with your target PCs you must purchase them from an authorized replicator. You can, however, use MSCSD with your own MSCSDxx.INI files to create utility disks or driver disks for the end user.

- Do not modify the Microsoft supplied INF files in the `winroot\INF` directory for detection purposes. You can modify these files if you need to change a text string or add new device information, but you must not comment out or remove sections of the INF files in the `winroot\INF` directory or the end user will not be able to properly detect new devices they add to their machine. If you want to use a separate set of INF files for detection during setup, put a copy of all the INFs in the `IMAGEPISETUP` directory and PISETUP will use these instead. When PISETUP is complete, it will delete them when it deletes the PISETUP directory on the user's machine.
- Do not ship the tools we have defined as "OEM Factory-only tools" to the end user. These files have been modified to remove their version stamping and several have features that could be damaging to an end-user system if they did not use them properly. These tools are distinguished by the letter "O" in front of them and include: `OATTRIB.EXE`, `OFORMAT.COM`, `OCOPY.EXE`, and `OFDISK.EXE`. The only exception to this rule is the tool `OREGEDIT.EXE`, which is used by PISETUP during the end-user setup process, then is automatically deleted during setup cleanup.
- Do not ship the tool `SETINI.EXE` to an end user. This tool is used by the OPK batch files you will run in OEM engineering. The tool `PARSINI.EXE` has all the functionality of `SETINI.EXE` (and more) and can be shipped to an end user.
- Do not ship the tool `GENINST.EXE` to an end user. This tool is used to test .INFs independently of setup, and is not an end user tool. To process an .INF, the OEM should use the `[Install]` section of `PISETUP.INF`, or `MSBATCH.INF`.
- Do not ship the MS-DOS 6.22 kernel files included on the OPK. These files are for the purpose of creating target PC preload boot disks and may not be used for any other purpose than this boot disk.
- Do not ship dual-installed systems (defined here as an older version of MS-DOS and Windows and Windows 95 on the same machine) without express written permission from Microsoft. This permission takes the form of a separate legal agreement that must be signed, at which point Microsoft will send you a "dual install supplement" that describes how to enable our integrated "dual install" option in PISETUP.
- Do not remove the following items from `RUNONCE.FNI` (if you doing a CD install) or `RUNONCE.INF` (if you are doing a reference server install), or circumvent them from running out of the Runonce registry key:

```

HKLM, \KEY_RUNONCE\MSISET, "1111\addreg.exe"
HKLM, \KEY_RUNONCE\NullSecurProperties, "RUNDLL12.exe msys.cpl.msseRunOnce"
HKLM, \KEY_RUNONCE\CheckForOPK, "RUNDLL12.exe msys.cpl.msseRunOnce CHECK_OPK"
HKLM, \KEY_RUNONCE\Wrapper, "1111\RUNONCE.EXE"
HKLM, \KEY_RUNONCE\ClassSecur, "rundll12.exe sysdm.cpl.DMFIRSTTimeSecur"
HKLM, \KEY_RUNONCE\TapSecur, "spinit1.exe"
HKLM, \KEY_RUNONCE\VFSSecur_Desc, "rundll12.exe sysdm.cpl.Intedbase_Create"
HKLM, \KEY_RUNONCE\InitShell, ""
HKLM, \KEY_RUNONCE\ProductType, ""
HKCU, \KEY_TIPSA, show:1, 31.00.00.00
HKLM, \KEY_RUNONCE\Secur, "CalInit_Desc", "RUNDLL12.EXE SHELL32.HELL.General.FillCache_RunDLL"
HKLM, \KEY_RUNONCE\Secur, "Vgrpsrv_Desc", "1254\GRPSRV -g"
HKLM, \KEY_RUNONCE\Secur, "Win95Init_Desc", "1254\win9512.exe -q windows.nlp"
HKLM, \KEY_RUNONCE\Secur, "ConfigMSDOS_Desc", "RUNDLL12.EXE PSFCM.HELL.Init?FreqEntries"
HKLM, \KEY_RUNONCE, "EmailRunOnce", "1244\PROGRAMS\MICROSOFT\MSISET12.exe -b"
HKLM, \KEY_RUNONCE\Secur, "EmailRunOnce", "1244\PROGRAMS\MICROSOFT\MSISET12.exe"
    
```

- Do not ship an encrypted version of Windows 95 on the hard drive to a end user without express written permission from Microsoft. End users must be capable of immediately booting into Windows 95 without the use of an encryption key.