

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	971.0	3,518.3	150.2	66.1	132.5	183.6	370.7	870.7	1,927.8	4,078.5	9,302.1	20,324.2
1948-----	988.6	3,571.1	160.1	68.3	143.5	195.8	390.9	900.1	1,973.5	4,135.3	9,507.0	21,316.1
1947-----	1,007.6	3,452.3	160.8	70.7	154.2	211.1	405.1	923.4	2,014.0	4,208.3	9,695.3	21,687.8
1946-----	996.5	4,625.7	181.5	82.2	168.7	226.4	416.2	920.8	1,981.9	4,115.6	9,510.9	21,063.0
1945-----	1,058.1	4,248.5	203.0	90.2	192.7	267.3	458.1	955.8	2,049.0	4,258.8	9,835.2	20,958.2
1944-----	1,062.1	4,416.8	233.0	94.2	202.8	265.9	462.7	967.8	2,075.2	4,392.5	10,167.1	21,533.0
1943-----	1,087.2	4,399.7	256.4	96.6	206.4	274.9	480.5	1,019.3	2,150.7	4,615.6	10,754.4	23,033.3
1942-----	1,034.3	4,881.4	243.4	90.8	191.5	278.1	484.0	1,010.2	2,096.5	4,488.5	10,164.4	21,112.7
1941-----	1,049.9	5,258.4	279.9	99.0	201.2	292.3	499.8	1,030.5	2,132.2	4,616.5	10,576.3	21,869.9
1940-----	1,076.4	5,493.8	289.6	103.7	204.8	305.9	520.1	1,059.9	2,215.5	4,838.3	11,203.9	23,565.1

Vol. 43, No. 1

ALL CAUSES

11

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	1,112.6	3,963.0	163.6	78.9	171.8	218.7	443.7	1,082.7	2,420.6	4,841.5	10,381.2	21,498.7
1948-----	1,130.9	4,016.7	174.2	80.4	182.6	233.1	465.1	1,121.2	2,464.2	4,883.4	10,510.6	22,640.9
1947-----	1,148.1	3,883.5	175.3	83.9	192.7	244.4	479.6	1,134.5	2,499.2	4,921.8	10,659.3	22,930.1
1946-----	1,133.7	5,211.7	196.4	97.4	212.9	261.9	485.7	1,124.2	2,426.2	4,750.5	10,407.1	22,108.1
1945-----	1,258.1	4,758.0	219.3	105.8	272.6	348.3	547.8	1,160.1	2,501.0	4,910.3	10,771.5	22,074.0
1944-----	1,236.1	4,911.8	250.2	112.2	278.1	322.0	538.7	1,166.5	2,503.4	5,023.0	11,074.5	22,551.9
1943-----	1,237.5	4,927.0	277.0	112.0	264.4	319.3	554.9	1,219.3	2,571.8	5,255.9	11,722.4	24,264.0
1942-----	1,170.8	5,443.2	260.8	107.2	228.0	321.7	561.6	1,214.7	2,509.2	5,125.2	11,100.3	22,207.6
1941-----	1,178.0	5,860.0	299.4	113.5	232.0	329.8	574.7	1,222.8	2,533.3	5,264.5	11,523.7	23,192.1
1940-----	1,197.4	6,189.8	311.5	117.8	228.9	338.4	588.1	1,248.8	2,612.0	5,462.3	12,126.4	24,639.0

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	831.4	3,056.1	136.4	52.9	94.5	150.2	299.7	658.8	1,432.0	3,362.4	8,378.0	19,435.9
1948-----	848.2	3,103.9	145.5	55.7	105.6	160.1	318.6	678.2	1,478.8	3,427.5	8,641.6	20,305.6
1947-----	868.9	3,000.5	145.7	57.1	117.4	179.1	332.5	710.4	1,522.6	3,530.1	8,853.3	20,720.6
1946-----	862.1	4,013.2	166.1	66.4	128.6	192.4	348.3	714.9	1,530.3	3,508.6	8,731.1	20,302.2
1945-----	878.6	3,717.6	186.1	74.0	136.6	209.7	375.9	748.2	1,587.7	3,631.7	9,017.3	20,134.2
1944-----	900.9	3,897.6	215.2	75.6	144.5	221.3	391.2	764.7	1,636.1	3,782.5	9,369.9	20,778.1
1943-----	941.7	3,849.3	235.1	80.7	154.6	235.0	408.6	813.4	1,716.8	3,993.4	9,900.3	22,116.7
1942-----	899.1	4,291.3	225.7	73.7	156.4	237.3	407.7	798.1	1,668.8	3,865.7	9,340.9	20,293.9
1941-----	921.5	4,627.8	259.8	84.0	171.0	256.1	425.5	829.5	1,714.3	3,980.8	9,727.2	20,878.2
1940-----	954.6	4,774.3	267.0	89.1	181.1	274.3	452.2	860.7	1,800.4	4,222.2	10,368.6	22,759.1

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	953.2	3,217.9	137.0	62.5	114.4	152.6	317.7	778.5	1,834.1	4,009.9	9,400.4	20,870.2
1948-----	971.3	3,296.3	147.2	64.4	123.5	162.5	334.6	805.0	1,878.8	4,076.0	9,623.0	21,930.5
1947-----	992.7	3,192.3	147.7	66.0	130.8	175.9	350.4	829.1	1,928.1	4,168.3	9,838.2	22,323.4
1946-----	983.3	4,363.7	167.1	77.7	145.7	189.4	358.5	830.8	1,902.6	4,088.2	9,677.9	21,795.8
1945-----	1,041.9	3,932.5	185.8	85.6	165.7	223.6	393.6	863.6	1,967.0	4,228.9	9,991.3	21,572.0
1944-----	1,041.7	4,070.4	210.4	88.5	175.6	221.6	394.2	872.1	1,988.5	4,352.9	10,324.0	22,060.0
1943-----	1,065.0	4,051.2	232.7	91.0	177.2	230.1	408.8	919.8	2,057.9	4,570.9	10,902.5	23,678.3
1942-----	1,007.5	4,523.1	218.8	83.9	160.0	228.5	409.4	909.3	2,007.1	4,436.0	10,307.3	21,628.5
1941-----	1,015.9	4,762.8	248.3	91.6	166.3	238.5	419.9	922.7	2,035.0	4,556.3	10,681.3	22,351.6
1940-----	1,041.5	5,027.8	261.6	96.6	168.4	249.0	437.4	947.9	2,111.7	4,770.5	11,298.8	24,199.1

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	1,097.0	3,636.6	149.5	75.3	154.8	187.2	393.8	995.7	2,341.3	4,792.2	10,506.6	22,009.6
1948-----	1,115.2	3,719.3	161.7	77.4	164.5	199.9	410.0	1,029.0	2,380.5	4,841.3	10,640.6	23,197.5
1947-----	1,136.7	3,609.8	162.3	79.6	171.5	211.0	427.5	1,045.9	2,432.7	4,900.3	10,828.2	23,461.6
1946-----	1,123.7	4,940.6	180.8	93.2	193.1	225.3	430.7	1,036.6	2,363.5	4,741.1	10,593.4	22,752.7
1945-----	1,246.8	4,412.6	201.7	102.5	249.2	301.1	485.5	1,070.2	2,437.9	4,894.3	10,935.9	22,545.8
1944-----	1,219.8	4,557.1	227.8	107.1	256.5	278.4	473.1	1,072.4	2,434.8	4,997.0	11,247.4	22,903.6
1943-----	1,218.4	4,554.0	252.3	106.9	239.9	275.6	485.8	1,122.7	2,498.8	5,225.6	11,879.1	24,740.9
1942-----	1,144.7	5,062.0	235.0	101.0	200.5	270.0	488.1	1,114.1	2,436.5	5,083.0	11,237.5	22,563.9
1941-----	1,144.3	5,327.1	268.2	106.9	201.4	274.3	497.0	1,117.1	2,450.7	5,211.2	11,617.6	23,514.6
1940-----	1,162.2	5,670.0	281.2	111.5	197.3	281.0	507.2	1,138.6	2,521.9	5,399.9	12,202.3	25,135.1

Vol. 43, No. 1

ALL CAUSES

15

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	811.0	2,778.1	124.0	49.2	74.8	119.3	243.3	561.4	1,325.0	3,279.3	8,467.0	20,068.4
1948-----	828.9	2,848.3	132.0	50.9	83.4	126.5	260.9	580.2	1,374.3	3,357.5	8,753.0	21,028.1
1947-----	850.2	2,752.3	132.5	51.7	91.8	142.1	274.9	610.5	1,418.9	3,475.4	8,986.9	21,501.1
1946-----	845.6	3,756.6	152.8	61.5	102.7	155.0	287.7	622.5	1,436.3	3,467.5	8,886.9	21,096.4
1945-----	858.4	3,425.5	169.3	68.1	107.7	168.8	309.2	654.2	1,489.1	3,593.1	9,170.8	20,847.9
1944-----	876.6	3,558.5	192.4	69.2	113.2	176.4	319.8	667.8	1,533.6	3,734.5	9,518.4	21,429.2
1943-----	916.2	3,524.7	212.3	74.4	121.1	189.2	334.1	711.2	1,605.7	3,939.6	10,037.0	22,878.9
1942-----	871.0	3,950.5	202.0	66.3	120.8	189.3	331.5	697.0	1,564.6	3,810.1	9,484.1	20,924.8
1941-----	886.6	4,168.1	227.8	75.7	131.4	203.8	343.0	719.7	1,604.1	3,919.7	9,845.6	21,473.5
1940-----	919.4	4,359.4	241.2	81.3	139.7	217.6	367.2	746.8	1,684.4	4,153.6	10,482.6	23,495.3

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	1,123.9	5,589.1	247.3	91.1	269.7	449.2	832.9	1,765.4	3,058.1	5,009.7	7,822.2	13,900.0
1948-----	1,136.9	5,606.1	256.1	94.9	295.6	478.7	879.7	1,838.0	3,106.3	4,929.4	7,764.2	14,182.9
1947-----	1,135.2	5,635.5	255.7	102.6	331.9	509.5	878.9	1,867.2	3,033.9	4,739.1	7,559.6	13,947.5
1946-----	1,108.7	6,602.5	285.7	112.3	342.3	537.9	915.2	1,834.9	2,923.0	4,480.2	7,013.1	13,305.3
1945-----	1,194.0	6,572.5	326.9	121.0	389.4	621.9	1,011.7	1,902.6	3,027.1	4,659.5	7,424.0	14,073.0
1944-----	1,235.9	7,075.9	393.3	132.4	407.8	635.8	1,053.4	1,962.7	3,116.8	4,927.8	7,760.1	15,585.7
1943-----	1,278.3	7,254.3	420.1	135.4	433.4	653.4	1,102.3	2,065.5	3,283.6	5,224.6	8,424.0	15,994.3
1942-----	1,267.3	7,541.3	413.0	137.9	443.9	701.8	1,135.4	2,086.1	3,201.8	5,201.5	7,928.2	15,529.4
1941-----	1,347.4	8,909.3	498.1	151.2	484.7	754.0	1,197.9	2,191.3	3,342.9	5,451.0	8,847.4	16,897.1
1940-----	1,382.8	8,918.7	484.6	154.0	501.2	793.5	1,244.2	2,285.8	3,525.4	5,778.4	9,608.0	17,668.7

Vol. 43, No. 1

ALL CAUSES

17

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	1,248.8	6,222.2	269.4	104.6	305.2	497.1	890.9	1,925.3	3,367.6	5,495.1	8,631.6	15,566.7
1948-----	1,267.0	6,238.9	268.3	101.5	325.2	521.6	954.6	2,028.6	3,447.9	5,403.5	8,600.0	16,158.8
1947-----	1,246.7	6,252.5	271.5	113.0	359.0	533.5	940.2	2,020.5	3,269.5	5,174.9	8,313.2	16,618.8
1946-----	1,219.3	7,317.1	310.9	126.2	364.4	573.5	969.5	2,008.3	3,144.4	4,869.9	7,689.7	15,760.0
1945-----	1,352.6	7,375.5	348.8	128.7	434.7	719.2	1,086.6	2,082.5	3,230.7	5,114.8	8,293.9	16,506.7
1944-----	1,375.7	7,717.1	412.2	146.9	438.2	688.6	1,112.7	2,144.3	3,301.5	5,354.5	8,571.8	18,307.1
1943-----	1,403.3	8,029.1	450.9	147.5	457.7	697.4	1,168.1	2,232.4	3,438.7	5,668.3	9,356.2	18,678.6
1942-----	1,400.6	8,328.8	442.9	151.7	456.2	778.6	1,218.4	2,282.3	3,374.7	5,652.5	8,959.4	18,185.7
1941-----	1,478.8	9,873.1	520.8	161.1	491.4	826.8	1,272.7	2,358.2	3,529.7	5,961.7	10,033.3	19,714.3
1940-----	1,513.7	10,121.5	526.8	164.0	499.2	852.9	1,317.6	2,453.1	3,710.7	6,283.2	10,876.9	19,972.0

TABLE 2. DEATH RATES FOR ALL CAUSES, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	1,004.0	4,921.9	225.6	77.6	237.7	406.3	778.3	1,605.1	2,738.7	4,517.4	7,029.0	12,700.0
1948-----	1,011.3	4,963.1	243.8	88.4	268.6	438.6	808.8	1,646.2	2,755.5	4,421.6	6,785.6	12,783.3
1947-----	1,027.1	5,046.2	239.9	92.1	307.3	487.2	822.0	1,711.6	2,783.9	4,282.0	6,740.9	12,166.7
1946-----	1,001.5	5,892.9	260.9	98.4	322.3	504.6	863.8	1,657.9	2,678.9	4,085.2	6,344.3	11,704.3
1945-----	1,050.4	5,814.3	304.9	113.3	355.1	548.8	944.0	1,720.8	2,806.1	4,176.6	6,663.1	12,413.6
1944-----	1,107.1	6,470.6	374.4	117.9	383.6	594.3	999.0	1,778.2	2,914.9	4,450.0	6,882.7	13,771.4
1943-----	1,159.2	6,463.4	389.5	123.3	412.1	615.3	1,042.1	1,892.8	3,113.5	4,748.0	7,540.3	14,204.8
1942-----	1,139.0	6,791.9	385.0	124.1	432.8	634.4	1,056.2	1,875.4	3,002.8	4,690.0	7,050.0	13,670.0
1941-----	1,220.2	7,938.0	475.8	141.2	478.6	688.6	1,128.3	2,012.5	3,143.9	4,894.3	7,713.0	14,925.0
1940-----	1,256.2	7,736.9	442.8	144.1	503.1	740.0	1,174.6	2,108.9	3,318.3	5,227.5	8,413.7	15,971.0

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

DISEASES OF THE HEART												
ICD RevisionYears in use ICD Nos.												
Sixth 1949 410-443												
Fifth 1939-1948 90-95												
All Races, Both Sexes												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	348.8	3.2	1.5	2.3	7.1	20.1	85.9	308.9	802.5	1,824.1	4,241.2	9,060.7
1948-----	322.7	4.1	2.2	3.8	8.6	20.6	84.0	290.3	740.1	1,681.7	3,988.3	8,835.0
1947-----	321.1	4.7	2.2	4.0	8.9	21.3	83.6	290.1	745.4	1,688.0	4,031.4	8,871.3
1946-----	306.5	6.5	2.5	4.7	10.3	22.2	82.8	280.1	714.1	1,613.0	3,868.8	8,304.3
1945-----	320.3	6.2	2.9	5.9	12.6	27.4	90.1	286.8	726.7	1,641.0	3,914.5	8,128.1
1944-----	314.6	7.2	3.4	6.2	13.4	27.0	91.2	285.6	724.9	1,673.3	4,030.0	8,162.1
1943-----	317.6	6.5	3.2	6.3	13.9	29.3	93.8	293.9	744.6	1,752.5	4,225.9	8,727.3
1942-----	294.9	9.2	3.8	6.2	13.4	28.9	90.9	287.4	712.8	1,674.4	3,918.8	7,910.2
1941-----	290.1	18.2	3.3	7.0	13.6	27.9	90.4	282.0	703.7	1,680.6	4,025.3	8,069.6
1940-----	292.5	17.5	3.6	8.0	14.0	29.7	91.7	279.5	710.0	1,737.4	4,213.7	8,558.1

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	415.7	3.9	1.6	2.4	7.7	22.9	117.6	438.4	1,097.6	2,246.5	4,735.4	9,543.2
1948-----	387.5	4.5	2.2	3.7	9.4	23.8	115.5	415.2	1,023.1	2,091.0	4,429.2	9,289.8
1947-----	383.1	5.5	2.2	3.8	9.3	23.8	113.5	411.5	1,021.8	2,065.0	4,460.2	9,169.4
1946-----	364.6	7.7	2.7	4.4	11.3	25.4	110.6	394.1	963.3	1,946.5	4,226.3	8,644.4
1945-----	400.1	6.9	3.0	5.7	16.1	34.6	122.4	400.3	977.7	1,975.6	4,309.0	8,515.1
1944-----	383.6	8.5	3.7	6.2	15.6	32.7	118.8	392.3	963.9	2,000.0	4,405.2	8,530.6
1943-----	375.9	7.9	3.0	5.9	14.5	32.1	118.1	397.3	975.2	2,084.8	4,624.2	9,163.5
1942-----	348.6	10.2	4.1	6.2	13.4	32.1	116.6	389.9	938.4	1,996.4	4,305.0	8,247.1
1941-----	339.2	19.5	3.5	6.7	14.0	30.1	114.7	378.2	914.8	1,992.1	4,401.2	8,483.6
1940-----	338.1	18.2	3.7	7.7	14.0	32.2	114.2	369.1	915.6	2,044.6	4,549.4	8,819.2

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Races, Female												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	282.8	2.6	1.4	2.3	6.5	17.4	55.1	179.4	505.7	1,427.6	3,817.9	8,693.5
1948-----	258.8	3.7	2.3	3.8	7.8	17.5	53.3	165.0	454.7	1,294.7	3,608.2	8,483.2
1947-----	259.8	3.8	2.1	4.2	8.5	18.9	54.4	167.5	465.4	1,329.5	3,657.1	8,626.5
1946-----	249.5	5.3	2.3	5.1	9.4	19.2	55.7	164.6	460.8	1,293.9	3,557.8	8,056.6
1945-----	248.7	5.5	2.7	6.1	10.1	22.2	60.5	171.4	470.6	1,318.9	3,569.8	7,842.3
1944-----	250.7	5.9	3.1	6.3	11.6	22.6	65.4	176.6	479.8	1,357.3	3,700.4	7,889.1
1943-----	261.2	5.0	3.4	6.7	13.4	26.8	70.3	187.4	506.8	1,429.6	3,874.4	8,402.5
1942-----	241.7	8.0	3.5	6.2	13.3	25.9	65.7	181.1	478.9	1,359.6	3,578.8	7,658.3
1941-----	240.9	16.9	3.2	7.4	13.2	25.9	66.3	181.3	483.7	1,375.0	3,688.5	7,759.1
1940-----	246.6	16.8	3.6	8.3	13.9	27.3	69.2	185.1	494.8	1,434.2	3,909.7	8,362.2



TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	354.1	3.1	1.2	2.0	6.1	16.7	74.7	281.5	773.3	1,808.5	4,306.2	9,376.5
1948-----	329.5	3.5	1.9	3.2	7.6	17.7	74.7	266.8	716.7	1,679.8	4,068.9	9,181.7
1947-----	329.2	4.3	2.0	3.5	7.9	18.3	74.9	268.1	727.5	1,693.3	4,128.0	9,232.9
1946-----	315.0	6.4	2.2	4.2	9.3	19.6	74.1	260.1	698.1	1,624.0	3,971.4	8,694.4
1945-----	329.7	6.2	2.7	5.4	11.7	24.0	80.1	267.1	713.0	1,654.3	4,015.1	8,489.9
1944-----	322.7	7.2	3.1	5.7	12.2	23.4	80.3	264.4	711.0	1,682.8	4,133.4	8,493.7
1943-----	325.3	6.0	2.9	5.9	12.6	25.5	82.3	271.4	727.1	1,763.2	4,327.8	9,113.6
1942-----	301.0	8.6	3.3	5.7	12.5	24.9	79.0	264.7	695.8	1,680.8	4,011.9	8,249.2
1941-----	295.1	17.9	3.0	6.5	12.4	23.9	77.8	257.8	683.8	1,684.8	4,111.7	8,399.7
1940-----	297.6	16.4	3.5	7.5	12.9	25.3	79.1	254.9	689.0	1,741.4	4,297.6	9,015.9

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	425.6	3.7	1.1	2.0	6.8	20.0	110.0	420.1	1,084.3	2,250.4	4,819.5	9,856.0
1948-----	398.4	3.8	1.8	3.3	8.8	21.7	109.3	399.6	1,012.6	2,108.8	4,527.2	9,613.6
1947-----	395.8	5.1	2.0	3.4	8.5	21.7	108.5	398.1	1,020.7	2,089.6	4,578.1	9,497.9
1946-----	377.6	7.4	2.4	4.0	10.7	23.9	105.2	380.9	963.2	1,975.5	4,347.2	9,012.1
1945-----	415.4	6.6	2.8	5.4	15.6	32.0	116.1	388.0	979.1	2,006.5	4,423.7	8,846.9
1944-----	396.7	8.6	3.3	5.8	15.0	29.8	112.0	377.0	965.3	2,025.6	4,530.0	8,817.2
1943-----	387.6	7.6	2.8	5.5	13.6	28.9	110.1	380.7	972.8	2,111.2	4,741.8	9,492.1
1942-----	357.9	9.8	3.5	5.7	12.8	28.3	107.1	372.4	935.8	2,017.5	4,403.1	8,546.2
1941-----	347.4	19.4	3.2	6.3	13.4	26.4	105.1	360.1	908.6	2,010.6	4,496.5	8,780.8
1940-----	345.6	17.1	3.5	7.2	13.4	28.0	104.2	349.8	906.2	2,061.4	4,639.0	9,221.9

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	283.5	2.6	1.3	2.0	5.3	13.5	40.2	143.0	461.1	1,396.0	3,873.0	9,039.1
1948-----	261.2	3.2	1.9	3.1	6.4	13.9	40.9	133.5	419.1	1,277.0	3,677.0	8,874.1
1947-----	263.2	3.5	1.9	3.5	7.2	15.1	42.0	137.1	431.6	1,318.3	3,741.0	9,041.4
1946-----	253.5	5.3	2.0	4.5	8.1	15.5	43.6	137.7	429.8	1,289.9	3,646.8	8,462.2
1945-----	252.8	5.8	2.6	5.5	9.0	18.4	47.0	144.5	442.8	1,317.8	3,660.2	8,224.4
1944-----	254.2	5.7	2.9	5.7	10.1	18.2	50.4	149.5	451.7	1,353.8	3,787.4	8,251.8
1943-----	264.8	4.4	3.1	6.2	11.6	22.5	55.5	158.8	475.0	1,427.6	3,961.1	8,828.9
1942-----	244.5	7.4	3.1	5.7	12.2	21.7	51.2	153.0	448.3	1,354.9	3,665.7	8,025.7
1941-----	242.5	16.4	2.8	6.8	11.5	21.5	50.5	150.6	450.7	1,368.0	3,768.3	8,112.0
1940-----	248.9	15.7	3.4	7.8	12.5	22.6	53.8	154.7	462.7	1,427.8	3,989.2	8,861.1

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Both Sexes												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	303.2	*	3.6	4.7	14.9	48.9	183.7	574.6	1,155.9	2,036.6	3,262.1	5,344.2
1948-----	264.8	8.8	5.0	7.6	16.0	45.1	164.5	522.2	1,019.4	1,707.8	2,778.9	4,809.8
1947-----	252.0	7.4	3.5	7.8	16.8	46.3	158.8	509.8	958.4	1,617.2	2,589.1	4,555.0
1946-----	234.2	7.5	4.6	8.1	17.3	44.1	158.3	483.3	904.2	1,466.8	2,334.3	4,097.4
1945-----	241.4	*	4.1	9.1	19.0	54.3	176.1	488.7	891.1	1,462.0	2,374.3	4,070.3
1944-----	245.2	7.2	5.5	9.5	22.1	57.8	185.6	506.5	892.2	1,545.3	2,444.3	4,420.0
1943-----	251.8	10.2	5.2	9.3	24.3	61.5	193.0	530.8	958.2	1,606.9	2,622.7	4,511.4
1942-----	241.7	13.0	7.3	9.8	20.2	63.0	195.1	529.6	923.7	1,582.7	2,443.0	4,241.2
1941-----	246.0	20.5	5.4	10.6	22.8	62.4	200.4	543.8	951.6	1,622.4	2,603.0	4,661.8
1940-----	248.5	25.6	4.7	11.5	22.4	67.5	202.0	549.3	975.5	1,682.6	2,802.0	4,300.7

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	330.1	*	5.1	4.9	14.4	48.2	186.0	616.1	1,258.0	2,204.2	3,561.2	5,911.1
1948-----	292.6	*	5.3	6.5	13.8	42.1	170.8	568.9	1,146.3	1,857.1	3,025.3	5,517.6
1947-----	273.1	*	3.5	6.8	15.3	41.6	157.6	546.3	1,035.5	1,748.0	2,823.1	5,268.8
1946-----	253.5	*	5.1	7.3	16.0	38.2	158.0	527.2	962.3	1,581.6	2,492.0	4,760.0
1945-----	271.5	*	4.4	7.5	19.5	55.0	177.6	526.6	962.2	1,582.9	2,620.7	4,600.0
1944-----	271.0	*	6.0	8.9	20.1	56.7	178.3	551.6	948.2	1,672.9	2,598.7	5,071.4
1943-----	273.9	*	4.4	8.2	21.3	60.2	189.9	571.6	1,005.5	1,752.0	2,847.9	5,314.3
1942-----	266.7	*	8.3	9.8	18.7	65.7	201.5	575.4	969.2	1,713.4	2,773.9	4,871.4
1941-----	265.6	20.0	5.3	9.8	19.2	62.7	200.4	572.9	990.0	1,750.0	2,887.9	5,278.6
1940-----	270.9	26.7	4.5	10.7	19.2	70.0	203.8	579.2	1,029.6	1,823.4	3,074.0	5,031.3

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DISEASES OF HEART, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	277.4	*	*	4.6	15.4	49.5	181.4	533.0	1,050.4	1,866.5	2,969.0	4,936.0
1948-----	238.0	*	4.7	8.7	18.0	47.7	158.6	475.3	888.8	1,547.3	2,480.4	4,308.3
1947-----	231.6	*	3.5	8.8	18.2	50.7	160.0	472.8	876.5	1,480.1	2,332.3	4,079.2
1946-----	215.5	*	4.1	8.9	18.5	49.7	158.6	438.5	839.9	1,351.0	2,178.4	3,665.2
1945-----	214.2	*	3.9	10.6	18.7	53.8	174.7	450.6	814.0	1,333.9	2,161.9	3,709.1
1944-----	221.5	*	5.0	10.1	23.6	58.7	192.2	460.7	831.0	1,402.1	2,265.4	3,985.7
1943-----	230.6	*	5.9	10.3	26.9	62.7	196.1	488.7	906.3	1,451.1	2,409.1	3,976.2
1942-----	217.7	*	6.3	9.9	21.5	60.6	188.8	480.2	871.0	1,434.1	2,159.7	3,800.0
1941-----	227.0	20.9	5.4	11.3	26.1	62.2	200.5	512.4	911.4	1,483.4	2,330.4	4,230.0
1940-----	226.7	24.6	4.8	12.3	25.3	65.3	200.4	517.6	915.0	1,529.0	2,546.0	3,762.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## MALIGNANT NEOPLASMS

ICD RevisionYears in use ICD Nos.  
Sixth 1949 140-205  
Fifth 1940-1948 45-55

## All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	138.8	8.9	11.0	6.3	8.8	19.7	63.2	177.1	388.5	691.2	1,154.3	1,479.6
1948-----	134.9	3.5	5.5	3.2	5.7	16.6	58.8	170.9	386.2	690.0	1,187.8	1,574.9
1947-----	132.3	3.1	5.2	3.3	5.5	16.5	59.8	170.8	378.8	683.1	1,165.9	1,531.1
1946-----	130.0	4.7	4.9	3.3	5.7	16.5	58.7	169.3	372.4	673.0	1,143.0	1,463.2
1945-----	134.0	3.6	5.2	3.1	6.3	19.0	62.0	168.4	375.4	670.3	1,144.4	1,389.8
1944-----	128.8	3.1	4.6	2.8	5.8	18.8	62.6	167.5	371.0	667.4	1,113.1	1,327.7
1943-----	124.3	3.0	4.6	2.9	5.5	16.8	60.6	168.6	363.4	665.6	1,132.9	1,362.6
1942-----	122.0	3.3	4.4	2.7	5.3	17.0	59.7	167.4	364.0	676.1	1,125.2	1,350.5
1941-----	120.1	4.2	5.1	2.8	5.2	17.2	60.4	167.0	360.6	684.0	1,136.2	1,315.6
1940-----	120.3	4.4	4.8	3.0	5.4	17.3	61.1	168.8	367.8	700.8	1,155.5	1,357.9

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	140.9	9.8	12.1	7.2	10.4	16.9	46.5	154.8	405.5	774.7	1,336.1	1,682.8
1948-----	134.9	3.9	6.2	3.5	6.4	13.1	40.0	148.0	397.7	762.6	1,350.2	1,801.4
1947-----	131.3	3.3	5.8	3.8	6.6	12.4	40.9	144.0	388.0	750.0	1,316.4	1,701.0
1946-----	128.1	5.7	5.1	3.5	7.0	12.4	38.2	141.8	374.8	730.2	1,290.0	1,627.3
1945-----	137.0	3.5	5.2	3.6	8.8	17.2	41.9	138.5	372.1	719.9	1,282.2	1,555.7
1944-----	128.6	3.5	5.1	3.3	7.5	15.0	39.7	139.1	364.4	709.3	1,248.5	1,453.0
1943-----	120.1	3.2	5.2	3.4	6.2	13.0	39.5	135.2	350.2	707.4	1,243.5	1,497.2
1942-----	116.9	2.9	4.7	2.9	6.1	13.0	38.2	135.5	349.4	717.7	1,252.2	1,420.9
1941-----	114.6	4.2	6.2	3.2	5.7	12.2	38.1	133.1	348.1	720.8	1,272.4	1,455.2
1940-----	114.1	4.6	5.0	3.1	6.1	11.9	39.2	135.3	352.2	737.2	1,275.2	1,467.0



TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	136.7	7.9	9.8	5.3	7.3	22.3	79.5	199.5	371.4	612.8	998.6	1,332.2
1948-----	134.8	3.1	4.7	2.9	5.0	20.0	77.1	193.9	374.7	621.2	1,047.7	1,408.9
1947-----	133.3	3.0	4.6	2.8	4.5	20.4	78.2	197.8	369.5	619.5	1,034.6	1,403.8
1946-----	131.7	3.7	4.7	3.0	4.6	20.5	78.8	197.2	370.1	618.4	1,015.1	1,343.8
1945-----	131.2	3.7	5.1	2.5	4.6	20.3	80.4	198.8	378.7	622.5	1,024.0	1,267.3
1944-----	129.0	2.8	4.1	2.4	4.4	21.8	84.1	196.5	377.9	627.0	994.3	1,234.8
1943-----	128.4	2.7	4.0	2.4	4.9	20.3	80.9	202.9	377.2	624.9	1,035.3	1,262.3
1942-----	127.1	3.7	4.1	2.5	4.6	20.8	80.9	200.5	379.2	635.3	1,013.3	1,297.8
1941-----	125.7	4.1	4.0	2.4	4.7	22.0	82.5	202.4	373.5	647.9	1,014.2	1,210.9
1940-----	126.4	4.2	4.5	2.9	4.7	22.6	83.0	204.1	384.1	664.9	1,047.1	1,276.0

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
 DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Both Sexes												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	142.9	9.1	11.7	6.5	8.9	18.9	60.0	170.8	386.1	700.0	1,187.5	1,546.6
1948-----	139.0	3.6	5.6	3.3	5.6	15.7	55.6	164.7	384.1	699.9	1,222.0	1,649.4
1947-----	136.9	3.1	5.4	3.5	5.5	15.7	56.9	165.0	378.7	696.1	1,204.0	1,603.3
1946-----	134.8	5.2	5.2	3.4	5.6	15.6	55.6	164.2	374.0	688.0	1,183.3	1,539.4
1945-----	139.4	3.8	5.4	3.3	6.3	18.4	58.8	164.2	377.1	686.4	1,183.8	1,460.0
1944-----	134.1	3.3	4.7	3.1	5.7	17.7	59.5	164.0	373.8	684.2	1,153.2	1,400.0
1943-----	129.4	3.0	4.8	3.1	5.5	15.9	57.7	165.5	366.4	682.8	1,173.5	1,438.5
1942-----	126.9	3.5	4.6	2.9	5.2	16.0	56.7	164.0	366.9	691.9	1,165.3	1,425.8
1941-----	124.9	4.5	5.4	2.9	5.1	16.1	57.1	163.9	363.6	701.3	1,175.5	1,394.9
1940-----	125.0	4.7	5.0	3.1	5.4	16.3	58.3	165.0	371.0	717.9	1,194.3	1,443.5

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	145.7	10.1	12.8	7.5	10.6	16.9	45.2	150.4	403.5	786.5	1,376.6	1,756.5
1948-----	139.7	4.0	6.4	3.7	6.5	13.2	38.8	142.7	397.1	775.1	1,393.5	1,884.3
1947-----	136.7	3.3	6.1	4.1	6.6	12.5	40.0	139.5	390.2	766.6	1,365.3	1,775.3
1946-----	133.7	6.3	5.4	3.8	7.0	12.3	37.3	138.3	378.2	746.9	1,337.6	1,706.0
1945-----	143.7	3.9	5.4	3.9	8.9	17.8	41.0	135.2	375.7	740.3	1,330.3	1,623.7
1944-----	134.9	3.7	5.2	3.5	7.7	15.2	38.9	136.6	369.1	730.2	1,297.1	1,530.8
1943-----	126.1	3.2	5.4	3.6	6.4	12.9	38.7	133.7	355.7	728.7	1,292.6	1,572.0
1942-----	122.4	3.0	5.0	3.0	6.1	13.0	37.4	133.6	354.0	737.2	1,299.4	1,498.7
1941-----	120.1	4.6	6.6	3.4	5.8	12.1	37.1	131.4	353.4	742.8	1,319.3	1,531.8
1940-----	119.6	5.0	5.3	3.2	6.3	11.9	38.3	133.3	357.1	759.5	1,320.3	1,569.9

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
 DEATH-REGISTRATION STATES, 1940-1949- Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Female												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	140.2	8.2	10.5	5.5	7.3	20.8	74.5	191.2	368.6	619.2	1,027.7	1,399.0
1948-----	138.3	3.2	4.8	2.9	4.8	18.1	72.1	186.7	371.1	629.2	1,075.4	1,482.0
1947-----	137.0	2.9	4.6	2.9	4.3	18.7	73.5	190.7	367.0	629.3	1,065.3	1,479.1
1946-----	135.8	4.1	4.9	3.0	4.3	18.7	73.5	190.3	369.7	632.0	1,049.9	1,417.7
1945-----	135.4	3.8	5.3	2.7	4.5	18.9	75.1	193.6	378.4	635.0	1,056.5	1,338.2
1944-----	133.3	2.9	4.2	2.6	4.3	19.8	79.0	192.0	378.7	640.1	1,027.7	1,302.2
1943-----	132.7	2.7	4.1	2.6	4.8	18.5	76.2	198.1	377.4	638.5	1,068.2	1,338.1
1942-----	131.3	4.0	4.2	2.7	4.4	18.9	75.8	195.6	380.2	648.1	1,046.6	1,371.0
1941-----	129.8	4.3	4.2	2.4	4.4	19.9	77.1	198.0	374.2	661.1	1,047.1	1,291.5
1940-----	130.5	4.5	4.7	3.1	4.5	20.5	78.3	198.3	385.4	677.1	1,080.5	1,348.5

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	103.2	7.2	6.2	4.6	8.2	26.2	91.5	238.2	418.1	573.7	654.0	690.7
1948-----	99.3	*	4.4	2.3	6.3	24.7	86.3	232.6	411.6	557.6	673.2	709.8
1947-----	93.5	*	4.2	2.0	6.0	23.3	85.3	229.1	380.2	509.9	595.6	675.0
1946-----	88.9	*	3.2	2.5	6.9	24.7	85.8	221.5	354.3	473.8	541.1	636.8
1945-----	88.4	*	3.7	1.4	6.7	23.7	89.5	211.8	355.2	453.8	543.7	602.7
1944-----	84.0	*	3.9	1.4	6.1	27.6	89.2	203.9	337.2	440.9	498.7	511.4
1943-----	79.9	*	3.7	1.6	5.2	25.2	85.1	201.3	328.3	431.8	494.0	534.3
1942-----	79.9	*	3.1	1.7	6.0	25.4	86.0	203.4	329.3	457.8	486.6	535.3
1941-----	78.1	*	3.3	1.8	5.6	26.8	88.9	200.1	322.6	443.5	490.4	497.1
1940-----	78.4	*	2.7	1.7	5.3	26.2	85.7	210.2	327.6	464.7	502.1	561.9

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	99.4	*	7.4	5.4	8.9	16.7	58.6	197.3	430.5	625.3	770.4	827.8
1948-----	93.3	*	4.9	2.0	5.7	12.7	51.4	200.6	405.3	600.0	735.8	835.3
1947-----	84.9	*	3.9	1.7	6.1	10.8	49.6	189.8	361.7	538.4	636.3	818.8
1946-----	80.3	*	3.0	1.9	7.3	13.0	45.6	176.3	334.9	520.2	611.5	780.0
1945-----	80.7	*	3.3	*	8.1	12.8	49.6	172.2	330.1	460.8	580.5	753.3
1944-----	74.7	*	4.5	1.9	6.6	13.9	47.4	165.6	309.8	442.4	544.9	514.3
1943-----	67.6	*	3.9	2.0	4.4	13.8	46.2	151.4	286.2	435.4	502.7	621.4
1942-----	68.1	*	*	2.0	6.1	13.3	44.8	155.6	294.1	460.9	515.9	542.9
1941-----	65.2	*	*	1.8	4.8	13.1	47.2	152.0	284.3	431.7	528.8	628.6
1940-----	65.0	*	*	1.9	4.3	11.6	47.0	156.4	291.9	445.0	532.2	499.1

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, BY AGE, RACE, AND SEX:  
 DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	106.7	*	5.0	3.7	7.5	34.7	122.0	279.3	405.2	521.4	540.0	592.0
1948-----	105.2	*	3.9	2.6	6.8	35.7	119.0	264.7	419.0	511.7	597.9	620.8
1947-----	101.8	*	4.5	2.2	5.9	34.9	118.9	268.9	399.8	480.1	549.5	579.2
1946-----	97.4	*	3.3	3.1	6.6	35.7	123.9	267.7	374.3	426.5	471.6	543.5
1945-----	95.4	*	4.1	1.4	5.6	31.8	125.6	252.6	382.4	446.4	514.3	500.0
1944-----	92.6	*	3.2	*	5.7	38.3	127.5	243.7	367.1	437.4	448.1	509.5
1943-----	91.5	*	3.5	*	6.0	35.0	121.4	252.9	374.5	427.9	485.7	476.2
1942-----	91.2	*	3.5	*	5.9	36.2	124.6	252.5	367.3	452.3	465.3	530.0
1941-----	90.5	*	*	1.7	6.4	39.1	128.4	250.5	366.0	456.4	453.6	405.0
1940-----	91.4	*	*	1.6	6.3	39.4	122.4	267.2	367.6	486.1	473.7	608.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

ICD Revision Years in use ICD Nos.  
Sixth 1949 330-334  
Fifth 1940-1948 83

All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	100.9	5.0	0.8	0.5	1.4	4.2	19.4	70.0	194.2	542.7	1,447.0	2,899.6
1948-----	89.7	5.8	1.5	0.9	1.6	4.5	18.3	67.3	182.3	483.9	1,265.1	2,554.2
1947-----	91.4	5.3	1.4	0.8	1.5	4.3	18.2	71.4	189.3	503.1	1,296.4	2,566.7
1946-----	89.7	5.8	1.3	0.7	1.8	4.6	19.2	70.1	189.9	495.6	1,272.5	2,497.4
1945-----	97.5	6.7	1.5	0.8	1.8	5.5	21.3	75.4	199.8	532.8	1,342.6	2,510.2
1944-----	93.5	6.8	1.6	0.8	2.0	5.3	20.7	73.9	200.0	531.3	1,330.7	2,424.2
1943-----	94.8	7.7	1.7	0.9	2.0	5.3	21.0	76.9	207.0	557.6	1,407.6	2,593.0
1942-----	90.1	8.3	1.7	0.8	1.9	5.4	22.0	76.7	201.9	547.1	1,339.6	2,433.6
1941-----	89.1	9.4	1.5	0.7	1.8	5.3	21.5	76.1	203.3	552.4	1,375.6	2,477.9
1940-----	90.9	11.9	1.5	0.9	1.7	5.5	21.5	79.1	211.8	573.8	1,444.8	2,615.7



TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	99.2	6.4	1.0	0.5	1.6	4.0	18.6	67.0	204.1	571.0	1,493.7	2,866.5
1948-----	88.3	6.8	1.8	0.9	1.8	4.6	17.1	64.5	192.5	510.1	1,289.6	2,526.0
1947-----	89.6	6.1	1.4	0.7	1.7	4.6	17.0	68.0	197.3	525.4	1,303.0	2,578.2
1946-----	88.1	7.3	1.3	0.8	2.2	4.5	17.7	65.5	197.6	510.9	1,284.4	2,484.3
1945-----	100.5	7.5	1.7	0.9	2.3	6.4	20.7	71.2	207.1	553.7	1,347.7	2,427.1
1944-----	94.6	7.9	1.4	1.0	2.4	5.9	19.7	69.3	202.7	550.8	1,333.8	2,383.6
1943-----	94.1	8.4	2.0	0.9	2.0	5.3	19.3	71.3	209.5	576.4	1,435.4	2,579.2
1942-----	88.9	9.9	2.0	0.8	2.1	5.6	20.6	72.7	206.7	568.9	1,340.9	2,385.5
1941-----	88.4	11.0	1.4	0.7	2.1	5.5	19.7	70.9	209.3	580.9	1,399.1	2,475.2
1940-----	90.2	13.9	1.4	1.0	1.8	5.8	20.1	74.6	218.3	593.6	1,475.7	2,617.4

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	102.6	3.5	0.7	0.4	1.2	4.5	20.2	73.1	184.2	516.0	1,407.0	2,913.9
1948-----	91.0	4.8	1.3	0.9	1.4	4.3	19.4	70.2	171.9	459.0	1,244.1	2,565.7
1947-----	93.1	4.4	1.4	0.8	1.3	4.1	19.4	74.8	181.1	482.0	1,289.9	2,549.5
1946-----	91.3	4.3	1.4	0.7	1.4	4.8	20.7	74.7	182.0	481.1	1,262.2	2,507.0
1945-----	94.8	5.8	1.3	0.6	1.5	4.8	21.8	79.6	192.4	512.7	1,338.1	2,571.5
1944-----	92.5	5.7	1.9	0.6	1.6	4.8	21.5	78.6	197.3	512.4	1,328.0	2,454.3
1943-----	95.5	7.0	1.4	0.9	2.1	5.4	22.8	82.6	204.6	539.3	1,383.1	2,603.3
1942-----	91.2	6.5	1.3	0.7	1.7	5.2	23.5	80.9	197.0	525.5	1,339.4	2,469.6
1941-----	89.7	7.7	1.5	0.7	1.6	5.1	23.3	81.5	197.0	524.5	1,354.5	2,480.0
1940-----	91.7	9.9	1.6	0.8	1.7	5.1	23.0	83.9	205.0	554.2	1,416.9	2,614.5

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

243

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	98.7	4.5	0.8	0.5	1.2	3.1	13.8	54.3	170.1	520.5	1,460.8	2,982.6
1948-----	87.3	5.6	1.5	0.8	1.4	3.4	13.0	51.7	160.3	464.6	1,272.6	2,623.7
1947-----	89.3	5.0	1.4	0.7	1.4	3.4	13.3	56.3	167.2	486.8	1,304.8	2,639.5
1946-----	88.2	5.8	1.4	0.7	1.6	3.5	14.0	55.6	170.5	482.3	1,287.6	2,582.6
1945-----	95.7	6.4	1.5	0.7	1.6	4.1	15.2	60.6	179.7	517.5	1,355.5	2,578.3
1944-----	91.6	6.2	1.7	0.8	1.8	4.0	14.5	58.8	179.8	515.3	1,345.1	2,485.6
1943-----	92.8	7.2	1.8	0.9	1.8	4.0	14.6	61.5	185.5	541.0	1,423.1	2,663.4
1942-----	87.9	7.9	1.7	0.7	1.6	4.0	15.7	60.4	181.6	529.3	1,356.0	2,501.6
1941-----	86.7	9.4	1.4	0.7	1.6	3.8	15.3	59.9	182.8	533.9	1,384.5	2,540.2
1940-----	88.6	12.1	1.5	0.9	1.5	4.0	15.3	62.7	190.6	555.0	1,453.1	2,696.6

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	97.4	6.0	1.0	0.6	1.4	3.0	14.4	53.1	182.4	551.8	1,515.1	2,949.3
1948-----	86.5	6.6	1.8	0.9	1.7	3.7	13.0	50.8	173.0	495.2	1,301.5	2,579.3
1947-----	88.0	5.9	1.4	0.7	1.6	3.7	13.2	54.4	178.5	513.7	1,314.2	2,645.3
1946-----	87.1	7.3	1.3	0.8	2.1	3.6	13.9	53.2	181.2	501.2	1,301.6	2,563.7
1945-----	99.4	7.1	1.7	0.8	1.9	5.3	15.6	58.5	191.1	542.1	1,362.2	2,479.1
1944-----	93.3	7.2	1.5	1.0	2.1	4.7	14.7	56.2	186.8	538.3	1,352.7	2,422.5
1943-----	92.7	8.1	2.1	0.9	1.8	4.3	14.3	57.9	191.7	563.6	1,454.4	2,628.7
1942-----	87.1	9.6	2.1	0.8	1.8	4.3	15.1	57.9	189.2	556.3	1,358.5	2,448.1
1941-----	86.4	10.6	1.3	0.7	1.8	4.1	14.6	57.1	192.9	563.9	1,408.8	2,527.2
1940-----	88.3	14.1	1.4	1.0	1.5	4.6	14.9	60.0	200.8	579.1	1,485.6	2,684.9

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	100.0	2.9	0.6	0.4	1.1	3.1	13.3	55.6	157.8	491.3	1,415.6	3,006.1
1948-----	88.2	4.6	1.2	0.8	1.2	3.1	13.0	52.7	147.6	435.9	1,247.8	2,655.4
1947-----	90.6	4.0	1.4	0.7	1.1	3.0	13.4	58.2	155.8	461.4	1,296.7	2,635.4
1946-----	89.2	4.4	1.6	0.6	1.1	3.4	14.2	58.1	159.7	464.4	1,275.5	2,596.4
1945-----	92.4	5.7	1.4	0.6	1.3	3.3	14.8	62.7	168.1	494.1	1,349.7	2,652.1
1944-----	90.0	5.2	1.8	0.6	1.5	3.5	14.4	61.4	172.8	493.2	1,338.4	2,532.7
1943-----	92.9	6.3	1.5	0.8	1.8	3.6	15.0	65.1	179.1	519.2	1,394.4	2,689.4
1942-----	88.6	6.0	1.3	0.6	1.3	3.7	16.3	62.9	173.8	503.2	1,353.8	2,541.9
1941-----	86.9	8.1	1.6	0.6	1.3	3.4	16.0	62.9	172.3	504.9	1,362.8	2,550.0
1940-----	88.9	10.1	1.6	0.7	1.5	3.5	15.6	65.5	180.1	531.4	1,423.9	2,705.4

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	119.4	8.4	*	*	2.6	14.2	68.1	222.7	483.8	841.9	1,239.4	1,923.3
1948-----	110.0	7.2	1.9	1.0	2.8	13.3	64.7	221.1	444.6	742.6	1,153.7	1,746.3
1947-----	108.8	7.9	*	1.3	2.5	12.7	60.7	222.6	450.9	718.5	1,171.0	1,677.5
1946-----	102.7	*	*	0.8	3.4	14.4	63.9	217.0	419.3	672.1	1,047.4	1,597.4
1945-----	112.3	8.5	1.6	0.9	3.9	16.3	73.8	227.7	440.2	737.4	1,139.5	1,745.9
1944-----	109.9	11.7	*	1.0	3.6	15.9	73.4	231.0	443.2	747.4	1,110.8	1,731.4
1943-----	112.1	11.9	*	0.8	4.0	16.9	76.6	239.1	469.7	783.8	1,164.7	1,825.7
1942-----	109.5	11.2	*	1.1	4.4	17.6	76.9	251.5	453.3	790.8	1,083.1	1,697.1
1941-----	110.0	9.3	*	0.9	4.1	18.8	75.8	250.1	458.5	808.2	1,228.9	1,835.3
1940-----	111.7	10.3	*	1.2	3.7	17.9	76.5	259.0	478.8	833.9	1,305.2	1,863.7

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	114.2	*	*	*	3.4	12.4	56.4	202.0	461.9	822.1	1,195.9	1,905.6
1948-----	104.6	*	*	*	3.2	12.2	54.1	199.2	422.0	698.9	1,110.5	1,905.9
1947-----	103.0	*	*	*	2.1	11.7	50.9	204.3	415.0	671.0	1,147.3	1,781.3
1946-----	96.3	*	*	*	3.4	12.2	51.1	190.1	385.2	633.5	1,029.9	1,686.7
1945-----	109.3	*	*	*	4.8	15.1	65.2	201.6	391.9	701.9	1,124.4	1,813.3
1944-----	105.8	13.7	*	*	4.6	16.1	63.5	204.8	387.8	710.2	1,060.3	1,914.3
1943-----	105.9	*	*	*	4.0	13.7	63.3	212.2	419.6	744.3	1,147.9	2,000.0
1942-----	105.1	*	*	*	4.3	17.3	69.3	230.6	415.8	730.7	1,066.7	1,678.6
1941-----	106.1	*	*	*	4.6	18.7	65.9	219.4	407.2	803.0	1,245.5	1,914.3
1940-----	107.4	*	*	*	4.4	17.1	66.9	234.4	432.1	784.2	1,312.8	1,983.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	124.3	*	*	*	2.0	15.9	78.8	243.5	506.5	861.9	1,282.1	1,936.0
1948-----	115.1	*	*	*	2.4	14.3	74.5	243.2	469.2	785.0	1,172.2	1,633.3
1947-----	114.3	*	*	1.5	2.9	13.7	70.1	241.3	489.0	768.4	1,181.7	1,608.3
1946-----	108.8	*	*	*	3.4	16.4	76.0	244.4	455.1	715.6	1,064.8	1,539.1
1945-----	115.0	*	*	*	3.3	17.2	81.6	254.8	492.6	775.0	1,167.9	1,700.0
1944-----	113.8	*	*	*	2.8	15.8	82.4	258.3	503.7	784.0	1,145.7	1,609.5
1943-----	118.0	*	*	*	4.1	19.6	89.0	267.0	524.6	826.2	1,180.5	1,709.5
1942-----	113.7	*	*	*	4.4	17.9	84.0	272.5	493.5	852.3	1,113.9	1,710.0
1941-----	113.7	*	*	*	3.6	19.0	85.3	282.0	516.6	813.7	1,213.0	1,780.0
1940-----	115.9	*	*	*	3.1	18.6	85.6	285.1	531.1	888.1	1,298.0	1,775.6

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.



TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## ACCIDENTS, EXCEPT MOTOR-VEHICLE

ICD Revision Years in use ICD Nos.

Sixth 1949 E800-E802, E840-E962

Fifth 1940-1948 169, 171-176, 178-195

## All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	39.3	111.0	26.4	14.2	21.4	21.5	25.9	32.0	43.4	83.1	286.1	1,033.3
1948-----	44.8	103.6	28.9	15.2	23.8	23.9	28.7	35.4	50.7	101.3	356.7	1,306.8
1947-----	46.4	97.2	30.0	16.9	26.1	26.2	30.8	36.6	53.8	104.0	357.7	1,269.7
1946-----	45.9	113.4	33.0	18.4	26.4	25.3	29.8	36.5	52.9	103.3	355.7	1,229.6
1945-----	50.9	105.0	35.5	20.5	35.1	28.9	31.7	37.7	58.0	112.2	388.0	1,265.9
1944-----	53.0	106.7	38.6	21.2	48.0	31.8	31.7	38.4	57.2	110.2	386.2	1,255.1
1943-----	55.7	107.1	41.7	21.4	47.3	34.9	32.8	41.8	63.1	120.9	419.8	1,333.1
1942-----	50.1	114.2	37.8	19.8	33.0	32.1	33.8	42.6	58.8	113.4	389.0	1,215.7
1941-----	45.9	115.3	35.1	17.3	24.6	27.3	31.8	40.6	56.5	111.8	388.3	1,236.6
1940-----	47.0	120.3	36.3	17.1	24.6	27.2	32.2	41.6	60.1	122.9	414.6	1,283.9

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	51.7	126.4	30.7	20.1	37.2	37.6	44.2	52.9	67.9	101.4	254.4	809.7
1948-----	57.9	114.9	33.3	21.5	41.1	41.7	49.1	59.1	77.8	118.1	307.2	1,035.8
1947-----	60.9	106.0	35.8	24.7	45.1	45.3	52.8	61.2	82.9	121.6	303.4	963.1
1946-----	60.5	125.7	38.5	26.3	46.5	44.3	50.2	60.0	81.5	121.7	300.3	946.0
1945-----	70.6	116.5	40.6	29.8	73.3	58.9	55.5	61.8	88.1	129.9	332.3	935.9
1944-----	74.7	120.7	44.1	30.9	99.0	62.1	54.8	63.3	86.5	125.9	318.6	976.0
1943-----	77.7	121.9	48.0	30.2	91.8	65.2	56.6	68.4	96.1	137.6	354.3	1,055.6
1942-----	68.6	126.4	41.9	28.9	59.2	57.5	58.8	71.5	89.2	128.4	324.3	946.5
1941-----	61.4	130.7	40.0	25.0	43.2	48.5	56.0	67.5	83.8	126.1	319.7	923.6
1940-----	61.5	131.4	41.2	24.6	41.6	46.8	55.5	68.4	88.5	135.6	335.9	967.6

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949- Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	27.0	95.0	21.9	8.1	6.0	6.1	8.0	11.0	18.9	65.9	313.3	1,187.3
1948-----	31.9	91.7	24.3	8.6	7.0	6.8	8.9	11.5	23.4	85.5	399.3	1,494.7
1947-----	32.1	88.0	24.1	8.9	8.0	7.8	9.5	11.8	24.2	87.4	404.6	1,485.4
1946-----	31.5	100.5	27.3	10.2	8.2	7.1	9.8	12.7	23.9	85.7	403.9	1,436.0
1945-----	33.1	92.9	30.3	10.9	8.3	7.6	9.9	13.2	27.2	95.1	436.7	1,509.6
1944-----	32.9	92.0	32.9	11.2	8.5	7.7	10.0	13.0	27.3	95.0	445.6	1,461.9
1943-----	34.3	91.7	35.2	12.3	7.6	7.8	9.8	14.5	29.1	104.7	477.6	1,539.7
1942-----	31.8	101.2	33.5	10.4	7.8	8.3	9.2	12.5	27.3	98.7	446.9	1,417.0
1941-----	30.3	99.1	30.0	9.5	6.4	6.8	7.9	12.5	27.9	97.8	449.7	1,471.4
1940-----	32.3	108.8	31.3	9.4	7.8	8.2	8.9	13.4	30.4	110.4	485.8	1,521.3

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	38.6	96.4	23.8	13.4	20.1	20.2	24.4	30.0	42.2	82.3	293.4	1,090.3
1948-----	44.2	89.2	26.2	14.1	22.3	22.3	26.8	33.1	49.4	101.4	368.3	1,383.2
1947-----	45.9	84.7	27.3	15.8	24.5	24.6	29.1	34.6	52.3	104.6	370.8	1,342.4
1946-----	45.5	102.1	29.9	17.2	25.2	23.7	28.0	34.7	51.8	103.9	368.6	1,309.5
1945-----	50.9	92.9	33.0	19.7	34.9	27.7	29.8	35.9	57.2	113.1	401.4	1,341.9
1944-----	53.1	96.1	35.4	20.2	49.1	31.1	30.1	36.5	56.4	111.5	399.6	1,329.1
1943-----	55.9	96.1	38.8	20.5	47.6	34.3	31.4	40.4	62.7	121.5	433.5	1,413.4
1942-----	49.9	102.1	35.4	18.8	31.8	31.0	31.7	41.2	58.1	114.0	401.8	1,287.8
1941-----	45.5	101.4	32.9	16.6	23.1	25.5	29.9	39.2	55.7	113.1	401.0	1,318.8
1940-----	46.4	104.2	34.4	16.2	22.5	25.3	30.5	40.2	59.1	123.4	425.9	1,363.3

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	50.2	111.8	28.0	19.1	35.1	35.5	41.9	50.1	66.4	100.2	259.1	851.2
1948-----	56.4	99.4	31.2	20.5	38.4	39.2	45.9	55.6	76.5	117.7	314.8	1,082.3
1947-----	59.5	94.3	33.4	23.3	42.4	43.1	50.0	58.5	81.3	122.1	312.2	1,011.1
1946-----	59.4	115.5	35.2	25.0	44.8	41.8	47.5	57.4	80.1	122.0	309.9	996.7
1945-----	70.2	104.1	38.1	29.1	74.0	56.9	52.5	59.2	87.7	131.0	342.6	979.1
1944-----	74.5	111.0	41.5	29.8	102.4	61.5	52.3	60.3	86.0	127.0	328.7	1,020.1
1943-----	77.8	110.8	45.8	29.3	93.1	64.5	54.3	66.8	96.5	138.4	365.1	1,104.3
1942-----	67.7	115.6	39.9	27.8	57.3	55.5	55.5	69.7	89.1	129.0	332.7	991.8
1941-----	60.1	117.6	38.6	24.1	40.3	45.5	52.8	65.5	83.1	127.7	326.6	976.2
1940-----	60.0	112.8	39.3	23.4	38.6	43.7	52.8	66.5	87.8	135.7	342.9	1,014.5

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Female												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	27.1	80.2	19.4	7.4	5.5	5.4	7.3	9.9	18.0	65.5	322.7	1,258.6
1948-----	32.2	78.4	20.9	7.5	6.5	6.0	8.1	10.6	22.1	86.1	414.0	1,597.5
1947-----	32.4	74.5	20.9	8.1	7.2	6.8	8.6	10.6	23.0	88.1	421.2	1,581.7
1946-----	31.9	87.9	24.4	9.1	7.4	6.3	9.0	11.8	23.2	86.7	419.4	1,538.2
1945-----	33.7	81.1	27.7	9.9	7.8	7.0	9.0	12.2	26.3	96.1	452.4	1,611.8
1944-----	33.3	80.4	29.0	10.4	8.0	6.9	9.2	12.3	26.2	96.6	461.5	1,560.2
1943-----	34.7	80.7	31.6	11.5	6.9	7.1	9.1	13.2	28.1	105.1	493.2	1,645.9
1942-----	32.2	87.8	30.7	9.6	7.1	7.7	8.3	11.7	26.2	99.6	463.0	1,510.5
1941-----	30.8	84.4	26.9	8.8	5.9	6.1	7.0	11.6	27.4	98.8	467.5	1,577.5
1940-----	32.5	95.3	29.3	8.7	6.5	7.2	8.0	12.4	29.2	111.3	501.0	1,625.6

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Both Sexes												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	45.5	211.7	45.5	20.2	30.8	32.8	39.0	51.2	58.2	94.0	176.3	362.8
1948-----	49.7	210.3	48.7	22.2	35.4	37.4	45.4	57.1	66.3	100.5	182.1	419.5
1947-----	50.8	202.5	50.0	24.3	38.4	39.6	46.0	56.6	71.1	96.5	162.8	415.0
1946-----	49.1	198.6	55.4	26.7	35.3	38.4	44.7	54.6	66.0	94.9	162.3	355.3
1945-----	50.5	193.2	53.6	25.8	36.5	39.2	47.6	55.9	66.4	99.2	184.4	413.5
1944-----	51.7	187.9	61.2	27.6	39.6	37.6	45.8	58.2	66.8	93.1	179.7	420.0
1943-----	53.3	197.3	61.7	27.1	45.1	40.0	45.4	57.3	68.2	113.1	203.3	457.1
1942-----	52.3	203.6	53.9	26.3	42.7	42.1	51.6	56.8	66.8	104.2	185.2	435.3
1941-----	49.2	217.4	50.2	22.7	37.3	42.6	48.9	56.0	65.6	94.8	178.5	388.2
1940-----	52.3	238.5	49.8	24.1	41.2	44.1	47.1	57.4	72.6	116.6	223.7	545.0

TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	65.0	228.1	51.0	27.3	53.8	56.8	65.3	80.0	85.4	117.2	187.8	327.8
1948-----	71.4	231.6	48.9	28.2	62.2	63.5	76.9	93.0	93.3	122.0	198.9	494.1
1947-----	72.5	207.1	53.2	34.4	66.0	64.7	77.0	88.3	101.0	115.1	181.3	393.8
1946-----	70.7	204.3	62.3	35.7	58.9	65.5	74.0	85.9	97.4	117.3	163.2	393.3
1945-----	74.5	210.2	58.6	34.2	68.3	74.3	80.9	87.9	93.4	116.7	181.7	426.7
1944-----	76.2	196.6	62.7	38.5	74.2	67.0	77.1	94.1	91.3	112.2	171.8	442.9
1943-----	76.7	214.2	63.9	36.5	81.8	70.6	77.2	85.9	92.3	126.8	190.4	485.7
1942-----	76.9	208.6	56.0	36.6	74.7	75.0	88.2	90.9	90.0	120.6	192.8	435.7
1941-----	72.9	229.2	50.1	30.8	67.1	76.0	84.3	88.5	93.0	104.8	210.6	357.1
1940-----	75.0	271.9	54.2	33.7	67.3	75.0	79.9	88.4	96.5	133.8	221.0	525.8



TABLE 2. DEATH RATES FOR ACCIDENTS, EXCEPT MOTOR-VEHICLE, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	26.7	194.0	40.1	13.1	9.9	11.1	14.5	22.2	30.2	70.5	165.0	388.0
1948-----	28.8	188.8	48.5	16.3	10.9	13.4	15.9	21.0	38.3	78.0	161.9	366.7
1947-----	29.7	198.9	46.8	14.3	13.3	16.4	16.9	24.4	39.4	77.1	143.0	429.2
1946-----	28.1	192.9	48.6	17.6	14.3	13.0	17.0	22.6	32.2	71.6	161.4	330.4
1945-----	28.7	177.6	48.5	17.5	12.4	13.0	17.6	23.1	37.2	80.6	189.3	404.5
1944-----	29.1	180.4	59.6	16.7	12.0	14.4	17.2	21.4	40.1	72.3	185.2	404.8
1943-----	30.9	180.0	59.5	17.7	13.0	13.6	15.8	27.8	41.7	98.3	215.6	438.1
1942-----	28.7	200.0	51.9	16.0	13.7	13.0	17.1	21.1	41.0	85.9	180.6	435.0
1941-----	26.4	205.4	50.4	14.6	10.1	12.7	15.4	21.7	35.3	83.9	147.8	410.0
1940-----	30.4	205.7	45.5	14.6	17.6	16.2	16.1	24.6	45.9	97.8	226.2	559.2

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

MOTOR-VEHICLE ACCIDENTS  
 ICD Revision Years in use ICD Nos.  
 Sixth 1949 E810-E835  
 Fifth 1940-1948 170

## All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	21.3	6.7	11.7	9.1	30.4	21.6	18.0	20.2	27.3	38.0	52.5	53.4
1948-----	22.1	5.9	12.3	10.1	32.0	20.8	18.6	20.8	28.3	39.8	56.0	51.3
1947-----	22.8	5.0	12.1	10.2	32.0	21.2	19.0	21.7	30.2	42.8	60.9	58.5
1946-----	23.9	6.3	13.1	11.5	33.3	22.9	18.8	22.3	30.9	43.7	62.8	66.0
1945-----	21.2	4.4	11.2	11.0	26.6	20.5	18.6	20.2	28.7	39.9	54.8	46.9
1944-----	18.3	3.8	11.1	9.7	21.6	17.2	15.8	18.0	25.9	35.5	46.5	35.3
1943-----	17.7	4.0	11.0	9.0	19.9	16.7	15.2	18.9	25.6	34.0	45.9	46.8
1942-----	21.1	4.2	10.8	9.1	25.2	19.9	18.3	23.1	31.8	41.7	51.3	48.3
1941-----	30.0	8.1	13.8	12.8	35.2	28.7	26.0	32.4	43.1	63.0	83.0	74.0
1940-----	26.2	5.9	12.4	11.5	28.6	24.8	22.2	29.1	41.1	56.9	76.1	69.1

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	32.9	6.9	13.5	12.3	50.7	36.3	28.8	30.9	40.2	57.6	82.8	100.4
1948-----	34.3	5.9	14.5	13.8	52.5	35.1	29.5	32.1	42.6	62.7	91.1	96.3
1947-----	35.6	5.8	14.1	13.8	52.8	36.0	30.5	33.4	46.1	67.9	98.3	109.2
1946-----	37.5	6.9	15.8	15.6	56.0	38.4	30.6	34.7	47.6	68.9	102.7	126.8
1945-----	34.9	4.6	13.6	15.5	49.4	39.7	31.1	32.4	46.1	65.0	90.9	87.0
1944-----	29.8	4.3	12.9	13.6	38.5	31.3	27.0	29.0	42.1	57.5	76.5	67.8
1943-----	28.8	4.4	13.4	12.7	34.1	29.7	25.5	30.7	41.3	55.4	78.2	84.3
1942-----	33.7	4.8	12.7	13.0	41.1	34.0	30.2	36.6	51.3	66.2	84.4	87.2
1941-----	46.4	8.9	16.2	17.9	55.9	47.5	42.1	49.8	65.7	95.3	130.5	128.5
1940-----	40.3	5.6	14.8	15.7	45.3	40.8	35.4	45.1	62.4	85.4	119.1	125.3

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	9.9	6.5	9.8	5.7	10.8	7.6	7.4	9.6	14.2	19.7	26.6	20.1
1948-----	10.0	5.9	10.1	6.4	12.1	7.0	7.9	9.4	14.0	18.1	25.7	19.1
1947-----	10.2	4.2	10.1	6.5	12.2	7.0	7.8	10.0	14.0	19.0	28.5	22.0
1946-----	10.5	5.6	10.2	7.3	12.7	8.1	7.3	9.8	13.8	19.5	28.1	21.7
1945-----	8.9	4.2	8.8	6.5	10.6	6.9	7.1	7.9	10.9	15.6	23.2	17.3
1944-----	7.6	3.2	9.1	5.7	8.5	6.0	5.3	6.7	9.3	14.2	20.2	11.3
1943-----	7.0	3.6	8.5	5.3	7.3	5.0	5.3	6.8	9.5	13.3	17.3	18.8
1942-----	8.6	3.5	8.9	5.1	9.8	6.7	6.5	9.0	11.6	17.7	21.9	19.1
1941-----	13.6	7.3	11.5	7.6	14.8	10.7	10.1	14.2	19.6	31.3	40.5	33.2
1940-----	12.0	6.2	9.9	7.2	12.2	9.2	9.0	12.4	18.7	28.6	37.2	26.9

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	21.3	6.9	11.8	9.1	31.3	20.9	17.2	19.3	27.2	38.0	53.1	54.7
1948-----	22.2	6.0	12.6	10.4	33.3	20.5	17.9	19.9	28.1	40.1	56.6	53.6
1947-----	23.1	5.1	12.5	10.5	33.3	21.2	18.6	21.1	30.1	43.1	62.3	60.5
1946-----	24.2	6.5	13.3	11.6	34.7	22.9	18.2	21.7	30.8	44.4	64.3	68.9
1945-----	21.5	4.4	11.6	11.5	27.8	20.6	18.1	19.7	28.6	40.2	55.7	49.4
1944-----	18.3	3.7	11.3	9.8	22.1	16.7	15.3	17.4	26.1	35.6	47.3	36.2
1943-----	17.8	4.3	11.3	9.2	20.4	16.4	14.8	18.4	25.5	34.1	46.8	49.0
1942-----	21.2	4.4	11.2	9.3	25.7	19.3	17.7	22.5	31.9	42.3	52.4	48.6
1941-----	30.1	7.9	14.5	13.0	35.7	28.1	25.0	31.6	42.9	63.3	84.4	77.2
1940-----	26.5	6.0	12.9	11.8	29.2	24.4	21.7	28.5	41.3	57.6	77.7	70.1

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	32.7	6.9	13.7	12.3	52.1	35.1	27.3	29.4	40.0	57.5	83.6	101.9
1948-----	34.3	5.6	14.7	14.1	54.5	34.6	28.2	30.4	41.8	63.1	92.0	101.0
1947-----	35.9	5.9	14.5	14.2	54.8	36.0	29.5	32.3	45.9	68.0	100.6	112.6
1946-----	37.9	7.4	16.1	15.8	58.4	38.2	29.5	33.5	47.4	70.1	105.5	130.8
1945-----	35.3	4.8	14.0	16.1	51.7	39.8	30.0	31.5	45.9	66.1	92.3	90.4
1944-----	29.8	4.4	13.0	13.7	39.3	30.4	26.1	27.9	42.5	57.6	77.7	68.6
1943-----	28.9	4.7	13.5	12.9	34.7	29.3	24.5	29.6	41.1	55.5	79.7	86.6
1942-----	33.8	4.9	12.9	13.3	41.7	32.9	29.1	35.4	51.5	67.2	86.6	87.3
1941-----	46.2	8.8	16.7	18.0	56.3	46.2	40.0	48.2	65.1	95.5	133.0	133.8
1940-----	40.5	5.7	15.4	16.0	45.7	40.0	34.3	43.8	62.8	86.5	121.1	127.3

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	10.0	6.9	9.9	5.8	11.1	7.4	7.3	9.2	14.4	19.9	27.2	21.5
1948-----	10.2	6.5	10.3	6.5	12.6	6.9	7.8	9.4	14.3	18.5	26.3	19.8
1947-----	10.5	4.2	10.5	6.7	12.6	6.9	8.0	9.9	14.2	19.6	29.3	22.8
1946-----	10.7	5.6	10.3	7.3	13.1	8.2	7.1	9.7	14.0	20.0	28.7	23.7
1945-----	9.1	4.1	9.1	6.7	11.1	6.9	7.1	7.8	11.1	15.5	23.9	18.9
1944-----	7.7	2.9	9.5	5.9	8.8	5.8	5.2	6.6	9.4	14.4	20.7	11.9
1943-----	7.2	3.8	9.0	5.5	7.6	4.8	5.3	6.9	9.5	13.6	17.9	20.6
1942-----	8.8	3.8	9.5	5.1	10.1	6.5	6.3	9.1	11.8	18.1	22.0	19.5
1941-----	13.9	7.0	12.1	7.8	15.2	10.6	10.0	14.2	19.8	32.0	41.1	34.5
1940-----	12.3	6.3	10.3	7.4	12.7	9.0	9.0	12.3	18.9	29.4	38.6	27.1

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	21.6	5.0	10.8	9.1	23.7	27.2	24.5	29.3	28.0	38.3	44.4	*
1948-----	20.8	*	10.6	8.4	22.6	23.3	24.6	29.2	31.5	35.7	46.8	*
1947-----	19.9	*	9.3	8.0	22.4	21.3	22.7	27.8	30.8	38.9	40.4	*
1946-----	21.2	*	11.8	10.4	22.8	23.1	23.9	28.9	32.1	34.2	40.6	*
1945-----	18.6	*	8.8	8.0	18.4	20.5	22.9	25.9	29.4	34.8	40.1	*
1944-----	17.7	*	9.4	8.8	17.6	21.1	20.2	24.4	23.1	34.3	35.4	*
1943-----	16.9	*	9.1	7.5	16.6	19.1	19.3	24.1	27.0	32.8	31.3	*
1942-----	20.2	*	8.2	8.1	21.0	25.0	23.5	29.9	30.1	33.5	33.8	*
1941-----	29.4	9.7	9.6	11.8	31.0	34.1	35.1	41.0	46.6	58.7	60.0	*
1940-----	23.8	*	8.6	9.8	23.9	28.4	26.7	36.5	38.0	46.1	48.5	59.3

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.



TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	34.8	*	12.6	13.0	40.3	46.9	42.3	45.8	43.6	59.6	72.4	*
1948-----	33.8	*	12.6	11.5	37.6	39.9	41.5	48.7	51.7	57.4	76.8	*
1947-----	32.4	*	11.3	11.2	37.5	35.9	40.0	44.8	48.7	65.9	65.9	*
1946-----	33.9	*	14.1	14.0	37.4	40.1	40.1	46.8	50.5	54.0	62.1	*
1945-----	31.2	*	11.1	11.4	33.5	39.1	40.5	42.2	48.8	51.7	69.5	*
1944-----	29.7	*	12.3	13.1	32.0	38.6	35.2	40.5	36.7	56.1	59.0	*
1943-----	28.7	*	12.9	11.3	29.7	33.0	34.2	42.3	43.5	55.3	56.2	*
1942-----	33.6	*	11.2	11.6	36.3	43.9	40.1	50.0	48.9	52.9	49.3	*
1941-----	48.3	*	12.0	17.2	52.7	59.4	60.6	66.8	73.4	93.5	90.9	*
1940-----	38.6	*	9.9	13.7	41.8	48.0	45.0	58.4	57.8	72.1	85.5	*

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR MOTOR-VEHICLE ACCIDENTS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	8.9	*	9.0	5.2	8.8	9.4	7.9	12.7	11.9	16.7	*	*
1948-----	8.3	*	8.7	5.3	9.0	8.0	8.8	9.6	10.6	13.2	*	*
1947-----	7.7	*	7.3	4.9	8.6	7.7	6.4	10.5	11.9	10.5	*	*
1946-----	9.0	*	9.4	6.7	9.8	7.2	8.6	10.6	12.2	13.2	*	*
1945-----	7.1	*	6.6	4.6	7.0	6.7	7.0	9.2	8.3	16.9	*	*
1944-----	6.6	*	6.5	4.6	6.1	7.4	6.4	7.8	8.2	10.9	*	*
1943-----	5.6	*	5.2	3.8	5.2	7.0	5.4	5.4	8.9	8.7	*	*
1942-----	7.3	*	5.2	4.7	7.2	8.3	7.9	8.8	9.3	12.3	*	*
1941-----	11.0	*	7.2	6.4	11.2	11.4	11.1	13.9	16.9	20.9	30.4	*
1940-----	9.4	*	7.3	6.0	7.7	10.7	9.4	13.3	15.7	17.7	*	*

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

INFLUENZA AND PNEUMONIA  
ICD Revision Years in use ICD Nos.  
Sixth 1949 480-493  
Fifth 1940-1948 33,107-109

YEAR	Both Sexes											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	30.0	288.4	19.8	3.2	3.2	4.3	9.2	18.9	37.2	87.8	262.9	878.9
1948-----	38.7	407.8	24.4	4.0	4.2	5.5	12.2	23.4	46.7	109.6	345.0	1,111.2
1947-----	43.1	382.3	25.0	4.5	4.9	7.0	13.6	27.5	55.9	125.9	394.5	1,301.0
1946-----	44.5	527.2	30.1	5.2	6.1	7.9	15.5	29.5	57.3	127.3	401.3	1,311.9
1945-----	51.6	590.1	38.4	6.9	8.8	11.4	20.0	35.0	64.4	136.4	417.9	1,257.5
1944-----	61.6	623.0	45.4	7.0	8.6	12.6	23.3	42.9	82.4	182.3	550.9	1,688.4
1943-----	67.1	676.1	54.7	8.1	10.3	15.1	28.5	51.4	92.0	197.0	571.1	1,709.1
1942-----	55.7	694.4	47.7	6.6	8.6	13.0	24.3	42.0	75.4	167.1	473.0	1,295.8
1941-----	63.8	772.0	57.1	8.0	10.1	15.1	26.6	47.1	85.6	196.6	600.9	1,813.2
1940-----	70.3	870.1	62.5	9.0	11.5	17.1	28.6	51.8	98.3	228.2	687.9	1,986.8

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	34.3	311.1	20.1	3.6	3.6	4.6	12.0	26.1	50.3	107.1	296.7	960.8
1948-----	44.2	443.0	26.0	4.1	4.4	5.5	15.5	32.1	64.0	135.0	390.1	1,185.1
1947-----	49.0	417.4	25.9	4.6	5.0	7.6	16.8	37.2	74.9	152.6	435.1	1,393.7
1946-----	49.8	571.2	31.1	5.3	6.7	8.8	18.8	38.5	74.1	147.9	443.0	1,306.1
1945-----	61.8	642.1	39.7	6.7	10.4	13.9	25.6	46.7	85.3	162.8	463.9	1,366.7
1944-----	72.4	679.0	46.8	7.3	10.7	15.2	30.5	57.8	108.4	213.4	596.7	1,762.8
1943-----	77.9	749.4	57.3	8.3	11.6	17.2	37.2	69.6	120.9	230.8	616.4	1,759.0
1942-----	63.3	754.5	49.3	6.8	9.6	15.2	30.3	55.5	96.9	190.7	510.4	1,368.0
1941-----	71.4	853.8	59.4	8.1	11.0	16.9	32.0	60.6	107.0	227.0	635.6	1,913.3
1940-----	77.1	962.8	66.7	9.3	12.1	18.2	34.1	64.6	119.3	253.5	719.4	2,041.9

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	25.8	264.8	19.4	2.8	2.9	4.0	6.6	11.7	24.0	69.6	233.9	818.6
1948-----	33.2	370.8	22.8	3.8	4.0	5.5	8.9	14.7	29.3	85.6	306.1	1,055.1
1947-----	37.3	345.6	24.1	4.4	4.8	6.4	10.4	17.8	36.6	100.5	359.2	1,230.0
1946-----	39.3	481.1	29.0	5.1	5.5	7.0	12.2	20.4	40.2	107.6	365.1	1,316.2
1945-----	42.5	536.0	37.1	7.0	7.7	9.7	14.8	23.0	43.0	110.9	377.6	1,176.9
1944-----	51.5	564.3	44.0	6.7	6.9	10.6	16.6	27.7	55.6	152.2	510.6	1,633.2
1943-----	56.7	599.6	52.0	7.8	9.1	13.2	20.1	32.8	62.3	164.2	531.2	1,672.0
1942-----	48.1	631.2	46.1	6.4	7.7	10.9	18.3	28.0	53.1	144.1	440.1	1,241.7
1941-----	56.3	686.2	54.7	7.9	9.2	13.5	21.4	32.9	63.3	166.8	569.8	1,738.2
1940-----	63.4	774.2	58.3	8.7	10.9	16.1	23.1	38.3	76.2	203.2	659.4	1,945.5

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	26.9	226.2	16.1	2.8	2.5	3.0	6.8	14.4	32.2	82.1	261.7	889.5
1948-----	35.4	338.6	20.6	3.5	3.4	4.1	9.1	18.6	41.0	103.7	345.9	1,140.3
1947-----	39.9	319.4	21.1	3.9	3.8	5.3	10.4	21.9	49.7	120.5	396.4	1,341.5
1946-----	41.1	448.0	25.7	4.6	5.0	6.0	12.2	23.5	50.6	121.6	403.1	1,362.2
1945-----	47.2	495.5	32.7	6.2	7.0	8.8	15.7	27.8	57.3	131.1	419.7	1,286.5
1944-----	56.6	525.4	38.7	6.2	6.9	9.6	17.9	34.4	73.7	173.8	553.0	1,733.2
1943-----	62.0	575.4	47.2	7.0	8.5	11.9	22.1	43.1	83.7	190.1	573.5	1,767.8
1942-----	50.8	595.7	40.9	5.7	6.7	9.8	18.9	34.3	68.0	161.2	476.1	1,322.8
1941-----	57.5	650.3	48.0	6.9	7.7	11.1	19.8	37.6	75.6	185.1	598.6	1,859.5
1940-----	64.0	758.6	53.9	7.7	8.5	12.4	21.4	41.4	86.9	217.1	690.4	2,048.0

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	30.8	245.5	16.4	3.1	2.9	3.3	9.0	20.8	45.1	101.1	296.0	971.8
1948-----	40.7	369.2	22.6	3.7	3.7	4.2	12.2	26.8	57.9	128.3	390.8	1,215.7
1947-----	45.6	353.1	22.0	4.1	4.2	6.1	13.5	31.1	68.5	146.9	436.6	1,424.7
1946-----	46.1	490.7	26.3	4.6	5.8	7.0	15.3	31.5	66.8	142.2	445.5	1,342.9
1945-----	56.8	539.9	34.1	6.0	8.8	10.9	21.0	38.3	78.1	157.5	466.8	1,384.2
1944-----	66.8	573.5	39.6	6.5	9.1	12.0	24.5	48.2	99.2	204.6	597.1	1,791.1
1943-----	72.1	639.6	49.8	7.3	10.1	13.6	29.3	60.0	112.6	223.3	617.2	1,806.1
1942-----	58.0	647.4	42.5	6.0	7.9	11.6	24.6	46.8	89.1	184.9	513.2	1,384.2
1941-----	64.3	720.9	50.0	7.0	8.7	12.6	24.7	50.0	96.4	214.2	630.5	1,945.7
1940-----	70.0	839.3	57.0	7.9	9.5	13.2	25.6	53.4	107.3	240.4	720.2	2,091.3

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	23.0	206.0	15.7	2.5	2.1	2.7	4.6	8.0	19.3	64.3	232.8	831.6
1948-----	30.1	306.2	18.5	3.3	3.0	4.0	6.1	10.5	24.0	80.6	307.5	1,086.7
1947-----	34.2	284.0	20.2	3.7	3.4	4.5	7.4	12.7	30.8	95.5	361.8	1,281.4
1946-----	36.2	403.0	25.0	4.5	4.2	5.0	9.1	15.5	34.2	102.1	366.5	1,376.3
1945-----	38.5	448.5	31.2	6.3	5.8	7.4	10.9	17.2	36.3	105.8	378.7	1,213.9
1944-----	47.1	474.8	37.8	5.8	5.1	7.7	11.6	20.4	47.6	144.3	514.6	1,689.8
1943-----	52.2	508.3	44.5	6.7	7.0	10.3	15.1	25.7	54.0	158.1	534.6	1,739.0
1942-----	43.8	540.6	39.2	5.4	5.5	8.1	13.3	21.4	46.3	138.3	443.3	1,276.7
1941-----	50.7	575.9	45.9	6.8	6.7	9.6	15.0	24.6	54.1	156.8	570.2	1,794.5
1940-----	58.0	674.6	50.8	7.6	7.5	11.6	17.0	28.8	65.6	194.3	663.4	2,015.5



TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	56.9	715.4	46.9	6.1	8.7	15.1	30.6	62.8	96.8	165.0	280.3	753.5
1948-----	66.9	919.6	52.6	7.3	10.8	17.3	38.7	70.8	114.8	188.6	331.6	773.2
1947-----	70.9	911.7	53.4	8.2	13.3	21.4	41.1	83.6	128.6	197.1	367.2	810.0
1946-----	73.3	1,124.6	62.2	9.3	14.5	23.7	44.1	90.0	136.4	203.0	374.9	776.3
1945-----	89.2	1,285.8	79.7	11.6	21.7	32.6	56.6	108.6	148.4	207.6	388.0	932.4
1944-----	104.0	1,371.7	93.3	12.8	21.5	38.0	69.9	130.9	187.1	296.1	517.7	1,182.9
1943-----	111.2	1,500.7	106.5	15.4	24.6	42.4	83.7	139.1	194.0	291.4	534.7	1,068.6
1942-----	97.5	1,426.8	94.8	12.6	23.9	40.3	70.7	123.8	166.5	248.6	425.4	1,002.9
1941-----	118.8	1,668.3	120.1	15.5	29.4	50.0	86.1	149.1	210.0	356.0	637.8	1,335.3
1940-----	125.4	1,689.3	122.3	18.1	35.7	57.6	92.1	165.6	241.6	381.7	646.7	1,417.6

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:

DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	64.5	767.0	48.3	7.4	8.8	15.5	38.6	77.8	112.1	186.0	306.1	833.3
1948-----	75.2	997.4	51.2	7.4	10.5	16.9	45.5	85.1	134.9	220.2	376.8	829.4
1947-----	78.6	973.8	55.4	7.8	11.6	20.4	46.1	98.7	148.9	224.0	414.3	1,025.0
1946-----	81.6	1,196.4	66.6	9.9	13.0	24.0	50.2	109.2	158.2	220.2	402.3	946.7
1945-----	103.1	1,416.3	80.5	11.3	21.6	37.3	65.9	133.1	169.1	230.8	417.1	1,160.0
1944-----	120.7	1,507.5	98.9	13.0	22.4	42.2	82.1	157.1	216.0	325.1	591.0	1,421.4
1943-----	128.7	1,662.8	110.4	15.4	23.9	48.5	106.5	170.0	218.9	329.3	604.1	1,207.1
1942-----	110.0	1,564.7	97.5	12.0	23.4	47.6	81.1	147.9	189.6	265.5	466.7	1,185.7
1941-----	134.0	1,854.6	126.5	15.9	30.1	55.2	97.3	173.9	235.0	394.8	716.7	1,564.3
1940-----	141.3	1,896.5	135.5	19.5	34.0	62.6	110.4	187.5	265.8	426.6	706.4	1,577.3

TABLE 2. DEATH RATES FOR INFLUENZA AND PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN, BY AGE, RACE, AND SEX:  
DEATH-REGISTRATION STATES, 1940-1949-Continued

(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	49.7	659.7	45.6	4.9	8.6	14.8	23.1	47.8	81.0	143.8	255.0	696.0
1948-----	58.8	840.6	53.9	7.2	11.2	17.6	32.3	56.4	94.0	155.3	280.4	733.3
1947-----	63.5	854.4	51.4	8.5	14.9	22.4	36.5	68.4	107.0	168.8	317.2	666.7
1946-----	65.4	1,053.2	58.0	8.7	15.8	23.5	38.3	70.5	112.6	185.6	347.7	665.2
1945-----	76.6	1,163.9	78.9	11.9	21.7	29.0	48.3	83.7	125.9	183.1	364.3	777.3
1944-----	88.7	1,242.7	87.7	12.6	20.9	34.7	58.7	104.1	155.5	263.9	440.7	1,023.8
1943-----	94.6	1,335.2	102.7	15.4	25.2	37.1	62.5	107.1	166.7	250.7	468.8	976.2
1942-----	85.4	1,296.3	92.5	13.2	24.3	33.9	60.8	98.4	140.5	229.1	391.7	875.0
1941-----	104.1	1,480.6	113.7	15.1	28.7	45.4	75.6	122.8	182.6	313.7	562.3	1,175.0
1940-----	110.0	1,485.6	109.2	16.7	37.3	53.1	74.7	142.4	214.5	332.7	590.6	1,299.8

TABLE 2. DEATH RATES FROM TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

TUBERCULOSIS  
 ICD Revision Years in use ICD Nos.  
 Sixth 1949 001-019  
 Fifth 1940-1948 13-22

## All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	26.3	8.8	6.7	2.0	15.0	24.2	32.0	41.6	53.8	61.6	66.5	47.4
1948-----	30.0	10.3	6.9	2.2	17.4	28.3	36.5	47.8	60.3	69.5	75.1	65.2
1947-----	33.5	10.7	6.7	2.7	23.5	33.4	40.8	52.3	63.9	71.8	76.7	62.6
1946-----	36.4	16.9	8.2	3.4	27.1	38.6	44.5	55.4	66.4	70.3	72.8	60.0
1945-----	39.9	16.7	8.7	3.6	33.6	48.6	49.8	57.4	66.6	70.3	74.8	57.5
1944-----	41.2	18.6	10.8	3.9	34.7	48.5	51.1	59.3	69.8	74.5	72.8	65.3
1943-----	42.5	18.6	10.5	4.6	35.0	49.5	52.3	63.2	72.4	77.2	75.0	59.7
1942-----	43.1	22.3	11.9	5.1	35.3	51.3	54.4	63.7	70.3	76.2	75.8	60.4
1941-----	44.5	22.8	12.8	5.5	36.8	54.3	56.5	65.0	73.3	77.2	75.1	60.3
1940-----	45.9	24.6	12.3	5.5	38.2	56.3	59.4	66.3	75.8	81.5	80.1	63.9

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	34.6	9.1	6.4	1.8	12.3	23.1	41.7	63.8	85.8	94.4	91.5	63.9
1948-----	39.3	10.6	7.1	1.8	13.8	28.1	47.2	74.3	95.8	102.5	104.6	89.3
1947-----	42.9	10.9	6.9	2.3	18.8	31.8	53.1	80.3	101.2	104.7	100.3	79.1
1946-----	46.0	17.0	8.3	3.2	22.2	37.9	57.6	84.2	103.2	100.4	94.4	76.8
1945-----	52.6	16.5	9.0	3.1	32.4	56.7	66.6	87.4	102.8	100.6	94.1	73.4
1944-----	52.8	20.0	11.0	3.3	31.5	52.8	67.3	90.0	106.4	102.3	94.2	77.6
1943-----	52.7	20.0	10.6	4.1	30.1	51.0	67.7	94.4	108.0	104.8	92.4	75.3
1942-----	52.2	23.4	12.1	4.5	28.4	52.8	70.1	93.9	103.0	101.7	90.7	72.7
1941-----	52.5	22.3	13.0	4.8	28.9	53.2	70.8	94.5	105.2	102.8	87.1	78.8
1940-----	54.2	24.8	12.6	4.8	30.1	56.3	74.8	95.6	109.5	107.1	93.2	70.3

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	18.1	8.5	7.0	2.2	17.7	25.3	22.6	19.3	21.5	30.8	45.0	35.6
1948-----	20.8	9.9	6.8	2.5	21.0	28.4	26.1	21.2	24.6	38.3	49.7	47.9
1947-----	24.2	10.6	6.4	3.1	28.1	34.8	28.8	23.9	26.1	40.5	56.1	50.5
1946-----	26.9	16.8	8.2	3.7	31.6	39.3	31.8	26.3	29.1	41.4	54.0	47.8
1945-----	28.6	17.0	8.5	4.2	34.5	42.9	34.3	26.9	29.7	41.1	57.9	45.8
1944-----	30.5	17.2	10.6	4.4	37.1	45.1	35.9	27.8	32.3	47.6	54.1	56.3
1943-----	32.6	17.1	10.4	5.2	39.4	48.2	37.4	31.1	35.8	50.4	59.6	48.1
1942-----	34.0	21.1	11.8	5.7	41.8	49.8	38.9	32.4	36.3	51.2	62.7	51.3
1941-----	36.5	23.4	12.6	6.2	44.6	55.3	42.2	34.0	40.0	52.0	64.3	46.4
1940-----	37.5	24.3	12.0	6.3	46.1	56.3	44.0	35.3	40.4	56.2	68.2	59.0

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	20.8	6.4	5.0	1.3	7.5	15.3	23.5	32.8	47.9	58.4	63.8	45.3
1948-----	24.3	6.8	5.2	1.3	9.1	18.4	27.6	39.9	54.7	65.9	73.8	63.9
1947-----	27.1	8.5	4.8	1.4	12.8	22.4	31.6	43.6	59.1	68.4	74.8	61.1
1946-----	29.8	12.8	6.0	2.1	16.0	27.3	35.0	47.1	62.0	68.2	71.3	57.3
1945-----	32.6	12.3	6.4	2.1	19.9	34.5	39.4	49.5	62.0	67.8	73.4	55.4
1944-----	33.6	13.3	8.0	2.2	20.5	34.5	40.5	51.3	65.3	72.0	71.9	62.8
1943-----	34.3	13.8	7.7	2.7	20.0	35.3	41.4	54.5	67.0	73.9	74.4	58.1
1942-----	34.4	17.8	8.8	2.9	20.4	35.8	42.6	54.8	65.0	73.4	74.5	58.7
1941-----	35.4	16.0	9.2	3.0	21.4	38.3	43.8	55.8	68.3	74.7	74.0	58.1
1940-----	36.6	17.8	8.8	3.2	22.4	40.0	46.3	56.8	70.4	78.5	79.5	61.9

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	28.5	6.8	4.7	1.2	6.2	14.9	30.8	51.4	77.6	89.4	87.7	60.8
1948-----	33.2	6.6	5.3	1.1	7.3	18.8	36.2	63.4	87.7	97.4	102.1	86.4
1947-----	36.3	8.6	4.9	1.2	10.3	21.6	41.5	68.6	94.6	100.5	96.7	75.3
1946-----	39.1	13.1	5.9	2.0	12.7	26.8	45.7	72.8	97.7	97.5	91.8	69.8
1945-----	44.8	12.0	6.5	1.9	19.6	40.6	53.7	76.5	97.1	96.7	92.0	68.9
1944-----	44.7	14.3	7.9	2.0	18.4	37.6	54.0	79.0	100.7	99.4	92.5	70.4
1943-----	44.2	14.9	7.7	2.5	17.0	36.1	54.4	83.1	101.2	100.6	89.9	71.3
1942-----	43.3	18.9	8.4	2.7	16.3	36.4	55.9	82.4	96.4	97.6	87.7	69.6
1941-----	43.3	16.1	9.2	2.6	16.6	37.3	55.8	82.6	99.5	98.9	84.3	72.8
1940-----	44.7	18.0	8.9	2.9	17.0	40.2	59.2	83.6	103.0	102.3	90.8	67.9



TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Female												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	13.2	6.1	5.3	1.3	8.8	15.8	16.3	14.3	18.1	29.5	43.5	34.3
1948-----	15.4	7.1	5.1	1.5	10.8	18.0	19.1	16.4	21.4	36.4	49.6	47.8
1947-----	18.0	8.4	4.7	1.6	15.1	23.1	22.0	18.4	23.2	38.1	55.9	51.0
1946-----	20.6	12.5	6.1	2.2	18.9	27.7	24.6	21.0	25.9	40.3	53.6	48.2
1945-----	21.7	12.5	6.3	2.4	20.1	30.2	26.3	22.2	26.4	40.3	57.3	45.4
1944-----	23.3	12.4	8.0	2.4	22.0	32.1	27.7	23.0	29.3	45.8	54.0	57.1
1943-----	24.7	12.6	7.7	2.9	22.7	34.6	28.7	25.1	32.0	48.1	60.7	48.2
1942-----	25.6	16.6	9.2	3.0	24.3	35.1	29.4	26.2	32.7	49.9	62.9	50.5
1941-----	27.4	15.8	9.3	3.4	26.1	39.3	31.8	27.8	36.0	51.0	64.8	47.0
1940-----	28.3	17.6	8.8	3.4	27.7	39.8	33.3	28.7	36.4	55.1	69.2	57.4

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	73.2	25.1	18.9	6.9	71.9	100.2	106.4	126.1	124.2	104.8	107.1	72.1
1948-----	79.1	35.8	19.6	8.0	80.8	112.2	114.2	125.1	128.2	117.7	94.7	80.5
1947-----	88.4	29.2	20.2	11.4	105.4	126.6	120.2	138.8	120.9	117.2	104.9	77.5
1946-----	92.2	48.0	24.5	12.6	111.4	134.2	126.9	140.3	119.2	97.9	94.9	92.1
1945-----	101.7	49.5	25.8	13.9	133.9	163.7	138.6	137.7	121.7	103.7	94.6	81.1
1944-----	105.8	59.0	31.1	15.3	141.7	165.2	142.8	142.0	123.4	107.9	86.7	94.3
1943-----	113.0	58.0	29.9	18.0	151.5	169.9	146.9	154.6	138.5	122.3	84.7	77.1
1942-----	118.5	55.4	33.5	20.5	154.5	183.8	157.3	158.5	135.4	115.1	97.2	79.4
1941-----	124.2	73.4	37.4	22.7	162.5	191.7	167.1	163.4	135.0	112.0	92.6	82.4
1940-----	128.0	74.4	36.3	22.7	166.6	196.3	173.9	169.4	143.8	123.2	89.9	81.9

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	87.4	25.6	18.8	5.9	60.0	95.8	139.1	184.3	183.8	160.0	144.9	*
1948-----	92.4	41.1	20.1	6.3	64.3	109.1	145.3	181.5	190.7	167.7	137.9	123.5
1947-----	100.4	30.6	22.0	9.4	85.0	120.3	155.2	197.3	176.8	157.7	150.5	125.0
1946-----	104.9	47.9	25.6	11.7	94.5	132.3	162.6	199.1	166.7	137.1	128.7	166.7
1945-----	117.9	50.3	27.4	11.8	121.5	183.4	177.8	199.2	168.7	151.3	123.2	*
1944-----	121.3	64.4	33.1	12.3	128.6	180.7	183.0	204.3	172.3	140.4	119.2	164.3
1943-----	126.5	62.2	31.0	15.3	133.1	180.5	185.1	212.9	188.4	158.5	130.1	*
1942-----	131.3	57.6	38.1	17.1	128.6	197.3	197.7	216.0	182.6	155.0	137.7	*
1941-----	134.1	68.5	40.5	20.0	134.0	196.1	205.7	222.3	174.1	153.9	131.8	142.9
1940-----	139.1	76.7	38.6	18.6	141.8	201.2	215.2	227.7	189.1	169.8	132.3	*

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR TUBERCULOSIS, ALL FORMS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	59.6	24.4	19.1	7.9	82.6	104.2	76.0	67.8	62.7	48.8	70.0	*
1948-----	66.2	30.5	19.2	9.6	95.8	114.8	85.0	68.4	63.1	65.6	50.5	*
1947-----	76.9	28.0	18.4	13.4	123.9	132.5	87.5	79.5	61.4	74.8	59.1	*
1946-----	79.8	48.2	23.4	13.5	126.3	136.1	93.2	80.3	68.0	56.8	61.4	*
1945-----	87.0	49.0	24.1	16.0	143.3	148.9	103.1	74.9	70.7	53.2	67.9	*
1944-----	91.6	53.8	29.2	18.2	152.1	153.0	106.0	78.1	69.9	72.7	54.3	*
1943-----	100.2	53.8	28.7	20.7	167.6	160.7	111.4	94.3	83.9	83.4	41.6	*
1942-----	106.2	53.7	29.0	23.8	177.8	172.0	119.3	98.1	83.0	71.4	59.7	*
1941-----	114.6	78.3	34.3	25.4	188.5	187.7	130.8	101.2	91.9	66.4	55.1	*
1940-----	117.2	72.1	33.9	26.6	189.1	191.9	134.7	107.7	93.1	72.2	50.1	*

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

DIABETES MELLITUS  
 ICD Revision Years in use ICD Nos.  
 Sixth 1949 260  
 Fifth 1940-1948 61

## All Races, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	16.9	*	0.3	0.5	1.4	2.1	3.9	13.4	46.4	106.6	167.8	148.1
1948-----	26.4	*	0.4	0.7	1.4	2.4	5.3	20.0	77.8	170.7	269.4	228.6
1947-----	26.2	0.8	0.6	0.8	1.7	2.6	5.4	20.9	77.3	168.8	261.8	233.9
1946-----	24.8	*	0.6	0.8	1.8	2.7	5.1	20.0	71.9	163.3	245.6	225.1
1945-----	26.5	*	0.6	1.3	2.8	3.5	6.1	21.7	75.1	163.7	252.9	209.7
1944-----	26.3	0.8	0.7	1.3	2.8	3.2	6.3	22.8	76.5	170.3	250.3	193.0
1943-----	27.1	0.9	0.7	1.3	2.9	3.1	6.9	24.0	80.9	180.5	265.2	225.9
1942-----	25.4	0.9	0.8	1.1	2.3	2.7	5.7	23.0	76.9	178.1	257.4	207.0
1941-----	25.4	*	0.7	1.2	2.1	2.6	6.0	23.1	80.4	181.1	265.1	199.5
1940-----	26.6	1.5	0.8	1.4	2.4	2.8	6.7	25.0	86.8	190.8	273.3	220.7

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FROM DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	12.8	*	0.3	0.4	1.2	2.2	3.7	11.2	32.6	77.2	142.2	139.6
1948-----	19.8	*	0.4	0.4	1.2	2.6	4.9	16.7	56.3	123.5	218.5	209.8
1947-----	19.5	*	0.6	0.6	1.4	2.6	5.2	16.0	55.1	122.1	213.3	225.2
1946-----	18.3	*	0.6	0.7	1.5	2.8	4.9	15.9	49.3	115.5	196.8	192.4
1945-----	20.6	*	0.6	1.0	2.8	4.1	5.9	16.2	50.3	117.9	204.6	202.1
1944-----	20.1	*	0.6	1.1	2.6	3.4	5.7	17.3	52.8	121.6	204.0	184.2
1943-----	20.4	*	0.5	1.1	2.7	3.1	6.2	18.5	55.2	130.2	216.6	210.1
1942-----	19.2	*	0.7	0.9	1.9	2.8	5.3	17.0	53.2	131.0	216.8	197.1
1941-----	18.8	*	0.7	1.0	2.0	2.6	4.9	16.7	53.8	132.9	216.1	194.5
1940-----	20.0	*	0.9	1.2	2.3	2.7	5.3	18.1	60.2	140.4	231.3	217.4

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX. DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Races, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	20.9	*	0.3	0.6	1.5	1.9	4.0	15.6	60.2	134.3	189.8	153.6
1948-----	33.0	*	0.5	0.9	1.7	2.3	5.8	23.4	99.4	215.3	313.3	241.3
1947-----	32.7	*	0.6	1.0	2.1	2.6	5.7	25.8	99.9	213.3	303.6	239.4
1946-----	31.2	*	0.5	0.9	2.1	2.5	5.2	24.0	95.0	209.2	287.9	248.9
1945-----	31.9	*	0.7	1.5	2.8	3.0	6.3	27.3	100.3	207.9	295.2	215.4
1944-----	32.0	*	0.7	1.4	2.8	3.0	6.9	28.4	100.9	217.5	291.0	199.6
1943-----	33.5	*	0.8	1.4	3.2	3.1	7.5	29.6	107.5	229.4	308.2	237.7
1942-----	31.5	*	0.9	1.3	2.7	2.7	6.1	29.2	101.5	224.0	293.6	214.3
1941-----	32.1	*	0.8	1.4	2.2	2.7	7.0	29.7	108.1	228.3	309.0	203.2
1940-----	33.2	*	0.8	1.6	2.4	2.9	8.0	32.4	114.6	240.5	311.4	223.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Both Sexes												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	17.2	*	0.3	0.5	1.2	1.8	3.2	11.6	45.4	107.9	173.2	153.8
1948-----	27.4	*	0.4	0.6	1.3	2.3	4.6	17.8	77.4	174.8	279.2	237.2
1947-----	27.1	0.8	0.6	0.7	1.7	2.4	4.6	18.9	77.0	173.6	272.0	244.8
1946-----	25.8	*	0.6	0.8	1.8	2.5	4.4	18.5	72.0	168.2	255.6	236.2
1945-----	27.6	*	0.6	1.3	2.8	3.3	5.4	20.1	75.1	168.8	262.3	219.0
1944-----	27.1	0.9	0.7	1.2	2.7	2.9	5.3	20.6	76.2	175.2	258.9	201.8
1943-----	28.1	1.0	0.7	1.3	2.9	2.9	5.9	22.2	81.4	186.2	275.0	236.1
1942-----	26.3	1.0	0.8	1.1	2.2	2.5	4.8	21.4	77.1	183.7	266.3	212.2
1941-----	26.5	*	0.8	1.2	2.1	2.5	5.0	21.2	80.8	187.3	275.2	210.0
1940-----	27.6	1.4	0.9	1.4	2.3	2.6	5.6	23.4	87.2	196.4	282.8	233.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.



TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## White, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	13.2	*	*	0.4	1.0	2.0	3.5	10.6	32.5	78.3	147.9	145.0
1948-----	20.7	*	0.4	0.4	1.0	2.5	4.7	16.0	56.8	127.1	226.3	218.7
1947-----	20.4	*	0.5	0.5	1.4	2.6	4.9	15.6	55.4	126.1	221.7	235.8
1946-----	19.3	*	0.7	0.8	1.4	2.7	4.8	15.6	50.5	119.5	205.5	202.2
1945-----	21.6	*	0.6	1.0	2.7	4.1	5.8	15.8	51.0	121.8	211.6	210.2
1944-----	21.0	*	0.6	1.1	2.5	3.3	5.4	16.7	53.3	125.2	210.0	190.5
1943-----	21.3	*	0.6	1.1	2.6	3.0	5.9	18.1	56.3	134.8	224.3	220.7
1942-----	20.0	*	0.7	0.9	1.8	2.6	4.9	16.4	54.1	135.4	224.6	200.0
1941-----	19.7	*	0.8	1.0	1.9	2.5	4.6	16.0	55.1	137.4	225.1	205.3
1940-----	20.9	*	0.9	1.2	2.1	2.6	5.0	17.6	61.2	145.6	238.8	229.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
(For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

White, Female												
YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	21.2	*	*	0.6	1.4	1.6	2.9	12.6	58.3	135.5	194.7	159.9
1948-----	34.0	*	0.5	0.9	1.5	2.1	4.6	19.6	98.1	219.5	324.5	250.4
1947-----	33.8	*	0.6	1.0	2.0	2.2	4.4	22.3	98.7	218.6	315.3	251.3
1946-----	32.3	*	0.6	0.9	2.1	2.2	3.9	21.4	94.3	214.5	298.9	261.0
1945-----	33.1	*	0.7	1.6	2.8	2.7	5.0	24.5	99.5	213.7	306.3	225.6
1944-----	32.9	*	0.8	1.3	2.8	2.5	5.2	24.6	99.5	223.2	301.5	210.2
1943-----	34.7	*	0.9	1.4	3.2	2.8	5.9	26.4	107.1	235.8	319.3	247.7
1942-----	32.6	*	1.0	1.3	2.6	2.4	4.6	26.6	100.9	230.7	303.1	221.4
1941-----	33.3	*	0.8	1.4	2.3	2.5	5.3	26.7	107.5	236.1	319.9	213.5
1940-----	34.3	*	0.8	1.5	2.4	2.6	6.1	29.5	114.2	246.3	322.6	236.2

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FROM DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Both Sexes

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	14.2	*	*	*	2.6	4.2	9.9	30.8	58.4	89.0	87.9	81.4
1948-----	18.6	*	*	1.0	2.4	3.5	11.5	42.5	81.9	116.4	121.6	129.3
1947-----	17.9	*	*	1.0	2.0	4.3	12.4	40.2	81.4	104.4	108.7	105.0
1946-----	15.8	*	*	0.8	2.3	4.4	11.2	35.1	68.3	98.3	94.9	105.3
1945-----	17.4	*	*	1.2	2.9	5.0	12.1	38.3	75.3	95.3	110.2	105.4
1944-----	19.1	*	*	1.5	3.3	5.4	15.1	45.7	80.8	105.1	119.0	94.3
1943-----	18.0	*	*	1.3	3.3	5.5	15.2	43.2	75.6	102.7	111.3	114.3
1942-----	17.0	*	*	1.3	3.2	4.8	13.8	39.6	74.4	100.0	115.5	150.0
1941-----	16.5	*	*	1.2	2.6	4.0	14.9	43.1	75.1	94.8	98.5	91.2
1940-----	17.9	*	*	1.5	3.2	4.6	16.2	43.2	81.9	113.1	113.4	104.5

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FROM DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Male

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	9.4	*	*	*	2.4	4.2	5.6	16.9	34.2	62.1	63.3	*
1948-----	12.4	*	*	*	2.3	3.0	6.9	23.5	50.9	76.2	108.4	*
1947-----	11.8	*	*	*	1.8	2.6	7.9	20.0	51.5	71.7	96.7	*
1946-----	9.9	*	*	*	2.1	3.7	5.9	19.7	35.1	64.7	73.6	*
1945-----	12.0	*	*	*	3.5	4.8	6.5	20.6	42.7	67.3	101.2	*
1944-----	13.0	*	*	*	3.8	4.0	8.4	23.7	47.1	76.5	116.7	*
1943-----	12.0	*	*	*	3.6	4.6	8.5	23.7	42.4	71.1	100.0	*
1942-----	11.9	*	*	*	3.1	4.8	8.5	23.7	42.5	73.1	94.2	164.3
1941-----	10.9	*	*	*	3.1	3.4	7.9	25.0	38.6	75.2	72.7	*
1940-----	11.8	*	*	*	3.5	3.7	8.0	24.0	47.6	73.0	108.1	*

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

TABLE 2. DEATH RATES FOR DIABETES MELLITUS, BY AGE, RACE, AND SEX: DEATH-REGISTRATION STATES, 1940-1949-Continued  
 (For qualifications of data, see text of original report. Rates per 100,000 population for specified group.)

## All Other, Female

YEAR	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
1949-----	18.9	0.0	*	*	2.7	4.2	13.9	44.7	83.5	116.4	112.0	84.0
1948-----	24.6	0.0	*	*	2.5	4.0	15.8	61.5	114.5	157.5	132.0	145.8
1947-----	23.8	*	*	*	2.2	5.9	16.6	60.8	113.1	138.7	119.4	108.3
1946-----	21.6	*	*	*	2.4	5.1	16.1	50.7	103.9	134.2	115.9	117.4
1945-----	22.2	*	*	*	2.4	5.2	17.1	56.5	110.6	125.0	120.2	104.5
1944-----	24.8	0.0	*	2.1	2.8	6.6	21.3	68.5	117.7	135.3	119.8	*
1943-----	23.7	0.0	*	*	3.0	6.2	21.4	63.3	112.0	136.7	122.1	133.3
1942-----	21.9	0.0	*	*	3.4	4.8	18.7	56.1	109.5	128.6	137.5	140.0
1941-----	22.0	*	*	1.6	2.2	4.6	21.5	61.9	115.8	116.1	123.2	100.0
1940-----	23.8	*	*	1.8	2.9	5.5	24.0	63.5	120.3	156.8	118.4	103.0

\* Denotes that the value is based upon fewer than 20 deaths and is not statistically reliable. We do not recommend that these values be used.

Source: National Office of Vital Statistics, Vital Statistics Special Reports, Volume 43, 1956.