

ENERGY STAR Qualified Hot Food Holding Cabinets as of May 1, 2009

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Alto-Shaam, Inc.	Alto-Shaam	Hot Holding Cabinets	500-S/120V/STD 202902	750-S, 1000-S (solid-door version only), 1200-S, 1200-SR, 1000-UP (solid-door version only), 1200-UP, 1200-UP/SR	Solid/Solid	1	3.59	110	30.64	May-01
Bevles/Bakers Pride/APW Wyott	Bevles	CS82-CH8	CS82-CH8		Solid/Solid	2	19.6	364	18.6	Sep-04
Bevles/Bakers Pride/APW Wyott	Bevles	Temper Select HTS	HTSDD44P16	Temper Select HTS (series)	Glass/Solid	1	8.945	242	27.05	Jun-06
Bevles/Bakers Pride/APW Wyott	Bevles	Climate Select HCS	HCSS74W12	Climate Select HCS (series)	Glass/Solid	1	21.66	434	20.04	Jun-06
Cambro Manufacturing	Cambro	Tall Camtherm	CMBH1826TSF	CMBH1826TSF, CMBH1826TBF, CMBH1826TSC, CMBH1826TBC, CMBH1826TTR	Solid/Solid	2	18	213	11.8	Sep-03
Cambro Manufacturing	Cambro	Low Camtherm	CMBH1826L	CMBH1826LF, CMBH1826LC, CMBH1826LTR	Solid/Solid	1	8	80	10	Sep-03
Cambro Manufacturing	Cambro	Ultra Pan Carrier [®] H-Series	UPCH400	UPCHW400	Solid/Solid	1	3.88	46	15.1	Oct-07
Cambro Manufacturing	Cambro	Ultra Camcart [®] H-Series	UPCH800	UPCHT800	Solid/Solid	2	7.76	92	15.1	Oct-07
Carter Hoffmann LLC	Carter-Hoffmann	Enduraheat Banquet Carter	BR96	BR120, BR150, BR1000, BR1200	Solid/Solid	2	27.8	507	18.2	Apr-04
Carter Hoffmann LLC	Carter-Hoffmann	EnduraHeat Satellite Transport Carts	SR188		Solid/Solid	1	11.36	338.7	29.82	Jan-88
Carter Hoffmann LLC	Carter-Hoffmann	EquaHeat Series Banquet Carts	BB700	BB700, BB1100, BB1300, BB1600, BB1300XX, PH1470, PH1490	Solid/Solid	1	21.37	510.1	23.8	Jan-88
Carter Hoffmann LLC	Carter-Hoffmann	Heated Holding Cabinet	TB916		Solid/Solid	2	19.8	468	23.6	Jan-04

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Carter Hoffmann LLC	Carter-Hoffmann	Banquet Carter	BB1824	BB40, BB48, BB60, BB64, BB72, BB90, BB96, BB96E, BB96X, BB96XX, BB100, BB120, BB120E, BB120X, BB120XX, BB150, BB150E, BB150X, BB150XX, BB200D, BB1000, BB1200, BB1848, BB1864, PS96	Solid/Solid	1	10.5	114	10.9	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (120V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	113.8	10.84	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (208V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	101.4	9.66	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH181 (240V)	ST181, PH1200, PH1210, PH1215, PH1220, PH1225, PH1230, PH1240, PH1250, PH1400, PH1410, PH1420, PH1425, PH1430, PH1440, PH1450, PH1460, PH1800, PH1810, ST1811, PH1825, PH1830, PH1850, PH1860	Solid/Solid	1	10.5	101.5	9.67	Aug-92
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH185		Solid/Solid	1	9.62	344.23	35.78	Currently Available
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	PH128	PH129, ST1820, PH1815, PH1820, PH1835, PH1840	Solid/Solid	1	5.25	149.3	28.44	Jan-92

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Carter Hoffmann LLC	Carter-Hoffmann	Heated Transport Cart	ST188	PH188	Solid/Solid	1	9.45	329.4	34.86	Jan-92
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU8	HBU8, HBC16	Glass/Solid	2	13.33	530	39.76	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU14 (Glass and Steel Doors)	HBU18, HBC28, HBC36 (Glass and Steel Doors)	Glass/Solid	2	21.61	619.2	28.65	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HBU18 (Dutch Doors)	HBC36 (Dutch Doors)	Glass/Solid	4	26.88	719.6	26.77	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HWU8 (Glass and Steel Doors)	HWU14, HWU18, HWC16, HWC28, HWC36 (Glass and Steel Doors)	Glass/Solid	2	13.33	522	39.16	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HWU18 (Dutch Doors)	HWC36 (Dutch Doors)	Glass/Solid	4	26.88	703.7	26.18	Mar-08
Carter Hoffmann LLC	Carter-Hoffmann	AccuFresh Heated Holding Cabinet	HB125	HB128, HB188, HBU6	Solid/Solid	1	3.6	135.4	37.6	Oct-96
Carter Hoffmann LLC	Carter-Hoffmann	Active Humidified Heat Holding Cabinet	HWP36		Glass/Solid	2	28.11	670.6	23.86	Jan-92
Cleveland Range LLC	Cleveland Range LLC	CONVOHOLD™	HCWH-20.20	HCDH-20.20	Solid/Solid	1	31.1	542.1	13.58	Currently Available
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	EB-150	EB-150S, EB-150208, EB-150208S, EB-150240, EB-150240S, EB-150CAN, EB-150CANS	Solid/Solid	1	40.6	615	15.15	Jul-01
Cres Cor	Cres Cor	Insulated Stainless Steel Aquatemp Holding Cabinet	H137WSUA12C	H137SUA12C, H138WS1834C, H138S1834C	Solid/Solid	2	22.53	280	12.43	Mar-01

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel Holding Cabinets	H339SS12188C	H339SS188C, H339SST188C, H339SS12188C, H339SST12188C, H339SS1813C, H339SST1813C, H339SSUA8C, H339SSTUA8C, H339XSS188C, H339XSS1813C, H339XSS12188C, H339XSSUA8C, H339188CBKC, H339188CPBKC	Solid/Solid	1	7.14	122	17.07	Jun-97
Cres Cor	Cres Cor	H161FUA11CM	H161FUA11CM		Solid/Solid	1	22.85	446.55	19.54	Jul-01
Cres Cor	Cres Cor	Insulated Holding Cabinet	H137UA9CD	H137UA9C, H137UA12C	Solid/Solid	1	16.4	246.33	15.02	Mar-01
Cres Cor	Cres Cor	Insulated Stainless Steel Holding Cabinet	H137WSUA5C	H137WSUA6C, H137SUA6C, H138WS1816C, H138S1816C	Solid/Solid	1	8.24	240	29.13	Nov-03
Cres Cor	Cres Cor	Insulated Stainless Steel Holding Cabinet	H137WSUA6CMD	H137WSUA6CM, H137SUA6CM, H138WS1816CM, H138S1816CM	Glass/Solid	1	10.87	193	17.76	Mar-01
Cres Cor	Cres Cor	Insulated Holding Cabinet	H339135BKC3	H339128C, H339T128C, H33912135C, H339T12135C, H339UA8C, H339TUA8C, H339188C, H339T188C, H33912188C, H339T12188C, H3391813C, H339T1813C, H339X128C, H339XUA8C, H339X188C, H339X12188C, H339X1813C, H339S8S1210	Solid/Solid	1	3.04	95.7	31.45	Dec-00
Cres Cor	Cres Cor	Insulated Pass-Thru Stainless Steel Aquatemp Holding Cabinet	H137PWSUA12C	H137PSUA12C, H138PWS1834C, H138PS1834C	Solid/Solid	4	22.2	633	28.51	May-01

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel Holding Cabinet	H339SS128C	H339SS1283C, H339SSB128C, H339SST128C, H339XSS128C	Solid/Solid	1	4.2	90	21.34	Jan-00
Cres Cor	Cres Cor	Insulated Half-Size Stainless Steel AquaTemp System Cabinet	H339WSSUA8D		Solid/Solid	1	8.29	140	16.89	Jan-00
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	CCB-150		Solid/Solid	2	41.32	632	15.29	Dec-98
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cabinet	H137S96BC		Solid/Solid	2	33.36	332	9.95	Mar-03
Cres Cor	Cres Cor	Insulated Heated Stainless Steel Banquet Cart	CCB-120A		Solid/Solid	2	38.1	432	11.37	Feb-03
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS1832CLA	H138NPS1832CLA	Solid/Solid	3	19.1	401	21	Jul-03
Cres Cor	Cres Cor	Heated Holding Cabinet	H135UA11	H135WUA11	Solid/Solid	2	20.83	537.33	25.8	Dec-06
Cres Cor	Cres Cor	Stainless Steel Narrow Body Full Height Holding Cabinet	H138NPSCDOM3		Glass/Solid	3	19.4	517.6	26.68	Jun-07
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS36CLCM		Glass/Solid	3	19.21	487.93	25.4	Mar-06
Cres Cor	Cres Cor	Stainless Steel Narrow Body Pass-Through Holding Cabinet	H138NPS36CLCM Q		Glass/Solid	3	19.24	555.45	28.87	May-08

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Eagle Group	Eagle Group	Panco Transport Heated Cabinets	HCFNSSI-RA2.25-120	HCFNSSI-RA1.50-120, HCFNSSI-RA3.00-120, HCFNSSI-RA3.75-120, HCFNSSI-RA4.50-120, HCFNSSI-RC1.50-120, HCFNSSI-RC2.25-120, HCFNSSI-RC3.00-120, HCFNSSI-RC3.75-120, HCFNSSI-RC4.50-120	Solid/Solid	1	18	546	30.33	Jan-09
Eagle Group	Eagle Group	Panco Transport Heated Cabinets	HPFNSSI-RA2.25-120	HPFNSSI-RA1.50-120, HPFNSSI-RA3.00-120, HPFNSSI-RA3.75-120, HPFNSSI-RA4.50-120, HPFNSSI-RC1.50-120, HPFNSSI-RC2.25-120, HPFNSSI-RC3.00-120, HPFNSSI-RC3.75-120, HPFNSSI-RC4.50-120	Solid/Solid	1	18	610	33.89	Jan-09
Eagle Group	Eagle Group	Panco Transport Proofing Cabinets	PCFNSSI-RA2.25-120	PCFNSSI-RA1.50-120, PCFNSSI-RA3.00-120, PCFNSSI-RA3.75-120, PCFNSSI-RA4.50-120, PCFNSSI-RC1.50-120, PCFNSSI-RC2.25-120, PCFNSSI-RC3.00-120, PCFNSSI-RC3.75-120, PCFNSSI-RC4.50-120	Solid/Solid	1	18	628	34.9	Jan-09
Food Warming Equipment Company, Inc.	FWE	HANDY LINE RADIANT HEAT	HLC-5 (120 v 500W)	HLC-7, HLC-8, HLC-5S, HLC-7S, HLC-8S, HLC-1717-5, HLC-1717-13, HLC-1826-4, HLC-1826-4A, HLC-1826-4F, HLC-1826-8, HLC-1826-8A, HLC-1826-8F, HLC-SL 1826-5 (all 120v 500W models only), HLC-1227-6, HLC-8-CHP	Solid/Solid	1	3	48	16	Aug-84
Food Warming Equipment Company, Inc.	FWE	MOISTURE-TEMP HOLDING	MTU-12		Solid/Solid	1	23	370	16	Mar-98

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Food Warming Equipment Company, Inc.	FWE	MOISTURE-TEMP HOLDING SYSTEM	MTU-4	MTU-7, MTU-10, MT-1826-7, MT-1826-15, MT-1826-18, MT-1826-7/7, MT-1633-14, MT-1633-36, MT-1220-8, MT-1220-10, MT-1220-15, MT-1220-6/6, MTU-7UC, MT-1826-7UC, MTU-12	Clear/Solid	1	9.1	326	36	Jan-98
Food Warming Equipment Company, Inc.	FWE	HUMI-TEMP HOLDING SYSTEM	UHS-4	UHS-7, UHS-10, UHS-5/5, UHS-12, TS-1826-7, TS-1826-14, TS-1826-15, TS-1826-18, TS-1828-7/7, TS-1418-15, PS-1220-8, PS-1220-10, PS-1220-15, TS-1633-14, TS-1633-36, UHS-4UC, TS-1826-7UC, TS-1633-14UC	Clear/Solid	1	9	268.8	29.8	Mar-98
Food Warming Equipment Company, Inc.	FWE	TOP MOUNT HEAT	UHST-13	UHST-13-OTB	Solid/Stainless	2	24.5	490.7	20	Jun-98
Food Warming Equipment Company, Inc.	FWE	PROOFER/HEATER HOLDING SYSTEM	PHU-4	PHU-10, PHU-12, PHU-5/5, PH-1826-15, PH-1826-18, PH-1826-7/7, PH-1826-7, PHU-4UC, PH-1826-7UC, PS-1220-6/6	Clear/Solid	1	9.1	326	36	Mar-00
Food Warming Equipment Company, Inc.	FWE	HANDY LINE RADIANT HEAT OR SIDE LOAD DESIGN	HLC-SL-1826-5 (120v 1000W)	HLC-1826-4, HLC-1826-4A, HLC-1826-4F, HLC-1826-8, HLC-1826-8A, HLC-1826-8F, HLC-SL 1826-5, HLC-10, HLC-14, HLC-16 (all 120v 1000W models only), HLC-16-CHP, HLCSL-1826-8-CHP, HLC-1826-8-CHP	Solid/Stainless	1	7	126.5	18	Aug-84
Food Warming Equipment Company, Inc.	FWE	HANDY LINE SIDE LOAD	HLCSL-1826-8	HLCSL-1826-8-CHP	Solid/Stainless	1	8.9	130	14.6	Nov-08
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-600	E-600-XL	Solid/Solid	1	16.54	551	33.3	Apr-89

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Food Warming Equipment Company, Inc.	FWE	BANQUET CABINETS	E-720-XL		Solid/Solid	2	29	3.73	13	Apr-04
Giles Enterprises, Inc.	Giles Enterprises, Inc.	GHU-24x30	GHU-24x30	GHU-24x30-PT, GHU-24x30-D-PT, GHU-26.5x30-PT, GHU-26.5x30-D-PT	Solid/Solid	2	6.8	203	29.8	Aug-08
Giles Enterprises, Inc.	Giles Enterprises, Inc.	GHU-24x30	GHU-24x30	GHU-24x30-S, GHU-24x30-D, GHU-26.5x30-S, GHU-26.5x30-D	Solid/Solid	1	6.8	203	29.8	Aug-08
Hatco Corporation	Hatco	FSHC-6W1	FSHC-6W1		Glass/Solid	1	7.37	280	37.99	Currently Available
Hatco Corporation	Hatco	FSHC-7	FSHC-7		Glass/Solid	1	7.44	297	39.87	Dec-04
Hatco Corporation	Hatco	FSHC-17W-1	FSHC-17W-1		Glass/Solid	1	20.79	440	21.16	Sep-05
Hatco Corporation	Hatco	Flavr Savor Holding Cabinet	FSHC-12W2	FSHC-12W1, FSHC-17W1D (Dutch), FSHC-17W2, FSHC-17W2D (Dutch)	Clear/Solid	2	18.1	570	31.5	Oct-07
Henny Penny Corporation	Henny Penny	CHC-100	CHC-100		Solid/Solid	1	23.44	656.32	28	Currently Available
Henny Penny Corporation	Henny Penny	HHC-980	HHC-980		Glass/Solid	4	17.06	518.4	30.4	Currently Available
Henny Penny Corporation	Henny Penny	HHC-900	HHC-900	HHC-906	Solid/Solid	4	17.88	483	27	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Solid Door Cabinets	C599-SDS-U	C599-SDS-**, C599-SFS-**, C599L-SDS-**, C599L-SFS-**, C589-SDS-**, C589-SFS-**, C589L-SDS-**, C589L-SFS-**	Solid/Solid	2 or 1	24	436	18.2	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Glass Door Cabinets	C599-SDC-U	C599-SDC-**, C599-SFC-**, C599L-SDC-**, C599L-SFC-**, C589-SDC-**, C589-SFC-**, C589L-SDC-**, C589L-SFC-**	Glass/Solid	2 or 1	24	455	19	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Reach-In, Solid Door Cabinets	C599-NDS-U	C599-NDS-**, C599-NFS-**, C599L-NDS-**, C599L-NFS-**, C589-NDS-**, C589-NFS-**, C589L-NDS-**, C589L-NFS-**	Solid/Solid	2 or 1	24	527	22	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Reach-In, Glass Door Cabinets	C599-NDC-U	C599-NDC-**, C599-NFC-**, C599L-NDC-**, C599L-NFC-**, C589-NDC-**, C589-NFC-**, C589L-NDC-**, C589L-NFC-**	Glass/Solid	2 or 1	24	573	23.9	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, 2000W, Stainless Steel, Pass-Thru Cabinets	C599-SDC-UPDC	C599-S**-****, C589-S**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	578	22.8	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, 1440W, Stainless Steel, Pass-Thru Cabinets	C599L-SDC-UPDC	C599L-S**-****, C589L-S**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	551	21.7	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Full Height, Aluminum, Pass-Thru Cabinets	C599-NDC-UPDC	C599-N**-****, C599L-N**-****, C589-N**-****, C589L-N**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	631	24.9	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Half or 3/4 Height, Stainless Steel, Reach-In, Solid Door Cabinets	C585-SFS-L	C595-SFS-**, C595L-SFS-**, C597-SFS-**, C597L-SFS-**, C585-SFS-**, C585L-SFS-**, C587-SFS-**, C587L-SFS-**	Solid/Solid	1	12	270	22.5	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Half or 3/4 Height, Stainless Steel, Reach-In, Glass Door Cabinets	C585-SFC-L	C595-SFC-**, C595L-SFC-**, C597-SFC-**, C597L-SFC-**, C585-SFC-**, C585L-SFC-**, C587-SFC-**, C587L-SFC-**	Glass/Solid	1	12	292	24.4	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 9 / 8 Series, Half or 3/4 Height, Aluminum, Reach-In, Cabinets	C595-NFC-U	C595-NFC-**, C595L-NFC-**, C597-NFC-**, C597L-NFC-**, C585-NFC-**, C585L-NFC-**, C587-NFC-**, C587L-NFC-**, C595-NFS-**, C595L-NFS-**, C597-NFS-**, C597L-NFS-**, C585-NFS-**, C585L-NFS-**, C587-NFS-**, C587L-NFS-**	Glass/Solid or Solid/Solid	1	12	395	32.9	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Half or 3/4 Height, Stainless Steel, Pass-Thru Cabinets	C595-SFC-UPFC	C595-SF*-****, C595L-SF*-****, C597-SF*-****, C597L-SF**_****, C585-SF*-****, C585L-SF*-****, C587-SF*-****, C587L-SF**_****	Glass/Solid or Solid/Solid	2	12.7	401	31.6	Currently Available
InterMetro Industries	Metro	C5 9 / 8 Series, Half or 3/4 Height, Aluminum, Pass-Thru Cabinets	C595-NFC-UPFC	C595-NF*-****, C595L-NF*-****, C597-NF*-****, C597L-NF**_****, C585-NF*-****, C585L-NF*-****, C587-NF*-****, C587L-NF**_****	Glass/Solid or Solid/Solid	2	12.7	429	33.8	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Solid Door Cabinets	C569-SDS-U	C569-SDS-**, C569-SFS-**	Solid/Solid	2 or 1	24	371	15.5	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Glass Door Cabinets	C569-SDC-U	C569-SDC-**, C569-SFC-**	Glass/Solid	2 or 1	24	418	17.4	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 1440W, Stainless Steel, Reach-In Cabinets	C569L-SDC-U	C569L-SDC-**, C569L-SFC-**, C569L-SDS-**, C569L-SFS-**	Glass/Solid or Solid/Solid	2 or 1	24	356	14.8	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 2000W, Aluminum, Reach-In, Solid Door Cabinets	C569-NDS-U	C569-NDS-**, C569-NFS-**	Solid/Solid	2 or 1	24	483	20.1	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 2000W, Aluminum, Reach-In, Glass Door Cabinets	C569-NDC-U	C569-NDC-**, C569-NFC-**	Glass/Solid	2 or 1	24	520	21.7	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 1440W, Aluminum, Reach-In, Solid Door Cabinets	C569L-NDS-U	C569L-NDS-**, C569L-NFS-**	Solid/Solid	2 or 1	24	535	22.3	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, 1440W, Aluminum, Reach-In, Glass Door Cabinets	C569L-NDC-U	C569L-NDC-**, C569L-NFC-**	Glass/Solid	2 or 1	24	547	22.8	Currently Available
InterMetro Industries	Metro	C5 6 Series, Full Height, Pass-Thru Cabinets	C569-NFC-UPFC	C569-N**-****, C569L-N**-****, C569-S**-****, C569L-S**-****	Glass/Solid or Solid/Solid	4 or 2	25.4	556	21.9	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 6 Series, Half or 3/4 Height, Reach-In, Solid Door Cabinets	C565-NFS-U	C565-NFS-**, C565L-NFS-**, C567-NFS-**, C567L-NFS-**, C565-SFS-**, C565L-SFS-**, C567-SFS-**, C567L-SFS-**	Solid/Solid	1	12	348	29	Currently Available
InterMetro Industries	Metro	C5 6 Series, Half or 3/4 Height, Reach-In, Glass Door Cabinets	C565-NFC-U	C565-NFC-**, C565L-NFC-**, C567-NFC-**, C567L-NFC-**, C565-SFC-**, C565L-SFC-**, C567-SFC-**, C567L-SFC-**	Glass/Solid	1	12	348	29	Currently Available
InterMetro Industries	Metro	C5 6 Series, Half or 3/4 Height, Stainless Steel, Pass-Thru Cabinets	C565-SFC-UPFC	C565-SF*-****, C565L-SF*-****, C567-SF*-****, C567L-SF**_****	Glass/Solid or Solid/Solid	2	12.7	418	33	Currently Available
InterMetro Industries	Metro	C5 6 Series, Half or 3/4 Height, Aluminum, Pass-Thru Cabinets	C565-NFC-UPFC	C565-NF*-****, C565L-NF*-****, C567-NF*-****, C567L-NF**_****	Glass/Solid or Solid/Solid	2	12.7	459	36.2	Currently Available
InterMetro Industries	Metro	C5 3 Series, Full Height, 2000W, Insulation Armour, Reach-In, Solid Door Cabinets	C539-CFS-4	C539-CFS-***_**, C539-HFS-***_**, C539-MFS-***_**, C539-CDS-***_**, C539-HDS-***_**, C539-MDS-***_**	Solid/Solid	2 or 1	22.9	617	27	Currently Available
InterMetro Industries	Metro	C5 3 Series, Full Height, 1440W, Insulation Armour, Reach-In, Solid Door Cabinets	C539-CLFS-4	C539-CLFS-***_**, C539-HLFS-***_**, C539-PFS-***_**, C539-CLDS-***_**, C539-HLDS-***_**, C539-PDS-***_**	Solid/Solid	2 or 1	22.9	578	25.3	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries	Metro	C5 3 Series, Full Height, 2000W, Insulation Armour, Reach-In, Glass Door Cabinets	C539-CFC-4	C539-CFC-***_**, C539-HFC-***_**, C539-MFC-***_**, C539-CDC-***_**, C539-HDC-***_**, C539-MDC-***_**	Glass/Solid	2 or 1	22.9	766	33.5	Currently Available
InterMetro Industries	Metro	C5 3 Series, Full Height, 1440W, Insulation Armour, Reach-In, Glass Door Cabinets	C539-CLFC-4	C539-CLFC-***_**, C539-HLFC-***_**, C539-PFC-***_**, C539-CLDC-***_**, C539-HLDC-***_**, C539-PDC-***_**	Glass/Solid	2 or 1	22.9	729	31.9	Currently Available
InterMetro Industries	Metro	C5 3 Series, 3/4 Height, Insulation Armour, Reach-In, Solid Door Cabinets	C537-CFS-4	C537-CFS-***_**, C537-HFS-***_**, C537-MFS-***_**, C537-CLFS-***_**, C537-HLFS-***_**, C537-PFS-***_**	Solid/Solid	1	18	567	31.5	Currently Available
InterMetro Industries	Metro	C5 3 Series, 3/4 Height, Insulation Armour, Reach-In, Glass Door Cabinets	C537-CFC-4	C537-CFC-***_**, C537-HFC-***_**, C537-MFC-***_**, C537-CLFC-***_**, C537-HLFC-***_**, C537-PFC-***_**	Glass/Solid	1	18	638	35.5	Currently Available
InterMetro Industries	Metro	C5 3 Series, Half Height, Insulation Armour, Reach-In, Solid Door Cabinets	C535-CFS-4	C535-CFS-***_**, C535-HFS-***_**, C535-MFS-***_**, C535-CLFS-***_**, C535-HLFS-***_**, C535-PFS-***_**	Solid/Solid	1	11.9	448	37.6	Currently Available
InterMetro Industries Corporation	Metro	MBQT Top Mount Heated Banquet Cabinet	MBQT-150D-QH	MBQT-150D, MBQT-180D, MBQT-180D-QH	Solid/Solid	2	44.7	917	20.5	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-72	MBQ-72-QH	Solid/Solid	1	17.6	468	26.6	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-90	MBQ-90-QH	Solid/Solid	1	22.4	450	20.1	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-120	MBQ-120-QH	Solid/Solid	1	29.8	523	17.5	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-120D	MBQ-120D-QH	Solid/Solid	2	37.2	520	14	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-144	MBQ-144-QH	Solid/Solid	1	35.2	549	15.6	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-150D	MBQ-150D-QH	Solid/Solid	2	44.7	654	14.6	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-180	MBQ-180-QH	Solid/Solid	1	44	550	12.5	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-180D	MBQ-180D-QH	Solid/Solid	2	52.7	771	14.6	Currently Available
InterMetro Industries Corporation	Metro	Banquet Cabinet	MBQ-200D	MBQ-200D-QH	Solid/Solid	2	57.6	793	13.8	Currently Available
InterMetro Industries Corporation	Metro	Half Height Heated Insulated Cabinet	TC90S	TC90S, TC90SB	Solid/Solid	1	4.7	166	35.3	Currently Available
InterMetro Industries Corporation	Metro	Half Height Heated Insulated Cabinet	TC90BB	TC90BB, TC90B	Solid/Solid	1	8.6	194	22.5	Currently Available
InterMetro Industries Corporation	Metro	Half-Height Holding Cabinet	C190		Solid/Solid	1	7.4	219	29.7	Currently Available
McCall Refrigeration	McCall	4-4020H	4-4020H****	1-1020H****, 2-2020H**** (may have model suffixes A, C, P or 01)	Solid/Solid	1	22.4	279.7	12.49	Mar-06
McCall Refrigeration	McCall	4-4045H	4-4045H****	1-1045H****, 2-2045H**** (may have model suffixes A, C, P or 01)	Solid/Solid	2	49	233	4.76	Mar-06

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Nor-Lake, Inc.	Nor-Lake	NW211***/0	NW211***/0		Solid/Solid	1	18.3	456	24.92	May-06
Nor-Lake, Inc.	Nor-Lake	PW252***/0	PW252***/0		Solid/Solid	2	19	742	39.1	Jun-06
Nor-Lake, Inc.	Nor-Lake	PW253***/0	PW253***/0		Solid/Solid	3	19	742	39.1	Jun-06
Nor-Lake, Inc.	Nor-Lake	PW254***/0	PW254***/0		Solid/Solid	4	19	742	39.1	Jun-06
Nor-Lake, Inc.	Nor-Lake	PW554***/8	PW554***/8		Solid/Solid	2	37.8	1084	29.29	Jun-06
Royalton Food Service Equipment Co.	Royalton	RHHC-1000-C1	RHHC-1000-C1	RHHC-1000-C1, RHHC-1000-C2, RHHC-1000-C3, RHHC-1000-C1US, RHHC-1000-C2US, RHHC-1000-C3US, RHHC-1000-C4US, RHHC-1000-C1W, RHHC-1000-C2W, RHHC-1000-C3W, RHHC-1000-C4W, RHHP-VT-C1US, RHHP-VT-C2US, and models with prefix starting with RHBC and RHHT	Solid/Solid	1	6.11	1100	36.9	Currently Available
Royalton Food Service Equipment Co.	Royalton	RHHC-2000-C4	RHHC-2000-C4	RHHC-2000-C3, RHHC-2000-C3US, RHHC-2000-C4US, RHHC-2000-C3W, RHHC-2000-C4W, RHBC-2000-90B, RHHP-VT-C3US, RHHP-VT-C4US	Solid/Solid	2	19.69	2000	20.4	Currently Available
Royalton Food Service Equipment Co.	Royalton	RHHC-1000-C4	RHHC-1000-C4		Solid/Solid	2	19.69	1100	18.8	Currently Available
The Delfield Company	Delfield	SAHPT2-GHSH	SAHPT2-GHSH		Half Solid, Half Glass Door / Solid Wall	1	51.92	347	18.4	Nov-07
The Delfield Company	Delfield	SSH2-S	SSH2-S		Solid/Solid	2	51.92	347	21.83	Nov-07
The Delfield Company	Delfield	SSHRT1-S	SSHRT1-S		Solid/Solid	1	38.58	175	26.18	Nov-07
Traulsen & Co., Inc.	Traulsen	G14300	G14300	G14301	Solid/Solid	2	24.8	165	6.65	Oct-08
Traulsen & Co., Inc.	Traulsen	G14302P	G14302P	G14303P, G14304P, G14305P	Solid/Solid	4	26.1	178	6.83	Oct-08
Traulsen & Co., Inc.	Traulsen	G14310	G14310	G14311	Solid/Solid	1	24.8	165	6.65	Oct-08
Traulsen & Co., Inc.	Traulsen	G14312P	G14312P	G14313P, G14314P, G14315P	Solid/Solid	2	26.1	178	6.83	Oct-08

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Traulsen & Co., Inc.	Traulsen	G24300	G24300	G24302, G24303	Solid/Solid	4	46	381	8.28	Oct-08
Traulsen & Co., Inc.	Traulsen	G24304P	G24304P	G24305P, G24307P	Solid/Solid	8	46	381	8.28	Oct-08
Traulsen & Co., Inc.	Traulsen	G24310	G24310	G24312, G24313	Solid/Solid	2	46	381	8.28	Oct-08
Traulsen & Co., Inc.	Traulsen	G24314P	G24314P	G24315P, G24317P	Solid/Solid	4	46	381	8.28	Oct-08
Traulsen & Co., Inc.	Traulsen	TB-90	TB-90	TB-90FA	Solid/Solid	1	30.2	321	10.65	Oct-08
Traulsen & Co., Inc.	Traulsen	TB-96	TB-96	TB-96FA	Solid/Solid	1	29.06	301	10.3	Oct-08
Traulsen & Co., Inc.	Traulsen	TB-150	TB-150		Solid/Solid	2	39.2	630	16	Feb-08
Traulsen & Co., Inc.	Traulsen	TB-150FA	TB-150FA		Solid/Solid	2	43.9	805	18.3	Feb-08
Traulsen & Co., Inc.	Traulsen	TKP7	TKP7	TKP7FA	Solid/Solid	1	3.8	74	30	Feb-08
Traulsen & Co., Inc.	Traulsen	TKP15	TKP15	TKP15FA	Solid/Solid	1	8.58	210	24.5	Oct-08
Traulsen & Co., Inc.	Traulsen	TSP-5	TSP-5	TSP-5FA	Solid/Solid	1	3.65	74	30	Feb-08
Traulsen & Co., Inc.	Traulsen	TSP-7	TSP-7	TSP-7S, TSP-7FA, TSP-7FS	Solid/Solid	1	7.07	217	31	Feb-08
Traulsen & Co., Inc.	Traulsen	TSP-13	TSP-13	TSP-13FA	Solid/Solid	1	17.07	165	9.66	Oct-08
Traulsen & Co., Inc.	Traulsen	TSP-15	TSP-15	TSP-15S, TSP-15FA, TSP-15FS	Solid/Solid	1	20.7	396	19.1	Feb-08
Traulsen & Co., Inc.	Traulsen	AHF132-HHS	AHF132-HHS	RHF132-HHS	Solid/Solid	2	24.8	165	6.65	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF132-FHS	AHF132-FHS	RHF132-FHS	Solid/Solid	1	24.8	165	6.65	Oct-05
Traulsen & Co., Inc.	Traulsen	RIH332L-FHS	RIH332L-FHS		Solid/Solid	3	117.5	802	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RIH232LP-FHS	RIH232LP-FHS		Solid/Solid	4	80.2	505	6.3	Oct-05
Traulsen & Co., Inc.	Traulsen	RIH232L-FHS	RIH232L-FHS		Solid/Solid	2	74.3	507	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RIH132LP-FHS	RIH132LP-FHS		Solid/Solid	2	38.8	265	6.83	Oct-05

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Traulsen & Co., Inc.	Traulsen	RIH132L-FHS	RIH132L-FHS		Solid/Solid	1	36	246	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF332WP-HHS	RHF332WP-HHS		Solid/Solid	12	83.2	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF332WP-FHS	RHF332WP-FHS		Solid/Solid	6	83.2	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF332W-HHS	RHF332W-HHS		Solid/Solid	6	79	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF332W-FHS	RHF332W-FHS		Solid/Solid	3	79	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF232WP-HHS	RHF232WP-HHS		Solid/Solid	8	55.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF232WP-FHS	RHF232WP-FHS		Solid/Solid	4	55.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF232W-HHS	RHF232W-HHS		Solid/Solid	4	52.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF232W-FHS	RHF232W-FHS		Solid/Solid	2	52.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF132WP-HHS	RHF132WP-HHS		Solid/Solid	4	26.1	178	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF132WP-FHS	RHF132WP-FHS		Solid/Solid	2	26.1	178	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF132W-HHS	RHF132W-HHS		Solid/Solid	2	24.8	165	6.65	Oct-05
Traulsen & Co., Inc.	Traulsen	RHF132W-FHS	RHF132W-FHS		Solid/Solid	1	24.8	165	6.65	Oct-05
Traulsen & Co., Inc.	Traulsen	RIH332LP-FHS	RIH332LP-FHS		Solid/Solid	6	117.5	802	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH332LP-FHS	AIH332LP-FHS		Solid/Solid	6	117.5	802	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH332L-FHS	AIH332L-FHS		Solid/Solid	3	117.5	802	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH232LP-FHS	AIH232LP-FHS		Solid/Solid	4	80.2	505	6.3	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH232L-FHS	AIH232L-FHS		Solid/Solid	2	74.3	507	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH132LP-FHS	AIH132LP-FHS		Solid/Solid	2	38.8	265	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AIH132L-FHS	AIH132L-FHS		Solid/Solid	1	36	246	6.83	Oct-05

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Traulsen & Co., Inc.	Traulsen	AHF332WP-HHS	AHF332WP-HHS		Solid/Solid	12	83.2	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF332WP-FHS	AHF332WP-FHS		Solid/Solid	6	83.2	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF332W-HHS	AHF332W-HHS		Solid/Solid	6	79	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF332W-FHS	AHF332W-FHS		Solid/Solid	3	79	568	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF232WP-HHS	AHF232WP-HHS		Solid/Solid	8	55.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF232WP-FHS	AHF232WP-FHS		Solid/Solid	4	55.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF232W-HHS	AHF232W-HHS		Solid/Solid	4	52.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF232W-FHS	AHF232W-FHS		Solid/Solid	2	52.8	381	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF132WP-HHS	AHF132WP-HHS		Solid/Solid	4	26.1	178	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF132WP-FHS	AHF132WP-FHS		Solid/Solid	2	26.1	178	6.83	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF132W-HHS	AHF132W-HHS		Solid/Solid	2	24.8	165	6.65	Oct-05
Traulsen & Co., Inc.	Traulsen	AHF132W-FHS	AHF132W-FHS		Solid/Solid	1	24.8	165	6.65	Oct-05
Winston Industries, LLC	CVap	HA4522GE	HA4522GE	HA4519, HA4511, HA4509, HA4508	Solid/Solid	2	21.5	410	19.06	Sep-93
Winston Industries, LLC	CVap	HC4009	HC4009	HA4022, HAD022, HMD018, HA4009	Solid/Solid	1	8.7	183.2	21	Jan-94
Winston Industries, LLC	CVap	HA3022	HA3022		Solid/Solid	2	21.7	339.5	15.7	Apr-00
Winston Industries, LLC	CVap	HA3522GE	HA3522GE		Solid/Solid	2	21.5	470	21.86	Feb-00
Winston Industries, LLC	CVap	HL4522-AL	HL4522-AL		Solid/Solid	2	19.9	342	17.2	Jul-07
Winston Industries, LLC	CVap	HL4022-AL	HL4022-AL		Solid/Solid	2	19.9	330	16.6	Jul-07
Wittco Foodservice Equipment	Wittco	1826-7	1826-7 (solid-door version only)	1826-8, 1826-13, 1826-15 (solid-door version only), 1220-15, 1220-20, 1220-DW3	Solid/Solid	1	7.07	217	31	Dec-05

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Wittco Foodservice Equipment	Wittco	Holding Cabinet	1220-3	1220-7, 1220-8	Solid/Solid	1	2.5	74	30	Apr-06
Wittco Foodservice Equipment	Wittco	2-90	2-90		Solid/Solid	2	30.2	321	10.65	Currently Available
Wittco Foodservice Equipment	Wittco	2-96	2-96		Solid/Solid	4	29.06	301	10.3	Currently Available
Wittco Foodservice Equipment	Wittco	Banquet Cart	2-150		Solid/Solid	2	39.2	630	16	Dec-05
Wittco Foodservice Equipment	Wittco	1826-5	1826-5	1826-7, 1826-7-SCH, 1826-7-DBL, 1826-13, 1826-15, 1826-15-SCH	Solid/Solid	1	3.65	74	30	Currently Available
Wittco Foodservice Equipment	Wittco	1826-13-HMD	1826-13-HMD	1826-5-HMD, 1826-15-HMD	Solid/Solid	2	17.1	201.9	11.81	Currently Available
Wittco Foodservice Equipment	Vulcan-Hart	VB150	VB150		Solid/Solid	2	39.2	630	16	Currently Available
Wittco Foodservice Equipment	Vulcan-Hart	VBP7	VBP7	VBP8, VBP13, VBP15, VBP77	Solid/Solid	1	7.07	217	31	Currently Available
Wittco Foodservice Equipment	Vulcan	VBP5I	VBP5I	VBP7, VBS7, VBP13, VBP15, VBS15	Solid/Solid	1	3.65	74	30	Currently Available
Wittco Foodservice Equipment	Vulcan	VBP33	VBP33		Solid/Solid	2	8.5	201	23.6	Currently Available
Wittco Foodservice Equipment	Vulcan	VB90	VB90		Solid/Solid	2	30.2	321	10.65	Currently Available
Wittco Foodservice Equipment	Vulcan	VB96	VB96		Solid/Solid	4	29.06	301	10.3	Currently Available
Wittco Foodservice Equipment	Vulcan	VHFA-18	VHFA-18		Glass/Solid	1	23.4	832	35.5	Currently Available

Company Name	Brand Name	Model Name	Model Number	Models Represented:	Door/Wall Type	Number of Doors	Internal Volume (ft ³)	Energy Usage (watts)	Idle Energy Rate (watts/ft ³)	Date Available
Wittco Foodservice Equipment	Vulcan-Hart	VHP3	VHP3	VHP7, VHP8	Solid/Solid	1	2.5	74	30	Currently Available
Wittco Foodservice Equipment	Vulcan	VHP15	VHP15		Solid/Solid	2	8.58	210	24.5	Currently Available
Wittco Foodservice Equipment	Vulcan	VHMD13	VHMD13	VHMD5, VHMD15	Solid/Solid	2	17.1	201.9	11.81	Currently Available