

Best viewed and printed on legal size paper

ENERGY STAR Qualified Whole-Home Gas Tankless Water Heaters

Last Modified: 04/29/2009

[Definitions of Terms Used in Column Headers](#)

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
A.O. Smith	ATI-305-N (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	84%	12	5	Yes	4/28/2009
A.O. Smith	ATI-305-P (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	84%	12	5	Yes	4/28/2009
A.O. Smith	ATI-505-N	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
A.O. Smith	ATI-505-P	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
A.O. Smith	ATO-305-N (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	83%	12	5	Yes	4/28/2009
A.O. Smith	ATO-305-P (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	83%	12	5	Yes	4/28/2009
A.O. Smith	ATO-505-N	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
A.O. Smith	ATO-505-P	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
American	GT-305-NE (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	83%	12	5	Yes	4/28/2009
American	GT-305-NI (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	84%	12	5	Yes	4/28/2009
American	GT-305-PE (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	83%	12	5	Yes	4/28/2009
American	GT-305-PI (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	84%	12	5	Yes	4/28/2009
American	GT-505-NE	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
American	GT-505-NI	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
American	GT-505-PE	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
American	GT-505-PI	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
Bosch AquaStar	2400ES LP	Propane	30.5	17.9	11.3	19	175	0.82	0	191	3.8	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2400ES NG	Gas	30.5	17.9	11.3	19	175	0.82	182	0	3.8	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2700ES LP	Propane	30.5	17.9	11.3	19	199	0.82	0	191	4.2	82%	12	5	Yes	12/15/2008
Bosch AquaStar	2700ES NG	Gas	30.5	17.9	11.3	19	199	0.82	182	0	4.2	82%	12	5	Yes	12/15/2008
Bosch ProTankless	GWH 715ES LP	Propane	30.5	17.9	11.3	19	199	0.82	0	191	4.2	82%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH 715ES NG	Gas	30.5	17.9	11.3	19	199	0.82	182	0	4.2	82%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH C 800E S LP	Propane	30.5	17.9	11.3	19	199	0.89	0	174	4.6	92%	15	5	Yes	12/15/2008
Bosch ProTankless	GWH C 800E S NG	Gas	30.5	17.9	11.3	19	199	0.89	167	0	4.6	92%	15	5	Yes	12/15/2008
Eccotemp	40H Indoor	Propane	25.5	16	7.5	19	138	0.82	0	50	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Indoor	Gas	25.5	16	7.5	19	138	0.82	45.7	0	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Outdoor	Propane	25.5	16	7.5	19	138	0.84	0	50	2.67	84%	10	5	Yes	1/29/2009
Eccotemp	40H Outdoor	Gas	25.5	16	7.5	19	138	0.84	45.7	0	2.67	84%	10	5	Yes	1/29/2009
GE	GN75DNSRSA	Gas	22.9	14	9.6	15	180	0.82	183	0	3.9	82%	10	5	Yes	12/15/2008
GE	GN75ENSRSA	Gas	22.9	14	9.8	15	180	0.82	183	0	3.9	82%	10	5	Yes	12/15/2008
GE	GN94DNSRSA	Gas	22.9	14	9.6	15	199	0.82	183	0	4.3	82%	10	5	Yes	12/15/2008

GE	GN94ENSRSA	Gas	22.9	14	9.8	15	199	0.82	183	0	4.3	82%	10	5	Yes	12/15/2008
GE	GP94DNSRSA	Propane	22.9	14	9.6	15	190	0.82	0	200	4.3	82%	10	5	Yes	12/15/2008
Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
GE	GP94ENSRSA	Propane	22.9	14	9.8	15	199	0.82	0	200	4.3	82%	10	5	Yes	12/15/2008
MPI	MWH180	Propane	24	13.8	8.4	20	180	0.82	0	203	3.85	82%	10	5	Yes	1/28/2009
MPI	MWH180	Gas	24	13.8	8.4	20	180	0.82	185	0	3.85	82%	10	5	Yes	1/28/2009
MPI	MWH180EX	Propane	22.6	13.8	6.5	20	180	0.82	0	203	3.8	82%	10	5	Yes	4/22/2009
MPI	MWH180EX	Gas	22.6	13.8	6.5	20	180	0.82	185	0	3.8	82%	10	5	Yes	4/22/2009
Navien America	CC-180	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180A	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-180A	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	10	5	Yes	1/9/2009
Navien America	CC-210	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	10	5	Yes	1/9/2009
Navien America	CC-210	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	10	5	Yes	1/9/2009
Navien America	CC-210A	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	10	5	Yes	1/9/2009
Navien America	CC-210A	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	10	5	Yes	1/9/2009
Navien America	CC-240	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	10	5	Yes	1/9/2009
Navien America	CC-240	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	10	5	Yes	1/9/2009
Navien America	CC-240A	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	10	5	Yes	1/9/2009
Navien America	CC-240A	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	10	5	Yes	1/9/2009
Navien America	CR-180	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180A	Gas	28	17	10	15	150	0.98	155	0	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-180A	Propane	28	17	10	15	150	0.98	0	170	3.83	98%	15	5	Yes	1/9/2009
Navien America	CR-210	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	15	5	Yes	1/9/2009
Navien America	CR-210	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	15	5	Yes	1/9/2009
Navien America	CR-210A	Propane	28	17	12	17	175	0.95	0	170	4.5	98%	15	5	Yes	1/9/2009
Navien America	CR-210A	Gas	28	17	12	17	175	0.95	160	0	4.2	98%	15	5	Yes	1/9/2009
Navien America	CR-240	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	15	5	Yes	1/9/2009
Navien America	CR-240	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	15	5	Yes	1/9/2009
Navien America	CR-240A	Propane	28	17	12	17	199	0.95	0	170	4.94	97%	15	5	Yes	1/9/2009
Navien America	CR-240A	Gas	28	17	12	17	199	0.95	160	0	4.75	97%	15	5	Yes	1/9/2009
Noritz	N-0531S	Gas	20.5	13.8	6.7	20	140	0.82	183	0	3.1	82%	12	5	Yes	12/22/2008

Noritz	N-0531S	Propane	20.5	13.8	6.7	20	140	0.84	0	180	3.1	84%	12	5	Yes	12/22/2008
Noritz	N-0531S-OD	Gas	20.5	13.8	6.7	20	140	0.83	183	0	3.1	82%	12	5	Yes	12/22/2008
Noritz	N-0531S-OD	Propane	20.5	13.8	6.7	20	140	0.84	0	180	3.1	84%	12	5	Yes	12/22/2008

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Noritz	N-0631S	Gas	23.6	13.8	6.7	25	180	0.83	183	0	3.8	83%	12	5	Yes	12/22/2008
Noritz	N-0631S	Propane	23.6	13.8	6.7	25	180	0.83	0	182	4	84%	12	5	Yes	12/22/2008
Noritz	N-0631S-OD	Gas	23.6	13.8	6.7	25	180	0.82	185	0	3.8	82%	12	5	Yes	12/22/2008
Noritz	N-0631S-OD	Propane	23.6	13.8	6.7	25	180	0.83	0	183	3.9	83%	12	5	Yes	12/22/2008
Noritz	N-0751M	Propane	23.6	13.8	9.4	12	199	0.83	0	182	4.4	83%	12	5	Yes	12/22/2008
Noritz	N-0751M	Gas	23.6	13.8	9.4	12	199	0.83	183	0	4.3	83%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV	Propane	24.2	18.3	9.4	12	199	0.82	0	185	4.5	81%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV	Gas	24.2	18.3	9.4	12	199	0.83	183	0	4.3	83%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV C	Propane	23.6	13.8	10.2	11	199	0.84	0	180	4.2	84%	12	5	Yes	12/22/2008
Noritz	N-0751M-DV C	Gas	23.6	13.8	10.2	11	199	0.82	184	0	4.3	83%	12	5	Yes	12/22/2008
Noritz	N-0751M-OD	Propane	23.6	13.8	9.4	12	199	0.86	0	177	4.5	85%	12	5	Yes	12/22/2008
Noritz	N-0751M-OD	Gas	23.6	13.8	9.4	12	199	0.82	183	0	4.3	82%	12	5	Yes	12/22/2008
Noritz	N-0841MC	Gas	24.2	18.3	9.4	11	199	0.91	166	0	4.9	90%	12	5	Yes	12/22/2008
Noritz	N-0841MC	Propane	24.2	18.3	9.4	11	199	0.93	0	163	4.9	93%	12	5	Yes	12/22/2008
Noritz	N-0841MC-D V	Gas	24.2	18.3	9.4	11	199	0.92	165	0	4.8	92%	12	5	Yes	12/22/2008
Noritz	N-0841MC-D V	Propane	24.2	18.3	9.4	11	199	0.94	0	161	5.1	94%	12	5	Yes	12/22/2008
Noritz	N-0842MC	Propane	24.2	18.3	9.4	11	199	0.93	0	178	4.9	93%	12	5	Yes	4/22/2009
Noritz	N-0842MC	Gas	24.2	18.3	9.4	11	199	0.91	166	0	4.9	90%	12	5	Yes	4/22/2009
Noritz	N-0842MC-D V	Gas	24.2	18.3	9.4	11	199	0.92	165	0	4.8	92%	12	5	Yes	4/22/2009
Noritz	N-0842MC-D V	Propane	24.2	18.3	9.4	11	199	0.94	0	177	5	94%	12	5	Yes	4/22/2009
Paloma	CPTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVN HA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVP	Propane	23	13.8	7.3	20	141	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53DVP HA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVN	Gas	20.5	13.8	6.3	21	135	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVN H	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	0%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVP	Propane	20.5	13.8	6.3	21	145	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53PVP H	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Paloma	CPTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Paloma	CPTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	CPTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVN HA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74PVP HA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	CPTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Paloma	PH-20RDVSN (-1 through 10)	Gas	20.5	13.8	5.8	21	141	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Paloma	PH-20RDVSP (-1 through 10)	Propane	20.5	13.8	5.8	21	135	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009
Paloma	PH-20RIFSN (-1 through 10)	Gas	20.5	13.8	5.8	21	145	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Paloma	PH-20RIFSP (-1 through 10)	Propane	20.5	13.8	5.8	21	141	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009
Paloma	PH-20ROFN (-1 through 10)	Gas	20.5	13.8	5.8	21	141	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Paloma	PH-20ROFP (-1 through 10)	Propane	20.5	13.8	5.8	21	141	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009
Paloma	PH-25RDVSN (-1 through 10)	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	81%	12	5	Yes	2/10/2009
Paloma	PH-25RDVSP (-1 through 10)	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	81%	12	5	Yes	2/10/2009
Paloma	PH-25ROFN (-1 through 10)	Gas	23.6	13.9	8.9	11	180	0.82	183	0	4	81%	12	5	Yes	2/10/2009
Paloma	PH-25ROFP (-1 through 10)	Propane	23.6	13.9	8.9	11	180	0.82	0	200	4	81%	12	5	Yes	2/10/2009
Paloma	PH-28RDVSN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Paloma	PH-28RDVSP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009
Paloma	PH-28RIFSN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Paloma	PH-28RIFSP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009
Paloma	PH-28ROFN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Paloma	PH-28ROFP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009
Paloma	PTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Paloma	PTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Paloma	PTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Paloma	PTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Paloma	PTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Paloma	PTG-74DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVNU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Paloma	PTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Paloma	PTG-74VPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Paloma	PTG-74VPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Paloma	PTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Paloma	PTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Paloma	PTG-74XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Quietside	DPW-120A	Gas	27.6	18.1	8	47	120	0.85	182	0	2.7	82%	12	5	Yes	3/3/2009
Quietside	DPW-120A	Propane	27.6	18.1	8	47	120	0.85	0	200	2.7	82%	12	5	Yes	3/3/2009
Quietside	ODW-120A	Propane	25.5	15.8	8	18	120	0.91	0	179	2.8	93%	12	5	Yes	3/3/2009
Quietside	ODW-120A	Gas	25.5	15.8	8	18	120	0.91	163	0	2.8	93%	12	5	Yes	3/3/2009
Quietside	ODW-180A	Propane	28.6	18.5	9.2	26	180	0.92	0	182	4.2	93%	12	5	Yes	3/3/2009
Quietside	ODW-180A	Gas	28.6	18.5	9.2	26	180	0.92	166	0	4.2	93%	12	5	Yes	3/3/2009
Quietside	ODW-199A	Propane	28.6	18.5	9.2	26	199	0.92	0	179	4.6	92%	12	5	Yes	3/3/2009
Quietside	ODW-199A	Gas	28.6	18.5	9.2	26	199	0.92	163	0	4.6	92%	12	5	Yes	3/3/2009
Rheem	CPTG-53DVN HA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CPTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53DVN H	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53PVN UE	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem	CRTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	CRTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	CRTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL-74PV N	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	CRTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	CRTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	CRTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	ECO200PVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem	RTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem	RTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem	RTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem	RTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem	RTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009

Rheem	RTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem	RTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	RTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem	RTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem	RTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem	RTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem	RTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO-180DV N	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	2/24/2009
Rheem EcoSense	CECO-180DV P	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	2/24/2009
Rheem EcoSense	CECO-180XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem EcoSense	CECO-180XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CECO200DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO200DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO200DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO200DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO200PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CECO200PVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CECO200PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CECO200PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CECO200XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CECO200XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53DVP	Propane	23	13.8	7.3	20	141	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53DVP HA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVN	Gas	20.5	13.8	6.3	21	135	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVN H	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	0%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVP	Propane	20.5	13.8	6.3	21	145	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53PVP H	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009

Rheem EcoSense	CPTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem EcoSense	CPTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	CPTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem EcoSense	CPTG-74PVN HA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74PVP HA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	CPTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO-180DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem EcoSense	ECO-180DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Rheem EcoSense	ECO-180XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Rheem EcoSense	ECO-180XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Rheem EcoSense	ECO200DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	ECO200PVNH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	ECO200PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	ECO200PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	ECO200PVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	ECO200XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009

Rheem EcoSense	ECO200XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	ECO200XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Rheem EcoSense	PTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Rheem EcoSense	PTG-74DVNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74DVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-74PVNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-74PVNU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Rheem EcoSense	PTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74PVPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74PVPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Rheem EcoSense	PTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XNUH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rheem EcoSense	PTG-74XPUH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-53DV N	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53DV NHA	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53DV P	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009

Richmond	CRMTG-53DV PHA	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV N	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV NH	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV P	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53PV PH	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Richmond	CRMTG-74DV N	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV NH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV P	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74DV PH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74PV N	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74PV NHA	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Richmond	CRMTG-74PV P	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74PV PHA	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	CRMTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	CRMTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Richmond	RMTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVN UH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74DVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVN H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVN UH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74PVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009

Richmond	RMTG-74XNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTG-74XPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Richmond	RMTGL74PVN H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTGL74PVN UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Richmond	RMTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74PVP H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74PVP UH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Richmond	RMTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XNH	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XNU H	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XPH	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Richmond	RMTGL74XPU H	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Rinnai	R50LSiN	Gas	25.5	14	9.6	15	150	0.82	183	0	3.3	83%	12	5	Yes	12/16/2008
Rinnai	R50LSiP	Propane	25.5	14	9.6	15	150	0.82	0	200	3.3	83%	12	5	Yes	12/16/2008
Rinnai	R75LSeN	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	81%	12	5	Yes	12/16/2008
Rinnai	R75LSeP	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	81%	12	5	Yes	12/16/2008
Rinnai	R75LSiN	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	82%	12	5	Yes	12/16/2008
Rinnai	R75LSiP	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	82%	12	5	Yes	12/16/2008
Rinnai	R94LSeN	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	12/16/2008
Rinnai	R94LSeP	Propane	25.5	14	9.6	15	199	0.82	0	200	4.3	82%	12	5	Yes	12/16/2008
Rinnai	R94LSiN	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	12/16/2008
Rinnai	R94LSiP	Propane	25.5	14	9.6	15	199	0.82	0	200	4.3	83%	12	5	Yes	12/16/2008
Rinnai	V53eN	Propane	20.9	13.8	6.7	19	120	0.82	183	0	2.6	83%	10	5	Yes	12/16/2008
Rinnai	V53eP	Propane	20.9	13.8	6.7	19	120	0.82	0	200	2.6	83%	10	5	Yes	12/16/2008
Ruud	RUTG-53DVN	Gas	23	13.8	7.3	20	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53DVP	Propane	23	13.8	7.3	20	135	0.82	0	200	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53PVN	Gas	20.5	13.8	6.3	21	145	0.82	183	0	3.1	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53PVP	Propane	20.5	13.8	6.3	21	141	0.82	0	200	3.1	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53XN	Gas	20.5	13.8	6.3	19	141	0.82	183	0	3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-53XP	Propane	20.5	13.8	6.3	19	141	0.82	0	200	3	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66DVN	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66DVP	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66XN	Gas	23.6	13.9	8.9	19	180	0.82	183	0	4	82%	12	5	Yes	1/9/2009
Ruud	RUTG-66XP	Propane	23.6	13.9	8.9	19	180	0.82	0	200	4	82%	12	5	Yes	1/8/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Ruud	RUTG-74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTG-74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTG-74PVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/8/2009
Ruud	RUTG-74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Ruud	RUTG-74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009

Ruud	RUTG-74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74DVN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74DVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74PVN	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/8/2009
Ruud	RUTGL74PVP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/11/2009
Ruud	RUTGL74XN	Gas	25.4	14.9	11.1	19	199	0.82	183	0	4.3	82%	12	5	Yes	1/12/2009
Ruud	RUTGL74XP	Propane	25.4	14.9	11.1	19	199	0.82	0	200	4.3	82%	12	5	Yes	1/12/2009
State	GTS-305-NE (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	83%	12	5	Yes	4/28/2009
State	GTS-305-NI (200 Series)	Gas	25.5	14	9.6	15	180	0.82	183	0	3.9	84%	12	5	Yes	4/28/2009
State	GTS-305-PE (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	83%	12	5	Yes	4/28/2009
State	GTS-305-PI (201 Series)	Propane	25.5	14	9.6	15	180	0.82	0	200	3.9	84%	12	5	Yes	4/28/2009
State	GTS-505-NE	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	82%	12	5	Yes	1/15/2009
State	GTS-505-NI	Gas	25.5	14	9.6	15	199	0.82	183	0	4.3	83%	12	5	Yes	1/15/2009
State	GTS-505-PE	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	82%	12	5	Yes	1/15/2009
State	GTS-505-PI	Propane	25.5	14	9.6	15	190	0.82	0	200	4.3	83%	12	5	Yes	1/15/2009
Takagi	Flash T-H1	Propane	26.3	16.5	11.3	18	190	0.94	0	175	4.9	94%	10	5	Yes	12/17/2008
Takagi	Flash T-H1	Gas	26.3	16.5	11.3	15	199	0.92	164	0	4.6	92%	10	5	Yes	12/17/2008
Takagi	Flash T-K3	Gas	20.5	13.8	8.5	11	199	0.84	181	0	4.2	83%	10	5	Yes	12/17/2008
Takagi	Flash T-K3	Propane	20.5	13.8	8.5	11	199	0.86	0	194	4.4	85%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -OS	Propane	20.5	13.8	8.5	11	190	0.82	0	203	4.2	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -OS	Gas	20.5	13.8	8.5	11	190	0.82	184	0	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -Pro	Propane	20.5	13.8	8.5	11	199	0.83	0	199	4.3	83%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -Pro	Gas	20.5	13.8	8.5	11	199	0.83	183	0	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -SP	Propane	20.5	13.8	8.5	11	190	0.82	0	202	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-K3 -SP	Gas	20.5	13.8	8.5	11	190	0.82	184	0	4.1	82%	10	5	Yes	12/18/2008
Takagi	Flash T-KJ r.	Propane	20.5	13.8	6.8	17	140	0.83	0	198	3.1	82%	10	5	Yes	3/27/2009
Wai Wela	PH-20RDVSN (-1 through 10)	Gas	20.5	13.8	5.8	21	141	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Wai Wela	PH-20RDVSP (-1 through 10)	Propane	20.5	13.8	5.8	21	135	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009

Brand	Model	Fuel Type	Height (inches)	Width (inches)	Depth (inches)	Min Input (Thousand BTU per hour)	Max Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	Max Gallons Per Minute(77°F rise)	Recovery Efficiency (%)	Min Warranty-Heat Exchanger	Min Warranty-Parts (years)	Active	Active Date
Wai Wela	PH-20RIFSN (-1 through 10)	Gas	20.5	13.8	5.8	21	145	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Wai Wela	PH-20RIFSP (-1 through 10)	Propane	20.5	13.8	5.8	21	141	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009
Wai Wela	PH-20ROFN (-1 through 10)	Gas	20.5	13.8	5.8	21	141	0.82	183	0	3.1	82%	12	5	Yes	2/10/2009
Wai Wela	PH-20ROFP (-1 through 10)	Propane	20.5	13.8	5.8	21	141	0.82	0	200	3.1	84%	12	5	Yes	2/10/2009
Wai Wela	PH-25RDVSN (-1 through 10)	Gas	25.6	13.9	9.9	11	180	0.82	183	0	4	81%	12	5	Yes	2/10/2009
Wai Wela	PH-25RDVSP (-1 through 10)	Propane	25.6	13.9	9.9	11	180	0.82	0	200	4	81%	12	5	Yes	2/10/2009
Wai Wela	PH-25ROFN (-1 through 10)	Gas	23.6	13.9	8.9	11	180	0.82	183	0	4	81%	12	5	Yes	2/10/2009
Wai Wela	PH-25ROFP (-1 through 10)	Propane	23.6	13.9	8.9	11	180	0.82	0	200	4	81%	12	5	Yes	2/10/2009
Wai Wela	PH-28RDVSN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Wai Wela	PH-28RDVSP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009

Wai Wela	PH-28RIFSN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Wai Wela	PH-28RIFSP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009
Wai Wela	PH-28ROFN (-1 through 10)	Gas	25.4	14	11.1	19	199	0.82	183	0	4.3	84%	12	5	Yes	2/10/2009
Wai Wela	PH-28ROFP (-1 through 10)	Propane	25.4	14	11.1	19	199	0.82	0	200	4.3	84%	12	5	Yes	2/10/2009