

Variable Name : COUNTRY Country three-digit ISO code
Record Number : 1
Position : 1-3
Format : C3
Comment :

Response	Codes	Unweighted Frequency	Percent
USA	840	5,456	100.0
		5,456	100.0%

Variable Name : SCHOOLID School ID
Record Number : 1
Position : 5-9
Format : N5.0
Comment :

Response	Codes	Unweighted Frequency	Percent
SCHOOL ID	1 - 274	5,456	100.0
		5,456	100.0%

Variable Name : STIDSTD Student ID
Record Number : 1
Position : 11-15
Format : N5.0
Comment :

Response	Codes	Unweighted Frequency	Percent
STUDENT ID	1 - 5456	5,456	100.0
		5,456	100.0%

Variable Name : SUBNATIO Adjudicated sub-region
Record Number : 1
Position : 17-21
Format : N5.0
Comment :

Response	Codes	Unweighted Frequency	Percent
United States	8400	5,456	100.0
		5,456	100.0%

Variable Name : BOOKID Book ID
 Record Number : 1
 Position : 23-24
 Format : N2.0
 Comment :

Response	Codes	Unweighted Frequency	Percent
Booklet 1	1	418	7.7
Booklet 2	2	425	7.8
Booklet 3	3	420	7.7
Booklet 4	4	408	7.5
Booklet 5	5	431	7.9
Booklet 6	6	427	7.8
Booklet 7	7	407	7.5
Booklet 8	8	418	7.7
Booklet 9	9	421	7.7
Booklet 10	10	437	8.0
Booklet 11	11	424	7.8
Booklet 12	12	404	7.4
Booklet 13	13	416	7.6
		5,456	100.0%

Variable Name : M033Q01 View Room Q1
 Record Number : 1
 Position : 26-26
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	29	0.5
2	2	197	3.6
3	3	198	3.6
4	4	1,239	22.7
Not Applicable	n	3,770	69.1
Not reached	r	7	0.1
M/R	8	1	0.0
Missing	9	15	0.3
		5,456	100.0%

Variable Name : M034Q01T Bricks Q1
 Record Number : 1
 Position : 28-28
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,108	20.3
1	1	487	8.9
Not Applicable	n	3,783	69.3
Not reached	r	22	0.4
M/R	8	13	0.2
Missing	9	43	0.8

5,456 100.0%

Variable Name : M124Q01 Walking Q1
 Record Number : 1
 Position : 30-30
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	257	4.7
1	1	801	14.7
2	2	460	8.4
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	0	0.0
Missing	9	150	2.7

5,456 100.0%

Variable Name : M124Q03T Walking Q3
 Record Number : 1
 Position : 32-32
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	575	10.5
1	1	576	10.6
2	2	116	2.1
3	3	38	0.7
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	0	0.0
Missing	9	363	6.7

5,456 100.0%

Variable Name : M144Q01T Cube Painting Q1
 Record Number : 1
 Position : 34-34
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	774	14.2
1	1	805	14.8
Not Applicable	n	3,795	69.6
Not reached	r	21	0.4
M/R	8	35	0.6
Missing	9	26	0.5

5,456 100.0%

Variable Name : M144Q02T Cube Painting Q2
Record Number : 1
Position : 36-36
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,232	22.6
1	1	330	6.0
Not Applicable	n	3,795	69.6
Not reached	r	24	0.4
M/R	8	8	0.1
Missing	9	67	1.2
		5,456	100.0%

Variable Name : M144Q03 Cube Painting Q3
Record Number : 1
Position : 38-38
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,218	22.3
2	2	44	0.8
3	3	209	3.8
4	4	141	2.6
Not Applicable	n	3,795	69.6
Not reached	r	27	0.5
M/R	8	1	0.0
Missing	9	21	0.4
		5,456	100.0%

Variable Name : M144Q04T Cube Painting Q4
Record Number : 1
Position : 40-40
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	955	17.5
1	1	497	9.1
Not Applicable	n	3,795	69.6
Not reached	r	28	0.5
M/R	8	43	0.8
Missing	9	138	2.5
		5,456	100.0%

Variable Name : M145Q01T Cubes Q1
 Record Number : 1
 Position : 42-42
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	278	5.1
1	1	119	2.2
2	2	74	1.4
3	3	39	0.7
4	4	9	0.2
5	5	36	0.7
6	6	1,042	19.1
Not Applicable	n	3,783	69.3
Not reached	r	7	0.1
M/R	8	7	0.1
Missing	9	62	1.1
		5,456	100.0%

Variable Name : M150Q01 Growing Up Q1
 Record Number : 1
 Position : 44-44
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	688	12.6
1	1	892	16.3
Not Applicable	n	3,777	69.2
Not reached	r	22	0.4
M/R	8	0	0.0
Missing	9	77	1.4
		5,456	100.0%

Variable Name : M150Q02T Growing Up Q2
 Record Number : 1
 Position : 46-46
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	216	4.0
1	1	722	13.2
2	2	650	11.9
Not Applicable	n	3,777	69.2
Not reached	r	26	0.5
M/R	8	0	0.0
Missing	9	65	1.2
		5,456	100.0%

Variable Name : M150Q03T Growing Up Q3
Record Number : 1
Position : 48-48
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	660	12.1
1	1	870	15.9
Not Applicable	n	3,777	69.2
Not reached	r	23	0.4
M/R	8	0	0.0
Missing	9	126	2.3
		5,456	100.0%

Variable Name : M155Q01 Pop Pyramids Q1
Record Number : 1
Position : 50-50
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	458	8.4
1	1	1,101	20.2
Not Applicable	n	3,745	68.6
Not reached	r	20	0.4
M/R	8	0	0.0
Missing	9	132	2.4
		5,456	100.0%

Variable Name : M155Q02T Pop Pyramids Q2
Record Number : 1
Position : 52-52
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	338	6.2
1	1	255	4.7
2	2	1,001	18.3
Not Applicable	n	3,744	68.6
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	102	1.9
		5,456	100.0%

Variable Name : M155Q03T Pop Pyramids Q3
 Record Number : 1
 Position : 54-54
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	907	16.6
1	1	235	4.3
2	2	128	2.3
Not Applicable	n	3,746	68.7
Not reached	r	21	0.4
M/R	8	0	0.0
Missing	9	419	7.7
		5,456	100.0%

Variable Name : M155Q04T Pop Pyramids Q4
 Record Number : 1
 Position : 56-56
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	5	0.1
1	1	73	1.3
2	2	152	2.8
3	3	455	8.3
4	4	935	17.1
Not Applicable	n	3,747	68.7
Not reached	r	24	0.4
M/R	8	0	0.0
Missing	9	65	1.2
		5,456	100.0%

Variable Name : M179Q01T Robberies Q1
 Record Number : 1
 Position : 58-58
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	730	13.4
1	1	544	10.0
2	2	262	4.8
Not Applicable	n	3,770	69.1
Not reached	r	21	0.4
M/R	8	0	0.0
Missing	9	129	2.4
		5,456	100.0%

Variable Name : M192Q01T Containers Q1
Record Number : 1
Position : 60-60
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	506	9.3
1	1	580	10.6
2	2	376	6.9
3	3	139	2.5
Not Applicable	n	3,783	69.3
Not reached	r	18	0.3
M/R	8	9	0.2
Missing	9	45	0.8
		5,456	100.0%

Variable Name : M266Q01T Carpenter Q01
Record Number : 1
Position : 62-62
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	24	0.4
1	1	526	9.6
2	2	328	6.0
3	3	511	9.4
4	4	237	4.3
Not Applicable	n	3,796	69.6
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	16	0.3
		5,456	100.0%

Variable Name : M273Q01T Pipelines Q1
Record Number : 1
Position : 64-64
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	810	14.8
1	1	764	14.0
Not Applicable	n	3,797	69.6
Not reached	r	49	0.9
M/R	8	4	0.1
Missing	9	32	0.6
		5,456	100.0%

Variable Name : M302Q01T Car Drive Q1
Record Number : 1
Position : 66-66
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	48	0.9
1	1	1,557	28.5
Not Applicable	n	3,796	69.6
Not reached	r	14	0.3
M/R	8	14	0.3
Missing	9	27	0.5
		5,456	100.0%

Variable Name : M302Q02 Car Drive Q2
Record Number : 1
Position : 68-68
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	287	5.3
1	1	1,341	24.6
Not Applicable	n	3,796	69.6
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	16	0.3
		5,456	100.0%

Variable Name : M302Q03 Car Drive Q3
Record Number : 1
Position : 70-70
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,039	19.0
1	1	460	8.4
Not Applicable	n	3,796	69.6
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	145	2.7
		5,456	100.0%

Variable Name : M305Q01 Map Q1
Record Number : 1
Position : 72-72
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	137	2.5
2	2	361	6.6
3	3	859	15.7
4	4	271	5.0
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	2	0.0
Missing	9	38	0.7
		5,456	100.0%

Variable Name : M402Q01 Internet Q1
Record Number : 1
Position : 74-74
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	884	16.2
1	1	759	13.9
Not Applicable	n	3,770	69.1
Not reached	r	17	0.3
M/R	8	0	0.0
Missing	9	26	0.5
		5,456	100.0%

Variable Name : M402Q02 Internet Q2
Record Number : 1
Position : 76-76
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,046	19.2
1	1	458	8.4
Not Applicable	n	3,770	69.1
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	164	3.0
		5,456	100.0%

Variable Name : M406Q01 Running Tracks Q1
Record Number : 1
Position : 78-78
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,245	22.8
1	1	239	4.4
Not Applicable	n	3,777	69.2
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	177	3.2
		5,456	100.0%

Variable Name : M406Q02 Running Tracks Q2
Record Number : 1
Position : 80-80
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,020	18.7
1	1	180	3.3
Not Applicable	n	3,777	69.2
Not reached	r	19	0.3
M/R	8	0	0.0
Missing	9	460	8.4
		5,456	100.0%

Variable Name : M406Q03 Running Tracks Q3
Record Number : 1
Position : 82-82
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,067	19.6
1	1	210	3.8
Not Applicable	n	3,777	69.2
Not reached	r	22	0.4
M/R	8	0	0.0
Missing	9	380	7.0
		5,456	100.0%

Variable Name : M408Q01T Lotteries Q1
 Record Number : 1
 Position : 84-84
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	17	0.3
1	1	171	3.1
2	2	400	7.3
3	3	486	8.9
4	4	572	10.5
Not Applicable	n	3,783	69.3
Not reached	r	7	0.1
M/R	8	0	0.0
Missing	9	20	0.4
		5,456	100.0%

Variable Name : M411Q01 Diving Q1
 Record Number : 1
 Position : 86-86
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	813	14.9
1	1	794	14.6
Not Applicable	n	3,777	69.2
Not reached	r	34	0.6
M/R	8	0	0.0
Missing	9	38	0.7
		5,456	100.0%

Variable Name : M411Q02 Diving Q2
 Record Number : 1
 Position : 88-88
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	394	7.2
2	2	208	3.8
3	3	223	4.1
4	4	781	14.3
Not Applicable	n	3,777	69.2
Not reached	r	36	0.7
M/R	8	1	0.0
Missing	9	36	0.7
		5,456	100.0%

Variable Name : M413Q01 Exchange Rate Q1
Record Number : 1
Position : 90-90
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	718	13.2
1	1	898	16.5
Not Applicable	n	3,774	69.2
Not reached	r	11	0.2
M/R	8	0	0.0
Missing	9	55	1.0
		5,456	100.0%

Variable Name : M413Q02 Exchange Rate Q2
Record Number : 1
Position : 92-92
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	440	8.1
1	1	1,132	20.7
Not Applicable	n	3,775	69.2
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	95	1.7
		5,456	100.0%

Variable Name : M413Q03T Exchange Rate Q3
Record Number : 1
Position : 94-94
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	814	14.9
1	1	616	11.3
Not Applicable	n	3,776	69.2
Not reached	r	17	0.3
M/R	8	0	0.0
Missing	9	233	4.3
		5,456	100.0%

Variable Name : M420Q01T Transport Q1
Record Number : 1
Position : 96-96
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	7	0.1
1	1	51	0.9
2	2	198	3.6
3	3	400	7.3
4	4	1,003	18.4
Not Applicable	n	3,748	68.7
Not reached	r	32	0.6
M/R	8	0	0.0
Missing	9	17	0.3
		5,456	100.0%

Variable Name : M421Q01 Height Q1
Record Number : 1
Position : 98-98
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	425	7.8
1	1	1,037	19.0
Not Applicable	n	3,793	69.5
Not reached	r	13	0.2
M/R	8	0	0.0
Missing	9	188	3.4
		5,456	100.0%

Variable Name : M421Q02T Height Q2
Record Number : 1
Position : 100-100
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	46	0.8
1	1	289	5.3
2	2	595	10.9
3	3	448	8.2
4	4	245	4.5
Not Applicable	n	3,793	69.5
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	26	0.5
		5,456	100.0%

Variable Name : M421Q03 Height Q3
 Record Number : 1
 Position : 102-102
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	360	6.6
2	2	234	4.3
3	3	446	8.2
4	4	458	8.4
5	5	88	1.6
Not Applicable	n	3,793	69.5
Not reached	r	14	0.3
M/R	8	7	0.1
Missing	9	56	1.0
		5,456	100.0%

Variable Name : M423Q01 Tossing Coins Q1
 Record Number : 1
 Position : 104-104
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,235	22.6
2	2	168	3.1
3	3	203	3.7
4	4	21	0.4
Not Applicable	n	3,783	69.3
Not reached	r	22	0.4
M/R	8	2	0.0
Missing	9	22	0.4
		5,456	100.0%

Variable Name : M438Q01 Exports Q1
 Record Number : 1
 Position : 106-106
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	949	17.4
1	1	680	12.5
Not Applicable	n	3,791	69.5
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	22	0.4
		5,456	100.0%

Variable Name : M438Q02 Exports Q2
Record Number : 1
Position : 108-108
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	250	4.6
2	2	199	3.6
3	3	281	5.2
4	4	162	3.0
5	5	705	12.9
Not Applicable	n	3,791	69.5
Not reached	r	14	0.3
M/R	8	7	0.1
Missing	9	47	0.9
		5,456	100.0%

Variable Name : M442Q02 Braille Q2
Record Number : 1
Position : 110-110
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	916	16.8
1	1	609	11.2
Not Applicable	n	3,747	68.7
Not reached	r	24	0.4
M/R	8	0	0.0
Missing	9	160	2.9
		5,456	100.0%

Variable Name : M446Q01 Thermometer cricket Q1
Record Number : 1
Position : 112-112
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	670	12.3
1	1	925	17.0
Not Applicable	n	3,783	69.3
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	64	1.2
		5,456	100.0%

Variable Name : M446Q02 Thermometer cricket Q2
Record Number : 1
Position : 114-114
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,356	24.9
1	1	87	1.6
Not Applicable	n	3,783	69.3
Not reached	r	17	0.3
M/R	8	0	0.0
Missing	9	213	3.9
		5,456	100.0%

Variable Name : M447Q01 Tile Arrange1 Q1
Record Number : 1
Position : 116-116
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	157	2.9
2	2	133	2.4
3	3	279	5.1
4	4	1,076	19.7
Not Applicable	n	3,748	68.7
Not reached	r	35	0.6
M/R	8	8	0.1
Missing	9	20	0.4
		5,456	100.0%

Variable Name : M462Q01T Third Side Q1
Record Number : 1
Position : 118-118
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,121	20.5
1	1	203	3.7
2	2	111	2.0
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	0	0.0
Missing	9	233	4.3
		5,456	100.0%

Variable Name : M464Q01T Fence Q1
Record Number : 1
Position : 120-120
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,201	22.0
1	1	270	4.9
Not Applicable	n	3,771	69.1
Not reached	r	24	0.4
M/R	8	82	1.5
Missing	9	108	2.0
		5,456	100.0%

Variable Name : M467Q01 Colored Candies Q1
Record Number : 1
Position : 122-122
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	161	3.0
2	2	867	15.9
3	3	368	6.7
4	4	271	5.0
Not Applicable	n	3,770	69.1
Not reached	r	8	0.1
M/R	8	2	0.0
Missing	9	9	0.2
		5,456	100.0%

Variable Name : M468Q01T Science Tests Q1
Record Number : 1
Position : 124-124
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	544	10.0
1	1	916	16.8
Not Applicable	n	3,748	68.7
Not reached	r	33	0.6
M/R	8	153	2.8
Missing	9	62	1.1
		5,456	100.0%

Variable Name : M474Q01 Running Time Q1
 Record Number : 1
 Position : 126-126
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	544	10.0
1	1	1,095	20.1
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	0	0.0
Missing	9	29	0.5
		5,456	100.0%

Variable Name : M484Q01T Book Shelves Q1
 Record Number : 1
 Position : 128-128
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	607	11.1
1	1	948	17.4
Not Applicable	n	3,744	68.6
Not reached	r	16	0.3
M/R	8	55	1.0
Missing	9	86	1.6
		5,456	100.0%

Variable Name : M496Q01T Cash Withdrawal Q1
 Record Number : 1
 Position : 130-130
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	30	0.5
1	1	276	5.1
2	2	232	4.3
3	3	307	5.6
4	4	801	14.7
Not Applicable	n	3,744	68.6
Not reached	r	12	0.2
M/R	8	0	0.0
Missing	9	54	1.0
		5,456	100.0%

Variable Name : M496Q02 Cash Withdrawal Q2
Record Number : 1
Position : 132-132
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	583	10.7
1	1	985	18.1
Not Applicable	n	3,744	68.6
Not reached	r	13	0.2
M/R	8	0	0.0
Missing	9	131	2.4
		5,456	100.0%

Variable Name : M505Q01 Litter Q1
Record Number : 1
Position : 134-134
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,273	23.3
1	1	337	6.2
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	0	0.0
Missing	9	58	1.1
		5,456	100.0%

Variable Name : M509Q01 Earthquake Q1
Record Number : 1
Position : 136-136
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	193	3.5
2	2	294	5.4
3	3	881	16.1
4	4	214	3.9
Not Applicable	n	3,747	68.7
Not reached	r	27	0.5
M/R	8	1	0.0
Missing	9	99	1.8
		5,456	100.0%

Variable Name : M510Q01T Choices Q1
Record Number : 1
Position : 138-138
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	826	15.1
1	1	733	13.4
Not Applicable	n	3,788	69.4
Not reached	r	0	0.0
M/R	8	5	0.1
Missing	9	104	1.9
		5,456	100.0%

Variable Name : M513Q01 Test Scores Q1
Record Number : 1
Position : 140-140
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	717	13.1
1	1	638	11.7
Not Applicable	n	3,796	69.6
Not reached	r	19	0.3
M/R	8	0	0.0
Missing	9	286	5.2
		5,456	100.0%

Variable Name : M520Q01T Skateboard Q1
Record Number : 1
Position : 142-142
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	454	8.3
1	1	157	2.9
2	2	953	17.5
Not Applicable	n	3,783	69.3
Not reached	r	7	0.1
M/R	8	13	0.2
Missing	9	89	1.6
		5,456	100.0%

Variable Name : M520Q02 Skateboard Q2
 Record Number : 1
 Position : 144-144
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	387	7.1
2	2	296	5.4
3	3	125	2.3
4	4	818	15.0
Not Applicable	n	3,783	69.3
Not reached	r	8	0.1
M/R	8	6	0.1
Missing	9	33	0.6
		5,456	100.0%

Variable Name : M520Q03T Skateboard Q3
 Record Number : 1
 Position : 146-146
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	103	1.9
1	1	87	1.6
2	2	315	5.8
3	3	329	6.0
4	4	764	14.0
Not Applicable	n	3,783	69.3
Not reached	r	10	0.2
M/R	8	3	0.1
Missing	9	62	1.1
		5,456	100.0%

Variable Name : M547Q01T Staircase Q1
 Record Number : 1
 Position : 148-148
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	259	4.7
1	1	1,159	21.2
Not Applicable	n	3,791	69.5
Not reached	r	14	0.3
M/R	8	146	2.7
Missing	9	87	1.6
		5,456	100.0%

Variable Name : M555Q02T Number Cubes Q2
 Record Number : 1
 Position : 150-150
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	48	0.9
1	1	177	3.2
2	2	210	3.8
3	3	320	5.9
4	4	871	16.0
Not Applicable	n	3,783	69.3
Not reached	r	29	0.5
M/R	8	0	0.0
Missing	9	18	0.3
		5,456	100.0%

Variable Name : M559Q01 Telephone Rates Q1
 Record Number : 1
 Position : 152-152
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	320	5.9
2	2	186	3.4
3	3	240	4.4
4	4	873	16.0
Not Applicable	n	3,794	69.5
Not reached	r	20	0.4
M/R	8	5	0.1
Missing	9	18	0.3
		5,456	100.0%

Variable Name : M564Q01 Chair Lift Q1
 Record Number : 1
 Position : 154-154
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	56	1.0
2	2	744	13.6
3	3	718	13.2
4	4	115	2.1
Not Applicable	n	3,771	69.1
Not reached	r	27	0.5
M/R	8	5	0.1
Missing	9	20	0.4
		5,456	100.0%

Variable Name : M564Q02 Chair Lift Q2
Record Number : 1
Position : 156-156
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	260	4.8
2	2	377	6.9
3	3	657	12.0
4	4	256	4.7
5	5	77	1.4
Not Applicable	n	3,772	69.1
Not reached	r	27	0.5
M/R	8	3	0.1
Missing	9	27	0.5
		5,456	100.0%

Variable Name : M571Q01 Stop The Car Q1
Record Number : 1
Position : 158-158
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	150	2.7
2	2	477	8.7
3	3	337	6.2
4	4	632	11.6
Not Applicable	n	3,793	69.5
Not reached	r	16	0.3
M/R	8	6	0.1
Missing	9	45	0.8
		5,456	100.0%

Variable Name : M598Q01 Making A Booklet Q1
Record Number : 1
Position : 160-160
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	522	9.6
1	1	1,048	19.2
Not Applicable	n	3,777	69.2
Not reached	r	27	0.5
M/R	8	0	0.0
Missing	9	82	1.5
		5,456	100.0%

Variable Name : M603Q01T Number Check Q1
 Record Number : 1
 Position : 162-162
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	39	0.7
1	1	486	8.9
2	2	411	7.5
3	3	678	12.4
Not Applicable	n	3,796	69.6
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	30	0.5
		5,456	100.0%

Variable Name : M603Q02T Number Check Q2
 Record Number : 1
 Position : 164-164
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	377	6.9
1	1	326	6.0
Not Applicable	n	3,796	69.6
Not reached	r	16	0.3
M/R	8	698	12.8
Missing	9	243	4.5
		5,456	100.0%

Variable Name : M702Q01 Support For President Q1
 Record Number : 1
 Position : 166-166
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	718	13.2
1	1	115	2.1
2	2	537	9.8
Not Applicable	n	3,783	69.3
Not reached	r	20	0.4
M/R	8	0	0.0
Missing	9	283	5.2
		5,456	100.0%

Variable Name : M704Q01T The Best Car Q1
Record Number : 1
Position : 168-168
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	266	4.9
1	1	1,234	22.6
Not Applicable	n	3,793	69.5
Not reached	r	14	0.3
M/R	8	31	0.6
Missing	9	118	2.2
		5,456	100.0%

Variable Name : M704Q02T The Best Car Q2
Record Number : 1
Position : 170-170
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,119	20.5
1	1	314	5.8
Not Applicable	n	3,793	69.5
Not reached	r	15	0.3
M/R	8	9	0.2
Missing	9	206	3.8
		5,456	100.0%

Variable Name : M710Q01 Forecast of Rain Q1
Record Number : 1
Position : 172-172
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	197	3.6
2	2	421	7.7
3	3	108	2.0
4	4	494	9.1
5	5	383	7.0
Not Applicable	n	3,777	69.2
Not reached	r	29	0.5
M/R	8	3	0.1
Missing	9	44	0.8
		5,456	100.0%

Variable Name : M800Q01 Computer Game Q1
Record Number : 1
Position : 174-174
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	24	0.4
2	2	193	3.5
3	3	1,397	25.6
4	4	22	0.4
Not Applicable	n	3,793	69.5
Not reached	r	13	0.2
M/R	8	1	0.0
Missing	9	13	0.2
		5,456	100.0%

Variable Name : M803Q01T Labels Q1
Record Number : 1
Position : 176-176
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	914	16.8
1	1	377	6.9
Not Applicable	n	3,797	69.6
Not reached	r	39	0.7
M/R	8	260	4.8
Missing	9	69	1.3
		5,456	100.0%

Variable Name : M806Q01T Step Pattern Q1
Record Number : 1
Position : 178-178
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	610	11.2
1	1	996	18.3
Not Applicable	n	3,791	69.5
Not reached	r	15	0.3
M/R	8	1	0.0
Missing	9	43	0.8
		5,456	100.0%

Variable Name : M810Q01T Bicycles Q1
Record Number : 1
Position : 180-180
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	381	7.0
1	1	1,148	21.0
Not Applicable	n	3,770	69.1
Not reached	r	8	0.1
M/R	8	71	1.3
Missing	9	78	1.4
		5,456	100.0%

Variable Name : M810Q02T Bicycles Q2
Record Number : 1
Position : 182-182
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	471	8.6
1	1	1,076	19.7
Not Applicable	n	3,770	69.1
Not reached	r	12	0.2
M/R	8	62	1.1
Missing	9	65	1.2
		5,456	100.0%

Variable Name : M810Q03T Bicycles Q3
Record Number : 1
Position : 184-184
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	978	17.9
1	1	306	5.6
2	2	88	1.6
Not Applicable	n	3,770	69.1
Not reached	r	12	0.2
M/R	8	0	0.0
Missing	9	302	5.5
		5,456	100.0%

Variable Name : M828Q01 Carbon Dioxide Q1
Record Number : 1
Position : 186-186
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	709	13.0
1	1	557	10.2
Not Applicable	n	3,797	69.6
Not reached	r	32	0.6
M/R	8	0	0.0
Missing	9	361	6.6
		5,456	100.0%

Variable Name : M828Q02 Carbon Dioxide Q2
Record Number : 1
Position : 188-188
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	653	12.0
1	1	858	15.7
Not Applicable	n	3,797	69.6
Not reached	r	33	0.6
M/R	8	0	0.0
Missing	9	115	2.1
		5,456	100.0%

Variable Name : M828Q03 Carbon Dioxide Q3
Record Number : 1
Position : 190-190
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	899	16.5
1	1	438	8.0
Not Applicable	n	3,797	69.6
Not reached	r	35	0.6
M/R	8	0	0.0
Missing	9	287	5.3
		5,456	100.0%

Variable Name : M833Q01T Seeing the Tower Q1
 Record Number : 1
 Position : 192-192
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	116	2.1
1	1	157	2.9
2	2	238	4.4
3	3	233	4.3
4	4	402	7.4
5	5	431	7.9
Not Applicable	n	3,770	69.1
Not reached	r	14	0.3
M/R	8	5	0.1
Missing	9	90	1.6
		5,456	100.0%

Variable Name : R055Q01 Drugged Spiders Q1
 Record Number : 1
 Position : 194-194
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	103	1.9
2	2	65	1.2
3	3	116	2.1
4	4	1,380	25.3
Not Applicable	n	3,756	68.8
Not reached	r	12	0.2
M/R	8	4	0.1
Missing	9	20	0.4
		5,456	100.0%

Variable Name : R055Q02 Drugged Spiders Q2
 Record Number : 1
 Position : 196-196
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	690	12.6
1	1	845	15.5
Not Applicable	n	3,756	68.8
Not reached	r	15	0.3
M/R	8	0	0.0
Missing	9	150	2.7
		5,456	100.0%

Variable Name : R055Q03 Drugged Spiders Q3
 Record Number : 1
 Position : 198-198
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	428	7.8
1	1	119	2.2
2	2	1,032	18.9
Not Applicable	n	3,756	68.8
Not reached	r	24	0.4
M/R	8	0	0.0
Missing	9	97	1.8
		5,456	100.0%

Variable Name : R055Q05 Drugged Spiders Q5
 Record Number : 1
 Position : 200-200
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	382	7.0
1	1	1,189	21.8
Not Applicable	n	3,757	68.9
Not reached	r	28	0.5
M/R	8	0	0.0
Missing	9	100	1.8
		5,456	100.0%

Variable Name : R067Q01 Aesop Q1
 Record Number : 1
 Position : 202-202
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	62	1.1
2	2	73	1.3
3	3	1,450	26.6
4	4	70	1.3
Not Applicable	n	3,775	69.2
Not reached	r	6	0.1
M/R	8	3	0.1
Missing	9	17	0.3
		5,456	100.0%

Variable Name : R067Q04 Aesop Q4
Record Number : 1
Position : 204-204
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	287	5.3
1	1	655	12.0
2	2	673	12.3
Not Applicable	n	3,776	69.2
Not reached	r	6	0.1
M/R	8	0	0.0
Missing	9	59	1.1
		5,456	100.0%

Variable Name : R067Q05 Aesop Q5
Record Number : 1
Position : 206-206
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	242	4.4
1	1	264	4.8
2	2	1,055	19.3
Not Applicable	n	3,777	69.2
Not reached	r	7	0.1
M/R	8	0	0.0
Missing	9	111	2.0
		5,456	100.0%

Variable Name : R102Q04A Shirt Q4A
Record Number : 1
Position : 208-208
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,117	20.5
1	1	341	6.3
Not Applicable	n	3,777	69.2
Not reached	r	9	0.2
M/R	8	0	0.0
Missing	9	212	3.9
		5,456	100.0%

Variable Name : R102Q05 Shirt Q5
 Record Number : 1
 Position : 210-210
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	672	12.3
1	1	920	16.9
Not Applicable	n	3,780	69.3
Not reached	r	9	0.2
M/R	8	0	0.0
Missing	9	75	1.4
		5,456	100.0%

Variable Name : R102Q07 Shirt Q7
 Record Number : 1
 Position : 212-212
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	92	1.7
2	2	33	0.6
3	3	1,443	26.4
4	4	68	1.2
Not Applicable	n	3,780	69.3
Not reached	r	9	0.2
M/R	8	5	0.1
Missing	9	26	0.5
		5,456	100.0%

Variable Name : R104Q01 Telephone Q1
 Record Number : 1
 Position : 214-214
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	271	5.0
1	1	1,353	24.8
Not Applicable	n	3,758	68.9
Not reached	r	33	0.6
M/R	8	0	0.0
Missing	9	41	0.8
		5,456	100.0%

Variable Name : R104Q02 Telephone Q2
Record Number : 1
Position : 216-216
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,062	19.5
1	1	542	9.9
Not Applicable	n	3,759	68.9
Not reached	r	41	0.8
M/R	8	0	0.0
Missing	9	52	1.0
		5,456	100.0%

Variable Name : R104Q05 Telephone Q5
Record Number : 1
Position : 218-218
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,066	19.5
1	1	462	8.5
2	2	58	1.1
Not Applicable	n	3,759	68.9
Not reached	r	43	0.8
M/R	8	0	0.0
Missing	9	68	1.2
		5,456	100.0%

Variable Name : R111Q01 Exchange Q1
Record Number : 1
Position : 220-220
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	81	1.5
2	2	355	6.5
3	3	134	2.5
4	4	1,099	20.1
Not Applicable	n	3,755	68.8
Not reached	r	7	0.1
M/R	8	4	0.1
Missing	9	21	0.4
		5,456	100.0%

Variable Name : R111Q02B Exchange Q2B
Record Number : 1
Position : 222-222
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	504	9.2
1	1	901	16.5
2	2	143	2.6
Not Applicable	n	3,756	68.8
Not reached	r	8	0.1
M/R	8	0	0.0
Missing	9	144	2.6
		5,456	100.0%

Variable Name : R111Q06B Exchange Q6B
Record Number : 1
Position : 224-224
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	703	12.9
1	1	242	4.4
2	2	570	10.4
Not Applicable	n	3,756	68.8
Not reached	r	11	0.2
M/R	8	0	0.0
Missing	9	174	3.2
		5,456	100.0%

Variable Name : R219Q01T Employment Q1
Record Number : 1
Position : 226-226
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	16	0.3
1	1	30	0.5
2	2	42	0.8
3	3	124	2.3
4	4	1,233	22.6
Not Applicable	n	3,775	69.2
Not reached	r	4	0.1
M/R	8	0	0.0
Missing	9	232	4.3
		5,456	100.0%

Variable Name : R219Q01E Employment Q1E
Record Number : 1
Position : 228-228
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	336	6.2
1	1	1,062	19.5
Not Applicable	n	3,775	69.2
Not reached	r	5	0.1
M/R	8	0	0.0
Missing	9	278	5.1
		5,456	100.0%

Variable Name : R219Q02 Employment Q2
Record Number : 1
Position : 230-230
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	176	3.2
1	1	1,445	26.5
Not Applicable	n	3,775	69.2
Not reached	r	5	0.1
M/R	8	0	0.0
Missing	9	55	1.0
		5,456	100.0%

Variable Name : R220Q01 South Pole- Q1
Record Number : 1
Position : 232-232
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	512	9.4
1	1	709	13.0
Not Applicable	n	3,780	69.3
Not reached	r	10	0.2
M/R	8	0	0.0
Missing	9	445	8.2
		5,456	100.0%

Variable Name : R220Q02B South Pole Q2B
 Record Number : 1
 Position : 234-234
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	986	18.1
2	2	232	4.3
3	3	232	4.3
4	4	167	3.1
Not Applicable	n	3,780	69.3
Not reached	r	15	0.3
M/R	8	6	0.1
Missing	9	38	0.7
		5,456	100.0%

Variable Name : R220Q04 South Pole Q4
 Record Number : 1
 Position : 236-236
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	136	2.5
2	2	201	3.7
3	3	448	8.2
4	4	843	15.5
Not Applicable	n	3,780	69.3
Not reached	r	16	0.3
M/R	8	7	0.1
Missing	9	25	0.5
		5,456	100.0%

Variable Name : R220Q05 South Pole Q5
 Record Number : 1
 Position : 238-238
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	112	2.1
2	2	87	1.6
3	3	1,242	22.8
4	4	193	3.5
Not Applicable	n	3,780	69.3
Not reached	r	16	0.3
M/R	8	4	0.1
Missing	9	22	0.4
		5,456	100.0%

Variable Name : R220Q06 South Pole Q6
 Record Number : 1
 Position : 240-240
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	188	3.4
2	2	339	6.2
3	3	983	18.0
4	4	120	2.2
Not Applicable	n	3,780	69.3
Not reached	r	16	0.3
M/R	8	5	0.1
Missing	9	25	0.5
		5,456	100.0%

Variable Name : R227Q01 Optician Q1
 Record Number : 1
 Position : 242-242
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	76	1.4
2	2	976	17.9
3	3	410	7.5
4	4	218	4.0
Not Applicable	n	3,754	68.8
Not reached	r	6	0.1
M/R	8	2	0.0
Missing	9	14	0.3
		5,456	100.0%

Variable Name : R227Q02T Optician Q2
 Record Number : 1
 Position : 244-244
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	3	0.1
1	1	21	0.4
2	2	94	1.7
3	3	138	2.5
4	4	231	4.2
5	5	359	6.6
6	6	416	7.6
7	7	419	7.7
Not Applicable	n	3,755	68.8
Not reached	r	7	0.1
M/R	8	0	0.0
Missing	9	13	0.2

5,456 100.0%

Variable Name : R227Q03 Optician Q3
Record Number : 1
Position : 246-246
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	477	8.7
1	1	857	15.7
Not Applicable	n	3,755	68.8
Not reached	r	7	0.1
M/R	8	0	0.0
Missing	9	360	6.6
		5,456	100.0%

Variable Name : R227Q06 Optician Q6
Record Number : 1
Position : 248-248
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	419	7.7
1	1	1,177	21.6
Not Applicable	n	3,755	68.8
Not reached	r	7	0.1
M/R	8	0	0.0
Missing	9	98	1.8
		5,456	100.0%

Variable Name : S114Q03T Greenhouse Q3
Record Number : 1
Position : 250-250
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	610	11.2
1	1	915	16.8
Not Applicable	n	3,798	69.6
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	115	2.1
		5,456	100.0%

Variable Name : S114Q04T Greenhouse Q4
 Record Number : 1
 Position : 252-252
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	579	10.6
1	1	598	11.0
2	2	262	4.8
Not Applicable	n	3,798	69.6
Not reached	r	24	0.4
M/R	8	0	0.0
Missing	9	195	3.6
		5,456	100.0%

Variable Name : S114Q05T Greenhouse Q5
 Record Number : 1
 Position : 254-254
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,053	19.3
1	1	251	4.6
Not Applicable	n	3,798	69.6
Not reached	r	25	0.5
M/R	8	0	0.0
Missing	9	329	6.0
		5,456	100.0%

Variable Name : S128Q01 Cloning Q1
 Record Number : 1
 Position : 256-256
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,037	19.0
2	2	266	4.9
3	3	274	5.0
4	4	74	1.4
Not Applicable	n	3,776	69.2
Not reached	r	3	0.1
M/R	8	3	0.1
Missing	9	23	0.4
		5,456	100.0%

Variable Name : S128Q02 Cloning Q2
 Record Number : 1
 Position : 258-258
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	940	17.2
2	2	230	4.2
3	3	328	6.0
4	4	156	2.9
Not Applicable	n	3,776	69.2
Not reached	r	3	0.1
M/R	8	3	0.1
Missing	9	20	0.4
		5,456	100.0%

Variable Name : S128Q03T Cloning Q3
 Record Number : 1
 Position : 260-260
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	245	4.5
1	1	292	5.4
2	2	1,118	20.5
Not Applicable	n	3,776	69.2
Not reached	r	3	0.1
M/R	8	1	0.0
Missing	9	21	0.4
		5,456	100.0%

Variable Name : S129Q01 Daylight Q1
 Record Number : 1
 Position : 262-262
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	718	13.2
2	2	70	1.3
3	3	455	8.3
4	4	409	7.5
Not Applicable	n	3,775	69.2
Not reached	r	2	0.0
M/R	8	4	0.1
Missing	9	23	0.4
		5,456	100.0%

Variable Name : S129Q02T Daylight Q2
Record Number : 1
Position : 264-264
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,010	18.5
1	1	207	3.8
2	2	173	3.2
Not Applicable	n	3,775	69.2
Not reached	r	3	0.1
M/R	8	0	0.0
Missing	9	288	5.3
		5,456	100.0%

Variable Name : S131Q02T Good Vibrations Q2
Record Number : 1
Position : 266-266
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	800	14.7
1	1	737	13.5
Not Applicable	n	3,776	69.2
Not reached	r	3	0.1
M/R	8	0	0.0
Missing	9	140	2.6
		5,456	100.0%

Variable Name : S131Q04T Good Vibrations Q4
Record Number : 1
Position : 268-268
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,167	21.4
1	1	354	6.5
Not Applicable	n	3,776	69.2
Not reached	r	4	0.1
M/R	8	0	0.0
Missing	9	155	2.8
		5,456	100.0%

Variable Name : S133Q01 Research Q1
 Record Number : 1
 Position : 270-270
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	166	3.0
2	2	157	2.9
3	3	986	18.1
4	4	293	5.4
Not Applicable	n	3,798	69.6
Not reached	r	14	0.3
M/R	8	3	0.1
Missing	9	39	0.7
		5,456	100.0%

Variable Name : S133Q03 Research Q3
 Record Number : 1
 Position : 272-272
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	526	9.6
2	2	770	14.1
3	3	131	2.4
4	4	183	3.4
Not Applicable	n	3,798	69.6
Not reached	r	16	0.3
M/R	8	4	0.1
Missing	9	28	0.5
		5,456	100.0%

Variable Name : S133Q04T Research Q4
 Record Number : 1
 Position : 274-274
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	4	0.1
1	1	122	2.2
2	2	579	10.6
3	3	918	16.8
Not Applicable	n	3,798	69.6
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	17	0.3
		5,456	100.0%

Variable Name : S213Q01T Clothes Q1
 Record Number : 1
 Position : 276-276
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	13	0.2
1	1	109	2.0
2	2	177	3.2
3	3	545	10.0
4	4	765	14.0
Not Applicable	n	3,798	69.6
Not reached	r	29	0.5
M/R	8	0	0.0
Missing	9	20	0.4
		5,456	100.0%

Variable Name : S213Q02 Clothes Q2
 Record Number : 1
 Position : 278-278
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,069	19.6
2	2	233	4.3
3	3	183	3.4
4	4	110	2.0
Not Applicable	n	3,798	69.6
Not reached	r	32	0.6
M/R	8	4	0.1
Missing	9	27	0.5
		5,456	100.0%

Variable Name : S252Q01 South Rainea Q1
 Record Number : 1
 Position : 280-280
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	255	4.7
2	2	267	4.9
3	3	677	12.4
4	4	430	7.9
Not Applicable	n	3,797	69.6
Not reached	r	1	0.0
M/R	8	1	0.0
Missing	9	28	0.5
		5,456	100.0%

Variable Name : S252Q02 South Rainea Q2
 Record Number : 1
 Position : 282-282
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,166	21.4
2	2	182	3.3
3	3	149	2.7
4	4	135	2.5
Not Applicable	n	3,797	69.6
Not reached	r	1	0.0
M/R	8	2	0.0
Missing	9	24	0.4
		5,456	100.0%

Variable Name : S252Q03T South Rainea Q3
 Record Number : 1
 Position : 284-284
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	233	4.3
1	1	415	7.6
2	2	983	18.0
Not Applicable	n	3,797	69.6
Not reached	r	1	0.0
M/R	8	0	0.0
Missing	9	27	0.5
		5,456	100.0%

Variable Name : S256Q01 Spoons Q1
 Record Number : 1
 Position : 286-286
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	1,475	27.0
2	2	29	0.5
3	3	83	1.5
4	4	59	1.1
Not Applicable	n	3,776	69.2
Not reached	r	4	0.1
M/R	8	3	0.1
Missing	9	27	0.5
		5,456	100.0%

Variable Name : S268Q01 Algae Q1
Record Number : 1
Position : 288-288
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	116	2.1
2	2	140	2.6
3	3	1,180	21.6
4	4	175	3.2
Not Applicable	n	3,778	69.2
Not reached	r	35	0.6
M/R	8	4	0.1
Missing	9	28	0.5
		5,456	100.0%

Variable Name : S268Q02T Algae Q2
Record Number : 1
Position : 290-290
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	678	12.4
1	1	727	13.3
Not Applicable	n	3,778	69.2
Not reached	r	46	0.8
M/R	8	0	0.0
Missing	9	227	4.2
		5,456	100.0%

Variable Name : S268Q06 Algae Q6
Record Number : 1
Position : 292-292
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	261	4.8
2	2	868	15.9
3	3	319	5.8
4	4	151	2.8
Not Applicable	n	3,778	69.2
Not reached	r	50	0.9
M/R	8	5	0.1
Missing	9	24	0.4
		5,456	100.0%

Variable Name : S269Q01 Earth Q1
Record Number : 1
Position : 294-294
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	620	11.4
1	1	844	15.5
Not Applicable	n	3,778	69.2
Not reached	r	32	0.6
M/R	8	0	0.0
Missing	9	182	3.3
		5,456	100.0%

Variable Name : S269Q03T Earth Q3
Record Number : 1
Position : 296-296
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	835	15.3
1	1	629	11.5
Not Applicable	n	3,778	69.2
Not reached	r	35	0.6
M/R	8	0	0.0
Missing	9	179	3.3
		5,456	100.0%

Variable Name : S269Q04T Earth Q4
Record Number : 1
Position : 298-298
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	106	1.9
1	1	192	3.5
2	2	406	7.4
3	3	430	7.9
4	4	493	9.0
Not Applicable	n	3,778	69.2
Not reached	r	35	0.6
M/R	8	0	0.0
Missing	9	16	0.3
		5,456	100.0%

Variable Name : S304Q01 Water Q1
Record Number : 1
Position : 300-300
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,150	21.1
1	1	471	8.6
Not Applicable	n	3,776	69.2
Not reached	r	4	0.1
M/R	8	0	0.0
Missing	9	55	1.0
		5,456	100.0%

Variable Name : S304Q02 Water Q2
Record Number : 1
Position : 302-302
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	153	2.8
2	2	257	4.7
3	3	957	17.5
4	4	255	4.7
Not Applicable	n	3,776	69.2
Not reached	r	5	0.1
M/R	8	10	0.2
Missing	9	43	0.8
		5,456	100.0%

Variable Name : S304Q03A Water Q3a
Record Number : 1
Position : 304-304
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,176	21.6
1	1	344	6.3
Not Applicable	n	3,776	69.2
Not reached	r	5	0.1
M/R	8	0	0.0
Missing	9	155	2.8
		5,456	100.0%

Variable Name : S304Q03B Water Q3b
Record Number : 1
Position : 306-306
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	735	13.5
1	1	671	12.3
Not Applicable	n	3,776	69.2
Not reached	r	6	0.1
M/R	8	0	0.0
Missing	9	268	4.9
		5,456	100.0%

Variable Name : S326Q01 Milk Q1
Record Number : 1
Position : 308-308
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	385	7.1
1	1	1,109	20.3
Not Applicable	n	3,797	69.6
Not reached	r	3	0.1
M/R	8	0	0.0
Missing	9	162	3.0
		5,456	100.0%

Variable Name : S326Q02 Milk Q2
Record Number : 1
Position : 310-310
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	413	7.6
1	1	1,082	19.8
Not Applicable	n	3,798	69.6
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	149	2.7
		5,456	100.0%

Variable Name : S326Q03 Milk Q3
 Record Number : 1
 Position : 312-312
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	88	1.6
2	2	899	16.5
3	3	350	6.4
4	4	227	4.2
Not Applicable	n	3,798	69.6
Not reached	r	14	0.3
M/R	8	5	0.1
Missing	9	75	1.4
		5,456	100.0%

Variable Name : S326Q04T Milk Q4
 Record Number : 1
 Position : 314-314
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	145	2.7
1	1	496	9.1
2	2	684	12.5
3	3	294	5.4
Not Applicable	n	3,798	69.6
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	25	0.5
		5,456	100.0%

Variable Name : S327Q01T Tidal Energy Q1
 Record Number : 1
 Position : 316-316
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	74	1.4
1	1	714	13.1
2	2	834	15.3
Not Applicable	n	3,797	69.6
Not reached	r	1	0.0
M/R	8	0	0.0
Missing	9	36	0.7
		5,456	100.0%

Variable Name : X402Q01T Library System Q1
 Record Number : 1
 Position : 318-318
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	318	5.8
1	1	1,231	22.6
Not Applicable	n	3,795	69.6
Not reached	r	16	0.3
M/R	8	4	0.1
Missing	9	92	1.7
		5,456	100.0%

Variable Name : X402Q02T Library System Q2
 Record Number : 1
 Position : 320-320
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,156	21.2
1	1	61	1.1
2	2	52	1.0
3	3	147	2.7
Not Applicable	n	3,795	69.6
Not reached	r	18	0.3
M/R	8	0	0.0
Missing	9	227	4.2
		5,456	100.0%

Variable Name : X412Q01 Design by Numbers Q1
 Record Number : 1
 Position : 322-322
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	154	2.8
2	2	665	12.2
3	3	741	13.6
4	4	33	0.6
Not Applicable	n	3,794	69.5
Not reached	r	11	0.2
M/R	8	3	0.1
Missing	9	55	1.0
		5,456	100.0%

Variable Name : X412Q02 Design by Numbers Q2
 Record Number : 1
 Position : 324-324
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	122	2.2
2	2	566	10.4
3	3	157	2.9
4	4	751	13.8
Not Applicable	n	3,794	69.5
Not reached	r	14	0.3
M/R	8	2	0.0
Missing	9	50	0.9
		5,456	100.0%

Variable Name : X412Q03 Design by Numbers Q3
 Record Number : 1
 Position : 326-326
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	702	12.9
1	1	141	2.6
2	2	427	7.8
Not Applicable	n	3,794	69.5
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	378	6.9
		5,456	100.0%

Variable Name : X414Q01 Course Design Q1
 Record Number : 1
 Position : 328-328
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	948	17.4
1	1	220	4.0
2	2	417	7.6
Not Applicable	n	3,795	69.6
Not reached	r	14	0.3
M/R	8	0	0.0
Missing	9	62	1.1
		5,456	100.0%

Variable Name : X415Q01T Transit System Q1
 Record Number : 1
 Position : 330-330
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	1,201	22.0
1	1	288	5.3
2	2	86	1.6
Not Applicable	n	3,795	69.6
Not reached	r	11	0.2
M/R	8	0	0.0
Missing	9	75	1.4
		5,456	100.0%

Variable Name : X417Q01 Children's Camp Q1
 Record Number : 1
 Position : 332-332
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	662	12.1
1	1	632	11.6
2	2	250	4.6
Not Applicable	n	3,794	69.5
Not reached	r	9	0.2
M/R	8	0	0.0
Missing	9	109	2.0
		5,456	100.0%

Variable Name : X423Q01T Freezer Q1
 Record Number : 1
 Position : 334-334
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	16	0.3
1	1	41	0.8
2	2	127	2.3
3	3	191	3.5
4	4	498	9.1
5	5	444	8.1
6	6	314	5.8
Not Applicable	n	3,794	69.5
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	15	0.3
		5,456	100.0%

Variable Name : X423Q02T Freezer Q2
 Record Number : 1
 Position : 336-336
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	343	6.3
1	1	417	7.6
2	2	286	5.2
3	3	582	10.7
Not Applicable	n	3,794	69.5
Not reached	r	16	0.3
M/R	8	0	0.0
Missing	9	18	0.3
		5,456	100.0%

Variable Name : X430Q01 Energy Needs Q1
 Record Number : 1
 Position : 338-338
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	272	5.0
1	1	998	18.3
Not Applicable	n	3,793	69.5
Not reached	r	6	0.1
M/R	8	0	0.0
Missing	9	387	7.1
		5,456	100.0%

Variable Name : X430Q02 Energy Needs Q2
 Record Number : 1
 Position : 340-340
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	874	16.0
1	1	184	3.4
2	2	342	6.3
Not Applicable	n	3,793	69.5
Not reached	r	8	0.1
M/R	8	0	0.0
Missing	9	255	4.7
		5,456	100.0%

Variable Name : X601Q01T Cinema Outing Q1
 Record Number : 1
 Position : 342-342
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	9	0.2
1	1	18	0.3
2	2	73	1.3
3	3	91	1.7
4	4	165	3.0
5	5	364	6.7
6	6	901	16.5
Not Applicable	n	3,794	69.5
Not reached	r	19	0.3
M/R	8	1	0.0
Missing	9	21	0.4
		5,456	100.0%

Variable Name : X601Q02 Cinema Outing Q2
 Record Number : 1
 Position : 344-344
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
1	1	81	1.5
2	2	44	0.8
3	3	1,098	20.1
4	4	228	4.2
5	5	39	0.7
Not Applicable	n	3,794	69.5
Not reached	r	23	0.4
M/R	8	102	1.9
Missing	9	47	0.9
		5,456	100.0%

Variable Name : X602Q01 Holiday Q1
 Record Number : 1
 Position : 346-346
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	981	18.0
1	1	590	10.8
Not Applicable	n	3,795	69.6
Not reached	r	20	0.4
M/R	8	0	0.0
Missing	9	70	1.3
		5,456	100.0%

Variable Name : X602Q02 Holiday Q2
Record Number : 1
Position : 348-348
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	815	14.9
1	1	100	1.8
2	2	467	8.6
Not Applicable	n	3,796	69.6
Not reached	r	24	0.4
M/R	8	0	0.0
Missing	9	254	4.7
		5,456	100.0%

Variable Name : X603Q01 Irrigation Q1
Record Number : 1
Position : 350-350
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	416	7.6
1	1	938	17.2
Not Applicable	n	3,796	69.6
Not reached	r	29	0.5
M/R	8	0	0.0
Missing	9	277	5.1
		5,456	100.0%

Variable Name : X603Q02T Irrigation Q2
Record Number : 1
Position : 352-352
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	106	1.9
1	1	293	5.4
2	2	455	8.3
3	3	714	13.1
Not Applicable	n	3,796	69.6
Not reached	r	33	0.6
M/R	8	0	0.0
Missing	9	59	1.1
		5,456	100.0%

Variable Name : X603Q03 Irrigation Q3
 Record Number : 1
 Position : 354-354
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
0	0	706	12.9
1	1	821	15.0
Not Applicable	n	3,796	69.6
Not reached	r	39	0.7
M/R	8	0	0.0
Missing	9	94	1.7
		5,456	100.0%

Variable Name : MSCALE Math Scalable
 Record Number : 1
 Position : 356-356
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
non-scalable	0	47	0.9
scalable	1	5,409	99.1
M/R	8	0	0.0
		5,456	100.0%

Variable Name : RSCALE Reading Scalable
 Record Number : 1
 Position : 358-358
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
non-scalable	0	2,528	46.3
scalable	1	2,928	53.7
M/R	8	0	0.0
		5,456	100.0%

Variable Name : SSCALE Science Scalable
 Record Number : 1
 Position : 360-360
 Format : C1
 Comment :

Response	Codes	Unweighted Frequency	Percent
non-scalable	0	2,542	46.6
scalable	1	2,914	53.4
M/R	8	0	0.0

5,456

100.0%

Variable Name : PSCALE Problem Solving Scalable
Record Number : 1
Position : 362-362
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
non-scalable	0	2,558	46.9
scalable	1	2,898	53.1
M/R	8	0	0.0
		5,456	100.0%

Variable Name : CLCUSE1 Calculator Use
Record Number : 1
Position : 364-364
Format : C1
Comment :

Response	Codes	Unweighted Frequency	Percent
No calculator	1	420	7.7
A Simple calculator	2	2,230	40.9
A Scientific calculator	3	2,017	37.0
A Programmable calculator	4	98	1.8
A Graphics calculator	5	38	0.7
Invalid	8	12	0.2
Missing	9	641	11.7
Not Applicable	n	0	0.0
		5,456	100.0%

Variable Name : CLCUSE3A Effort-real: a
Record Number : 1
Position : 366-373
Format : N8.0
Comment :

Response	Codes	Unweighted Frequency	Percent
1 - 10	1 - 10	4,945	90.6
Not Applicable	997	0	0.0
M/R	998	18	0.3
Missing	999	493	9.0
		5,456	100.0%

Variable Name : CLCUSE3B Effort-real: b
Record Number : 1
Position : 375-382
Format : N8.0
Comment :

Response	Codes	Unweighted Frequency	Percent
1 - 10	1 - 10	4,939	90.5
Not Applicable	997	0	0.0
M/R	998	19	0.3
Missing	999	498	9.1
		5,456	100.0%