



References

This chapter provides a list of literature and references cited in this environmental impact statement.

Aber, J., N. Christensen, I. Fernandez, J. Franklin, L. Hiding, M. Hunter, J. MacMahon, D. Mladenoff, J. Pastor, D. Perry, R. Slangen, H. van Miegroet. 2000. Applying ecological principles to management of U.S. national forests. *Issues in Ecology* No. 6.

Adams, Darius and Greg Latta. 2007. Timber Trends on Private Lands in Western Oregon and Washington: A New Look. *Western Journal of Applied Forestry* 22(1) pp 8-14

Adams, Paul. 2005. Research & Policies to Address Concerns about Soil Compaction from Ground-Based Timber Harvest in the Pacific Northwest: Evolving Knowledge & Needed Refinements. A paper presented at Council on Forest Engineering Conference on Soil, Water, and Timber Management: Forest Engineering Solutions in Response to Forest Regulation.

Adair, Craig. 12 February 2007. American Panel Association, pers.com. Spreadsheet of North American structural panel production.

Agee, James, K. 1993. "Fire Ecology of Pacific Northwest Forests." Island Press. Washington D.C. Agee and Skinner. 2005. Basic Principles of Forest Fuel Reduction.

Ahlgren, Clifford E. 1979. Emergent seedlings on soil from burned and unburned red pine forest. *Minnesota Forestry Research Notes* No. 273, 4 p. [16910]. University of Minnesota, College of Forestry. St. Paul, MN.

Alig, R.J., D. Zheng, T.A. Spies and B.J. Butler. 2000. Forest cover dynamics in the Pacific Northwest west side: regional trends and projections. Research Paper PNW-RP-522. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR

Allan J.D. 1995. *Stream Ecology: Structure and Function of Running Waters*. London: Chapman and Hall.

Allen, Karen and Katherine Hansen. 1999. Geography of exotic plants adjacent to campgrounds, Yellowstone National Park, USA. *The Great Basin Naturalist*. 59(4): 315-322. [33975]


Altman, B. 1999. Conservation strategy for land birds in coniferous forests of western Oregon and Washington, Version 1.0. Oregon-Washington Partners in Flight.

Altman, B. 2000a. Conservation strategy for land birds of the east-slope of the Cascade Mountains in Oregon and Washington, Version 1.0. Oregon-Washington Partners in Flight.

Altman, B. 2000b. Conservation strategy for land birds in lowlands and valleys of western Oregon and Washington, Version 1.0. Oregon-Washington Partners in Flight.

American Wind Energy Association. 2007. Installed & Projected MW, Oregon Wind Energy Development.


Andersen Hal E. 1982. "Aids to Determining Fuel Models For Estimating Fire Behavior." General Technical Report INT-122. Intermountain Forest and Range Experiment Station, U.S. Department of Agriculture, U.S. Forest Service. Ogden, UT.



- Anderson, A.E. and O.C. Wallmo. 1984. *Odocoileus hemionus*. No. 219. in *Mammalian Species*. Lawlor, T.E, editor. The American Society of Mammalogists.
- Anderson, D.R., J. Bart, T.C. Edwards, Jr., C.B. Kepler, and E.C. Meslow. 1990. Status Review, Northern spotted (owl *Strix occidentalis caurina*). U.S. Fish and Wildlife Service, Portland, OR. 95 p.
- Anderson, P.D., D.J. Larson, and S.S. Chan. in press. Riparian buffer and density management influences on microclimate of young headwater forests of western Oregon. *Forest Science* 53(2)
- Anderson, P.G., B.R. Taylor, and G.C. Balch. 1996. Quantifying the effects of sediment release on fish and their habitats. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 2346, Vancouver, British Columbia.
- Andrews, H.J., and R.W.Colwin. 1940. Forest Resources of the Douglas-fir Region. Miscellaneous Publication No. 389. U.S. Department of Agriculture, U.S. Forest Service.
- Anthony, R.G., E.D. Forsman, A.B. Franklin, D.R. Anderson, K.P. Burnham, G.C. White, C.J. Schwarz, J. Nichols, J.E. Hines, G.S. Olson, S.H. Ackers, S. Andrews, B.L. Biswell, P.C. Carlson, L.V. Diller, K.M. Dugger, K.E. Fehring, T.L. Fleming, R.P. Gerhardt, S.A. Gremel, R.J. Gutiérrez, P.J. Happe, D.R. Herter, J.M. Higley, R.B. Horn, L.L. Irwin, P.J. Loschl, J.A. Reid, and S.G. Sovern. 2004. Status and trends in demography of northern spotted owls, 1985-2003. Final Report to the Interagency Regional Monitoring Program, Portland, OR. September 2004. Bart, J. 1995. Amount of suitable habitat and viability of northern spotted owls. *Conservation Biology* 9(4):943-946. 179 p.
- Anthony, R.G., S. Andrews, F. Wagner, S. Adams, L. Friar, T. O'Brien, T. Phillips and D. Strejc. 2006. Demographic characteristics and ecology of spotted owls (*Strix occidentalis caurina*) in the southern Oregon Cascades. Annual Progress Report. Oregon Cooperative Fish and Wildlife Research Unit, Dept. of Fisheries and Wildlife, Oregon State University, Corvallis, OR.
- Anthony, R.G., E.D. Forsman, A.B. Franklin, D.R. Anderson, K.P. Burnham, G.C. White, C.J. Schwarz, J. Nichols, J. Hines, G.S. Olson, S.H. Ackers, S. Andrews, B.L. Biswell, P.C. Carlson, L.V. Diller, K.M. Dugger, K.E.Fehring, T.L. Fleming, R.P. Gerhardt, S.A. Gremel, R.J. Gutiérrez, P.J. Happe, D.R. Herter, J.M. Higley, R.B. Horn, L.L. Irwin, P.J. Loschl, R.R. Reid, and S.G. Sovern. 2006. Status and Trends in Demography of Northern Spotted Owls, 1985-2003. *Wildlife Monographs* No. 163.
- Anthony, R.G., R.L. Knight, G.T. Allen, B.R. McClland, and J.I. Hodges. 1982. Habitat use by nesting and roosting bald eagle in the Pacific Northwest. In: *Transactions of the 47th North American Wildlife and Natural Resources Conference*. pp. 332-342. Wildlife Management Institute. Washington, D.C.
- Ares, A, T. Terry, C. Harrington, W. Devine, D. Peter, and J. Bailey. 2007. Biomass Removal, Soil Compaction, and Vegetation Control Effects on Five-Year Growth of Douglas-fir in Coastal Washington. *Forest Science* 53(5).
- Arora, D. 1997. *Mushrooms Demystified*. 2nd edition. Ten Speed Press. Berkeley, CA. 959 p.
- Ashton, D.T., S.B. Marks, and H.H. Welsh, Jr. 2006. Evidence of continued effects from timber harvesting on lotic amphibians in redwood forest of northwestern California. *Forest Ecology and Management* 221(2006):183-193.
- Aubry, K.B. and J.C. Lewis. 2003. Extirpation and reintroduction of fishers (*Martes pennanti*) in Oregon: implications for their conservation in the Pacific states. *Biological Conservation* 114:79-90.




- Aubry, K.B. and C.M. Raley. June 2002. Ecological characteristics of fishers in the southern Oregon Cascade Range Final Progress Report. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Olympia, WA.
- Aubry, K.B., S.M. Wisely, C.M. Raley, and S.W. Buskirk. 2004. Zoogeography, spacing patterns, and dispersal in fishers: insights gained from combining field and genetic data. In Proceedings of the 3rd International Martes Symposium: Martens and fishers (*Martes*) in human-altered environments: an international perspective. pp. 211-230. D.J. Harrison and A.K. Fuller, editors. Springer Academic Publishers. New York, NY.
- Bailey, V. 1936. The Mammals and Life Zones of Oregon. North American Fauna. 55:1-416.
- Bailey, John D., Cheryl Mayrsohn, Paul S. Doescher [and others]. 1998. Understory vegetation in old and young Douglas-fir forests of western Oregon. *Forest Ecology and Management* 112(3): 289-302. [30086]
- Bailey, John D. and John C. Tappeiner. 1998. Effects of thinning on structural development in 40 to 100 years-old Douglas-fir stands in western Oregon. *Forest Ecology and Management* 108(1998): 99-113.
- Baker, D. and C. Palmer. [in press]. The Northwest Forest Plan – The first 10 years (1994-2003): implementation monitoring: accomplishments and compliance with plan requirements. U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Region. Portland, OR.
- Baker, P.J. and J.S. Wilson. 2000. A quantitative technique for the identification of canopy stratification in tropical and temperate forests. *Forest Ecology and Management* 127:77-86.
- Ballard, Heidi. 2005. *Impacts of Harvesting Salal (Gaultheria shallon) on the Olympic Peninsula, Washington: Harvester Knowledge, Science, and Participation*. Ph.D. Dissertation. Department of Environmental Science, Policy and Management. University of California, Berkeley.
- Banci V. 1989. A Fisher management strategy for British Columbia. British Columbia Ministry of Environment, Wildlife Branch. Wildlife Bulletin No. B-63.
- Barrows, C.C. 1980. Feeding ecology of the spotted owl in California. *Journal of Raptor Research* 14:73-77.
- Baskent, E.Z., S. Keles, and H.A. Yolasigmaz. 2008. Comparing multipurpose forest management with timber management, incorporating timber, carbon and oxygen values: a case study. *Scandinavian Journal of Forest Research* 23(2): 105-120.
- Batchelet, D. and R.P. Neilson. 2000. Biome redistribution under climate change. pp. 18-44 in L.A. Joyce and R. Birdsey, tech. eds. The impact of climate change on America's forests: a technical document supporting the 2000 USDA Forest Service RPA assessment. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-59. Fort Collins, CO. 133 p.
- Bates, J., Compiler. 2007. Western Juniper control studies: EOARC research report. Eastern Oregon Agricultural Research Center February 2007.
- BCMOF (British Columbia Ministry of Forests) 1995. Pruning guidebook. Forest practices code. <http://www.for.gov.bc.ca/tasb/legsregs/fpc/fpcguide/pruning/PRUNTOC.HTM>
- Beechie, T.J. and T.H. Sibley. 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington streams. *Transactions of the American Fisheries Society* 126:217-229.



- Beechie, T. J., G. Pess, P. Kennard, R. E. Bilby, and S. Bolton. 2000. Modeling recovery rates and pathways for woody debris recruitment in Northwestern Washington streams. *North American Journal of Fisheries Management* 20:436–452.
- Beissinger, S.R. 1995. Population trends of the marbled murrelet projected from demographic analyses. In: *Ecology and conservation of the marbled murrelet* (C.J. Ralph, G.L. Hunt, M.G. Raphael and J. F. Piatt, editors). pp. 385-393. Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Albany, CA.
- Beissinger, S.R. 2002. Analysis of the effect of a 10% reduction of population size on marbled murrelet population dynamics in northern California. Unpublished report. University of California. Berkeley, CA. 10 p.
- Beissinger, S.R., and N. Nur. 1997. Appendix B: Population trends of the marbled murrelet projected from demographic analysis. In: *Recovery plan for the threatened marbled murrelet (Brachyramphus marmoratus) in Washington, Oregon and California*. pp. B1-B35. U.S. Fish and Wildlife Service. Portland, OR.
- Benda, L. and T. W. Cundy 1990. Predicting deposition of debris flows in mountain channels, Canada *Geotech Journal* 27, 409–417.
- Benda, L.E., and Dunne, T. 1997. Stochastic forcing of sediment supply to channel networks from landsliding and debris flow. *Water Resour. Res.* 33(12): 2849-2863.
- Benda, L., D. Miller, J. Sias, D. Martin, B. Bilby, C. Veldhuisen, and T. Dunne. 2003a. Wood recruitment processes and wood budgeting. pp. 49-73. In *The ecology and management of wood in world rivers*. S. V. Gregory, K. Boyer, and A. M. Gurnell, eds. American Fisheries Society.
- Benda, L., C. Veldhuisen, and J. Black. 2003b. Debris flows as agents of morphological heterogeneity at low-order confluences, Olympic Mountains, Washington. *Geological Society of America Bulletin* (September 2003), 115(9):1110-1121.)
- Benda L., N.L. Poff, D. Miller, T. Dunne, and G. Reeves. 2004. The network dynamics hypothesis: how channel networks structure riverine habitats. *BioScience*: Vol. 54, No. 5 pp. 413–427.)
- Benda, Lee, Marwan A. Hassan, Michael Church, and Christine L. May. 2005. Geomorphology of steep-land headwaters: The transition from hillslopes to channels. *Journal of the American Water Resources Association* 41 (4), 835–851.)
- Bender, L.C., G.A. Schirato, R.D. Spencer K.R. McAllister, and B.L. Murphie. 2004. Survival, cause-specific mortality, and harvesting of male black-tailed deer in Washington. *Journal of Wildlife Management* 68(4):870-878.
- Bennett, M. and S. Fitzgerald. *Mechanical Fuels Reduction. Reducing Hazardous Fuels on Woodland Properties*. Oregon Forest Resource Institute and Oregon State University. Corvallis, OR.
- Bentivoglio, N., J. Baldwin, T. Max, S. Miller, C.J. Ralph, M. Raphael, C.S. Strong, and C.W. Thompson. 2002. *Marbled murrelet population monitoring program for Northwest Forest Plan effectiveness monitoring. Annual report*. U.S. Fish and Wildlife Service. Portland, OR. 47 p.
- Berris, S.N.; Harr, R.D. 1987. Comparative snow accumulation and melt during rainfall in forested and clear-cut plots in the western Cascades of Oregon. *Water Resources Research*. 23(1): 135–142.



- Beschta, R. 1997. Riparian shade and stream temperature: An alternative perspective. *Rangelands* 19(2):25-28. Oregon State University. Corvallis, OR.
- Beschta, R., R. Bilby, G. Brown, L. Holtby and T. Hofstra. 1987. Stream temperature and aquatic habitat: Fisheries and forestry interaction. pp. 191-232. University of Washington, Institute of Forest Resources, Contribution No. 57.
- Beschta, R., M. Pyles, A. Skaugset and C. Surfleet. 2000. Peak flow responses to forest practices in the western cascades of Oregon, USA. *Journal of Hydrology*, 223 (2000) 102-120.
- Beschta, R., J.J. Rhodes, J.B. Kauffman, R.E. Gresswell, G.W. Minshall, J.R. Karr, D.A. Perry, F.R. Hauer, and C.A. Frissell. 2004. Post-fire management on forested public lands of the Western United States. *Conservation Biology* 18: 957-967.
- Bevis, K.R., G.M. King, and E.E. Hanson. 1997. Spotted owls and 1994 fires on the Yakama Indian Reservation. In: International Association of Wildland Fire Proceedings - Fire Effects on Rare and Endangered Species Habitats Conference, pp. 117-22. Nov 13-16, 1995. J.M. Greenlee, editor. Coeur d'Alene, ID.
- Bigelow, P.E., L.E. Benda, D.J. Miller and K.M. Burnett 2007. On debris flows, river networks, and the spatial structure of channel morphology, *Forest Science* 53, pp. 220-238.
- Bilby, R.E. and P.A. Bisson. 1998. Function and distribution of large woody debris. In: Kantor, S., ed. *River ecology and management: lessons from the Pacific coastal ecoregion*. Springer-Verlag: 324-346, Chapter 13. Washington, D.C.
- Bilby, R.E. and J.W. Ward. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. *Transactions of the American Fisheries Society* 118: 368-378.
- Bingham, B. B., & B. R. Noon. 1997. Mitigation of habitat "take": Application to habitat conservation planning. *Conservation Biology* 11: 127-139.
- Birdsey, R., K. Pregitzer, and A. Lucier. 2006. Forest carbon management in the United States: 1600-2100. *Journal of Environmental Quality* 35: 1461-1469.
- Bisson, P.A. and R.E. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American Journal of Fisheries Management* 2: 371-374.
- Bisson, P., R. Bilby, M. Bryant, C. Dolloff, G. Grette, R. House, M. Murphy, K. Koski and J. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. In: *Streamside management: forestry and fishery interactions*. E. Salo and T. Cundy, editors. Contribution Number 57. pp. 143-190. University of Washington, Institute of Forest Resources. Seattle, WA.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Pp 83-138 in W.R. Meehan, editor. *Influences of forest and rangeland management on salmonid fishes and their habitats*. Special Publication 19. American Fisheries Society, Bethesda, MD.
- Boulanger, J., K. Martin, G. Kaiser and A.E. Derocher. 1999. Evaluating uncertainty in population trends of marbled murrelets. In: *Biology and Conservation of Forest Birds; Proceedings of the Society of Canadian Ornithologists Special Science Symposium*, pp. 53-62. Fredericton, New Brunswick 23-25 August, 1996. Diamond, A.W and D.N. Nettleship, eds. *Society of Canadian Ornithologists Special Publication No. 1*. Fredericton, New Brunswick, Canada.



- Boyd, M.S. 1996. Heat source: stream temperature prediction. Master's Thesis. Department of Civil and Bioresource Engineering, Oregon State University. Corvallis, OR.
- Boyd, M. and D. Sturdevant. 1997. The scientific basis for Oregon's stream temperature standard: common questions and straight answers. Oregon Department of Environmental Quality. Salem, OR.
- Bradley, R.W. 2002. Breeding ecology of radio-marked marbled murrelets (*Brachyramphus marmoratus*) in Desolation Sound. Department of Biological Sciences, Simon Fraser University. Burnaby, British Columbia, Canada. 86 p.
- Brake, D.; M. Molnau and J.G. King. 1997. Sediment transport distances and culvert spacing on logging roads within the Oregon coast mountain range. ASAE Annual International Meeting, August 10-14, 1997. Minneapolis, MN. 12 p.
- Brandt, J.P., T.A. Morgan, T. Dillon, G.J. Lettman, C.E. Keegan, D.L. Azuma. 2006. Oregon's Forest Products Industry and Timber Harvest, 2003. Gen. Tech. Rpt. PNW-GTR-681. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR. 53 p.
- Brazier, J. and G. Brown. 1972. Controlling thermal pollution in small streams. U.S. Government Printing Office, EPA-R2-72-083.
- Brock, R. and R. Callagan. 2006. Siskiyou Biosurvey LLC. Site Review of *Fritillaria gentneri* on Bureau of Land Management lands. 2006 Internal monitoring report. U.S Department of the Interior, Bureau of Land Management, Medford District. Medford, OR.
- Brock, R., Callagan, R. 2007. Site Review of *Fritillaria Gentneri* on BLM Lands. Siskiyou Biosurvey, LLC. BLM Monitoring Report.
- Brosfoske, K.D., J. Chen, R.J. Naiman, J.F. Franklin. 1997. Harvesting effects on microclimatic gradients from small streams to uplands in western Washington. *Ecological Applications* 7(4): 1188-1200.
- Brown, G.W. 1969. Predicting temperatures of small streams. *Water Resources Research* 5(1):68-75.
- Brown, G.W. 1983. *Forestry and Water Quality*. College of Forestry, Oregon State University, Corvallis, OR.
- Brown, G.W. and J. Krygier. 1970. Effects of Clear-cutting on Stream temperature. *Water Resources Research* Vol. 6, No. 4, pp. 1133-1139.
- Brown, G.W. and J. Krygier. 1971. Clear-cut logging and sediment production in the Oregon Coast Range. *Water Resources Research* 7:1189-1199.
- Brown, J.K., E.D. Reinhardt and K.A. Kramer. 2003. Coarse woody debris: managing benefits and fire hazard in the recovering forest. General technical report RMRS-GTR-105. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Brown, Richard T., James Agee and Jerry Franklin. 2004a. Forest Restoration and Fire: Principles in the Context of Place. *Conservation Biology*. August 2004. 18: 903-912.
- Brown, S., T. Pearson, A. Dushku, J. Kadyzewski, and Y. Qi. 2004b. Baseline Greenhouse Gas Emissions and Removals for Forest, Range, and Agricultural Lands in California. Winrock International, for the California Energy Commission, PIER Energy-Related Environmental Research. 500-04-069F.



- Brunengo, M. J. unpublished. Estimation of snow available for melting during model rain-on-snow events. 46 pp. Washington Department of Natural Resources, Forest Practices Division. Olympia, WA.
- Buehler, D.A. 2000. Bald Eagle (*Haliaeetus leucocephalus*). In *The Birds of North America*, No. 506. A. Poole and F. Gill, editors. The Birds of North America, Inc. Philadelphia, PA.
- Buermeyer, K. R. and C. A. Harrington (2002): Fate of overstory trees and patterns of regeneration 12 years after clearcutting with reserve trees in Southwest Washington. *Western Journal of Applied Forestry* 17: 78–85.
- Burger, A.E. 2001. Using radar to estimate populations and assess habitat associations of marbled murrelets. *Journal of Wildlife Management* 65:696-715.
- Burger, A.E. 2002. Conservation assessment of marbled murrelets in British Columbia, a review of biology, populations, habitat associations and conservation. Pacific and Yukon Region. Canadian Wildlife Service. 168 p.
- Burnett, K. M. 2001. Relationships among juvenile anadromous salmonids, their freshwater habitat, and landscape characteristics over multiple years and spatial scales in Elk River, Oregon. Ph.D. Dissertation. Oregon State University, Corvallis, OR.
- Burnett, K.M. and D.J. Miller. 2007. Streamside policies for headwater channels: an example considering debris flows in the Oregon Coastal Province. *Forest Science*, 53: 239-253.
- Burnett, Kelly M., Gordon H. Reeves, Daniel J. Miller, Sharon Clarke, Ken Vance-Borland, and Kelly Christiansen. 2003. A first step toward broad-scale identification of freshwater protected areas for Pacific salmon and trout in Oregon, USA. In: *Aquatic protected areas: What works best and how do we know?* J.P. Beumer, A. Grant and D.C. Smith, editors. Proceedings of the world congress on aquatic protected areas, Cairns, Australia and North Beach, WA. Australian Society for Fish Biology.
- Burnett, Kelly M., Gordon H. Reeves, Daniel J. Miller, Sharon Clarke, Ken Vance-Borland and Kelly Christiansen. 2007. Distribution of salmon-habitat potential relative to landscape characteristics and implications for conservation. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Corvallis, OR.
- Burroughs, E. and J. King. 1989. Reduction of soil erosion on forest roads. General Technical Report INT-264. Intermountain Research Station, U.S. Department of Agriculture, U.S. Forest Service,
- Burroughs, E.R., G.R. Chalfant and M.A. Townsend. 1976. Slope Stability in Road Construction. A Guide to the Construction of Stable Roads in Western Oregon and Northern California. United States Department of the Interior, Bureau of Land Management, Oregon State Office. Portland, OR.
- Bury, B. 2005. Stream Amphibians. in *Riparian zone forest management and the protection of biodiversity: a problem analysis*. pp. 23-27. Sarr, D.A., D.C. Odion, D.E. Hibbs, J. Weikel, R.E. Gresswell, R.B. Bury, N.M. Czarnomski, R.J. Pabst, J. Shatford, and A.R. Moldenke (editors.) National Council for Air and Stream Improvement, Technical Bulletin No. 908. Research Triangle Park, NC. 107+ pages.
- Bury, R.B. and C.A. Pearl. 1999. Klamath-Siskiyou herpetofauna: Biogeographic patterns and conservation strategies. *Natural Areas Journal* 19:341-350.
- Busby, Posy, Peter Aldler, Timothy Warren, and Frederick Swanson. 2006. Fate of live trees retained in forest cutting units, western Cascade Range, Oregon. *Canadian Journal of Forest Research*, 36: 2550-2560.



- Busing, R.T., A.M. Solomon, R.B. McKane, and C.A. Burdick. 2007. Forest dynamics in Oregon landscapes: evaluation and application of an individual-based model. *Ecological Applications* 17(7): 1967–1981.
- Buskirk, S.W. and R.A. Powell. 1994. Habitat ecology of fishers and American martens. In: Martens, Sables and Fishers: Biology and Conservation. pp. 283-296. S.W. Buskirk, A.S. Harestad, M.G. Raphael, and M.G. Powell, editors. Cornell University Press. Ithaca, NY.
- Busse, M.D., K.R. Hubbert, G.O. Fiddler, C.J. Shestak and R.F. Powers. 2005. Lethal soil temperatures during burning of masticated forest residues. *International Journal of Wildland Fire* 14(3).
- Busse, M.D., S. E. Beattie, R. F. Powers, F. G. Sanchez, and A. E. Tiarks 2006. Microbial community responses in forest mineral soil to compaction, organic matter removal, and vegetation control. *Canadian Journal of Forest Research* 36: 577-588.
- Bustard, D.R. and D.W. Narver. 1975. "Preferences of juvenile coho salmon (*Oncorhynchus kisutch*) and cutthroat trout (*Salmo clarki*) relative to simulated alteration of winter habitat." *Journal of Fisheries, Resource Board Canada* 32:681-687.
- Cafferata, P. 1992. Soil Compaction Research. In: *Forest Soils & Riparian Zone Management: The Contributions of Dr. Henry A. Froehlich to Forestry*. Skaugset A., editor. Forest Engineering Department, Oregon State University. Corvallis, OR.
- Callihan, Robert H., Timothy S. Prather and Francis E. Northam. 1993. Longevity of yellow starthistle (*Centaurea solstitialis*) achenes in soil. *Weed Technology* 7: 33-35. [24469]
- Campbell, S, and L. Liegel. 1996. Disturbance and Forest Health in Oregon and Washington. Gen. Tech. Rep. PNW-GTR-381. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 121 p.
- Carey, A.B. 2000. Effects of new forest management strategies on squirrel populations. *Ecological Applications* 10:248-257.
- Carey, A.B., S.P. Horton and B.L. Biswell. 1992. Northern spotted owls: influence of prey base and landscape character. *Ecological Monographs* 62(2): 223-250.
- Carroll, C., W.J. Zielinski, and R.F. Noss. 1999. Using presence-absence data to build and test spatial habitat models for the fisher in the Klamath Region, U.S.A. *Conservation Biology* 13(6):1344-1359.
- Carson, Sue D. 2003. Modeling genetic gain in growth in New Zealand: 1986-2003. In: Cherry, Marilyn L., and Glenn T. Howe. editors. *Genetics and growth modeling workshop: Pacific Northwest Tree Improvement Cooperative. Proceedings of a workshop; 2003 November 496*. Vancouver, WA.
- Castellano, M.A., E. Cazares, B. Fondrick, and T. Dreisbach. 2003. Handbook to Additional Fungal Species of Special Concern in the Northwest Forest Plan. General Technical Report PNW-GTR-572. Pacific Northwest research station. USDA, U.S. Forest Service and USDI, Bureau of Land Management.
- Castro, J.M., and Jackson, P.L. 2001. Bankfull discharge recurrence intervals and regional hydraulic geometry relationships: patterns in the Pacific Northwest, USA. *Journal of the American Water Resources Association* 37(5): 1249-1262.
- Cederholm, C.J., L.M. Reid and E.O. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. In: *Proceedings, conference on salmon spawning gravel: A Renewable Resource in the Pacific Northwest? Water Research Center Report 39*. Washington State University. Pullman, WA.



- Cederholm, C.J., R.E., Bilby, P.A. Bisson, T.W. Bumstead, B.R. Fransen, W.J. Scarlett and J.W. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. *North American Journal of Fisheries Management* 17:947–963.
- Chamberlain, J., R. Bush, and A. L. Hammett. 1998. Non-timber forest products, the other forest products. *Forest Products Journal*. 48(10):10-19.
- Chamberlain, T.W., R.D. Harr and F.H. Everest. 1991. Timber harvesting, silviculture, and watershed processes. *American Fisheries Society Special Publication* 19:181-205.
- CH2MHill; Western Watershed Analysts. 1999. FEMAT riparian processes effectiveness curves: What is science-based and what is subjective judgment? Prepared for the Oregon Forest Industries Council by: CH2MHill, Portland OR. and Western Watershed Analysts, Lewiston, ID.
- Chan, S., P. Anderson, J. Cissel, L. Larsen and C. Thompson. 2004. Variable density management in Riparian Reserves: lessons learned from an operational study in managed forests of western Oregon, USA. *Forest Snow and Landscape Research* 78(1/2):151-172.
- Chan, Samuel, David Larson, Kathleen Maas-Hebner, William Emmingham, Stuart Johnston, and Daniel Mikowski. 2006. Overstory and understory development in thinned and underplanted Oregon Coast Range Douglas-fir stands. *Can. J. For. Res.* 36: 2696-2711.
- Chapman, D. and K. McLeod. 1987. Development of criteria for fine sediment in the Northern Rockies ecoregion. U.S. Environmental Protection Agency. Seattle, WA. 279 p.
- Charnley, S. 2006. Socioeconomic Monitoring Results, Volume II: Timber and Nontimber Resources. Northwest Forest Plan-The First Ten Years (1994-2003). General Technical Report PNW-GTR-649 Vol. II: 29-33. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. <http://www.treearch.fs.fed.us/pubs/22374>
- Chen, J., J. F. Franklin, and T. A. Spies. 1992. Vegetation responses to edge environments in old-growth Douglas fir forests. *Ecological Applications* 2:387–396.
- Chen, J., J. F. Franklin, and T. A. Spies. 1993. Contrasting microclimate among clearcut, edge, and interior of old growth Douglas-fir forest. *Agriculture and Forest Meteorology* 63: 219–237.
- Chen, J., J.F. Franklin and T.A. Spies. 1995. Growing-season microclimatic gradients from clearcut edges into old-growth Douglas-fir forests. *Ecological Applications* 5: 74-86.
- Chen, Jiquan, Gordon Smith, [and others]. 1996. Initial response of understory plant diversity and overstory tree diameter growth to a green tree retention harvest. *Northwest Science* 70(1): 24-35. [26579].
- Christner, J. and R. D. Harr. 1982. Peak streamflows from the transient snow zone, western Cascades, Oregon. In: *Proceedings of the 50th western snow conference*. Fort Collins, CO: Colorado State University Press: 27–38.
- Cissel, J. H., F. J. Swanson and P. J. Weisberg. 1999. Landscape management using historical fire regimes: Blue River, Oregon. *Ecological Applications* 9:1217–1231.
- Clark, R. N. and G. H. Stankey. December 1979. The Recreation Opportunity Spectrum: A Framework for Planning, Management, and Research. General Technical Report PNW-98. Pacific Northwest Forest and Range Experiment Station, U.S. Department of Agriculture, U.S. Forest Service.



- Clarke, Sharon E., Kelly M. Burnett and Daniel J. Miller. 2008. Modeling streams and hydrogeomorphic attributes in Oregon from digital and field data. *Journal of the American Water Resources Association*. Vol. 44, pp. 459-477.
- Climate Impacts Group. 2004 (updated August 2004). Overview of Climate Change Impacts in the U.S. Pacific Northwest. University of Washington. Seattle, WA. Available online at: http://www.ef.org/westcoastclimate/D_PNW%20impacts.pdf
- Coastal Landscape Analysis and Modeling Study (CLAMS) website: http://www.fsl.orst.edu/clams/download/posters/ip_poster3.pdf
- Cocksedge, Wendy. 2006. Incorporating non-timber forest products into sustainable forest management. An overview for forest managers. Royal Roads University, Victoria, B.C. Canada.
- Cockle, K.L. and J.S. Richardson. 2003. Do riparian buffer strips mitigate the impacts of clearcutting on small mammals? *Biological Conservation* 113(2003):133-140.
- Cohen, W.B., T.A. Spies, R.J. Alig [and others]. 2002. Characterizing 23 years (1972-95) of stand replacement disturbance in western Oregon forests with Landsat imagery. *Ecosystems* 5:122-137.
- Cole, E.K. 1996. Influence of limited access roads on Roosevelt elk in the Oregon Coast Range. M.S. Thesis. Oregon State University. Corvallis, OR.
- Cole, E.K., M.D. Pope and R.G. Anthony. 1997. Effects of road management on movement and survival of Roosevelt elk. *Journal of Wildlife Management* 61(4):1115-1126.
- Collins, B. 1995. Riverine gravel mining in Washington state, physical effects with implications for salmonid habitat, and summary of government regulations. Report prepared for: U.S. Environmental Protection Agency. Completion report prepared for: Grant X-000694-01-0.
- Compton, J.E., M.R. Church, S.T. Larned and W.E. Hogsett. 2003. Nitrogen export from forested watersheds in the Oregon Coast Range: the role of N₂-fixing red alder. *Ecosystems* 6: 773-785.
- Congalton, Russell G. and Kass Green. 1999. Assessing the accuracy of remotely sensed data: principles and practices. Lewis Publishers, USA
- Connelly, J.W., S.T. Knick, M.A. Schroeder and S.J. Stiver. 2004. Conservation assessment of greater sage-grouse and sagebrush habitats. Western Association of Fish and Wildlife Agencies. Cheyenne, WY.
- Cook, J.G., L.L. Irwin, L.D. Bryant, R. Riggs, and J.W. Thomas. 1998. Relations of forest cover and condition of elk: a test of the thermal cover hypothesis in summer and winter. *Wildlife Monographs* No. 141
- Cook, J.G., L.L. Irwin, L.D. Bryant, R. Riggs, and J. W. Thomas. 2004. Thermal cover needs of large ungulates: a review of hypothesis tests. In: *Transaction of the Sixty-ninth North American and Natural Resources Conference*. March 16-20, 2004. Spokane, Washington. J. Rahm, editor. Wildlife Management Institute, Washington, D.C.
- Coombs, Eric M., Janet K. Clark, Gary L. Piper and Alfred F. Cofrancesco, Jr. 2004. Biological Control of Invasive Plants in the United States. Oregon State University Press. Corvallis, OR.
- Copeland, S. 2005. Fire Effects on Selected Rare Plants of the Siskiyou Mountains, Oregon. A senior thesis submitted to the Department of Biology, The Colorado College.




- Copeland, S. 2005. Fire Effects on Selected Rare Plants of the Siskiyou Mountains, Oregon. A Senior Thesis submitted to the Department of Biology, The Colorado College.
- Cordone, A.J. and D.W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. Reprint from California Fish and Game. Vol. 47, No. 2. [155k]. California Department of Fish and Game, Inland Fisheries Branch. Sacramento, CA. 41 pp.
- Council on Environmental Quality. 1997. Environmental Justice Guidance Under the National Environmental Policy Act.
- Courtney, S.P., J.A. Blakesley, R.E. Bigley [and others]. 2004. Scientific evaluation of the status of the northern spotted owl. Sustainable Ecosystems Institute. Portland, OR.
- Courtney, S.P., A.B. Carey, M.L. Cody, K. Engle, K.E. Fehring, J.F. Franklin, M.R. Fuller, R.J. Gutiérrez, J.F. Lehmkuhl, M.A. Hemstrom, P.F. Hessburg, S.L. Stephens, L.A. Sztukowski & L. Young. 2008. Scientific review of the Draft Northern Spotted Owl Recovery Plan and reviewer comments. Sustainable Ecosystem Institute, Portland, OR.
- Cram, Douglas, S., Terrell T. Baker and Jon C. Boren. 2006. Wildland Fire Effects in Silviculturally Treated Vs. Untreated Stand of Arizona and New Mexico. Research Paper RMRS- RP-55. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Cude, Curtis G., 2007.** Accommodating Change of Bacterial Indicators in Long. Term Water Quality Datasets. Journal of the American Water Resources Association, vol. 41, Issue 1
- Cullen, S.A. 2002. Using radar to monitor populations and assess habitat associations of marbled murrelets within the Sunshine Coast Forest District. Ministry of Water, Land and Air Protection. Surrey, British Columbia, Canada. 25 p.
- Curtis, Robert O. 1982. A simple index of stand density for Douglas-fir. *Forest Science* (28)1: 92-94.
- Curtis, Robert O. and David D. Marshall. 1986. Levels of growing stock. Cooperative study in Douglas-fir. Report No. 8 — The LOGS study: 20-year results. Research paper PNW-RP-356. USDA Forest Service. Portland, OR.
- Danehy, R.J., S.S. Chan, G.T. Lester, R.B. Langshaw, and T. Turner. 2007. Periphyton and macroinvertebrate assemblage structure in headwaters bordered by mature, thinned, and clearcut Douglas-fir stands. *For. Sci.* 53:294 –307.
- Davis, Kevin Q. 2006. Association of O&C Counties to County Board of Commissioners. 17 August 2006. Portland, OR.
- Davis, R.J. Personal communication to Eric Greenquist, January 29, 2008. Discussion of the unpublished results of an analysis of fire hazard and risk to high quality northern spotted owl habitat in western Washington and western Oregon, prepared by R.J. Davis, National Forest Service, J. Lint, Bureau of Land Management, E.N. Rybak, National Forest Service and J. Thraillkill, U.S. Fish and Wildlife Service.
- Deal, R.L. 2006. Red alder stand development and dynamics. in: Red alder—a state of knowledge. pp. 44-54. Deal, R.L. and C.A. Harrington, editors. 2006. General Technical Report PNW-GTR- 669. Pacific Northwest Research Station, U.S. Department of Agriculture U.S. Forest Service. Portland, OR.
- DellaSalla, D., S. Reid, T. Frest and J. Strittholt. 1999. A Global Perspective on the Biodiversity of the Klamath-Siskiyou Ecoregion. *Natural Areas Journal* 19:300-319.



- Denman, K.L., G. Brasseur, A. Chidthaisong and others 2007. Couplings between changes in the climate system and biogeochemistry. Pp. 499-587 in IPCC. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Solomon, S., D. Qin, M. Manning and others, Eds. Cambridge University Press, Cambridge, UK and New York, NY.
- Dent, L. F., and J. B. S. Walsh. 1997. Effectiveness of riparian management areas and hardwood conversions in maintaining stream temperature. Oregon Department of Forestry, Forest Practices Technical Report Number 3. Salem, OR.
- Department of Energy (DOE). 2007. Technical Guidelines: Voluntary Reporting of Greenhouse Gases (1605[b]) Program. Office of Policy and International Affairs. http://www.pi.energy.gov/enhancingGHGregistry/documents/January2007_1605bTechnicalGuidelines.pdf (accessed March 2008).
- DeSanto, T.L. and M.F. Willson. 2001. Predator abundance and predation of artificial nests in natural and anthropogenic coniferous forest edges in southeast Alaska. *Journal of Field Ornithology* 72(1): 136-149
- Dewey, Steven A. 1991. Weedy thistles of the western United States. In: Noxious range weeds. Westview Special Studies in Agricultural Science and Policy. pp. 247-253. [23552]. James, Lynn F., John O. Evans, Michael H. Ralphs, and Dennis R. Child, editors. Westview Press. Boulder, CO:
- Dillar, 1909, 1914, *as found in* Weissenborn, A. E., 1969, Mineral and Water Resources of Oregon: State of Oregon Department of Geology and Mineral Industries, Bulletin 64, 468p. and Maps
- DiLucca, M.C., J.W. Goudie and S.C. Stearns-Smith. 2004. Variable retention yield adjustment factors for TIPSYS. Extension Note No. 69. British Columbia Ministry of Forests, Forest Science Program. Victoria, British Columbia, Canada.
- DiTomaso, Joseph M. and Kohn D. Gerlach, Jr. 2000. *Centaurea solstitialis*. In: Invasive plants of California's Wildlands. 101-106. [40301]. Bossard, Carla C., John M. Randall, and Marc. C. Hoshovsky, editors. University of California Press. Berkeley, CA.
- Dixon, G.E. (compiler). 2003. Essential FVS: A user's guide to the forest vegetation simulator. Internal Report, 193 p. Forest Management Service Center, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Dolloff C. A. 1986. Effects of stream cleaning on juvenile coho salmon and Dolly Varden in southeast Alaska. *Transactions of the American Fisheries Society* 115:743-755.
- Dolloff, C.A. and M.L. Warren, Jr. 2003. Fish relationships with large wood in small streams. In: The ecology and management of wood in world rivers. pp. 179-193. Gregory, S.V.; Boyer, K.L.; Gurnell, A.M. editors. American Fisheries Society. Bethesda, MD.
- Donald, William W. 1994. The biology of Canada thistle (*Cirsium arvense*). *Reviews of Weed Science* 6: 77-101. [37298].
- Donato, D.C., J.B. Fontaine, J.L. Campbell [and others]. 2006. Post-wildfire logging hinders regeneration and increases fire risk. *Science* 311: 352.
- Doyle, Kathleen M., D.H. Knight, D.L. Taylor [and others]. 1998. Seventeen years of forest succession following the Waterfalls Canyon Fire in Grand Teton National Park, Wyoming. *International Journal of Wildland Fire* 8(1): 45-55.



- Dugger, K.M., F. Wagner, R.G. Anthony and G.S. Olson. 2005. The relationship between habitat characteristics and demographic performance of northern spotted owls in southern Oregon. *The Condor* 107:863-878.
- Dunbar, D.L., B.P. Booth, E.D. Forsman [and others]. 1991. Status of the spotted owl, *Strix occidentalis*, and barred owl, *Strix varia*, in southwestern British Columbia. *Canadian Field Naturalist* 105:464-468.
- Duncan, S. 2002. Postfire Logging: Is it beneficial to a forest? Science Findings Issue 47. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service.
- Duncan, S. and J. Ward. 1985. The influence of watershed geology and forest roads on the composition of spawning gravel. *Northwest Science* 59: 204-212.
- Dunne, T. and L. B. Leopold. 1978. *Water in environmental planning*. 818 pp. W.H. Freeman and Co. San Francisco, CA
- Dunne, T., J. Agee, S. Bessinger [and others]. 2001. A scientific basis for the prediction of cumulative watershed effects. The University of California Committee on Cumulative Watershed Effects. Report No. 46. University of California Wildland Resource Center.
- DuRoss, C. B., Blakely, R. J., Wells, R. E., 2002, Geologic Cross Sections through the Roseburg 30' X 60' Quadrangle: New Constraints from Potential Field Modeling: *Geologic Society of America Abstracts with Programs*, V. 34, p. 32. *as provided by* Wells, R. E., 2008, Personal Communications with Ray E. Wells, Geologist; United States Geologic Survey. March 12, 2008.
- Ehinger, Paul F. & Associates. 2005. The change in mill ownership and log demand since 1999 and its impact on western Washington timber supply. Sept. 5, 2005.
- Ehinger, Paul F. & Associates. 2006. Forest Products Industry, Western Oregon: Analysis of industry by log processing capabilities, species, log diameter requirements and constraints limited by mill equipment and mill configuration.
- Ellestrand, N and D. Elam. 1993. Population genetic consequences of small population size: implications for plant conservation. *Annual review. Ecological Systems*: 24:217-42.
- Energy Information Administration 2007. Annual Energy Outlook 2006 with Projections to 2030, Release Date December 2005. http://www.eia.doe.gov/oiaf/aeo/pdf/aeotab_13.pdf
- Espinosa, R. 2007. USDI, BLM, Roseburg District. personal communication with Christopher Foster.
- Everest, F.H., F.B. Lotspeich and W.R. Meehan. 1982. New perspectives on sampling, analysis, and interpretation of spawning gravel quality. In *Acquisition and utilization of aquatic habitat inventory information*, editor N.B. Armantrout, pp. 325-333. Western Division, American Fisheries Society. Portland, OR.
- Everest, Fred H. and Gordon H. Reeves. 2007. Riparian and aquatic habitats of the Pacific Northwest and southeast Alaska: ecology, management history, and potential management strategies. Gen. Tech. Rep. PNW-GTR-692. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 130 p.
- Everest, F.H., R.L. Beschta, J.D. Scrivener, K.V. Koski, J.R. Sedell and C.J. Cederholm. 1987. Fine sediment and salmonid production - a paradox. In: *Streamside management and forestry and fishery interactions*. pp. 98-142. E. Salo and T. Cundy editors. College of Forestry Resources, University of Washington, Cont. 57. Seattle, WA.



False-brome Working Group. (n.d.). Retrieved January 25, 2007 from: <http://www.appliedeco.org/FBWG.htm>

False-brome Working Group Newsletter. January 2004. Retrieved January 25, 2007 from: <http://www.appliedeco.org/BRSYweb/finalJan2004newsletter.pdf>

Federal Register. 1980. U.S. Fish and Wildlife Service. Listing the Oregon Silverspot Butterfly as a Threatened Species with Critical Habitat. Vol. 45, No. 129: 44935-44938.

Federal Register. 1990. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; determination of threatened status for the northern spotted owl; final rule. Vol. 55, No. 123: 26114-26194.

Federal Register. 1992a. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; determination of critical habitat for the northern spotted owl; final rule. Vol. 57, No. 10: 1796-1835.

Federal Register. 1992b. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; determination of threatened status for the Washington, Oregon and California population of the marbled murrelet. Vol. 57, No. 191: 45328-45337.

Federal Register. 1993. U.S. Fish and Wildlife Service. Endangered and Threatened Wildlife and Plants; Determination of Threatened Status of the Pacific Coast Population of the Western Snowy Plover; Final Rule. Vol. 58, No. 42: 12864-12874.

Federal Register. 1996. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; final designation of critical habitat for the marbled murrelet. Vol. 61, No. 102: 26256-26330.

Federal Register. 1999a. Endangered and Threatened Wildlife and Plants; Proposed Rule to Remove the Bald Eagle in the Lower 48 States from the Federal List of Endangered and Threatened Wildlife. U.S. Fish and Wildlife Service. Vol. 64, No. 128: 36454-36464.

Federal Register. 1999b. National Marine Fisheries Service. Designated Critical Habitat; Central California Coast and Southern Oregon/Northern California Coasts Coho Salmon. 64(86):24049.

Federal Register. 10 December 1999c. U.S. Fish and Wildlife Service. Final rule on listing *Fritillaria gentneri*, Vol. 64, No. 237: 69195-69203.

Federal Register. 25 January 2000. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; endangered status for *Erigeron decumbens* var. *decumbens* (Willamette daisy) and Fender's blue butterfly (*Icaricia icarioides fenderi*) and threatened status for *Lupinus sulphuerus* ssp. *kincaid*; Final Rule. Vol. 65, No. 16: 3875-3890.

Federal Register. 2003. U.S. Fish and Wildlife Service. Endangered and Threatened Wildlife and Plants; Final Rule to Remove the Douglas County Distinct Population Segment of Columbian White-Tailed Deer from the Federal List of Endangered and Threatened Wildlife. Vol. 68, No. 142: 43647-43659.

Federal Register. 2004. U.S. Fish and Wildlife Service. Endangered and Threatened Wildlife and Plants; 12-month Finding for a Petition to List the West Coast Distinct Population Segment of the Fisher (*Martes pennanti*). Vol. 69, No. 68: 18770-18792

Federal Register. 2005a. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants; 12-month finding for petitions to list the greater sage-grouse as threatened or endangered; proposed rule. Vol. 70, No. 8: 2244-2282.




- Federal Register. 2005b. U.S. Fish and Wildlife Service. Endangered and Threatened Wildlife and Plants; Designation of Critical Habitat for the Pacific Coast Population of the Western Snowy Plover; Final Rule. Vol. 70, No. 188: 56970-57018.
- Federal Register. 2 November 2005c. U.S. Fish and Wildlife Service. Endangered and threatened wildlife and plants: designation of critical habitat for the Fender's Blue Butterfly (*Icaricia icarioides fenderi*), *Lupinus sulphureus* ssp. *kincaidii* (Kincaid's Lupine), and *Erigeron decumbens* var. *decumbens* (Willamette Daisy). Proposed rule. 70:66492-66539.
- Federal Register. 2005d. National Marine Fisheries Service. Endangered and threatened species: designation of critical habitat for 12 evolutionarily significant units of West Coast salmon and steelhead in Washington, Oregon, and Idaho. 70(170):52630.
- Federal Register. 2006a. U.S. Fish and Wildlife Service (USFWS). Endangered and threatened wildlife and plants; removing the bald eagle in the lower 48 states from the list of endangered and threatened wildlife. Washington, D.C. Vol. 71, No. 32: 8238-8251.
- Federal Register. 2006b. USFWS. Endangered and threatened wildlife and plants: 12-month finding on a petition to delist the Pacific Coast population of the Western Snowy Plover. Vol. 71, No. 77: 20607-20624.
- Federal Register. 2006c. USFWS. Endangered and threatened wildlife and plants: designation of critical habitat for four vernal pool crustaceans and eleven vernal pool plants, Final rule. Vol. 71, No. 28: 7118-7166.
- Federal Register. 2006d. Endangered and threatened wildlife and plants: designation of critical habitat for the marbled murrelet. Vol. 71. No. 176, pp. 53838-53591.
- Federal Register 2008. National Oceanic and Atmospheric Administration. Endangered and Threatened Species: Final Threatened Listing Determination, Final Protective Regulations, and Final Designation of Critical Habitat for the Oregon Coast Evolutionarily Significant Unit of Coho Salmon; Final Rule. Vol. 73, No. 28.
- Ferns, M.L. and D.F. Huber. 1984, Mineral resources map of Oregon: State of Oregon Department of Geology and Mineral Industries geological map series GMS-36, Map.
- (FEMAT) USDA Forest Service, USDC National Oceanic and Atmospheric Administration, USDC National Marine Fisheries Service, USDI Bureau of Land Management, USDI Fish and Wildlife Service, USDI National Park Service, and Environmental Protection Agency. 1993. Forest ecosystem management: an ecological, economic, and social assessment. Report of the Forest Ecosystem Management Team.
- Field, C.B., L.D. Mortsch,, M. Brklacich, D.L. Forbes, P. Kovacs, J.A. Patz, S.W. Running and M.J. Scott. 2007. North America. Pp. 617-652 in IPCC. Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson, Eds., Cambridge University Press, Cambridge, UK.
- Findholt, S.L., B.K. Johnson, D.Damiran, T. DelCurto and J.G. Kie. 2004. Diet composition, dry matter intake and diet overlap of mule deer, elk and cattle. In: Transaction of the sixty-ninth North American and Natural Resources Conference, March 16-20, 2004, Spokane, Washington. J. Rahm, editor. Wildlife Management Institute, Washington, D.C.
- Findlay, S., G.E. Likens, L. Hedin, S.G. Fisher, and W.H. McDowell. 1977. Organic matter dynamics in Bear Brook, Hubbard Brook Experimental Forest, New Hampshire, USA. Journal of the North American Benthological Society, Vol. 16, No. 1 [43-46]. doi:10.2307/1468230



- Fitzgerald, Stephen A. 2002. Fire in Oregon's Forests: Risks, Effects, and Treatment Options. Extension Forestry Program, Oregon State University. Corvallis, OR.
- Ford, R.G., G.K. Himes Boor, B.E. Sharp and J.L. Casey. 2002. Estimates of bird impacts resulting from the M/V Kure/Humboldt Bay oil spill of November 5, 1997. Final draft report prepared for California Department of Fish and Game. Office of Spill Prevention and Response. 71 p.
- Forest Health Technology Enterprise Team. 1997. Killing them softly: Using natural enemies to combat exotic weeds. Update Team. Spring 1997. Retrieved January 26, 2007: <http://www.fs.fed.us/foresthealth/technology/news/Spring97.html>
- Forman, R.T.T. 1995. Land Mosaics: The Ecology of Landscapes and Regions. Cambridge University Press, New York, NY.
- Forsight. 2006. How to handle non-uniform stand density (clumpiness) in ORGANON. The FORsight Resource (3)3: 1-2. FORsight Resources LLC. Vancouver, WA
- Forsman, E.D., E.C. Meslow and H.M. Wight. 1984. Distribution and biology of the spotted owl in Oregon. Wildlife Monographs 87:1-64.
- Forsman, E.D., I.A. Otto, S.G. Sovern, M. Taylor, D.W. Hays, H. Allen, S.L. Roberts and D.E. Seaman. 2001. Spatial and temporal variation in diets of spotted owls in Washington. Journal of Raptor Research 35(2):141-150.
- Forsman, E.D., R.G. Anthony, J.A. Reid, P.J. Loschl, S.G. Sovern, M. Taylor, B.L. Biswell, A. Ellingson, E.C. Meslow, G.S. Miller, K.A. Swindle, J.A. Thraillkill, F.F. Wagner, and D. E. Seaman. 2002. Natal and breeding dispersal of northern spotted owls. Wildlife Monographs No. 149.
- Forsman, E.D., R.G. Anthony, E.C. Meslow and C.J. Zabel. 2004. Diets and foraging behavior of northern spotted owls in Oregon. Journal of Raptor Research 38(3):214-230.
- Forsman, E.D., J.A. Reid, M.S. Koranda, J.S. Mowdy and A.L. Price. 2006. Demographic characteristics of northern spotted owls (*Strix occidentalis*) on the Tye Density Study Area, Roseburg, Oregon: 1985-2006. Annual Progress Report. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Oregon Department of Fish and Wildlife, Oregon State University, Corvallis, Oregon.
- Forster, P., V. Ramaswamy, P. Artaxo, T. Berntsen, R. Betts, D.W. Fahey, J. Haywood, J. Lean, D.C. Lowe, G. Myhre, J. Nganga, R. Prinn, G. Raga, M. Schulz and R. Van Dorland. 2007. Changes in atmospheric constituents and in radiative forcing. Pp. 129-234 in IPCC. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller, Eds. Cambridge University Press, Cambridge, UK and New York, NY.
- Foster, S.C., C.H. Stein and K.K. Jones. 2001. A guide to interpreting stream survey reports. P.A. Bowers, editor. Information Reports 2001-06. Oregon Department of Fish and Wildlife. Portland, OR.
- Franklin, J.F. 2004. Sudden Oak Death. Appendix 8. In: Scientific evaluation of the status of the northern spotted owl. Courtney, S.P., J.A. Blakesley, R.E. Bigley, M.L. Cody, J.P. Dumbacher, R.C. Fleischer, A.B. Franklin, J.F. Franklin, R.J. Gutierrez, J.M. Marzluff, and L. Sztukowski. Sustainable Ecosystems Institute. Portland, OR.
- Franklin, J.F. and C.T. Dyrness. 1988. Natural Vegetation of Oregon and Washington. Oregon State University Press. Corvallis, OR. 452 p.



- Franklin, A.B. and R.J. Guitierrez. 2002. Spotted owls, forest fragmentation, and forest heterogeneity. *Studies in Avian Biology*. 25: 203-220.
- Franklin, J. F.; MacMahon, J.A. 2000. Messages from a Mountain. *Science*. 288: 1183-1185
- Franklin, J.F. and R. Van Pelt. 2004. Spatial aspects of structural complexity in old-growth forests. *Journal of Forestry*, April/May: pp. 22-28.
- Franklin, Jerry F., H.H. Shugart and Mark E. Harmon. 1987. Tree death as an ecological process. *Bioscience*, Vol. 17, pp. 550-556.
- Franklin, A.B., D.R. Anderson, R.J. Guiérrez & K.P. Burnham. 2000. Climate, habitat quality, and fitness in northern spotted owl populations in northwestern California. *Ecological Monographs* 70(4):539-590
- Franklin, J. F., D. B. Lindenmayer, J.A. MacMahon, A. McKee, J. Magnusson, D.A. Perry, R. Waide. D. R. Foster. 2000. Threads of continuity: ecosystem disturbances, biological legacies and ecosystem recovery. *Conservation Biology in Practice*. 1: 8-16.
- Franklin, J.F., T.A. Spies, R. Van Pelt, A.B. Carey, D.A. Thornburgh, D. Rae Berg, D.B. Lindenmayer. M.E. Harmon, W.S. Keeton, D.C. Shaw, K. Bible and J. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. *Forest Ecology and Management* 155: 399-423.
- Franklin, J.F., D.R. Berg, A.B. Carey and R.A. Hardt. 2006. Old-growth conifer forests. In: *Restoring the Pacific Northwest: the Art and Science of Ecological Restoration in Cascadia*. pp. 97-121. D. Apostol and M. Sinclair, editors. Island Press. Washington, D.C.
- Franklin, Jerry F.; Mitchell, Robert J.; Palik, Brian J. 2007. U. S. Department of Agriculture, Forest Service Northern Research Station, General Technical Report NRS-19. *Natural Disturbance and Stand Development Principles for Ecological Forestry*.
- Freidman, S. 2007. USFWS Botanists. Personal communication with Douglas Kendig. USDI, BLM. Medford, OR.
- Froehlich, H.E. and D.H. McNabb. 1984. Minimizing Soil Compaction in Pacific Northwest Forests. In: *Forest Soils and Treatment Impacts*. Stone, E.L., editor. Proceedings of Sixth North American Forest Soils Conference. June 1983. University of Tennessee Conferences. Knoxville, TN.
- Frost, E.J. and R. Sweeney. 2000. Fire Regimes, Fire History and Forest Conditions in the Klamath-Siskiyou Region: An Overview and Synthesis of Knowledge. World Wildlife Fund. Ashland, OR.
- Furniss, R.L. and V. M. Carolin. 1977. *Western Forest Insects*. Miscellaneous Publication No. 1339. 654 pp. U.S. Department of Agriculture, U.S. Forest Service.
- Furniss, M., T. Ledwith, M. Love, B. McFadin and S. Flanagan. 1988. Response of road-stream crossings to large flood events in Washington, Oregon and northern California. Six Rivers National forest, Pacific Southwest Region, San Dimas Technology and Development Center, U.S. Department of Agriculture, U.S. Forest Service. San Dimas, CA.
- Furniss, M. J., T. D. Roelofs and C. S. Yee. 1991. Road construction and maintenance. In: *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society Special Publication 19: 297-323



Gallo, Kirsten, Steven H. Lanigan, Peter Eldred, Sean N. Gordon and Chris Moyer. 2005. Northwest Forest Plan - the first 10 years (1994–2003): preliminary assessment of the condition of watersheds. General Technical Report PNW-GTR-647. 133 pp. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR, 133 p.

Ganskopp, D. and M. Vavra. 1987. Slope use by cattle, feral horses, deer, and bighorn sheep. *Northwest Science* 61(2):74-81.

Global Invasive Species Database. Issg Database: Ecology of *Euphorbia esula*. June 26, 2005. Retrieved July, 2006 from: <http://www.issg.org/database/species/ecology.asp?si=83&fr=1&sts>

Goheen, E.M., E.M. Hansen, A. Kanaskie, M.G. Williams, N. Oserbauer and W. Sutton. 2002. Sudden oak death caused by *Phytophthora ramorum* in Oregon. *Plant Disease* 86:441.

Golightly, R.T., P.N. Hebert and D.L. Orthmeyer. 2002. Evaluation of human-caused disturbance on the breeding success of marbled murrelets (*Brachyramphus marmoratus*) in Redwood National and State Parks, California. 61 pp. Bureau of Land Management, National Park Service, U.S. Fish and Wildlife Service, U.S. Geological Survey, California Department of Fish and Game, and California Department of Parks and Recreation. Arcata, CA.

Gomez, D.M. and R.G. Anthony. 1996. Amphibian and reptile abundance in riparian and upslope areas of five forest types in western Oregon. *Northwest Science* 70(2):109-119.

Gomez, A., R.F. Powers, M.J. Singer, and W.R. Horwath. 2002. Soil Compaction Effects on Growth of Young Ponderosa Pine Following Litter Removal in California's Sierra Nevada. *Soil Science Society of America Journal* 66:1334-1343.

Gomi, T., R. C. Sidle, and J. S. Richardson, 2002. Understanding processes and downstream linkages of headwater systems. *BioScience*, 52, 905–916.

Good, T.P., R.S. Waples and P. Adams (editors). 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Department of Commerce, National Oceanic and Atmospheric Administration. Technical Memo. NMFS-NWFSC-66, 598 p.

Gottlieb, S. 1993. Habitat Utilization and Population Characteristics of the Pokegama Wild Horse Herd. B.S. Thesis. State University of New York, Purchase.

Graham, R.T, Sarah McCaffrey and T.B. Jain. 2004. Science Basis for Changing Forest Structure to Modify Wildfire Behavior and Severity. General Technical Report RMRS-GTR-120. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service.

Grant, Gordon E., Sarah L. Lewis, Frederick J. Swanson, John H. Cissel, and Jeffrey J. McDonnell 2008. Effects of forest practices on peak flows and consequent channel response in western Oregon: a state-of-science report for western Oregon and Washington. Gen. Tech. Rep. PNWk-GTR-760. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Corvallis, OR.

Greenberg, Joanne and K.F. Welch. 1988. Hydrologic Process Identification for Western Oregon. 18 pp. Hydrologic Services Co. prepared for Boise Cascade Corporation.

Gregg, MA., J.A. Crawford, M.S. Drut and A.K. DeLong. 1994. Vegetational cover and predation of sage grouse nests in Oregon. *Journal of Wildlife Management* 58(1):162-168.



- Gremel, S. 2000. Spotted owl monitoring in Olympic National Park: 2000 annual report. U.S. Department of the Interior, National Park Service, Olympic National Park. Port Angeles, WA.
- Gremel, S. 2005. Factors controlling distribution and demography of northern spotted owl in a reserved landscape. M.S. thesis. University of Washington.
- Gutierrez, R., M. Cody, S. Courtney and D. Kennedy. 2004. Assessment of the potential threat of the northern barred owl. Chapter 7. In: Scientific evaluation of the status of the northern spotted owl. Courtney, S.P., J.A. Blakesley, R.E. Bigley, M.L. Cody, J.P. Dumbacher, R.C. Fleischer, A.B. Franklin, J.F. Franklin, R.J. Gutierrez, J.M. Marzluff, and L. Sztukowski, editors. Sustainable Ecosystems Institute. Portland, OR.
- Gurevitch, J., S. Scheiner and G. Fox. 2006. *The Ecology of Plants*. Second Edition. Sinauer Associates Inc.
- Haerter, J. 2007. Personal Communications on 23 February 2007 with Jim Haerter, Oil and Gas Program Lead, USDI BLM, California State Office, Sacramento, CA.
- Hagen, C.A. 2005. Greater sage-grouse conservation assessment and strategy for Oregon: a plan to maintain and enhance populations and habitat. Oregon Department of Fish and Wildlife. Salem, OR.
- Haggerty, S.M., D.P. Batzer, and C.R. Jackson. 2004. Macroinvertebrate response to logging in coastal headwater streams of Washington, U.S.A. *Canadian Journal of Fisheries and Aquatic Science*: 61: 529-537.
- Halferty, M. 20 February 2007. Personal Communications with Peggy Halferty, P.E, Environmental Manager, Methane Energy Corporation.
- Hall, J.D. and Lantz, R.L. 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. In *Symposium on salmon and trout in streams*. Edited by T.G. Northcote. Institute of Fisheries, Univ. British Columbia. pp. 355-375.
- Hamer, T.E. and S.K. Nelson. 1995. Characteristics of marbled murrelet nest trees and nesting stands. In: *Ecology and conservation of the marbled murrelet*. C.J. Ralph, G.L. Hunt, Jr., M.G. Raphael, and J.F. Piatt, editors. Gen. Tech. Rep. PSW-GTR-152, Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Albany, CA.
- Hamer, T.E., S.G. Seim and K.R. Dixon. 1989. Northern spotted owl and northern barred owl habitat use and home range size in Washington: preliminary report. Washington Department of Wildlife. Olympia, WA.
- Hamer, T.E., D.L. Hays, C.M. Senger and E.D. Forsman. 2001. Diets of northern barred owls and northern spotted owls in an area of sympatry. *Journal of Raptor Research* 35(3):221-227.
- Hann, D.W. and C.-H. Wang. 1990. Mortality equations for individual trees in southwest Oregon. *Research Bulletin 67*. Oregon State University, Forest Research Laboratory, Corvallis, OR. 17 p.
- Hann, David W. 1992. Letter to Robert Lewis, BLM Medford District. 6 July 1992. On file at the Roseburg BLM District, Roseburg, OR.
- Hann, David W. 1998. Extending southwest Oregon's dominant height growth equation to older ages. *Research Contribution 18*. Oregon State University, Forest Research Laboratory. Corvallis, OR. 16 p.
- Hann, D.W. and M.L. Hanus. 2001. Enhanced mortality equations for trees in the mixed conifer zone of southwest Oregon. Forest Research Lab., Oregon State University, Corvallis, Oregon. *Research Contribution 34*. 34 p.



- Hann, David W. 2005. ORGANON user manual: Edition 8.0. Department of Forest Resources, Oregon State University, Corvallis, OR. 130 p.
- Hann, David W. and John A. Scriverani. 1987. Dominant-Height growth and site-index equations for Douglas-fir and Ponderosa pine in southwest Oregon. Forest Resource Lab Research Bulletin 59. Oregon State University, College of Forestry, Corvallis, OR.
- Hann, Wendel, Doug Havlina and Ayn Shlisky. 2003. Interagency and The Nature Conservancy fire regime condition class website. U.S. Department of Agriculture, U.S. Forest Service, U.S. Department of the Interior; The Nature Conservancy; and Systems for Environmental Management [frcc.gov].
- Hanley, T.A. 1984. Habitat patches and their selection by wapiti and black-tailed deer in a coastal montane coniferous forest. *Journal of Applied Ecology* 21:423-436.
- Hansen, Malin J., and Anthony P. Clevenger. 2005. The influence of disturbance and habitat on the presence of non-native plant species along transport corridors. *Biological Conservation* 125 (2): 249-259.
- Hardy, Colin C. and Stephen F. Arno. 1996. The Use of Fire in Forest Restoration. General Technical Report INT-GTR-341. Intermountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Ogden, UT.
- Harmon, M.E. 2001. Carbon sequestration in forests: addressing the scale question. *Journal of Forestry* 99(4): 24-29.
- Harmon, M.E. 2006. Atmospheric Carbon Dioxide. pp. 20-29 in *Forests, Carbon and Climate Change: A Synthesis of Science Findings*. Oregon Forest Research Institute. 182 p.
- Harmon, M.E., K. Bible, M.G. Ryan, D.C. Shaw, H. Chen, J. Klopatek, and X. Li. 2004. Production, respiration, and overall carbon balance in an old-growth *Pseudotsuga-Tsuga* forest ecosystem. *Ecosystems* 7: 498-512.
- Harr, R. D. 1976. Hydrology of Small Forest Streams in Western Oregon. General Technical Report PNW-55. Denver Service Center, U.S. Department of Agriculture, U.S. Forest Service. Denver, CO.
- Harr, R.D. 1981. Some characteristics and consequences of snowmelt during rainfall in western Oregon. *Journal of Hydrology* 53: 277-304
- Harr, R.D. 1986. Effects of clearcutting on rain-on-snow runoff in western Oregon: a new look at old studies. *Water Resources Research*. 22: 383-392.
- Harr, R. and B. Coffin. 1992. Influence of timber harvest on rain-on-snow runoff: a mechanism for cumulative watershed effects: Interdisciplinary approaches to hydrology and hydrogeology. American Institute of Hydrology. pp. 455-469.
- Harr, R.D.; McCorison, F.M. 1979. Initial effects of clearcut logging on size and timing of peak flows in a small watershed in western Oregon. *Water Resources Research*. 15(1): 90-94.
- Harr, R., R. Fredriksen and J. Rothacher. 1979. Changes in Streamflow Following Timber Harvest in Southwestern Oregon. Research Paper PNW-249. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. 22 p.
- Harr, R., W. Harper, J. Krygier and F. Hsieh. 1975. Changes in Storm Hydrographs after Road Building and Clear-Cutting in the Oregon Coast Range. *Water Resources Research*, 11(3): 436-444.




- Harrington, C.A. 2006. Biology and ecology of red alder. In: Red alder-a state of knowledge. pp. 21-43. General Technical Report PNW-GTR-669. Deal, R.L. and C.A. Harrington, editors. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Harrington, C.A. and S.H.Schoenholtz, Editors. 2005. Productivity of Western Forests: A Forest Products Focus. General Technical Report PNW-GTR-642 August 2005.
- Harris, D.D., L.L. Hubbard and L.E. Hubbard. 1979. Magnitude and Frequency of Floods in Western Oregon. Open-File Report 79-553. U.S. Geological Survey. 35 p.
- Harris, C.C., W. McLaughlin, G. Brown and D. Becker. 2000. Rural communities in the inland Northwest, an assessment of small communities in the interior and upper Columbia River basins. General Technical Report NPW-GTR-477. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR. 120 p.
- Hartman, G.F. and T.G. Brown. 1987. Use of small, temporary, floodplain tributaries by juvenile salmonids in a West Coast rain-forest drainage basin, Carnation Creek, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 44:262-270.
- Hartman, G.F., J.C. Scrivener and M.J. Miles. 1996. Impacts of logging in Carnation Creek, a high-energy coastal stream in British Columbia, and the implication for restoring fish habitat. Canadian Journal of Fisheries and Aquatic Sciences 53 (Supplement 1):237-251.
- Hayden et al. 1991. *In*: Washington Forest Practices Board. 1997. Standard methodology for conducting watershed analysis, Ver. 4.0. Online: <http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/hydrology.pdf>. Washington State Department of Natural Resources. Olympia, WA.
- Hayes, J.P., S.S. Chan, W.H. Emmingham, J.C. Tappeiner, L.D. Kellog and J.F. Bailey. 1997. Wildlife responses to thinning in young forests in the Pacific Northwest. Journal of Forestry 95: 28-33.
- Hayes, J.P., J.M. Weikel and M.P. Huso. 2003. Response of birds to thinning young Douglas-fir forests. Ecological Applications 13:1222-1232.
- Hayes, J.P., S.H. Schoenholtz, M.J. Hartley, G.M. Murphy, R.F. Powers, D. Berg, and S.R. Radosevich 2005. Environmental consequences of intensively managed forest plantations in the Pacific Northwest. Journal of Forestry. March 2005.
- Hayner, personal communication. 2007
- Haynes, R.W., D.M. Adams, R.J. Alig, R.J., P.J. Ince, J.R. Mills and X. Zhou. 2006a. (Draft) The 2005 RPA timber assessment update. <http://www.fs.fed.us/pnw/about/programs/hnri/index.shtml>
- Haynes, Richard W., Bernard T. Bormann, Danny C. Lee and Jon R. Martin, technical editors. 2006b. Northwest Forest Plan - the first 10 years (1994-2003): synthesis of monitoring and research results. General Technical Report PNW-GTR-651. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR. 292 p.
- Healy, M. C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-394 in C. Groot and L. Margolis, editors. Pacific salmon life histories. UBC Press, Vancouver, BC, Canada.
- Healy, Evelyn and Joseph DiTomaso. February 20, 2002. Yellow starthistle information, Weed research and information center (producer). University of California. Davis, CA. Retrieved January 29, 2007 from <http://wric.ucdavis.edu/yst/biology/yst_fact_sheet.html>



- Hebert, P.N. and R.T. Golightly. 2003. Breeding biology, and human-caused disturbance to nesting of marbled murrelets (*Brachyramphus marmoratus*) in Northern California: progress report 2002. Unpublished draft report. Department of Wildlife, Humboldt State University. Arcata, CA.
- Heckman, Charles W. 1999. The encroachment of exotic herbaceous plants into the Olympic National Forest. *Northwest Science* 73(4): 264-276. [36188]
- Helms, John A. (ed.). 1998. *The dictionary of forestry*. Society of American Foresters. 210 p.
- Herter, D.R. and L.L. Hicks. 2000. Barred owl and spotted owl populations and habitat in the central Cascade Range of Washington. *Journal of Raptor Research* 34(4): 279-286.
- Hess, R., 2001, Nevada Oil and Gas Well Map: Nevada Bureau of Mines and Geology, Map. http://www.nbmg.unr.edu/lists/oil/map_color.jpg
- Hessburg, Agee, and Franklin. 2005. Dry forests and wildland fires of the Inland Northwest USA: Contrasting the landscape ecology of the pre-settlement and modern eras.
- Hibbs, D.E. and A.L. Bower. 2001. Riparian forests in the Oregon Coast Range. *Forest Ecology and Management* 154: 201-213.
- Hicks, B. J., J. D. Hall, P. A. Bisson and J. R. Sedell. 1991. Responses of salmonids to habitat changes. *American Fisheries Society Special Publication* 19:483-518.
- Hickman, J., editor. 1993. *The Jepson manual: higher plants of California*. University of California Press. Berkeley and Los Angeles, CA.
- Hitchcock, C.L. and A. Cronquist. 1973. *Flora of the Pacific Northwest*. University of Washington Press. Seattle, WA.
- Hogan, C. 1991. Snowy plover and human activities at Damon Point, Washington, May 1 to June 10, 1991. Unpublished report to the Washington Department of Wildlife. Olympia, WA. 10 p.
- Holiday, S. 1992. Summertime water temperature trends in Steamboat Creek Basin, Umpqua National Forest. MS thesis. Oregon State University. Corvallis, OR.
- Holloran, M.J. and S.H. Anderson. 2005. Spatial distribution of greater sage-grouse nests in relatively contiguous sagebrush habitats. *The Condor* 104:742-752.
- Hooper, Douglas R. 1973. Evaluation of the effects of flows on trout stream ecology. Emeryville, Cal: Pacific Gas and Electric Company, Dept. of Engineering Research
- Hoover, C.M., R.A. Birdsey, L.S. Heath, and S.L. Stout. 2000. How to estimate carbon sequestration on small forest tracts. *Journal of Forestry* 98(9): 13-19.
- Hoover, C.M. and S.L. Stout. 2007. The carbon consequences of thinning techniques: stand structure makes a difference. *Journal of Forestry* 105(5): 266-270.
- Horn, R., J.Vossbrink, S.Peth, and S.Becker 2007. Impact of modern forest vehicles on soil physical properties. *Forest Ecology and Management* 248 (2007) 56-63.
- Hoshovsky, Marc. 1986. Element Stewardship Abstract for *Cystisus scoparius* and *Genista monspessulamus*: Scotch broom and French broom. The Nature Conservancy. 1815 North Lynn Street, Arlington, VA. 22209. <http://tncweeds.ucdavis.edu/esadocs/documnts/cytisco.rtf>



- Hosten, P.E., G. Hickman, and D. Schuster. 2007. Recent and historic changes (5 to 30 years) in plant community composition in the Cascade-Siskiyou National Monument, southwest Oregon. USDI Bureau of Land Management, Medford District
- Houston, R.A. 1997. Bedrock Geology of Bacona 7.5 Min. Quadrangle, Columbia County, Oregon, Senior Thesis. 36 pp. Unpublished. Advising Professor Dr. Alan Niem. Department of Geosciences, Oregon State University. Corvallis, OR.
- Houston, R. 14 December 2005. Personal Communications with Bob Houston, Petroleum- Geothermal Geologist, Oregon Department of Geology and Mineral Industries. Interagency Tour of Drill Sites, Coos Bay, OR.
- Houston, R. February 2007. Personal Communications with Bob Houston, Petroleum-Geothermal Geologist, Oregon Department of Geology and Mineral Industries.
- Huff, M. 1995. Historical and current forest landscapes in eastern Oregon and Washington part ii: linking vegetation characteristics to potential fire behavior and related smoke production. General Technical Report PNW-GTR-355. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR
- Huff, M., P. Jodice, J. Baldwin, S. Miller, R. Young, K. Ostrom, C.J. Ralph, M. Raphael, C. Strong and C. Thompson. 2003. Draft Marbled murrelet effectiveness monitoring northwest forest plan 2002 annual summary report. 29 p.
- Huff, M.H., M.G. Raphael, S.L. Miller, S.K. Nelson and J. Baldwin (technical coordinators). 2006. Northwest Forest Plan - The first 10 years (1994-2003): status and trends of populations and nesting habitat for the marbled murrelet. General Technical report PNW-GTR-650. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Hutchison, Max. 1992. Vegetation management guideline: Canada thistle (*Cirsium arvense* (L) Scop.). *Natural Areas Journal* 12(3): 160-161. [19441]
- Hutto, R.L. 2006. Toward meaningful snag-management guidelines for postfire salvage logging in North American conifer forests. *Conservation Biology* 20(4): 984-993.
- Hyatt, Timothy L. and Robert J. Naiman. February 2001. The Residence Time of Large Woody Debris in the Queets River, Washington, USA. *Ecological Applications*, Vol. 11, No. 1: 191-202.
- Ice, G. 1978. Reaeration in a turbulent stream system. PhD thesis. Department of Forest Engineering, Oregon State University. 174 p.
- Ice, G. 1985. Catalog of landslide inventories for the northwest. Technical Bulletin Number 456, National Council of the Paper Industry for Air and Stream Improvement. New York, NY. 78 p.
- Ice, G.G., D.G. Neary, and P.W. Adams. 2004. Effects of wildfire on soils and watershed processes. *Journal of Forestry* 102(6): 16-20.
- IMST (Independent Multidisciplinary Science Team). 1999. Recovery of Wild Salmonids in Western Oregon Forests: Oregon Forest Practices Act Rules and the Measures in the Oregon Plan for Salmon and Watersheds. Technical Report 1999-1 to the Oregon Plan for Salmon and Watersheds. Governor's Natural Resources Office. Salem, OR.



Intergovernmental Panel on Climate Change. 2007. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller, eds. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.. 996 p.

Irwin, L.L., D. Rock and S. Rock. 2004. Adaptive management monitoring of spotted owls, 2004 annual progress report. National Council for Air and Stream Improvement, Inc. Vancouver, WA. 47 p.

Isaacs, F.B. and R.G. Anthony. 2005. Bald eagle nest location and history of use in Oregon and the Washington portion of the Columbia River Recovery Zone, 1971 through 2005. Oregon Cooperative Fish and Wildlife Research Unit, Oregon State University. Corvallis, OR.

Isaacs, F.B. and R.G. Anthony. 2007. Bald eagle nest locations and history of use in Oregon and the Washington portion of the Columbia River recovery zone, 1971 through 2006. Oregon Cooperative Fish and Wildlife Research Unit, Oregon State University, Corvallis, OR

Iverson, R.M. 2000. Landslide triggering by rain infiltration. *Water Resour. Res.* **36**(7): 1897-1910.

Iverson, R. M., M. E. Reid and R. G. LaHusen. 1997. Debris-flow mobilization from landslides. *Ann. Rev. Earth Planet. Sci.*, 25, 85-138.

Jackson County, 1989-Amended 2004, 2006, Jackson County Comprehensive Plan, Section 11-Energy Conservation Element: Jackson County State of Oregon, 26 p.

Jackson, C. R., C. A. Sturm and J. M. Ward. 2001. Timber harvest impacts on small headwater stream channels in the Coast Ranges of Washington. *Journal of the American Water Resources Association.* **37**(6): 1533- 1549.

Janisch, J.E., and M.E. Harmon. 2002. Successional changes in live and dead wood carbon stores: implications for net ecosystem productivity. *Tree Physiology* **22**: 77-89.

Jensen, Mark E. 1991. Ecological classification and cumulative soil effects. In: Proceedings- -management and productivity of western-montane forest soils. Harvey, Alan E. and Leon F. Neuenschwander, compilers. 1990. April 10-12; Boise, ID. Gen. Tech. Rep. INT-280. 218-223. [15985]. Intermountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Ogden, UT.

Johnson, M.G., and R.L. Beschta. 1981. Seasonal variation of infiltration capacities of soils in western Oregon. Pacific Northwest Forest and Range Experiment Station, Corvallis OR. PNW-373 1981.

Johnson, R. 2000. Tree improvement in the Pacific Northwest. *In*: Rose, R.; Hasse, D.L. Proceedings: advances and challenges in forest regeneration. Oregon State University, Corvallis, OR

Johnson, D.H. and T.A. O'Neil. 2001. Wildlife-habitat relationships in Oregon and Washington. Oregon State University Press. Corvallis, OR.

Johnson, Randy and David Marshall. 2005. Modeling genetic gain in established Douglas-fir plantations. 18 January 2005 (unpublished). Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Corvallis, OR.

Johnston, A. 2002. Northern spotted owl survey and monitor report. U.S. Department of the Interior, National Park Service, Crater Lake National Park. Crater Lake, OR.



- Jones, J. and G. Grant. 1996. Peak Flow Responses to Clear-Cutting and Roads in Small and Large Basins, Western Cascades, Oregon. *Water Resources Research*, 32(4):959-974.
- Jones, J.A., F. J. Swanson, B.C. Wemple and K.U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology* 14(1):76-85.
- Jones, Eric T., Rebecca J. McLain and James Weigand, eds. 2002. *Nontimber Forest Products in the United States*. Lawrence: University Press of Kansas. 445 p.
- Jones, Eric T. and K.A. Lynch. 2007. Nontimber forest products and biodiversity management in the Pacific Northwest. *Forest Ecology and Management* 246 (2007) 29-37
- Jules, E.S. 1998. Habitat fragmentation and demographic change for a common plant: trillium in old-growth forest. *Ecology* 79(5):1645-1656.
- Jull, Mike. 2001. Wind damage and related risk factors for interior Douglas-fir leave trees in Central B.C. In: *Windthrow assessment and management in British Columbia; Proceedings of the windthrow researchers workshop in Richmond, British Columbia, Canada. January 31-February 1, 2001*. Compiled by S.J. Mitchell and J. Rodney.
- Jurgensen, M.F., A.E. Harvey, R.T.Graham, D.D.Page-Dumroese, J.R.Tonn, M.J.Larsen, and T.B.Jain 1997. Impacts of Timber Harvesting on Soil Organic Matter, Nitrogen, Productivity, and Health of Inland Northwest Forests. *Forest Science* 43(2) 1997.
- Kadrmas, Tina and W. Johnson. 2002. *Managing Dyer's Woad*. Fact sheet FS-02-097, University of Nevada Cooperative Extension.
- Kanaskie, A., M. McWilliams, K. Sprengel and D. Overhulser. 2005. Swiss needle cast aerial surveys, 1996 to 2005. In *Swiss Needle Cast Cooperative: Annual Report 2005*. pp. 9-11 Oregon State University. Corvallis, Oregon. <http://www.cof.orst.edu/coops/sncc/sncc05.pdf>
- Kanaskie, A., E. Goheen, N. Osterbauer, E. Hansen, M. McWilliams and B. Woosley. 2006. *Phytophthora ramorum* in Oregon forests. Spring 2006 Meeting of the California Oak Mortality Task Force: *Phytophthora ramorum - A Management and Research Update*. Carmel, CA. http://nature.berkeley.edu/comtf/html/2006_meeting_agenda.html
- Karraker, N.E., and H.H. Welsh, Jr. 2006. Long-term impacts of even-aged timber management on abundance and body condition of terrestrial amphibians in northwestern California. *Biological Conservation* 131(2006):132-140
- Karr, J.R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A.Frissell and D.A. Perry. 2004. The effects of postfire salvage logging on aquatic ecosystems in the American west. *BioScience* 54: 1029-1033.
- Kauffman, J.B., W.C. Krueger, and M. Vavra. 1983. Impacts of cattle on streambanks in Northeastern Oregon. *Journal of Range Management* 36:683-691.
- Kaye, T. 2002a. *Effects of Cattle Grazing, Insect Interactions and Population Ecology of Snake River Goldenweed (Haplogappus radiatus)*. Final Report prepared for BLM Vale District and Institute of Applied Ecology, OR. 32 pp.
- Kaye, T. 2002b. *Lomatium cookii* Population monitoring in the Illinois Valley, Josephine County, Oregon. Annual progress report prepared for the Medford BLM on long-term monitoring. BLM, Medford, OR.



Kaye, T., 2007. Personal communication, Executive Director, Institute for Applied Ecology, Corvallis OR. Occurrence loss to species with 20 or fewer sites.

Kaye, T. 2008. Personal communication. Invasive plants (*Brachypodium sylvaticum*) and adverse effect to rare fungi and terrestrial lichens and bryophytes.

Kaye, Thomas, 2003. Invasive Plant Alert: False-brome (*Brachypodium sylvaticum*). False-brome Working Group. Institute For Applied Ecology. Retrieved January 25, 2007 from: <<http://www.appliedeco.org/Reports/BRSYbrochureSmall.PDF>>

Kaye, T. and M. Kirkland. 1994. Population biology of *Lomatium bradshawii*. Unpublished report for the Eugene District, Bureau of Land Management and the Oregon Department of Agriculture. Eugene, OR.

Kaye, T.N., Brandt, A., and Mazzu, L. 2005. Effects of the Biscuit Fire on *Frasera umpquaensis* on the Medford BLM.

Kaye, T. and A. Thorpe 2006. *Lupinus sulphureous* ssp. *kincaidii* (Kincaid's lupine) and *Icaricia icarioides fenderi* (Fender's blue butterfly) in the Eugene Wetlands: Population monitoring, reintroduction success, and an evaluation of experimental treatments. Annual Progress Report. U.S. Department of the Interior, Bureau of Land Management, Eugene District. Eugene, OR.

Kaye, T.N., R.J. Meinke, J. Kagan, S. Vrilakas, K.L. Chambers, P.F. Zika and J.K. Nelson. 1997. Patterns of rarity in the Oregon flora: implications for conservation and management. In: Conservation and management of native plants and fungi. Kaye, T.N., A. Liston, R.M. Love, D. Luoma, R.J. Meinke, and M.V. Wilson, editors. Native Plant Society of Oregon. Corvallis, OR.

Kaye, Thomas N., Pendergrass, Kathy L., Finley, Karen, Kauffman, Boone J. 2001. The effect of fire on the population viability of an endangered prairie plant. *Ecological Applications*, 11(5), Pp. 1366-1380. The Ecological Society of America

Kaye, T.N., Brandt, A., and Mazzu, L. 2005. Effects of the Biscuit Fire on *Frasera umpquaensis* on the Medford BLM.

Keller, E.A., and F.J. Swanson. 1979. Effects of large organic material on channel form and fluvial processes. *Earth Surface Processes*. 4:361-380.

Kellman, M. C. 1969. Plant species interrelationships in a secondary succession in coastal British Columbia. *Syesis* 2: 201-212. [6589].

Kelly, E.G. and E.D. Forsman. 2004. Recent records of hybridization between barred owls (*Strix varia*) and northern spotted owls (*S. occidentalis caurina*). *Auk* 121:806-810.

Kelly, E.G., E.D. Forsman and R.G. Anthony. 2003. Are barred owls replacing spotted owls? *The Condor* 105:45-53.

Kelly, M., D. Shaari, Q. Guo and D. Liu. 2005. Modeling risk for SOD nationwide: what are the effects of model choice on risk prediction? General Technical Report PSW-GTR. Pacific Southwest research Station, U.S. Department of Agriculture, U.S. Forest Service. <http://nature.berkeley.edu/comtf/pdf/KellyetalSOD22-05.pdf>

Kennedy, R.S.H. and T.A. Spies. 2005. Dynamics of hardwood patches in a conifer matrix: 54 years of change in a forested landscape in Coastal Oregon, USA. *Biological Conservation* 122: 363-374.



- Keppeler, E. and R. Ziemer. 1990. Logging effects on streamflow: water yield & summer low flows at Caspar Creek in northwest California. *Water Resources Research* 26(7): 1669-1679.
- King, James E. 1966. Site index curves for Douglas-fir in the Pacific Northwest. Weyerhaeuser Forestry Paper No. 8. Weyerhaeuser Company, Forestry Research Center. Centralia, WA. Knighton, David. 1984. *Fluvial Forms and Processes*. Edward Arnold, Baltimore, Maryland. Knorr, J. and E. Martin. 2003. Forest Plan Effectiveness monitoring. Klamath National Forest sensitive plant program, FY03. Unpublished Results. USDA USFS, Klamath National Forest. Yreka, CA.
- King, J.G. 1989. Streamflow responses to road building and harvesting: a comparison with the equivalent clearcut area procedure. Res. Pap. RP-INT-401. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 13 p.
- Knorr, J. and E. Martin. 2003. Forest Plan Effectiveness monitoring. Klamath National Forest sensitive plant program, FY03. Unpublished Results. U.S. Department of Agriculture, U.S. Forest Service, Klamath National Forest. Yreka, CA.
- Kochendorfer, J. N. and J. D. Helvey. 1984. In: Washington Forest Practices Board. 1997. Standard methodology for conducting watershed analysis, Ver. 4.0. Washington State Department of Natural Resources. Olympia, WA. Online: <http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/hydrology.pdf>
- Kondolf, G.M., G.F. Cada, M.J. Sale and R. Felando. 1991. Distribution and stability of potential salmonid spawning gravels in steep boulder-bed streams of the eastern Sierra Nevada. *Transactions of the American Fisheries Society* 120:177-186.
- Krankina, O.N., and M.E. Harmon. 2006 pp. 78-91 in *Forests, Carbon and Climate Change: A Synthesis of Science Findings*. Oregon Forest Research Institute. 182 p.
- Kremsater, L.L. and F.L. Bunnell. Testing responses to forest edges: the example of black-tailed deer. *Canadian Journal of Zoology* 20:2426-2435,
- Kruckeberg, A.R. 1984. California serpentine: flora, vegetation, geology, soils and management problems. University of California publications in Botany, vol. 78. University Press. Berkeley, CA.
- Kvenvolden, K. A., Lorenson, T. D., Niem, A. R., 1995, Natural Hydrocarbon Gases in the Coast Range of Southern Oregon: United States Geological Survey Open-File Report 95-93. 19 p.
- Lamarche, J. and F. Lettenmaier. 2001. Effects of forest roads on flood flows in the Deschutes River, WA. *Earth Surface Processes and Landforms* 26:115-134.
- Lamberson, RR., B.R. Noon, C. Voss and K.S. McKelvey. 1994. Reserve design for territorial species: The effects of patch size and spacing on the viability of the northern spotted owl. *Conservation Biology* 8(1):185-195.
- Landres, P.B., P. Morgan and F.J. Swanson. 1999. Overview of the use of natural variability concepts in managing ecological systems. *Ecological Applications* 9: 1179–1188.
- Lank, D.B., N. Parker, E.A. Krebs and L. McFarlane-Tranquilla. 2003. Geographic distribution, habitat selection, and population dynamics with respect to nesting habitat characteristics of Marbled murrelets (*Brachyramphus marmoratus*). Center for Wildlife Ecology, Simon Fraser University. Vancouver, British Columbia, Canada.



- Larson, W.E. and F.J. Pierce. 1996. Conservation and enhancement of soil quality. In: The Soil Quality Concept. The Soil Quality Institute, editors. United States Department of Agriculture, Natural Resources Conservation Service.
- Latterell, J.J., and Naiman, R.J. 2007. Sources and dynamics of large logs in a temperate floodplain river. *Ecological Applications* 17(4): 1127-1141.
- Lauten, D. J., K. A. Castelein, E. Seckinger and E. P. Gaines. 2006. The distribution and reproductive success of the Western Snowy Plover along the Oregon Coast – 2005. The Oregon Natural Heritage Information Center. Corvallis, OR.
- Law, B.E., D. Turner, J. Campbell, O.J. Sun, S. Van Tuyl, W.D. Ritts, and W.B. Cohen. 2004. Disturbance and climate effects on carbon stocks and fluxes across western Oregon, USA. *Global Change Biology* 10: 1429-1444.
- Lawson, P. W., E. Bjorkstedt, M. Chilcote, C. Huntington, J. Mills, K. Moore, T. E. Nickelson, G. H. Reeves, H. A. Stout and T. C. Wainwright. 2004a. Identification of Historical Populations of Coho Salmon (*Onchorhynchus kisutch*) in the Oregon Coast Evolutionarily Significant Unit. Review Draft. Oregon - Northern California Coast Technical Recovery Team. 129 p.
- Lawson, P.W., E.A. Logerwell, N.J. Mantua, R.C. Francis, and V.N. Agostini. 2004b. Environmental factors influencing freshwater survival and smolt production in Pacific Northwest coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Science* 61: 360–373.
- Lee, P., C. Smyth and S. Boutin. 2004. Quantitative review of riparian buffer width guidelines from Canada and the United States. *Journal of Environmental Management* 70:165-180.
- Lehtonen, A. R. Makipaa, J. Heikkinen, R. Sievanen, and J. Liski. 2004. Biomass expansion factors (BEFs) for Scots pine, Norway spruce, and birch according to stand age for boreal forests. *Forest Ecology and Management* 188: 211-224.
- Lemieux, Paul M., C Lutes and D.A. Santioanni. 2004. Emissions of organic air toxics from open burning: a comprehensive review. *Progress in Energy and Combustion Science* 30: 32. online: [http:// www.sciencedirect.com](http://www.sciencedirect.com)
- Lennartsson, T. 2002. Extinction Thresholds and Disrupted Plant-Pollinator Interactions in Fragmented Plant Populations, *Ecology*, 83(11):3060-3072.
- Leopold, Luna. 1994. A view of the river. By the president and fellows of Harvard College. ISBN 0-674-93732-5
- Leopold, L.B., M.G. Wolman and J.P. Miller. 1964. *Fluvial Processes in Geomorphology*. W.H. Freeman. San Francisco, CA.
- Leppig, G. and J. White. 2006. Conservation of Peripheral Plant Populations in California. *Madrono* Vol. 53, No. 3:264-274.
- Leskiw, T. and R.J. Gutiérrez. 1998. Possible predation of a spotted owl by a barred owl. *Western Birds* 29:225–226.
- Lewis, J.C. and G.E. Hayes. 2004. Feasibility assessment for reintroducing fishers to Washington. Washington Department of Fish and Wildlife. Olympia, WA. 70 p.




- Lewis, Robert A. and Robert Pierle. 1991. Adoption of an ORGANON mortality adjustment for green tree retention and for long rotations. Unpublished Internal Report. U.S. Department of the Interior, BLM, Medford District Office. Medford, OR.
- Lienkaemper, G.W. and F.J. Swanson. 1987. Dynamics of large woody debris in streams in old-growth Douglas-fir forests. *Canadian Journal of Forest Research* 17: 150-156.
- Lindell 2006. USDI, BLM, Medford, OR. personal communication.
- Lindenmayer, D. B., and J. F. Franklin. 2002. *Conserving forest biodiversity: a comprehensive multiscaled approach*. Island Press, Washington, D.C.
- Lindenmayer, D.B. and R.F. Noss. 2006. Salvage logging, ecosystem processes, and biodiversity conservation. *Conservation Biology* 20(4): 949-958.
- Lindenmayer, D.B., D. Foster, J.F. Franklin, M. Hunter, R. Noss, F. Schiemegelow and D. Perry. 2004. Salvage harvesting after natural disturbance. *Science* 303: 1303.
- Lindsey, W. 2006. Rangeland Management Specialist, USDI Bureau of Land Management, Klamath Falls Resource Area. Personal communication.
- Lint, J. (technical coordinator) 2005. Northwest Forest Plan – the first 10 years (1994-2003): Status and trends of northern spotted owl populations and habitat. General Technical Report PNW-GTR-648. Pacific Northwest Research Station, U.S. Department of Agriculture, Forest Service. Portland, OR. 176 p.
- Lint, J. 2007. Personal communication 5 Nov. 2007 with J. Lint, Wildlife Biologist, U.S. Department of the Interior, BLM.
- Lint, J., B. Noon, R. Anthony, E. Forsman, M. Raphael, M. Collopy and E. Starkey. 1999. Northern spotted owl effectiveness monitoring plan for the Northwest Forest Plan. PNW-GTR- 440. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Lisle. 1981. In: *Streamside Management: Forestry and Fishery Interactions*. Contribution 57. 1987. pp. 39-97. Salo, E.O and T.W. Cundy editors. University of Washington, Institute of Forest Resources. Seattle, WA.
- Lisle, T.E. 1989. Sediment transport and resulting deposition in spawning gravels, north coastal California. *Water Resources Research* 25(6): 1303-1320.
- Litton, C.M., J.W. Raich, and M.G. Ryan. 2007. Carbon allocation in forest ecosystems. *Global Change Biology* 13: 2089–2109.
- Lloyd, D., J. Koenigs and J. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. *North American Journal of Fisheries Management*. 7:18-33.
- Log Lines Log Price Reporting Service. 2006. Log Price Reports. Mount Vernon, WA.
- Long, J.N., and J. Turner. 1975. Above-ground biomass of understory and overstory in an age sequence of four Douglas-fir stands. *The Journal of Applied Ecology* 12(1): 179-188.
- Long, C. J., C. Whitlock, P. J. Bartlein and S. H. Millspaugh. 1998. A 9000-year fire history from the Oregon Coast Range, based on a high-resolution charcoal study. *Canadian Journal of Forest Research* 28: 774–787.



- Luce, C. 2002. Hydrological processes and pathways affected by forest roads: what do we still need to learn? *Hydrol. Process.* 16: 2901-04.
- Luce, C. H. and T. A. Black. 2001. Effects of traffic and ditch maintenance on forest road sediment production. *In*: Proceedings of the Seventh Federal Interagency Sedimentation Conference, March 25-29, 2001, Reno, NV. pp. V67-V74. (180 kb)
- Luginbuhl, J.M., John M. Marzluff, Jeffrey E. Bradley, Martin G. Raphael and Daniel E. Varland. 2001. Corvid survey techniques and the relationship between corvid relative abundance and nest predation. *Journal of Field Ornithology* 72(4): 556-572.
- Magnusson, Mark, U., Donald L. Wyse and Joseph M. Spitzmueller. 1987. Canada thistle (*Cirsium arvense*) propagation from stem sections. *Weed Science* 35: 637-639.
- Magoon, L. B., 1992, The Petroleum System-Status of Research and Method, 1992 *as found in* Ryu, I. C., Niem, A. R., Niem, W. A., 1992, Schematic Fence Diagram of the Southern Tye Basin, Oregon Coast Range, Showing Stratigraphic Relationships of Exploration Wells to Surface Measured Sections: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigation 18, Maps, cross sections and 46 p.
- Maguire, D., D. Waring, K. Cromack and J. Boyle. 2000. Trends in soil and foliar nutrients across a range in Swiss Needle Cast severity. *In*: Annual report to the Swiss Needle Cast Cooperative. pp. 79-84. Oregon State University, Corvallis, OR. <<http://www.cof.orst.edu/coops/sncc/sncc00.pdf>>
- Maguire, D.A., D. B. Mainwaring and C. B. Halpern. 2006. Stand dynamics after variable-retention harvesting in mature Douglas-Fir forests of Western North America. *Allgemeine Forst und Jagdzeitung*. 177: 120-131.
- Manley, I.A., A. Harfenist and G. Kaiser. 2001. Marbled murrelet telemetry study on Queen Charlotte Islands/Haida Gwaii. Ministry of Environment, Lands and Parks. Smithers, British Columbia, Canada. 24 p.
- Marshall, D.B., M.G. Hunter and A.L. Contreras. 2003. *Birds of Oregon*. Oregon State University Press. Corvallis, OR.
- Martin D.J. and L.E. Benda. 2001. Patterns of instream wood recruitment and transport at the watershed scale. *Transactions of the American Fisheries Society*: Vol. 130, No. 5, pp. 940-958.
- Marzluff, J.M. and M. Restani. 1999. The effects of forest fragmentation on rates of avian nest predation and parasitism. Unpublished report. College of Forest Resources, University of Washington. Seattle, WA.
- Maser, C. 1998. *Mammals of the Pacific Northwest: From the Coast to the High Cascades*. Oregon State University Press. Corvallis, OR.
- Mason, R. S., Erwin, M. I., 1955, Coal Resources of Oregon. United States Department of the Interior, Geological Survey Geological Survey Circular 362, 7p.
- Max, T. A., H. T. Schreuder, J. W. Hazard, D. D. Oswald, J. Teply and J. Alegria. 1996. The Pacific Northwest Region vegetation and inventory monitoring system. Research Paper PNW- RP-493. 19pp. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service.
- May, C.L. 2002. Debris flows through different forest age classes in the central Oregon Coast Range. *Journal of the American Water Resources Association* 38(4): 1-17




- May, C.L. and R. E. Gresswell. 2003. Large wood recruitment and redistribution in headwater streams of the Oregon Coast Range, U.S.A. *Can. J. of Forest Res.* 33: 1352-1362.
- May, C.L., and R. E. Gresswell. 2004. Spatial and temporal patterns of debris-flow deposition in the Oregon Coast Range, USA. *Geomorphology* 57: 135-149.
- May, D., 2005, Personal Communications with David May, Geologist and Vice President, Methane Energy Corporation. Interagency Tour of Drill Sites, Coos Bay, Oregon, December 14, 2005.
- McComb, W.C., K. McGarigal, and R.G. Anthony. 1993. Small mammal and amphibian abundance in streamside and upslope habitats of mature Douglas-fir stands, western Oregon. *Northwest Science* 67(1):17-15.
- McComb, W.C., M.T. McGrath, T.A. Spies and D. Vesely. 2002. Models for mapping potential habitat at landscape scales: an example using northern spotted owls. *Forest Science* 48(2): 203-216.
- McCullough, D.R. 1960. An ecological study of the Columbian black-tailed deer in a logged environment. M.S. Thesis. Oregon State College. Corvallis, OR. 63 p.
- McCune B. and L. Geiser. 1997. *Macrolichens of the Pacific Northwest*. 386 pp. Oregon State University Press. Corvallis, OR.
- McDade, M.H. 1987. Source area of coarse woody debris in small streams in western Oregon and Washington. M.S. thesis. Oregon State University. Corvallis OR.
- McDade, M.H.; F.J. Swanson, W.A. McKee, J.F. Franklin and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forest Research* 20: 326-330.
- McDonald, Philip M. 1976. Shelterwood cutting in a young-growth, mixed-conifer stand in north-central California. Research Paper PSW-117. Pacific Southwest Forest and Range Experimental Station, U.S. Department of Agriculture, U.S. Forest Service. Berkeley, CA.
- McGarigal, K. and B.J. Marks. 1995. FRAGSTATS: spatial pattern analysis program for quantifying landscape structure. General Technical Report PNW-351. Pacific Northwest Research station, U.S. Department of Agriculture, U.S. Forest Service.
<http://www.umass.edu/landeco/research/fragstats/fragstats.html>>
- McIver, J. D. and L. Starr, technical editors. 2000. Environmental effects of postfire logging: literature review and annotated bibliography. General Technical Report PNW-GTR-486. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- McIver, J.D. and R. Ottmar. 2007. Fuel mass and stand structure after post-fire logging of a severely burned ponderosa pine forest in northeastern Oregon. *Forest Ecology and Management* 238: 268-279
- McLain, Rebecca J. and Eric T. Jones. 2005. Nontimber forest products management on national forests in the United States. PNW-GTR-655. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR. <http://www.treesearch.fs.fed.us/pubs/21091>
- McLendon, Terry. 1992. Factors controlling the distribution of Canada thistle (*Cirsium arvense*) in montane ecosystems: Rocky Mountain National Park, Colorado. Annual Report: NPS Contract Number CA 1268-1-9002; Reporting period 17 April 1991 - 30 April 1992. Unpublished report on file with: Rocky Mountain Research Station, Fire Sciences Laboratory, U.S. Department of Agriculture, U.S. Forest Service. Missoula, MT. 36 p.



- McNeil, W.J. 1966. Effect of the spawning bed environment on reproduction of pink and chum salmon. U.S. Fish and Wildlife Service Fishery Bulletin 65: 495-523.
- McShane, C., T. Hamer, H. Carter, G. Swartzman, V. Friesen, D. Ainley, R. Tressler, K. Nelson, A. Burger, L. Spear, T. Mohagen, R. Martin, L. Henkel, K. Prindle, C. Strong and J. Keany. 2004. Evaluation report for the 5-year status review of the marbled murrelet in Washington, Oregon, and California. Unpublished report, EDAW, Inc. Seattle, WA. Prepared for the U.S. Fish and Wildlife Service, Region 1. Portland, OR.
- Meehan, William R. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. USDA. American Fisheries Society Special Publication 19. Bethesda, MD.
- Megahan, W. 1972. Subsurface road interception by a logging road in mountains of central Idaho. In: Watersheds in Transition: [350-356]. S. C. Csallany, T. G. McLaughlin and W. D. Striffler, editors. Colorado State University. Fort Collins, CO.
- Megahan, W. and W. Kidd. 1972. Effects of logging and logging roads on erosion and sediment deposition from steep terrain. *Journal of Forestry* 70:136-141.
- Megahan W. and D. Molitor. 1975. Erosional effects of wildfire and logging in Idaho. In: Watershed Management Symposium; 1975 August. Logan, UT: American Society of Civil Engineers Irrigation and Drainage Division: 423- 444.
- Megahan, W., J. Ptoyondy and K. Seyedbagheri. 1992. Best management practices and cumulative effects from sedimentation in the South Fork Salmon River: an Idaho case study. In: Watershed Management: Balancing Sustainability and Environmental Change. Pp. 401-414. R.J. Naiman, editor. Springer-Verlag. New York, NY.
- Meier, Gretchen and T. Weaver. 1997. Desirables and weeds for roadside management – a northern Rocky Mountain catalogue. Report No. RH WA/MT-97-8115. Final Report: July 1994 – December 1997. [29135]. State of Montana Department of Transportation, Research, Development, and Technology Transfer program. Helena, MT. 145 p.
- Meinke, R. 2007. OSU. Site management plan for *Mimulus evanescens* (Disappearing Monkeyflower). Lakeview District, BLM (Klamath Falls R.A.). 14 p.
- Meleason, M. A., S. V. Gregory and J. Bolte. 2002. Simulation of stream wood source distance for small streams in the western Cascades, Oregon. General Technical Report PSW-GTR-181. Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service.
- Menges E., 2000. Population viability Analyses in Plants: Challenges and Opportunities. *Tree* Vol.15, No. 2, Feb. 2000.
- Menke, C. and T. Kaye. 2006. Population Monitoring and Effects of Grazing on *Calochortus greenei* on the Cascade-Siskiyou National Monument. Annual progress report. BLM, Medford District. Medford, OR.
- Methane Energy Corporation. 14 December 2005. Interagency tour of drill sites, Coos Bay, OR.
- Meyer, J.M. March 2007. Personal Communications with Jack Meyer, Geologist, Northwest Natural Company.
- Meyer J.S., L.L. Irwin and M.S. Boyce. 1998. Influence of habitat abundance and fragmentation on northern spotted owls in western Oregon. *Wildlife Monographs* 139.




- Meyer, C.B., S.L. Miller, and C.J. Ralph. 2002. Multi-scale landscape and seascape patterns associated with marbled murrelet nesting areas on the U.S. west coast. *Landscape Ecology* 17:95-115.
- Michigan Department of Environmental Quality. 28 December 2001. Land and Water Management Division, Hydrologic Studies Unit.
- Miles, Patrick D. 14 July 2006. Forest inventory mapmaker web-application version 2.1. North Central Research Station, U.S. Department of Agriculture, U.S. Forest Service. St. Paul, MN. [Available only on internet: www.ncrs2.fs.fed.us/4801/fiadb/index.htm]
- Millar, C., R. Neilson, D. Bachelet, R. Drapek, J. Lenihan. 2006. Climate Change at Multiple Scales, pp. 30-60 in *Forests, Carbon and Climate Change: A Synthesis of Science Findings*. Oregon Forest Research Institute. 182 p.
- Millar, C.I. and W.B. Woolfenden. 1999. The role of climate change in interpreting historical variability. *Ecological Applications* 9:1207-1216.
- Miller, D. 2003. Programs for DEM analysis. Landscape dynamics and forest management. General Technical Report RMRS-GTR-101CD [CD-ROM]. Rocky Mountain research Station, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Miller, Ronald E. "Regional and Interregional Input-Output Analysis." In *Methods of Interregional and Regional Analysis*, by Walter Isard, Iwan J. Azis, Matthew P. Drennan, Ronald E.
- Miller, Ronald E., and Peter D. Blair. 1985. "Input-Output Models at the Regional Level." *Input-Output Analysis: Foundations and Extensions*. Englewood Cliffs, N.J.: Prentice-Hall, Inc.,
- Miller, R.F. and R.J. Tausch. 2001. The role of fire in juniper and pinyon woodlands: a descriptive analysis. pp. 15-30. in: *Proceedings invasive species workshop: the role of fire in the control and spread of invasive species*. Galley, K.E.M. and T.P. Wilson (editors). Miscellaneous Publication 11. Tall Timbers Research Station, Tallahassee, FL.
- Miller, D. and L. Benda. 2005. Terrain resource inventory and analysis database: Landscape analysis tools for watershed scientists and planners. Earth Systems Institute, Ver. 1.1. Seattle, WA.
- Miller, D.J., and Burnett, K.M. 2007a. Effects of forest cover, topography, and sampling extent on the measured density of shallow, translational landslides. *Water Resour. Res.* 43 (W03433).
- Miller, D.J. and K.M. Burnett. 2007b. A probabilistic model of debris-flow delivery to stream channels, demonstrated for the Coast Range of Oregon, USA, *Geomorphology*
- Miller, Sidney Salzman and Erik Thorbecke. 1998. Aldershot, England: Ashgate. pp. 41-124.
- Miller, R.E., G.W. Glendenen and D. Bruce. 1988. Volume growth and response to thinning and fertilizing of Douglas-fir stands in southwestern Oregon. Gen.Tech. Rept. PNW-GTR-221. U.S. Dept. of Agriculture, Forest Service, Pacific Northwest Research Station. Portland, OR. 38 p.
- Miller, R.E., W. I. Stein, R.L. Heninger, W. Scott, S.N. Little, and D.J. Goheen. 1989. Maintaining and improving site productivity in the Douglas-Fir region. In: *Proceedings of a symposium. Maintaining the long-term productivity of Pacific Northwest Forest Ecosystems*. March 1987. Perry, D.A. and others, editors.
- Miller, R.E., W. Scott, and J. W. Hazard. 1996. Soil Compaction and conifer growth after tractor yarding at three coastal Washington locations. *Canadian Journal of Forest Research* 26: 225-236.



- Miller, G.S., R.J. Small and E.C. Meslow. 1997. Habitat selection by spotted owls during natal dispersal in western Oregon. *Journal of Wildlife Management* 61(1):140-150.
- Miller, D., C. Luce and L. Benda. 2003. Time, space, and episodicity of physical disturbance in streams. *Forest Ecology and Management*. 178:121–140
- Miller, R.F., J.D. Bates, T. J. Svejcar, F.B. Pierson, and L.E. Eddleman. 2005. *Biology, Ecology, and Management of Western Juniper*. Oregon State University, Agricultural Experiment Station, Technical Bulletin 152, June 2005.
- Moeur, M., T.A. Spies, M. Hemstorm, J.R. Martin, J. Alegria, J. Browning, J. Cissel, W.B. Cohen, T.E. Demeo, S. Healey and R. Warbington. 2005. Northwest Forest Plan - The first 10 years (1994-2003): status and trend of late-successional and old-growth forest. General Technical Report PNW-GTR-646. Pacific Northwest Research Station, U.S. Department of Agriculture U.S. Forest Service. Portland, OR.
- Montgomery, D. and J. Buffington. 1997. Channel reach morphology in mountain drainage basins. *Geological Society of America Bulletin* 109: 596-611. From: *Stillwater Sciences/NCASI*.
- Montgomery, D. R., J.M. Buffington, R.D. Smith, K.M. Schmidt and G. Pess. 1995. Pool spacing in forest channels. *Water Resources Research* 31:1097-1105.
- Montgomery, D.R., J.M. Buffington, N.P. Peterson, D. Scheutt-Hames, and T.P. Quinn. 1996. Streambed scour, egg burial, depths and the influence of salmonid spawning on bed surface mobility and embryo survival. *Can. J. Fish. Aquat. Sci.* 53:1061–1070.
- Montgomery, D.R., E.M. Beamer, G.R. Pess, and T.P. Quinn, 1999. Channel Type and Salmonid Spawning Distribution and Abundance. *Canadian Journal of Fisheries and Aquatic Sciences* 56(3):377-387
- Montgomery, D. R., B.D. Collins, T.B. Abbe and J.M. Buffington. 2003. Geomorphic effects of wood in rivers, In: *The Ecology and Management of Wood in World Rivers*, edited by S. V. Gregory, K. L. Boyer, and A. Gurnell. American Fisheries Society Symposium 37, [21-47]. Bethesda, MD.
- Monsanto, P.G., and J.K. Agee. 2008. Long-term post-wildfire dynamics of coarse woody debris after salvage logging and implications for soil heating in dry forests of the eastern Cascades, Washington. *Forest Ecology and Management* 255: 3952-3961.
- Morken, I. and R. Ziemer. 1998. Publications related to Caspar Creek. In: *Proceedings of the conference on coastal watersheds: the Caspar Creek story*, 6 May 1998; Ukiah, California. Robert R. Ziemer, technical coordinator. General Technical Report PSW GTR-168. [137-149]. Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Arcata, CA.
- Mote, P. W., E. A. Parson, A. F. Hamlet, K. N. Ideker, W. S. Keeton, D. P. Lettenmaier, N. J. Mantua, E. L. Miles, D. W. Peterson, D. L. Peterson, R. Slaughter, and A. K. Snover. 2003. Preparing for climatic change: the water, salmon, and forests of the Pacific Northwest. *Climatic Change* 61:45-88.
- Muir, Patricia S. 2004. An assessment of commercial “moss” harvesting from forested lands in the Pacific Northwestern and Appalachian Regions of the United States: How much moss is harvested and sold domestically and internationally and which species are involved? Department of Botany and Plant Pathology, Oregon State University. Corvallis, OR. 80 p.
- Muir, P.S., R.L. Mattingly, J.C. Tappeiner II, J.D. Bailey, W.E. Elliott, J.C. Hagar, J.C. Miller, E.B. Peterson and E.E. Starkey. 2002. Managing for biodiversity in young Douglas-fir forests of western Oregon. Biological Science Report USGS/BRD/BSR-2002-006. U.S. Geological Survey, Biological Resources Division. 76 p.



- Muir, Patricia S., K. N. Norman, K. G. Sikes. 2006. Quantity and value of commercial moss harvest from forests of the Pacific Northwest and Application regions of the U.S. *The Bryologists* Vol. 109, Issue 2, pp. 197-214.
- Murphy, M.L. and J. D. Hall. 1981. Varied effects of clear-cut logging on predators and their habitats in small streams of the Cascade Mountains, Oregon. *Canadian Journal of Fisheries and Aquatic Sciences*. 38:137-145.
- Murphy M.L. and K.V. Koski. 1989. Input and Depletion of Woody Debris in Alaska Streams and Implications for Streamside Management. *North American Journal of Fisheries Management* 9:427-436.
- Murphy, M.L. and W.R. Meehan. 1991. Stream ecosystems. *American Fisheries Society Special Publication* 19:17-46.
- Murphy, M.L., et al. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43:1521-1533.
- Myers, J. M., C. Busack, D. Rawding and A. Marshall. 10 May 2002. Identifying historical populations of Chinook and chum salmon and steelhead within the Lower Columbia River and Upper Willamette River evolutionarily significant units. Draft report to the co-managers from the Willamette/Lower Columbia River Technical Recovery Team, Northwest Fisheries Science Center, 2725 Montlake Blvd. E., Seattle, WA 98112.
- Naiman, R.J and R.E. Bilby, editors. 1998. *River Ecology and Management: Lessons From the Pacific Coastal Ecoregion*. Springer-Verlag. New York, NY.
- Naiman, R.J., T.J Beechie, L.E. Benda, D.R. Berg, P.A. Bisson, L.H. McDonald, M.D. O'Conner, P.A. Olson and E.A. Steel. 1992. Fundamentals of ecologically healthy watersheds in the Pacific Northwest coastal region. In: *Watershed management: balancing sustainability and environmental change*, pp. 127-188. Naiman, R.J., editor. Springer-Verlag. New York, NY
- Naiman, Robert J., C.A. Johnston and J.C. Kelley. December 1998. Alterations of North American Stream by Beaver: How Animals Shape Their Ecosystems. *BioScience*. Vol. 38, No. 11:753-762.
- Naiman R.J., R.E. Bilby and P.A. Bisson. 2000. Riparian ecology and management in the Pacific Coastal rain forest. *BioScience* 50:996-1011.
- National Wildfire Coordination Group. 2001. *Smoke Management Guide for Prescribed and Wildland Fire*. PMS 420-2. National Wildfire Coordinating Group, National Interagency Fire Center
- NatureServe. 2006. *NatureServe Explorer: An online encyclopedia of life* [web application]. Version 4.7. NatureServe. Arlington, VA. Available <http://www.natureserve.org/explorer>. (Accessed: July 12, 2006).
- Naugle, D. E., C. L. Aldridge, B. L. Walker, T. E. Cornish, B. J. Moynahan, M. J. Holloran, K. Brown, G. D. Johnson, E. T. Schmidtmann, R. T. Mayer, C. Y. Kato, M. R. Matchett, T. J. Christiansen, W. E. Cook, T. Creekmore, R. D. Falise, E. T. Rinkes, and M. S. Boyce. 2004. West Nile virus: pending crisis for greater sage-grouse. *Ecology Letters* 7: 704-713.
- Nawa, R.K. and C.A. Frissel. 1993. Measuring Scour and Fill of Gravel Streambeds with Scour Chains and Sliding-Bead Monitors. *American Fisheries Society, North American Journal of Fisheries Management*. 13:634-639.
- Neary, D.G., K.C. Ryan, and L.F. DeBano, editors. 2005. *Wildland fire in ecosystems: effects of fire on soils and water*. General Technical Report RMRS-GTR-42-vol.4. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Ogden, UT:



- Neiland, Bonita J. 1958. Forest and adjacent burn in the Tillamook Burn area of northwestern Oregon. *Ecology* 39(4): 660-671.
- Nelson, Cara and Charles B. Halpern. Edge-related responses of understory plants to aggregated retention harvest in the Pacific Northwest. *Ecological Applications*, Volume 15, Issue 1 (February 2005) pp. 196–209
- Nelson, S.K., M.H. Huff, S.L. Miller and M.G. Raphael. 2006. Marbled murrelet biology: habitat relations and populations. Chapter 2 In Huff, M.H., M.G. Raphael, S.L. Miller, S.K. Nelson, and J. Baldwin (technical coordinators). Northwest Forest Plan---The first 10 years (1994-2003): status and trends of populations and nesting habitat for the marbled murrelet. General Technical Report PNW-GTR-650. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Newton, V.C. Jr. 1969. Subsurface Geology of the Lower Columbia and Willamette Basins, Oregon: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigations No. 2, Cross-sections and Maps. 121 p.
- Newton, V.C. Jr. and R.E. Stewart. 1965. Oil and Gas Exploration in Oregon: State of Oregon Department of Geology and Mineral Industries. Miscellaneous Paper 6, maps and 32 p.
- Newton, V. C. Jr., Kulm, L. D., Couch, R. W., Braman D., Pitts, G. S., Atta, O. V., McKeel, D. R., 1980, Prospects for Oil and Gas in the Coos Basin, Western Coos, Douglas, and Lane Counties, Oregon: State of Oregon. Department of Geology and Mineral Industries Oil and Gas Investigation Number 6, 74p.
- Nickelson, Thomas E. 2001. Population Assessment: Oregon Coast Coho Salmon ESU. Oregon Department of Fish and Wildlife Information Report 2001-02. Northwest Region Research and Monitoring Program. 47 p.
- Nickelson, T. E., J.W. Nicholas, A.M. McGie, R.B. Lindsay, D.L. Bottom, R.J. Kaiser and S.E. Jacobs. 1992. Status of anadromous salmonids in the Oregon coastal basins. Oregon Department of Fish and Wildlife. Portland, OR. 83 p.
- Niem, A.R. and W.A. Niem. 1990. Geology and Oil, Gas, and Coal Resources, Southern Tye Basin, Southern Coast Range, Oregon. Open-File Report O-89-3. State of Oregon Department of Geology and Mineral Industries. 44 p.
- Niem, A.R. W.A. Niem, M.W. Martin, M.M. Kadri and D.R. McKeel. 1985. Correlation of Exploration Wells, Astoria Basin, Oregon: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigations No. 14, maps and 8 p.
- Niem, A.R., P. D. Snavelly, Jr., and W. A. Niem. 1990, Onshore-Offshore geologic cross section from the Mist Gas Field, Northern Oregon Coast Range, to the Northwest Oregon Continental Shelf: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigation 17, 46 p. + Appendices and Maps.
- Nierenberg, T. and D. Hibbs. 2000. A characterization of unmanaged riparian areas in the central Coast Range of western Oregon. *Forest Ecology and Management* 129 (2000):195-206.
- Niewendorp, C., 2008, Personal Communications with Clark Niewendorp, Mineral Resources Geologist; State of Oregon Department of Geology and Mineral Industries, February 19, 2008.
- Noggle, C. C. 1978. Behavioral, physiological and lethal effects of suspended sediment on juvenile salmonids. Zoology. University of Washington. Seattle, WA.



- Nonaka, E. and T.A. Spies. 2005. Historical range of variability in landscape structure: a simulations study in Oregon, USA. *Ecological Applications* 15(5):1727-1746.
- Norris, D. and J. Shevock. 2004a. Contributions Toward a Bryoflora of California: I. A Specimen- Based Catalogue of Mosses. *Madrono*, Volume 51, No. 1, pp. 1-131.
- Norris, D. and J. Shevock. 2004b. Contributions Toward a Bryoflora of California: I. A Specimen- Based Catalogue of Mosses. *Madrono*, Volume 52, No. 2, pp. 133-269.
- Noss, Reed F., Jerry Franklin, William Baker, Tania Schoennagel and Peter B. Moyle. February 2006. Ecological Science Relevant to Management Policies for Fire-Prone Forests of the Western United States. Society for Conservation Biology Scientific panel on Fire in Western U.S. Forests.
- Nuzzo, Victoria. 2000. Element stewardship abstract: *Cirsium arvense*. In: Weeds on the web: The Nature Conservancy wildland invasive species program. Retrieved September 2006 from <http://tncweeds.ucdavis.edu/esadocs/cirsarve.html> [2001, July 01].
- Ohmann, J.L., M.J. Gregory and T.A. Spies. 2007. Influence of environment, disturbance, and ownership on forest vegetation of coastal Oregon. *Ecological Applications* 17:18-33.
- O'Keefe, T.C. and R.J. Naiman. 2006. The influence of forest structure on riparian litterfall in a Pacific Coastal rainforest. *Canadian Journal of Forestry Research*. 36:2852-2863.
- Olmstead, D.L. and M.P. Alger. 1985. Mist Gas Field: Exploration and development 1979-1984: Oil and gas investigation 10. Oregon Department of Geology and Mineral Industries. 36 p.
- Olmstead, D.L., V.C. Newton Jr. and R.E. Stewart. 1989. Hydrocarbon exploration and occurrences in Oregon: Oil and gas investigation 15. Oregon Department of Geology and Mineral Industries. 74 p.
- Olson, D.H., J.C. Hagar, A.B. Carey, J.H. Cissel and F.J. Swanson. 2001. Wildlife of Westside and High Montane Forests. pp. 187-212. In: *Wildlife-habitat Relationships in Oregon and Washington*, Johnson, D.H. and T.A. O'Neil (managing directors). Oregon State University Press. Corvallis, OR.
- Olson, G.S., E.M. Glenn, R.G. Anthony, E.D. Forsman, J.A. Reid, P.J. Loschl and W.J. Ripple. 2004. Modeling demographic performance of northern spotted owls relative to forest habitat in Oregon. *Journal of Wildlife Management* 68(4):1039-1053.
- Olson, G.S., R.G. Anthony, E.D. Forsman, S.H. Ackers, P.J. Loschl, J.A. Reid, K.M. Dugger, E.M. Glenn and W.J. Ripple. 2005. Modeling of site occupancy dynamics for northern spotted owls, with emphasis on the effects of barred owls. *Journal of Wildlife Management* 69(3):918-932.
- Olson, Deanna H.; Van Norman, Kelli J.; Huff, Robert D. 2007. The utility strategic surveys for rare and little-known species under the Northwest Forest Plan Gen. Tech. Rep. PNW-GTR-708. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 48 p.
- Oregon Department of Agriculture (ODA). 2001. Reintroduction of the Red Root Yampah (*Perideridia erythrorhiza*). Final Report to the BLM: Roseburg, Medford, and Lakeview Districts, Klamath Resource Area and Winema National Forest. 41 p.
- ODA. 2005. Prepared by Kelly Amsberry and Robert J. Meinke. Reintroduction of the Red Root Yampah (*Perideridia erythrorhiza*). Final Report for 2004 to the BLM: Roseburg and Medford Districts. 18 p.



ODA. 2007. Noxious Weed Control, French broom. Retrieved 1/26/2007. http://egov.oregon.gov/ODA/PLANT/WEEDS/profile_frenchbroom.shtml

Oregon Employment Department, Oregon Labor Market Information System (OED OLMIS). 2006. <http://www.qualityinfo.org/olmisj/OlmisZine>

Oregon Department of Environmental Quality (ODEQ). 1998. Oregon's 1998 Water Quality Status Assessment Report: Section 305(b) Report. Portland, OR.

ODEQ. 2004a. Web page for temperature limited water-bodies in Oregon. www.deq.state.or.us/WQDnew/305b_303d/

ODEQ. 2004b. Water Quality Assessment. Section 305(b) Report.

ODEQ. 2006. Water quality assessment- Oregon's 2004/2006 integrated report database. [Online: <http://www.deq.state.or.us/wq/assessment/rpt0406/search.asp>]

ODEQ. 2007a. TMDL implementation plan guidance for state and local government designated management agencies. May 2007.

ODEQ. 2007b. Evaluation of the Western Oregon Plan Revision (WOPR) – Draft Environmental Impact Statement (DEIS) Alternatives for Stream Temperature.

Oregon Department of Forestry (ODF). 1999. Storm impacts and landslides of 1996: Final report. Forest technical report No.4.

ODF. 2003. Determination of rapidly moving landslide impact rating. Forest practices technical note, Number 6, Version 1.0, September 1, 2003.

ODF. 2005. Swiss needle cast and the H [harvest] & H [habitat] Model (Draft 3/3/05). Unpublished internal report.

ODF. 2006. 2005 Timber harvest reports. November 2006. http://egov.oregon.gov/ODF/STATE_FORESTS/FRP/2005MENU.shtml#Harvest_Data

Oregon Department of Forestry and Oregon Department of Environmental Quality. 2004. Sufficiency analysis: A statewide evaluation of forest practices act effectiveness in protecting water quality [Online] <http://www.deq.state.or.us/wq/nonpoint/docs/suffanalysis.pdf>

Oregon Department of Fish and Wildlife (ODFW). 2003a. Oregon's mule deer management plan. Portland, OR.

ODFW. 2003b. Oregon's elk management plan. Portland, OR.

ODFW. 2005a. Oregon conservation strategy. Salem OR.

ODFW. 2005b. The importance of beaver (*Castor Canadensis*) to coho habitat and trend in beaver abundance in the Oregon Coast Coho ESU. ODFW (7) Beaver final report, Part 4.

ODFW. 2006. Oregon conservation strategy. Salem, OR.



- ODF and Oregon Department of Environmental Quality. 2004. Sufficiency analysis: a statewide evaluation of Forest Practices Act effectiveness in protecting water quality [Online] <http://www.deq.state.or.us/wq/nonpoint/docs/suffanalysis.pdf>
- Oregon Department of Environmental Quality. 2007. Evaluation of the Western Oregon Plan Revision (WOPR) – Draft Environmental Impact Statement (DEIS) Alternatives for Stream Temperature.
- Oregon Department of Geology and Mineral Industries. 1985. Oregon administrative regulations (OAR): http://arcweb.sos.state.or.us/rules/OARS_600/OAR_632/632_010.html; accessed March 2007.
- Oregon Department of Geology and Mineral Industries. 1999. Oregon administrative regulations (OAR): http://arcweb.sos.state.or.us/rules/OARS_600/OAR_632/632_010.html (accessed March 2007).
- Oregon Department of Geology and Mineral Industries. 2003. Mist gas field production figures 2002 and mist gas field map 2003: Open-file report O-03-01. Tables and maps.
- Oregon Department of Geology and Mineral Industries. 2006. Unpublished. 7 February 2006. Oil and gas program and geothermal program draft report submitted to governing board. 14 p.
- Oregon Department of Geology and Mineral Industries. 2007a. Mist gas field production, 2006. <http://www.oregongeology.com/sub/oil/MistProduction2006.xls>
- Oregon Department of Geology and Mineral Industries: 2007b. Mist gas field production, 2006 and historic. <http://www.oregongeology.com/sub/oil/oilhome.htm>
- Oregon Employment Department. Oregon labor market information system (OLMIS) [http:// www.olmis.org/olmisj/OlmisZine](http://www.olmis.org/olmisj/OlmisZine)
- Oregon Natural Heritage Information Center (ONHIC). 2004. Rare, threatened and endangered species of Oregon. Portland, OR. 105 p.
- ONHIC. 2006. Database. September 2006. Portland, OR.
- ONHIC. 2007. Rare, threatened and endangered species of Oregon. Portland, OR. 100 p.
- ONHIC. 2008. Rare, threatened and endangered species of Oregon. Portland, OR. 101 p.
- Oregon Parks and Recreation Department (OPRD). 2003. Oregon statewide comprehensive outdoor recreation plan, 2003-2007.
- OPRD. 2004. Draft habitat conservation plan for the Western Snowy Plover. Salem, OR. Oregon State University. 2000 Online: [http://www.ocs.orst.edu/pub/maps/Precipitation/Total/ States/OR/or.gif](http://www.ocs.orst.edu/pub/maps/Precipitation/Total/States/OR/or.gif)
- Oregon Watershed Enhancement Board (OWEB). 1999. Oregon watershed assessment manual. Available from OWEB, 775 Summer St. NE, Ste# 360, Salem, OR. 97301, or online at: www.oregon.gov/oweb/docs/pubs/OR_wsassess_manuels.shtml#OR_watershed_assessment_manual
- Orr, E.L. and W.N. Orr. 2000. Geology of Oregon, 5th Edition. Kendall/Hunt Publishing Company. 254 p.
- Outcalt, Kenneth Wayne and Edwin H. White. 1981. Phytosociological changes in understory vegetation following timber harvest in northern Minnesota. Canadian Journal of Forest Research. 11: 175-183.



- Packer, P. 1967. Criteria for designing and locating logging roads to control sediment. *Forest Science* 13(1): 1-18.
- Page, G.W., J.S. Warriner, J.C. Warriner and P.W.C. Paton. 1995. Snowy Plover (*Charadrius alexandrinus*). In *The birds of North America*, No. 154 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, PA, and The American Ornithologists Union, Washington, D.C.
- Page-Dumroese, D.S., and M.F. Jurgensen. 2006. Soil carbon and nitrogen pools in mid- to late-successional forest stands of the northwestern United States: potential impact of fire. *Canadian Journal of Forest Research* 36: 2270-2284
- Page-Dumroese, D., M.Jurgensen, W.Elliot, T.Rice, J.Nesser, T.Collins, and R.Meurisse. 2000. Soil quality standards and guidelines for forest sustainability in northwestern North America. United States Department of Agriculture, Forest Service, Pacific Northwest Research Station, PNW-RP-494.
- Pappajohn, S. 2002. Personal communication with Steven Pappajohn, principal of Geo Trends-Hampton International, Incorporated. Interagency meeting. 27 August 2002. Salem, OR.
- Pappajohn, S. 2005. Personal communication with Steve Pappajohn, President and Director of Methane Energy Corporation, Director of Cascadia Energy Corporation. Interagency tour of drill sites. December 14, 2005. Coos Bay, OR.
- Pappajohn, S. 2007. Personal communication with Steve Pappajohn, President and Director of Methane Energy Corporation, Director of Cascadia Energy Corporation. 21 March 2007.
- Parendes, Laurie A. and Julia A. Jones. 2000. Role of light availability and dispersal in exotic plant invasion along roads and streams in the H. J. Andrews Experimental Forest, Oregon. *Conservation Biology*. 14(1): 64-75.
- Park, C.S. 1993. SHADOW stream temperature management program. U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Region.
- Park, C.S. 2005. Personnel communication with Dan Carpenter.
- Pashley, D.N., C.J. Beardmore, J.A. Fitzgerald, R.P. Ford, W.C. Hunter, M.S. Morrison and K.V. Rosenberg. 2000. Partners in flight conservation of the land birds of the United States. American Bird Conservancy. The Plains, VA.
- Pearson, R.R. and K.B. Livezey. 2003. Distribution, numbers, and site characteristics of spotted owls and barred owls in the Cascade Mountains of Washington. *Journal of Raptor Research* 37(4):265-276.
- Peck, M.E. 1941. A manual of the higher plants of Oregon. Binfords and Mort, Portland, OR. Illustrated flora of the Pacific states, Abrams, 1960
- Peery, M.Z., S.R. Beissinger, B.H. Becker and S.H. Newman. 2002. Marbled murrelet (*Brachyramphus marmoratus*) demography in Central California: 2001 Progress report. Prepared for the California Department of Fish and Game, U.S. Fish and Wildlife Service, and California state parks.
- Peery, M.Z., S.R. Beissinger, S.H. Newman, E.B. Burkett and T. D. Williams. 2004 Applying the declining population paradigm: diagnosing causes of poor reproduction in the marbled murrelet. *Conservation Biology* 18(4):1088-1098.



- Pellant, M., P. Shaver, D.A. Pyke and J.E. Herrick. 2005. Technical Ref. 1734-6 (Version 4). Interpreting indicators of rangeland health. USDI, BLM
- Perakis, S.S., D.A. Maguire, T.D. Bullen, K. Cromack, R.H. Waring and J.R. Boyle. 2006. Coupled nitrogen and calcium cycles in forests of the Oregon Coast Range. *Ecosystems* 9: 63-74.
- Perry, D.A. 1998. The scientific basis of forestry. *Annual Review of Ecology and Systematics* 29:435-466.
- Peterson, D.L., M.C. Johnson, J.K. Agee, T.B. Jain. D. McKenzie and E Reinhardt. 2005. Forest structure and fire hazard in dry forests of the western United States. General technical report PNW-GTR-628. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service.
- Petzet, A. 22 January 2007. Special report: water issues overshadow Powder River coal gas play. *Oil and Gas Journal* online, Volume 105, Issue 4. <http://www.ogj.com/currentissue/index.cfm?p=7&v=105&i=4>
- Piatek, K.B., C.A.Harrington, and D.S.DeBell 2003. Site preparation effects on 20-year survival and growth of Douglas-Fir (*Pseudotsuga menziesii*) and on selected soil properties. *Western Journal of Applied Forestry* 18(1) 2003.
- Pilz, David, Lorelei Norvell, Eric Danell, and Randy Molina. 2003. Ecology and management of commercially harvested chanterelle mushrooms. Gen. Tech. Rep. PNW-GTR-576. USDA USFS. Portland, OR.
- Pilz, D., R. Molina and J. Mayo. 2006. Effects of thinning young forests on chanterelle mushroom production. *Journal of Forestry*.
- Pilz, D., R. McLain, S. Alexander, L. Villarreal-Ruiz, S. Berch, T. L. Wurtz, C. G. Parks, E. McFarlane, B. Baker, R. Molina, and J.E. Smith. 2007. [GTR-710](#), 07-007 Ecology and management of morels harvested from the forests of western North America. USDA, USFS. Portland, OR.
- Poage, N.J. unpublished. BLM Western Oregon late-successional and old-growth conifer data (1983 - 1991). On file at Eugene District, BLM. Eugene, OR.
- Poage, N.J. 2000. Structure and development of old-growth Douglas-fir in central western Oregon. Ph.D. dissertation. Oregon State University. Corvallis, OR. 164 p.
- Poage, N.J. and J.C. Tappeiner. 2002. Long-term patterns of diameter and basal area growth of old-growth Douglas-fir trees in western Oregon. *Canadian Journal of Forest Research* 32 (7): 1232-1243.
- Poggi, D., A. Porporato, L. Ridolfi, J. Albertson and G. Katul. 2004. The effect of vegetation density on canopy sub-layer turbulence. *Boundary-Layer Meteorology* 111: 565-587
- Pollock, M.M., M. Heim and R.J. Naiman. 2003. Hydrologic and geomorphic effects of beaver dams and their influence on fishes. pp. 213-234. In: *The ecology and management of wood in world rivers*. Gregory, S.V., K. Boyer, and A. Gurnell, editors. American Fisheries Society, Bethesda, MD.
- Poole, A. and F. Gill, editors. 2002. *The birds of North America*. Nos. 1-716. Philadelphia, PA
- Powell, R.A. and W. J. Zielinski. 1994. The scientific basis for conserving forest carnivores: American Marten, Fisher, Lynx, and Wolverine in the western United States (Chapter 3 Fisher). General technical report GTR RM-254. Rocky Mountain Forest and Range Experiment Station, U.S. Department of Agriculture, U.S. Forest Service.



Powers, R.F. 2002. Effects of soil disturbance on the fundamental, sustainable productivity of managed forests. USDA Forest Service PSW-GTR-183.

Powers, R.F., F.G.Sanchez, D.A.Scott, and D.Page-Dumroese. 2004. The North American long-term productivity experiment: coast-to-coast findings from the first decade. United States Department of Agriculture Forest Service Proceedings Rocky Mountain Research Station -P-34.

Powers, R.F., D.A.Scott, F.G.Sanchez, R.A.Voldseth, D.Page-Dumroese, J.D.Elioff, and D.M.Stone 2005. The North American long-term productivity experiment: Findings from the first decade of research. *Forest Ecology and Management* 220 (2005) 31-50.

Proctor, Bernadette D. and Joseph Dalaker. 2002. Current population reports, pp.60-219. Poverty in the United States: 2001. U.S. Census Bureau.

Ralph, C.J. and S.L. Miller. 1995. Offshore population estimates of marbled murrelets in California. pp. 353-360. In: *Ecology and Conservation of the Marbled murrelet*. Ralph, C.J., G.L. Hunt, Jr., M. G. Raphael, and J.F. Piatt, editors. General technical report PSW-GTR-152. Pacific Southwest Experimental Station, U.S. Department of Agriculture, U.S. Forest Service. Albany, CA.

Ralph, C.J., G.L. Hunt, Jr., M.G. Raphael and J.F. Piatt. 1995. Ecology and conservation of the marbled murrelet in North America: an overview. pp. 3-22. In: *Ecology and conservation of the marbled murrelet*. General Technical Report PSW-GTR-152. Pacific Southwest Experimental Station, U.S. Department of Agriculture, U.S. Forest Service. Albany, CA.

Raphael, Martin G. and Randy Molina, 2007. *Conservation of rare or little-known species*. Island Press, Washington D.C. 375 p.

Raphael, M.G., D.E. Mack and B.A. Cooper. 2002a. Landscape-scale relationships between abundance of marbled murrelets and distribution of nesting habitat. *Condor* 104(2), 331-342.

Raphael, M.G., D.E. Mack, J.M. Marzluff and J.M Luginbuhl. 2002b. Effects of forests fragmentation on populations of the marbled murrelet. *Studies in Avian Biology* 25:221-235.

Raphael, M.G., B.M. Galleher, J.H. Huff, S.L. Miller, S.K. Nelson and R.D. Young. 2006. Chapter 5: Spatially explicit estimates of potential nesting habitat for the marbled murrelet. In: *Northwest Forest Plan---The first 10 years (1994-2003): status and trends of populations and nesting habitat for the marbled murrelet*. Huff, M.H., M.G. Raphael, S.L. Miller, S.K. Nelson and J. Baldwin (technical coordinators). PNW-GTR-650. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.

Rapp, V., Editor. 2000. First approximation report for sustainable forest management in Oregon. Oregon Department of Forestry, April 2000.


Rapp, Valerie. 2004. Western forests, fire risk and climate change, PNW Science Update, Issue 6. [Http://www.fs.fed.us/pnw](http://www.fs.fed.us/pnw)

Rashin, E., C. Clishe, A. Loch and J. Bell. 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association*. Paper No. 01162.

Rasmussen, Mark. 2006. Personal communication. 25 August 2006. Notes of meeting hosted by the American Forest Resources Council. Eugene, OR.



- Rasmussen, M.C. and W.J. Ripple. 1998. Retrospective analysis of forest landscape patterns in western Oregon. *Natural Areas Journal* 18(2): 151-163.
- Reeves.2005. Powerpoint presentation. From website: <http://www.blm.gov/or/plans/wopr/science/scienceforum2.php>.
- Reeves, G.H., F.H. Everest and J.R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. *Transactions of the American Fisheries Society* 122:309-317.
- Reeves, G.H., L.E. Benda, K.M. Burnett, P.A. Bisson and J.R. Sedell. 1995. A disturbance-based ecosystem approach to maintaining and restoring freshwater habitats of evolutionarily significant units of anadromous salmonids in the Pacific Northwest. *American Fisheries Society Symposium* 17:334-349.
- Reeves, G.H., D.B. Hohler, B.E. Hansen, F.H. Everest, J.R. Sedell, T.L. Hickman, and D. Shively. 1997. Fish habitat restoration in the Pacific Northwest: Fish Creek of Oregon. pp. 335-339. In: Williams, J.E., C.A. Wood, and M.P. Dombeck. *Watershed restoration: principles and practices*. American Fisheries Society. Bethesda, MD.
- Reeves, G.H., K.M. Burnett and E.V. McGarry. 2003. Sources of large wood in the main stem of a fourth-order watershed in coastal Oregon. *Canadian Journal of Forest Research* 33: 1363–1370.
- Reeves, G.H., P. A. Bisson, B.E. Rieman and L.E. Benda. 2006. Postfire logging in riparian areas. *Conservation Biology* 20(4): 994–1004.
- Reid, L. M. 1981. Sediment production from gravel-surfaced forest roads, Clearwater Basin, Washington. Fisheries Research Institute. College of Fisheries, University of Washington. Seattle, Washington. FRI-UW-8108.
- Reid, Leslie M. and Thomas Dunne. 1984. Sediment production from forest road surfaces. *Water Resources Research* 20(11):1753-1761.
- Reiter, M. and R. Beschta. 1995. Effects of forest practices on water in cumulative effects of forest practices in Oregon: Literature and Synthesis. Forest Engineering Department, College of Forestry, Oregon State University. Corvallis, OR. 185 p.
- Ricca, M.A. 1999. Movements, habitat associations, and survival of Columbian white-tailed deer in western Oregon. M.S. Thesis. Oregon State University. Corvallis, OR.
- Ricca, M.A., R.G. Anthony, D.H. Jackson and S.A. Wolfe. 2003. Spatial use and habitat associations of Columbian white-tailed deer fawns in southwestern Oregon. *Northwest Science* 77(1):72-80.
- Rich, T.D., C.J. Beardmore, H. Berlanga and P.J. Blancher. 2004. Partners in flight North American landbird conservation plan. Cornell Lab of Ornithology. Ithaca, NY.
- Richardson, H.W. 1972. *Input-output and regional economics*. John Wiley and Sons: New York, NY.
- Ripple, W.J., K.T. Hershey and R. Anthony. 2000. Historical forest patterns of the central Oregon Coast Range. *Biological Conservation* 93:127-133.



- Ritchie, Martin W. 1999. A compendium of forest growth and yield simulators for the Pacific Coast states. General Technical Report PSW-GTR-174. 59 pp. Pacific Southwest Research Station, U.S. Department of Agriculture; U.S. Forest Service. Albany CA:
- Ritchie, Martin W. 2006. Users guide and help system for CONIFERS: a simulator for young mixed-conifer stands version 3.00. Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Albany, CA.
- Ritchie, M. W. and D. W. Hann. 1985. Equations for predicting basal area increment in Douglas-fir and grand fir. Oregon State University, Forest Research Laboratory, Research Bulletin 51. 9 p.
- Rizzo, D. M. 2003. Sudden Oak Death: Host plants in forest ecosystems in California and Oregon. Sudden oak death online symposium. Online: www.apsnet.org/online/SOD
- Rizzo, D. M., M. Garbelotto, J.M. Davidson, G.W. Slaughter and S.T. Koike. 2002. Phytophthora ramorum as the cause of extensive mortality of *Quercus* spp. and *Lithocarpus densiflorus* in California. Plant Disease 86: 205-214.
- Robichaud, P.R., J.L. Beyers and D.G. Neary. 2000. Evaluating the effectiveness of postfire rehabilitation treatments. General Technical Report RMRS-GTR-63. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Robison, M. Henry. 1997. Community input/output models for rural area analysis. Annals of Regional Science. Vol 31(3):325-351.
- Robison, G.E. and R. L. Beschta. 1990. Identifying trees in riparian areas that can provide coarse woody debris to streams. Forest Science Volume 36, No 3:790-801.
- Robison, E. G., J. Runyon, and C. Andrus. 1995. Cooperative stream temperature monitoring: project completion report for 1994-1995. Prepared for: Oregon Department of Environmental Quality. Oregon Department of Forestry. Salem, OR.
- Robison, G.E., Mills, K.A., Paul, J., Dent, L., and Skaugset, A. 1999. Storm impacts and landslides of 1996: final report. Oregon Department of Forestry. Forest Practices Technical Report. 4.
- Roche, Cindy Talbott and Ben F. Roche, Jr. 1988. Distribution and amount of four knapweed (*Centaurea L.*) species found in eastern Washington. Northwest Science 62(5): 242-253.
- Roloff, Gary, J. Stephen, P. Mealy, Christopher Clay, Jeff Barry, Curt Yanish and Leon Neuenschwander. 2005. A process for modeling short and long term risk in the southern Oregon Cascades. Forest Ecology and Management 211 (2005) 166-190. <http://www.sciencedirect.com>
- Romero, Nicolas, Roberts E. Gresswell and Judith L. Li. 2005. Changing patterns in coastal cutthroat trout (*Onchorhynchus clarki clarki*) diet and prey in a gradient of deciduous canopies. Canadian Journal of Fisheries and Aquatic Science. 62:1797-1807.
- Roni, P. 2001. Responses of fishes and salamanders to instream restoration efforts in western Oregon and Washington. Report to Bureau of Land Management on project completion, Interagency Agreement No. 1422H952-A98-3007. National Marine Fisheries Service, Northwest Fisheries Science Center. Seattle, WA. 132 p.
- Rooney, B. 22 June 2006. Oregon's forestry and logging industry: particularly important to rural areas. Oregon Employment Department. 6 p.



- Rosenberg, D.K., K.A. Swindle and R.G. Anthony. 2003. Influence of prey abundance on northern spotted owl reproductive success in western Oregon. *Canadian Journal of Zoology* 81:1715-1725.
- Rosgen, D.L. 1996. *Applied river morphology*. Wildland Hydrology, Pagosa Springs, CO.
- Rothacher, J. 1973. Does harvest in west slope Douglas-fir increase peak flow in small streams? Pacific Northwest Forest and Range Experiment Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Rowland, M.M., M.J. Wisdom, B.K. Johnson and J.G. Kie. 2000. Elk distribution and modeling in relation to roads. *Journal of Wildlife Management* 64(3):672-684.
- Rowland, M.M., M.J. Wisdom, B.K. Johnson and J.G. Kie. 2004. Effects of roads on elk: implications for management in forested ecosystems. In: *Transaction of the sixty-ninth North American and Natural Resources Conference held March 16-20, 2004*, in Spokane, Washington. J. Rahm, editor. Wildlife Management Institute, Washington, DC.
- Ruddell, S., R. Sampson, M. Smith, R. Giffen, J. Cathcart, J. Hagan, D. Sosland, J. Godbee, J. Heissenbuttel, S. Lovett, J. Helms, W. Price and R. Simpson. 2007. The role for sustainability managed forests in climate change mitigation. *Journal of Forestry* 105(6): 314-319.
- Rykken, J.J., S.S. Chan, and A.R. Moldenke. 2007. Headwater riparian microclimate patterns under alternative forest management treatments. *Forest Science* 53(2)
- Ryu, I. C., A. R. Niem, W. A. Niem. 1992, Schematic fence diagram of the Southern Tye Basin, Oregon Coast Range, showing stratigraphic relationships of exploration wells to surface measured sections: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigation 18. Maps, cross sections and 46 p.
- Ryu, I. C., A.R. Niem, W.A. Niem, R.E. Wells and P.O. Hales. 1996. Oil and gas potential of the southern Tye Basin, Southern Oregon Coast Range. Oil and gas investigation 19. State of Oregon Department of Geology and Mineral Industries. Cross sections and 141 p.
- Sandberg, D.V., R.D. Ottmar and J.L. Peterson. 2002. *Wildland fire in ecosystems: effects of fire on air*. General Technical Report RMRS-GTR-42-Vol. 5. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Fort Collins, CO.
- Schemske, D.W., B.C. Husband, M.H. Ruckelshaus, C. Goodwillie, I.M. Parker, and J.G Bishop. 1994. Evaluating approaches to the conservation of rare and endangered plants. *Ecology*, 75(3) pp. 584-606.
- Schmidt, Karen, J.P. Menakis, C.C. Hardy, W.J. Hann and D.L. Bunnell. 2002, *Development of coarse-scale spatial data for wildland fire and fuel management*. General Technical Report RMRS-87. Rocky Mountain Research Station, U.S. Department of Agriculture, U.S. Forest Service. Missoula, MT
- Schoenberger, M. D. Meyer and A. Perry. 1982. The effect of soil disturbance on growth and ectomycorrhizae of Douglas-fir and western hemlock seedlings: a greenhouse bioassay. *Canadian Journal of Forest Research* 12: 343-353.
- [Schuett-Hames, D., B. Conrad, A. E. Pleus, and K. Lautz](#). 1996. Literature review and monitoring recommendations for salmonid spawning gravel scour. TFW Ambient Monitoring Program. TFW-AM9-96-001. Olympia, WA.



Schuetz-Hames, D.E., N.P. Peterson, R. Conrad and T.P. Quinn. 2000. Patterns of gravel scour and fill after spawning by chum salmon in a western Washington stream. *North American Journal of Fisheries Management* 20:610-617.

Scientific consensus statement on the likely impacts of climate change on the Pacific Northwest. Oregon State University, October 12, 2004. Available online at: http://www.ef.org/westcoastclimate/E_OSU%20Consensus%20Statement.pdf

Seaber, P., F. Kapinos and G. Knapp. 2007. Hydrologic unit maps. U.S. Geological Survey, Water Supply Paper 2294. Online: [<http://pubs.usgs.gov/wsp/wsp2294/>]

Sedell, J. R. and C.N. Dahm. 1984. Catastrophic disturbances to stream ecosystems: Volcanism and clear-cut logging. In: *Current Perspectives in Microbial Ecology*. M.J. Klug and C.A. Reddy, editors. Michigan State University, East Lansing, MI. and American Society of Microbiology, Washington, DC.

Sedell, James R. and Judith L. Froggatt. 1984. Importance of streamside forests to large rivers: the isolation of the Willamette River, Oregon, U.S.A., from its floodplain by snagging and streamside forest removal. *Verhandlungen International Verein Limnologie* 22: 1828-1834.

Sedell, J. R. and K.J. Luchessa. 1981. Using the historical record as an aid to salmonid habitat enhancement. pp. 210-223. In: *Acquisition and utilization of aquatic habitat inventory information*. N.B. Armantrout, editor. Proceedings of symposium, 28-30 October 1981. Portland, OR. 376 p.

Sedell, J. R. and K.J. Luchessa. 1982. Using the historical record as an aid to salmonid habitat enhancement. In: *Acquisition and utilization of aquatic habitat inventory information*. [210- 222]. N.B. Armantrout, editor. American Fisheries Society, Western Division. Bethesda, MD.

Seiger, Leslie. 1991. Element stewardship abstract for *Polygonum cuspidatum*: Japanese knotweed, Mexican bamboo. The Nature Conservancy. 1815 North Lynn Street, Arlington, VA. 22209. <http://tncweeds.ucdavis.edu/esadocs/documnts/polycus.rtf> Retrieved September, 2006.

Sensenig, T.S. 2002. Development, fire history, and current and past growth of old-growth and young-growth forest stands in the Cascade, Siskiyou and Mid-Coast Mountains of southwestern Oregon. Ph.D. Dissertation. Oregon State University. Corvallis, OR.

Sessions, J., P. Bettinger, R. Buckman, M. Newton and J. Hamann. 2004. Hastening the return of complex forests following fire: the consequences of delay. *Journal of Forestry* 102: 38-45.

Sheley, Roger L.; James S. Jacobs and Michael F. Carpinelli. 1998. Distribution, biology, and management of diffuse knapweed (*Centaurea diffusa*) and spotted knapweed (*Centaurea maculosa*). *Weed Technology*. 12(2): 353-362.


Shetak C.J., Busse, M.D. 2005. Compaction alters physical but not biological indices of soil health. *Soil Science Society of America Journal* 69:236-246 (2005).

Sidle, W. C., 1981, Potential hydrologic effects of developing coal and other geoenery resources in Oregon: A review. United States Geologic Survey. Water Resources Investigations 81-1014 Open File Report USGS/WRI-81-1014 TI85 901332, 37 p.+ maps.

Sigler, John. W., T.C. Bjornn and Fred H. Everest. 1984. Effects of chronic turbidity on density and growth of steelheads and coho salmon. *Transactions of the American Fisheries Society*. 113: 142-150.



- Simpson, William T. 1993. Specific gravity, moisture content and density relationship for wood. Gen. Tech. Rep. FPL-GTR-76. Madison, Wisconsin: USDA, Forest Service, Forest Products Laboratory. 13 p.
- Skaugset, Arne. 1997. Review of Earlier Soil Compaction Studies: A paper presented at a Society of American Foresters conference on understanding and managing soil compaction to maintain ecosystem productivity. Bend, OR.
- Skaugset, A., and M. M. Allen. 1998. Forest road sediment and drainage monitoring project report for private and state lands in western Oregon. Forest Eng. Dept., Oregon State University, Corvallis, OR. http://www.oregon.gov/ODF/PRIVATE_FORESTS/docs/fp/RoadSediment.pdf
- Skog, K.E. and G.A. Nicholson. 2000. Carbon sequestration in wood and paper products. pp. 79-88 in L.A. Joyce and R. Birdsey, tech. eds. The impact of climate change on America's forests: a technical document supporting the 2000 USDA Forest Service RPA assessment. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-59. Fort Collins, Colorado. 133 p.
- Smith, W.P. 1987. Dispersion and habitat use by sympatric Columbian white-tailed deer and Columbian black-tailed deer. *Journal of Mammalogy* 68(2):337-347.
- Smith, J. 2004. A synthesis of potential climate change Impacts on the U.S. Pew Center on global climate change. Arlington, VA.
- Smith, J.E. and L.S. Heath. 2004. Carbon stocks and projects on public forestlands in the United States, 1952-2040. *Environmental Management* 33(4):433-442.
- Smith, J.E., L.S. Heath, K.E. Skog, and R.A. Birdsey. 2006. Methods for calculating forest ecosystem and harvested carbon with standard estimates for forest types of the United States. Gen. Tech. Rep. NE-343. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northeastern Research Station. 216 p.
- Smithwick, E.A.H., M.E. Harmon, S.M. Remillard, S.A. Acker and J.F. Franklin. 2002. Potential upper bounds of carbon stores in forests of the Pacific Northwest. *Ecological Application* 12(5): 1303-1317.
- Sobota, D.J., Gregory, S.V., and Van Sickle, J. 2006. Riparian tree fall directionality and modeling large wood recruitment to streams. *Canadian Journal of Forest Research* 36: 1243-1254.
- Soll, Jonathon; D. Kruezer, K. Strauss, and J. Dumont. 2007. Sandy River riparian habitat protection project report 2006. The Nature Conservancy. The global invasive species initiative. Retrieved January, 2007 from <http://tncweeds.ucdavis.edu/moredocs/polssp03.pdf>
- Sorenson, D. L., M. M. McCarth, E.J. Middlebrooks and D.B. Porcella. 1977. Suspended and dissolved solids effects on biota: A review. EPA-600/3-77-042. U.S. Environmental Protection Agency, Environmental Research Laboratory. Corvallis, OR. 64 p.
- Speich, S.M. and T.R. Wahl. 1995. Marbled murrelet populations of Washington – marine habitat preferences and variability of occurrence. pp. 313-326 In: Ecology and conservation of the marbled murrelet. C.J. Ralph, G.L. Hunt, Jr., M.G. Raphael, and J.F. Piatt, editors. General Technical Report PSW-GTR-152. Pacific Southwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Albany CA.
- Spies, T.A. 2004. Ecological concepts and diversity of old-growth forests. *Journal of Forestry* April/May: 14-20.



Spies, T.A. 2006. Maintaining old-growth forests. Chapter 6 in R.W. Haynes, B.T. Bormann, D.C. Lee, J.R. Martin, tech. eds. Northwest Forest Plan - The First 10 Years (1994-2003): Synthesis of Monitoring and Research Results. General Technical Report PNW-GTR-651. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.

Spies, T.A. and W.B. Cohen. 1992. An index of canopy height diversity. COPE Report 5(3): 5-7.

Spies, T.A. and J.F. Franklin. 1988. Old-growth and forest dynamics in the Douglas-fir region of western Oregon and Washington. *Natural Areas Journal* 8:190-201.

Spies, T.A. and J.F. Franklin. 1991. The structure of natural young, mature, and old-growth Douglas-fir forests in Oregon and Washington. In: Ruggiero, L.F., K.B. Aubrey, A.B. Carey, and M.H. Huff, technical coordinators. *Wildlife and Vegetation of Unmanaged Douglas-fir Forests*. pp. 91-109. General Technical Report PNW-285. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.

Spies, T.A., K.N. Johnson, K.M. Burnett, J.L. Ohmann, B.C. McComb, G.H. Reeves, P. Bettinger, J.D. Kline and B. Garber-Yonts. 2007. Cumulative ecological and socioeconomic effects of forest policies in coastal Oregon. *Ecological Applications* 17(1): 5-17.

Sproule Associates, Inc. 2004. Letter report to John Carlson, Geo Trends-Hampton International from Leslie S. O'Connor, U.S. Manager and John P. Seidle, Senior Reservoir Engineer; date May 3, 2004. (Used with written permission of Methane Energy Corporation, February 14, 2007). 8 p.

Sproule Associates, Inc. 2005. Letter report to John Carlson, Director, Torrent Energy Corporation from Leslie S. O'Connor, U.S. Manager and John P. Seidle, Senior Reservoir Engineer; date June 17, 2005. (Used with written permission of Methane Energy Corporation, February 14, 2007). 26 p.

Sproule Associates, Inc., 2006, Letter report to John Carlson, Director, Torrent Energy Corporation from Leslie S. O'Connor, U.S. Manager and John P. Seidle, Senior Reservoir Engineer; date April 12, 2006. (Used with written permission of Methane Energy Corporation, February 14, 2007). 4 p.

Staebler, G.R. 1963. Growth along the stems of full-crowned Douglas-fir trees after pruning to specified heights. *J. of Forestry* 61(2): 124-127

Stallman, J., R. Bowers, N. Cabrera, R. Real de Asus and J. Wooster. 2005. Sediment dynamics in the upper McKenzie River Basin, central Oregon coast range. *American Geophysical Union* #H51E-0411.

Stein, W.I. 1955. Pruning to different heights in young Douglas-fir. *J. of Forestry* 53: 352-355

Steinblums, I.J., H.A. Froehlich, and J.K. Lyons. 1984. Designing stable buffer strips for stream protection. *Journal of Forestry* 81(1):49-52.

Stephens, Scott Lewis. 1998. Evaluation of the effects of silvicultural and fuels treatments on potential fire behavior in Sierra Nevada mixed conifer forests. *Forest Ecology and Management* 105(1998) 21-35

Sterns, M.A., J.S. McIver and G.A. Rosenberg. 1990. Investigations of the western snowy plover at the Coos Bay North Spit and adjacent sites in Coos and Curry Counties, Oregon. Report to the Oregon Department of Fish and Wildlife, Nongame Program. 33 p.

Steventon, J.D. and N.L. Holmes. 2002. A radar-based inventory of marbled murrelets (*Brachyramphus marmoratus*), northern Mainland Coast of British Columbia. Prince Rupert Forest Region, British Columbia Ministry of Forests. 40 p.




- Stewart, R. E., and V. C. Newton, Jr. 1954, Revised by Newton Jr., V. C., 1965, Oil and Gas Exploration in Oregon: State of Oregon Department of Geology and Mineral Industries Miscellaneous Paper 6, 43p. and Maps
- Stewart, K. and U. Mallik. 2006. Bryophyte response to microclimatic. Edge effects across riparian buffers. *Ecological Applications*, 16(4), 1474-1486
- Storck, P., T. K. Kern and S. Bolton. 1997. Measurement of differences in snow accumulation, melt, and micrometeorology between clearcut and mature forest stands. University of Washington, Department of Civil Engineering. Presented at the Western Snow Conference. Banff, Alberta, Canada.
- Strang, R. M., K.M. Lindsay and R.S. Price. 1979. Knapweeds: British Columbia's undesirable aliens. *Rangelands* 1(4):141-143.
- Strathers, R.J., T.P. Rollerson and S.J. Mitchell. 1994. Windthrow handbook for British Columbia forests. Working paper 9401. British Columbia Ministry of Forests. Victoria, British Columbia, Canada.
- Stone, M. K. and J. B. Wallace. 1998. Long-term recovery of a mountain stream from clear-cut logging: the effects of forest succession on benthic invertebrate community structure. *Freshwater Biology* 39: 15 1-169.
- Strong, C.S. 2003a. Decline of the marbled murrelet population on the central Oregon coast during the 1990s. *Northwestern Naturalist* 84: 31-37.
- Strong, C.S. 2003b. Marbled murrelet abundance and reproductive indices in Oregon during 2002. Unpublished report. 14 pp. Oregon Department of Fish and Wildlife, and U.S. Fish and Wildlife Service. Portland, OR.
- Strong, C.S. and T.M. Carten. 2000. Marbled murrelets at sea in Oregon: status of abundance and reproduction during 1999. Draft final report to the Oregon Department of Fish and Wildlife. Portland, OR. 17 p.
- Sullivan, K. and S. Duncan. 1980. Sediment yield from road surfaces in response to truck traffic and rainfall. Weyerhaeuser Technical Report 042-4402/80. Weyerhaeuser Company, Technical Center. Tacoma, WA.
- Sullivan, K., T. Lisle, C. Dollof, G. Grant and L. Reid. 1987. Stream channels: the link between forests and fish. In: *Streamside management: forestry and fishery interactions*. Contribution Number 57. E.O. Salo and T.W. Cundy, editors. University of Washington, Institute of Forest Resources. 39-97. Seattle, WA.
- Suring, L.H. 1975. Habitat use and activity patterns of the Columbian white-tailed deer along the lower Columbia River. M.S. Thesis. Oregon State University. Corvallis, OR. 59 p.
- Suring, L.H. and P.A. Vohs, Jr. 1979. Habitat use by Columbian white-tailed deer. *Journal of Wildlife Management* 43:610-619.
- Suttle, K.B., M.E. Power, J.M Levine and C. McNeely. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications*, 14(4): 969-974 by the Ecological Society of America.
- Swanson, F. 1981. Fire and geomorphic process. In: *Proceedings, fire regimes and ecosystems conference*. Dec. 11-15, 1979. Honolulu, HI. General Technical Report WO-26. U.S. Department of Agriculture, U.S. Forest Service. Washington, D.C.



- Swanson, F., R. Fredriksen and F. McCorison. 1982. Material Transfer in a Western Oregon Forested Watershed. In: Analysis of coniferous forest ecosystems in western United States. [233-266]. R. Edmonds, editor. US/IBP Synthesis Series 14. Hutchinson Ross Publishing Co. Stroudsburg, PA.
- Swanson, F., R. Graham and G. Grant. 1985. Some effects of slope movements on river channels. In: International symposium on erosion, debris flow and disaster prevention: Proceedings: [273- 278]. 3-5 September 1985. Tsukuba, Japan.
- Swanston, D. N. 1991. Natural Processes. American Fisheries Society Special Publication 19:139-179.
- Swanston, D. and F. Swanson. 1976. Timber harvesting, mass erosion, and steepland forest geomorphology in the Pacific Northwest. In: Geomorphology and engineering: [199-221]. D.R. Coates, editor. Dowden, Hutchinson, and Ross, Inc. Stroudsburg, PA.
- Swift, L.W. Jr. 1986. Filter strip widths for forest roads in the southern Appalachians. USDA Forest Service, Southeastern Forest Experiment Station, Coweeta Hydrologic Laboratory, Otto, NC
- Tappeiner, J.C., D. Huffman, D. Marshall, T.A. Spies and J.D. Bailey. 1997. Density, ages, and growth rates in old growth and young forests in coastal Oregon. Canadian Journal of Forest Research 27: 638-648.
- Tarboton, D.G. 1997. A new method for the determination of flow directions and upslope areas in grid digital elevation models. Water Resources Res. 33(2):309-319.
- Taylor, G.H. and R.R. Hatton, 1999. The Oregon Weather Book. Oregon State University Press, Corvallis, Oregon. 240 p.
- Taylor, A.H. and C.N. Skinner. 2003. Spatial patterns and controls on historical fire regimes and forest structure in the Klamath Mountains. Ecological Applications 13(3): 704-719.
- The Nature Conservancy; U.S. Department of Agriculture, U.S. Forest Service; and the U.S. Department of the Interior. 2005. LANDFIRE Rapid Assessment Modeling Manual, Version 2.1. Boulder, CO.
- The Nature Conservancy. The Global Invasive Species Initiative. Weed Alert!: *Brachypodium sylvaticum* (Huds.) P. Beauv. (slender false-brome, false brome). Retrieved January 25, 2007 from: <http://tncweeds.ucdavis.edu/alert/alrtbrac.html>
- Theirrault, Shannon. 2001. Wildfire Smoke: a guide for public officials.
- Thomas, R. and W. Megahan. 1988. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon: A second opinion. Water Resources Research Vol. 34, No. 12, [3393-3403].
- Thomas, J.W., E.D. Forsman, J.B. Lint, E.C. Meslow, B.R. Noon and J. Verner. 1990. A conservation strategy for the northern spotted owl. A report by the Interagency Scientific Committee to address the conservation of the northern spotted owl. U.S. Department of Agriculture, U.S. Forest Service and U. S. Department of the Interior, U.S. Fish and Wildlife Service, Bureau of Land Management, and National Park Service. Portland, OR. 427 p.
- Thomas, J., J. Franklin, J. Gordon and N. Johnson. 2006. The Northwest Forest Plan: Origins, Components, Implementation Experience, and Suggestions for Change. Conservation Biology, Vol. 20, No 2, pp. 277-287.
- Thorpe, A.S. and T.N. Kaye. 2006. Experimental habitat manipulation of wayside aster (*Aster vialis*). Institute for Applied Ecology, Corvallis, Oregon and USDI BLM, Eugene District.



- Thraillkill, Jim. Personal communication to Eric Greenquist, June 28, 2007.
- Titus, R. G. and H. Mosegaard. 1992. Fluctuating recruitment and variable life history of migratory brown trout (*Salmo trutta L.*) in a small, unstable stream. *Journal of Fish Biology* Vol. 41, No. 2, pp. 239-255.
- Titus, Jonathan H.; Scott Moore, Mildred Arnot and Priscilla J. Titus. 1998. Inventory of the vascular flora of the blast zone, Mount St. Helens, WA. *Madrono*. 45(2): 146-161.
- Torrent Energy Corporation. 2005. Coos Bay Basin Project: Webpage: <http://www.torrentenergy.com/s/CoosBayBasin.asp>
- Toth, S. 1991. A road damage inventory for the upper Deschutes River basin. Timber-Fish- Wildlife Report. TFW-SH14-91-007.
- Treyz, George I. 1993. *Regional Economic Modeling: A Systematic Approach to Economic Forecasting and Policy Analysis*. Boston, MA: Kluwer Academic Publishers.
- Tripp, D.B., and V.A. Poulin. 1986. The effects of logging and mass wasting on juvenile salmonid populations in streams on the Queen Charlotte Islands. British Columbia Ministry of Forests and Lands, Land management report 45, Victoria, Canada.
- Tschaplinski, P.J. and G.F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. *Canadian Journal of Fisheries and Aquatic Sciences* 40:452-461.
- Turner, Nancy J. 1999. Time to burn: Traditional use of fire to enhance resource production by aboriginal peoples in British Columbia. In: *Indians, fire and the land in the Pacific Northwest*. pp. 185-218. Boyd, Robert, editor. Oregon State University Press. Corvallis, OR.
- Turner, Monica G., William H. Romme, Robert H. Gardner and William W. Hargrove. 1997. Effects of fire size and pattern on early succession in Yellowstone National Park. *Ecological Monographs* 67(4):411-433.
- Tweten, R.G. 1992. Narratives of final critical habitat units for the northern spotted owl in Oregon. Administrative record. U.S. Department of the Interior, U.S. Fish and Wildlife Service. Portland, OR.
- US 109th Congress, 2005, Energy Policy Act of 2005: United States Public Law 109-58, 119 Statute 594- 119 Statute 1143
- U.S. Army Corps of Engineers. 1956. Snow hydrology-summary report of the snow investigations. North Pacific Division. Portland, OR. 473 p.
- U. S. Army Corps of Engineers. 1998. Runoff from snowmelt. Engineering Manual EM 1110-2- 1406. online: [<http://www.usace.army.mil/publications/eng-manuals/em1110-2-1406/c-5.pdf>]
- U.S. Census Bureau. 2000-2006. DP 1 Profiles of general demographic characteristics and DP 3 profile of selected economic characteristics.
- U.S. Department of Agriculture (USDA). Soil Conservation Service. 1971. Guide to range condition class and/or forage quality for the Siskiyou and Klamath Land Resource Areas. Jackson County, OR.
- USDA, Pacific Northwest Research Station, U.S. Forest Service and Oregon Department of Forestry. 2002. Land conservation and development, and agriculture: forests, farms and people - land use change on non-federal land in western Oregon, 1973-2000.



- USDA USFS. 1982. Aids to determining fuel models for estimating fire behavior. GTR-INT-122, Intermountain Forest and Range Experiment Station. Ogden, UT.
- USDA USFS. 1987. Wood handbook: wood as an engineering material. Agricultural Handbook No. 72. USDA, Washington, DC.
- USDA USFS. 1988. Final supplement to the environmental impact statement for an amendment to the Pacific Northwest Regional Guide. Pacific Northwest Region. Portland, OR.
- USDA USFS. 1991. Draft environmental impact statement on management for the northern spotted owl in the national forests. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region.
- USDA USFS. 2002. Restoring complexity: Second-growth forests and habitat diversity. Science Update, Issue 1, May 2002. USDA USFS PNW Research Station, Corvallis, OR; Peter Gould, PNW Research Station, Portland, OR.
- USDA USFS. 2005a. Pacific Northwest region invasive plant program: preventing and managing invasive plants. Final environmental impact statement. Volume 1.
- USDA USFS. 2005b. Letter from L.E. Friedman, Director, Resource Planning and Monitoring to Forest Supervisor. 28 July 2005. Colville National Forest and Forest Supervisor, Okanogan and Wenatchee National Forests.
- USDA USFS. 2006a. Northwest Forest Plan: The first ten years. Socioeconomic monitoring results. General Technical Report PNW-GTR-649, Vol. III, pp. 37-76. Pacific Northwest Research Station.
- USDA USFS. 2006b. Modeling genetic gain in established Douglas-fir plantations. Research proposal; submitted by Randy Johnson, PNW Research Station, Corvallis, OR; Peter Gould, PNW Research Station, Olympia, WA; and David Marshall, Weyerhaeuser Company. <http://www.fs.fed.us/pnw/about/programs/rmp/Agenda2020-collaboration.shtml>
- USDA USFS. 2006c. Considering communities in forest management planning in western Oregon. Donoghue E., N. Sutton and R. Haynes. General technical report PNW-GTR- 693. Pacific Northwest Research Station.
- USDA U. S. Forest Service (USFS) and U.S. Department of the Interior (USDI), Bureau of Land Management (BLM). 1993a. Pacific Yew, final environmental impact statement, record of decision.
- USDA, U. S. Forest Service; Umpqua, Willamette, and Rogue-Siskiyou National Forests; and USDI BLM; Medford and Eugene Districts. 1993b. Conservation Strategy *Frasera umpquaensis* (Green Gentian or Umpqua swertis).
- USDA U.S. Forest Service; Mt. Hood and Willamette National Forests; and USDI, BLM; Salem District. 1994a. Conservation strategy for *Aster gormanii*.
- USDA U.S. Forest Service and USDI, BLM. 1994b. Final Supplemental Environmental Impact Statement on Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. February 1994. Washington, D.C.
- USDA USFS and USDI BLM. 1994c. Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl; standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl. April 1994.



- USDA U.S. Forest Service; Umpqua National Forest; and USDI, BLM; Roseburg and Medford Districts; and USDI, USFWS. 1995. Conservation agreement for *Calochortus umpquaensis* (Umpqua Mariposa Lily).
- USDA, U.S. Forest Service; Winema, Shasta-Trinity, Modoc and Lassen National forests; USDI, BLM; Lakeview, Burns and Spokane Districts; USDI USFWS; Klamath Basin National Wildlife Refuge; and California Department of Fish and Game. 1996a. Conservation strategy for *Rorippa columbiae* (Columbia cress).
- USDA, U.S. Forest Service; Umpqua, Mt. Hood, Willamette and Rogue River-Siskiyou National Forests; and USDI BLM, Roseburg, Eugene, Salem and Medford Districts; and U.S. Army Corps of Engineers, Willamette Valley Project. 1996b. Conservation Strategy for *Cimicifuga elata* (Tall bugbane).
- USDA, U.S. Forest Service and USDI Bureau of Land Management. 1997. Survey and manage draft management recommendations – Bryophytes. Installment 1. IM OR1997-027 Transmittal IM. Unpublished report. On file with: Regional Ecosystem Office, P.O. Box 3623, Portland, OR. 97208
- USDA, U.S Forest Service and USDI Bureau of Land Management. 1998. Management recommendations for vascular plants. Unpublished report. On file with: Regional Ecosystem Office, P.O. Box 3623, Portland, OR. 97208.
- USDA, U.S. Forest Service and USDI BLM. Interagency Wild and Scenic Rivers Coordinating Council. December 1999. The Wild and Scenic River study process.
- USDA, U.S. Forest Service and USDI Bureau of Land Management. 2000a. Management recommendations for lichens, Version 2.0. IM OR2000-042, Transmittal IM. Unpublished report. On file with: Regional Ecosystem Office, P.O. Box 3623, Portland, OR. 97208
- USDA, U.S. Forest Service and USDI Bureau of Land Management. 2000b. Management recommendations for lichens, Version 2.0. IM OR2000-042, Transmittal IM. Unpublished report. On file with: Regional Ecosystem Office, P.O. Box 3623, Portland, Oregon 97208.
- USDA, U.S. Forest Service and USDI BLM. 2002. Results of landscape level protocol survey of survey zones 1 and 2 for marbled murrelet. A memo from T. Riley, USFS, and R. Wenker, BLM, to K. McMaster, USFWS. March 4, 2002.
- USDA, U.S. Forest Service and USDI BLM. July 2003. Gerber-Willow Valley Watershed Analysis. Klamath Falls, OR.
- USDA, U.S. Forest Service and USDI, BLM. 2004a. Final supplemental environmental impact statement to remove or modify the survey and manage mitigation measure standards and guidelines in Forest Service and Bureau of Land Management planning documents within the range of the Northern Spotted Owl.
- USDA, U.S. Forest Service and USDI, BLM. 2004b. Final Supplemental Environmental Impact Statement: Management of Port-Orford-Cedar in Southwest Oregon. Portland, Oregon.
- USDA, U.S. Forest Service and USDI, BLM. 2004c. The Healthy Forests Initiative and Healthy Forests Act Interim Field Guide.
- USDA, U.S. Forest Service and USDI, BLM. 2004d. Biscuit Fire recovery project final environmental impact statement. Rogue River-Siskiyou National Forest and Medford District, BLM. Publication #R6-RR-SNF-06/2004. Medford, OR.



USDA, U.S. Forest Service; Siuslaw National Forest; USDI, BLM; Coos Bay District; USDI, National Park Service; Redwood National Park; and Redwood State Park, CA. 2004e. Conservation Strategy for Pink Sand-verbena (*Abronia umbellata* ssp. *breviflora*).

USDA, U.S. Forest Service and USDI, BLM. 2005a. Draft Rapid Assessment Reference Condition Models. Available online at: <http://www.reo.gov/ecoshare/news-issues/ram-issues.asp>

USDA, U.S. Forest Service and USDI, BLM. 2005b. Northwest Forest Plan temperature TMDL implementation strategies. U.S. Forest Service, R-6 Regional Office and BLM Oregon State Office. Portland, OR.

USDA USFS Umpqua National Forest, USDI BLM Roseburg District, and U.S. Fish and Wildlife Service. 2006. Programmatic conservation agreement for Kincaid's Lupine (*Lupinus sulphureus* ssp. *kincaidii*) in Douglas County, OR.

USDA USFS Six Rivers and Rogue-Siskiyou National Forests; USDI BLM Medford and Coos Bay Districts, and USDI USFWS Arcata and Roseburg Field Offices. 2006. Conservation agreement for *Hastingsia bracteosa*, *H. atropurpurea*, *Gentiana setigera*, *Epilobium oreganum*, and *Viola primulifolia* ssp. *Occidentalis* and serpentine Darlingtonia wetlands and fens from southwestern Oregon and northwestern California.

USDA and USDI. 2006a. Protecting people and natural resources. A cohesive fuels treatment strategy.

USDA and USDI. 2006b. Surface operating standards and guidelines for oil and gas exploration and development. BLM/WO.ST-06/021+3071. Denver, CO. 84 p.

USDA and USDI 2007. Surface Operating Standards and Guidelines for Oil and Gas Exploration and Development (The Gold Book). BLM/WO.ST-06/021+3071, Bureau of Land Management. Denver, Colorado. 84 p.

USDA USFS, USDI BLM. 2007. Conservation assessment for fungi included in Forest Service Regions 5 and 6 sensitive and BLM California, Oregon and Washington, special status species programs. July 2007. Authors: Kathleen Cushman and Rob Huff.

USDA, Natural Resources Conservation Service. August 1995. RCA III effects of sediment on the aquatic environment: potential NRCS actions to improve aquatic habitat working paper. No. 6 Janine Castro and Frank Reckendorf. Department of Geosciences, Oregon State University. Corvallis, OR.

U. S. Department of Commerce, Bureau of Economic Analysis. 2006. Regional accounts data. November 2006. www.bea.gov/bea/regional/data.htm.


U. S. Department of Commerce (USDC), National Oceanic and Atmospheric Administration (NOAA). 2005. Fisheries Office of Protected Resources. Pacific Salmonids: Major Threats and Impacts website: <http://www.nmfs.noaa.gov/pr/species/fish/salmon.htm>

USDC and NOAA, National Weather Service. 1973. Precipitation-frequency atlas of the western United States, Volume X, Oregon. Atlas 2, 43 plates. Prepared by J.F. Miller, R.H. Frederick and R.J. Tracey. Silver Spring, MD.

USDC NOAA, and National Marine Fisheries Service (NMFS). 1996. Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Watershed Scale. August 1996. http://www.nwr.noaa.gov/1habcon/habweb/habguide/matrix_1996.pdf



- USDC NOAA, National Marine Fisheries Service. 1997. Biological Opinion and Conference Opinion. 18 March 1997. Implementation of Land and Resource Management Plans and Resource Management Plans. Northwest Region.
- United States Department of Interior (USDI) and Department of Energy (DOE). 2003. Opportunities for near-term geothermal development on public lands in the western United States. Barbara C. Farhar, Ph.D. and Donna M. Heimiller. April 2003. Technical report. Table 1 (DOE/GO-102003-1707)
- USDI BLM. 1960. Statistical Appendix to the Annual Report of the Director, Bureau of Land Management to the Secretary of the Interior for the fiscal year ended June 30, 1960. USDI, BLM. Manual Handbook H-1741-1 - Fencing.
- USDI BLM. Manual Handbook H-1741-2 - Water Developments. USDI BLM. Manual Section 8110.42. Management Use Categories.
- USDI BLM. 1970. Public Land Statistics.
- USDI BLM. April 1979. Wilderness Proposed Initial Inventory. Roadless Areas and Islands Which Clearly Do Not Have Wilderness Characteristics in Oregon and Washington.
- USDI BLM. August 1979. Wilderness Review, Initial Inventory. Final Decision on Public Lands Obviously Lacking Wilderness Characteristics and Announcement of Public Lands to be Intensively Inventoried for Wilderness Characteristics in Oregon and Washington.
- USDI BLM. March 1980. Wilderness Review, Intensive Inventory. Final Decision on 30 Selected Units in Southeast Oregon and Proposed Decisions on other Intensively Inventoried Units in Oregon and Washington.
- USDI BLM. November 1980. Wilderness Inventory. Oregon and Washington. Final Intensive Inventory Decisions.
- USDI BLM. 1985. Manual 3031-Energy and mineral resource assessment, Release 3-115, June 19, 1985.
- USDI BLM. 1986. Timber Productivity Classification - TPCC Handbook 5251-1
- USDI BLM. 1991. Summary of the Analysis of the Management Situation, for the Salem, Eugene & Coos Bay (January, 1991), Roseburg & Medford (February 1991) District Office Resource Management Plans.
- USDI, BLM. 1993. Process for assessing proper functioning condition. TR 1737-9 1993.
- USDI BLM. 1994a. Salem District Proposed Resource Management Plan/Final Environmental Impact Statement.
- USDI BLM. 1994b. Eugene District Proposed Resource Management Plan/Environmental Impact Statement.
- USDI BLM. 1994c. Roseburg District Proposed Resource Management Plan/Environmental Impact Statement.
- USDI BLM. 1994d. Coos Bay District Proposed Resource Management Plan/Environmental Impact Statement.
- USDI BLM 1994e. Medford District Proposed Management Plan/Environmental Impact Statement.



USDI BLM. 1994f. Klamath Falls Resource Area Resource Management Plan/Environmental Impact Statement.

USDI BLM, Coos Bay District. 1995. Conservation Strategy for *Phacelia argentea*.

USDI BLM. 1996a. Partners Against Weeds: An Action Plan for the Bureau of Land Management. Washington, D.C.

USDI BLM. 1996b. Topsy/Pokegama Landscape Analysis. Lakeview District, Klamath Falls Resource Area. Klamath Falls, OR.

USDI BLM. 1996c. BLM Manual Supplement Handbook 5400-2. Special Forest Products Procedure Handbook Series. BLM Oregon State Office, Portland, OR. 83 p.

USDI BLM. 1997. Standards for rangeland health and guidelines for livestock grazing management for public lands administered by the Bureau of Land Management in the states of Oregon and Washington. August 12, 1997.

USDI BLM. 2001a. Inventory and monitoring system: current vegetation survey field procedures. 16 January 2001. Natural Resource Inventory Oregon/Washington. 173 p.

USDI BLM. 2001b. Release 6-121. 19 January 2001. BLM Manual 6840 Regulations - Special Status Species Management.

USDI BLM. 2001c. North Bank Habitat Management Area/ACEC Record of Decision, Habitat Management Plan and Monitoring Plan. Roseburg District, BLM. Roseburg, OR.

USDI BLM. 2001d. Reasonably Foreseeable Development Scenario for Oil and Gas Development in the Buffalo Field Office Area, Campbell, Johnson, and Sheridan Counties, Wyoming. Wyoming State Office-Reservoir Management Group. 25 p.

USDI BLM. 2002a. Pokegama Wild Horse Herd Management Area Plan. Lakeview District, Klamath Falls Resource Area. Klamath Falls, OR.

USDI BLM. 2002b. Western Oregon Transportation Management Plan, 1996. Updated 2002

USDI BLM. 2003. BLM-Instructional Memorandum No. OR-2003-054. 25 March 2003. Oregon/Washington Special Status Species Policy.

USDI BLM. 2004a. New River Area of Critical Environmental Concern Management Plan. Coos Bay District, BLM. North Bend, OR.

USDI BLM. 2004b. Timbered Rock Fire Salvage and Elk Creek Watershed Restoration Final Environmental Impact Statement. Medford District, BLM. Medford, OR.


USDI BLM. 2004c. Implementation of special status species policies for the former survey and manage species. BLM information bulletin no. OR-2004-145. 4 p

USDI BLM. 2004d. Implementation of special status species policies for the former survey and manage species. BLM information bulletin no. OR-2004-145. 4 p

USDI BLM. 2004e. Implementation of the 2004 record of decision to remove survey and manage mitigation measure standards and guidelines. BLM information bulletin no. OR- 2004-121.




- USDI BLM. 2005a. Draft vegetation treatments using herbicides on Bureau of Land Management lands in 17 western states. Programmatic environmental impact statement. Washington, DC.
- USDI BLM. 2005b. North Spit Management Plan. Coos Bay District, BLM. North Bend, OR.
- USDI BLM. 2006a. County budget data for FY2005 - BLM Western Oregon Plan Revision. Portland, OR.
- USDI BLM. 2006b. Unpublished rare plant database: GeoBob. Portland, OR.
- USDI BLM. 2006c. Recreation management information system. Data retrieved from [http:// rmis.blm.gov/](http://rmis.blm.gov/)
- USDI BLM. 2007a. Geographic information system (GIS) data layers. Oregon State Office. Portland, OR.
- USDI BLM. 2007b. Instruction memorandum no. OR-2007-072. Update to Oregon/Washington BLM State Director's special status species list.
- USDI BLM. 2007c. Final Vegetation Treatments Using Herbicides on Bureau of Land Management Lands in 17 Western States Programmatic Environmental Impact Statement. Volume 1: Abstract, Executive Summary, and Chapters 1 through 8.
- USDI BLM. 2007d. Draft environmental impact statement for the revision of the resource management plans of the western Oregon Bureau of Land Management districts of Salem, Eugene, Roseburg, Coos Bay, and Medford district, and the Klamath Falls Resource Area of the Lakeview District. U.S. Department of the Interior, Bureau of Land Management, Portland, Oregon.
- USDI BLM. 2007e. Record of decision. Vegetation treatments using herbicides on Bureau of Land Management lands in 17 western states. Programmatic environmental impact statement (PEIS). Reno, NV.
- USDI BLM. 2007f. Final Biological Assessment Vegetation Treatments on Bureau of Land Management Lands in 17 Western States. Reno, NV.
- USDI BLM. 2007. Unpublished BLM Special Forest Products Database. BLM Oregon State Office, Portland, OR.
- USDI BLM. 2008, Geographic Information System (GIS) Data Layers, Oregon State Office, Portland, OR.
- USDI BLM, Roseburg District and U.S. Fish and Wildlife Service (USFWS), Roseburg Field Office. 2004. Conservation Agreement for *Calochortus coxii* (Crinite Mariposa Lily).
- USDI BLM Medford District, USFWS, and The Nature Conservancy of Oregon. 2004. Draft conservation agreement for *Limnanthes floccose* Howell ssp. *pumila* (Dwarf Woolly Meadowfoam).
- USDI USFWS. 1983. Columbian White-Tailed Deer Recovery Plan. Portland, OR.
- USDI USFWS. 1986. Recovery plan for the Pacific bald Eagle. Portland, OR.
- USDI USFWS. 1990. McDonald's Rock-cress, (*Arabis mcdonaldiana* Easwood) Recovery Plan. Portland, OR. 40 p.
- USDI USFWS. 1990. Endangered and threatened wildlife and plants determination of threatened status for the northern spotted owl; final rule. Federal Register 55(123):26114-26194.
- USDI USFWS. 1992a. Draft recovery plan for the northern spotted owl. Pacific Region. 662 p.



- USDI USFWS. 1992b. Endangered and threatened wildlife and plants; determination of critical habitat for the northern spotted owl; final rule. Federal Register, Vol.57, 10:1796-1838. January 15, 1992.
- USDI USFWS. 1993. *Lomatium bradshawii* (Bradshaw's lomatium) Recovery Plan. Portland, OR. 47 p.
- USDI USFWS. 1996. Water Howellia (*Howellia aquatilis*) Recovery Plan. Helena, MT. 52 p.
- USDI USFWS. 1997. Recovery plan for the threatened marbled murrelet (*Brachyramphus marmoratus*) in Washington, Oregon and California. Region 1. Portland, OR.
- USDI USFWS. 1998a. Recovery Plan for the Threatened Nelson's Checker-mallow (*Sidalcea nelsoniana*). Portland, OR. 61 p.
- USDI USFWS. 1998b. Recovery Plan for the Endangered Western Lily (*Lilium occidentale*). Portland, OR. 82 p.
- USDI USFWS. 1998c. Recovery Plan for the Applegate's Milk-vetch (*Astragalus applegate*). Portland, OR. 41 p.
- USDI USFWS. 2000a. Recovery Plan for the Golden Paintbrush (*Castilleja levisecta*). Portland, OR. 51 p.
- USDI USFWS. 2000b. Endangered and threatened wildlife and plants; endangered status for *Erigeron decumbens* var. *decumbens* (Willamette daisy) and Fender's blue butterfly (*Icaricia icarioides fenderi*) and threatened status for *Lupinus sulphureus* ssp. *kincaid*; Final Rule. 50 CFR Part 17, Federal Register, Vol. 65, No. 16: 3875-3890. Jan. 25, 2000.
- USDI USFWS. 2001a. Western Snowy Plover (*Charadrius alexandrinus nivosus*) Pacific Coast Population Draft Recovery Plan. Region 1. Sacramento, CA.
- USDI USFWS. 2001b. Oregon Silverspot Butterfly (*Speyeria zerene hippolyta*) Revised Recovery Plan. Region 1. Portland, OR.
- USDI USFWS. 2003a. Recovery Plan for the Rough Popcornflower (*Plagiobothrys hirtus*). Portland, OR. 60 p.
- USDI USFWS. 2003b. Recovery plan for *Fritillaria gentneri* (Gentner's fritillary). viii + 89 p. Portland, OR.
- USDI USFWS. 2003c. Recovery Outline for *Lomatium cookii* (Cook's Lomatium) and *Limnanthes floccosa* ssp. *grandiflora* (Large-flowered Woolly Meadowfoam). Portland, OR. 19 p.
- USDI USFWS. 2003d. Website for Lost River and Shortnose suckers. Created by: Oregon Fish and Wildlife Office. <http://www.fws.gov/oregonfwo/EndSpp/FactsFish/LRsucker.htm> <http://www.fws.gov/oregonfwo/EndSpp/FactsFish/Shortnose.htm>
- USDI USFWS. 2003e. Estimates of distances at which incidental take or murrelets and spotted owls due to harassments are anticipated from sound-generating, forest-management activities in Olympia National Forest. U.S. Department of the Interior, Fish and Wildlife Service, Lacey, Washington.
- USDI USFWS. 2004a. Northern spotted owl five-year review: summary and evaluation. Portland, OR.
- USDI USFWS. 2004b. Marbled murrelet 5-year review process. Region 1. Portland, OR.




- USDI USFWS. 2005a. Recovery Plan for Vernal Pool Ecosystems of California and Southern Oregon. Region 1. Portland, OR.
- USDI USFWS. 2005b. Draft (November 2005): The USFWS 40% rule based on the current science on the northern spotted owl; an update. Portland, OR. 8p.
- USDI USFWS. 2005c. Endangered Species Program. Critical habitat: What is it? December 2005. URL: http://www.fws.gov/endangered/pdfs/listing/Critical_Habitat_12_05.pdf (accessed March 2008).
- USDI USFWS. 2006a. Recovery Outline for *Lupinus sulphureus* ssp. *kincaidii* (Kincaid's lupine). Portland, OR. 23 p.
- USDI USFWS. 2006b. Draft Recovery Plan for Listed Species of the Rogue Valley Vernal Pool and Illinois Valley Wet Meadow Ecosystems. Portland, OR.
- USDI USFWS, Roseburg Field Office. 2006c. Personal communication from Lynn Gemlo, copy of latest state of the species section for the northern spotted owl.
- USDI USFWS. 2007. Endangered and threatened wildlife and plants; proposed revised designation of critical habitat for the northern spotted owl (*Strix occidentalis caurina*); proposed rule. Federal Register 72(112):32449-32516. June 12, 2007.
- USDI USFWS. 2007. Draft: Smoke effects on northern spotted owls. Portland, OR.
- USDI, USFWS. 2007. 5- Year Review Summary and Evaluation Golden Paintbrush (*Castilleja levisecta*). Lacey, Washington. 37 p.
- USDI USFWS. 2008a. Final recovery plan for the northern spotted owl (*Strix occidentalis caurina*). Portland, OR. 142 p.
- USDI USFWS. 2008b. Final rule on the critical habitat of the northern spotted owl.
- USDI USFWS, USDI BLM, and USDA USFS. 2007. Methodology for estimating the number of northern spotted owls affected by proposed federal actions. Oregon Fish and Wildlife Office, Fish and Wildlife Service, Portland, Oregon.
- USDI, U.S. Geological Service. USGS web page for suckers: <http://wfrc.usgs.gov/research/fish%20populations/STShively2.htm> and http://www.fws.gov/pacific/bulltrout/final/pdf/BT_combined_revised100605.pdf
- USDI, U.S. Geological Survey. 2007. Mineral Commodity Summaries.
- United States Environmental Protection Agency (U.S. EPA). 1998. Final Guidance for Incorporating Environmental Justice Concerns in EPA's NEPA Compliance Analyses.
- U.S. EPA. 2000. The history of drinking water treatment. Office of Water, EPA-816-F-00-006.
- U.S. EPA. 2007. Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2005. U.S. Environmental Protection Agency. Washington, D.C.



- U.S. Global Change Research Program, National Assessment Synthesis Team. 2001. US National Assessment of the Potential Consequences of Climate Variability and Change Educational Resources. Regional Paper: Pacific Northwest. U.S. Climate Change Science Program/U.S. Global Change Research Program. Washington D.C. Available online at: <http://www.usgcrp.gov/usgcrp/nacc/education/pnw/default.htm>
- United States International Trade Commission. 2006. <http://www.usitc.gov/>
- University of Washington (E. Salo and T. Cundy, editors). 1997. In: Streamside management: forestry and fishery interactions. Institute of Forest Research No. 57-1987, Chapter 2. E. Salo and T. Cundy, editors. College of Forest Resources, University of Washington. Seattle, WA.
- Vance, Nan C., Melissa Borsting, David Pilz and Jim Freed. 2001. Special forest products: species information guide for the Pacific Northwest. General Technical Report PNW-GTR-513. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR. <http://www.treesearch.fs.fed.us/pubs/3075>. 169 p.
- Vander Schaaf, D., M. Schindel, D. Borgias, C. Mayer, D. Tolman, G. Kittel, J. Kagan, T. Keeler-Wolf, L. Serpa, J. Hak and K. Popper. 2004. Klamath Mountains Ecoregional Conservation Assessment. The Nature Conservancy. Portland OR.
- Van Sickle, J. and S.V. Gregory. 1990. Modeling inputs of large woody debris from falling trees. Canadian Journal of Forest Research 20: 1593-1601.
- Verts, B.J. and L.N. Carraway. 1998. Land Mammals of Oregon. University of California Press. Berkeley, CA.
- Vessely, D.G. and W.C. McComb. 2002. Salamander abundance and amphibian species richness in riparian buffer strips in the Oregon Coast Range. Forest Science 48(2):291-297.
- Vessely, D., W.C. McComb, J.M. Weikel and D. Bigger. 2001. Wildlife and coarse-filter biodiversity assessment. In: Umpqua Land Exchange Project Multi-Resource Land Allocation Model Handbook. Umpqua Land Exchange Project. Portland, OR.
- Wagner F. F. and R. G. Anthony. 1999. Reanalysis of northern spotted owl habitat use on the Miller Mountain study area. Final report for step 1: Identification and evaluation of northern spotted owl habitat in managed forests. Oregon Cooperative Fish and Wildlife Unit, Oregon State University, Corvallis, OR.
- Wagner, E., E. Hansen, S. Leavengood, J. Panches and S. Bowers. 2003. The Big Log Project. Wood Science and Engineering. Oregon State University. Corvallis, OR. 101 p.
- Walburger, K., T. DelCurto and M. Vavra. 2005. The effects of herbivory and timber harvest on understory production in northeastern Oregon. Papers presented at Range Field Day. Union, OR.
- Walker, G. and P. King. 1969. Geologic map of Oregon: U.S. geological Survey, Map 1-595.
- Wallace, J.B., S.L. Eggert, J.L. Meyer and J.R. Webster. 1997. Multiple trophic levels of a forest stream linked to terrestrial litter inputs. Science. 277: 102-104.
- Wallin, D.O., F.J. Swanson and B. Marks. 1994. Landscape pattern response to changes in pattern generation rules: land-use legacies in forestry. Ecological Applications 4:569-580.
- Ward, J. W. Jr. 1990. Spotted owl reproduction, diet and prey abundance in northwest California. M.S. Thesis. Humboldt State University. Arcata, CA.



- Ward, J. W. Jr., R.J. Gutiérrez and B.R. Noon. 1998. Habitat selection by northern spotted owls: the consequences of prey selection and distribution. *The Condor* 100:79-92.
- Warren, Debra D. 2006. Production, Prices, Employment and Trade in Northwest Forest Industries. Pacific Northwest Research Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.
- Washburne, 1914, *as found in* Olmstead, D.L., Newton Jr., V.C., Stewart, R.E., 1989, Hydrocarbon Exploration and Occurrences in Oregon: State of Oregon Department of Geology and Mineral Industries Oil and Gas Investigation 15, 74p.
- Washington State Department of Natural Resources (DNR). 1997a. Standard methodology for conducting watershed analysis, version 4.0, Appendix C - Hydrologic Change. online: [<http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/>]
- Washington State DNR. 1997b. Surface Erosion Module vs. 4.0. Online: [<http://www.dnr.wa.gov/forestpractices/watershedanalysis/manual/hydrology.pdf>]
- Washington State DNR. 2005. Definition and Inventory of Old Growth Forests on DNR-Managed State Lands. Olympia, WA.
- Watershed Professionals Network, 1999. Oregon watershed assessment manual. June 1999. Prepared for the Governor's Watershed Enhancement Board.
- Watterson, Nicholas A. and J. Jones. 2006. Flood and debris flow interactions with roads promote the invasion of exotic plants along steep mountain streams, western Oregon. *Geomorphology* 78 (2006) 107-123.
- Weaver, W. and D. Hagans. 1996. Aerial reconnaissance evaluation of 1996 storm effects on upland mountainous watersheds of Oregon and southern Washington. Pacific Watershed Associates. Arcata, CA.
- WeedMapper Team, Dept. of Rangeland Resources, Oregon State University. Copyright 2004a. Retrieved July, 2006 from: <http://www.weedmapper.org/maps.html>
- WeedMapper Team, Department of Rangeland Resources, Oregon State University. Copyright, 2004b. Retrieved September 5, 2006 from: <http://www.weedmapper.org/eues.html>
- WeedMapper Team, Dept. of Rangeland Resources, Oregon State University. Copyright, 2004c. Meadow knapweed (*Centaurea pratensis* Thuill., non *Salisb.*). Retrieved January 25, 2007: <http://www.weedmapper.org/cede5.html>
- WeedMapper Team, Dept. of Rangeland Resources, Oregon State University. Copyright, 2004d. Spotted knapweed (*Centaurea maculosa* auct. non *Lam.*). Retrieved January 29, 2007 from: <http://www.weedmapper.org/cebi2.html>
- Weir, R.D. and A.S. Harestad. 2003. Scale-dependent habitat selectivity by fishers in south-central British Columbia. *Journal of Wildlife Management* 67:73-82.
- Weisberg, P.J. and F.J. Swanson. 2003. Regional synchronicity in fire regimes of western Oregon and Washington. *Forest Ecology and Management* 172:17-28.
- Weissenborn, A. E., 1969, Mineral and Water Resources of Oregon: State of Oregon Department of Geology and Mineral Industries, Bulletin 64, 468p. and Maps



- Wells, R. E., Jayko, A. S. Niem, A. R., Black, G., Wiley, T., Baldwin, E., Molenaar, K. M., Wheeler, K. L., DuRoss, C. B., and Givler, R. W., 2000, Geologic map and Database of the Roseburg 30 X 60' Quadrangle, Douglas and Coos Counties, Oregon: United States Geological Survey, Open-File Report 00-376, Map and 55p.
- Wells, R. E., 2008, Personal Communications with Ray E. Wells, Geologist; United States Geologic Survey. March 12, 2008.
- Wemple, B.C. 1994. Assessing the role of logging-access roads in two large forested basins in the western cascades of Oregon. M.S. thesis. Oregon State University. Corvallis, OR.
- Wemple, B.C. 1998. In: Jones, J.; F. Swanson, B. Wemple and K. Snyder. 2000. Effects of Roads on Hydrology, Geomorphology, and Disturbance Patches in Stream Networks. *Conservation Biology*. 14(1):76-85.
- Wemple, B.C. and J. Jones. 2003. Runoff production on forest roads in a steep mountain catchment. *Water Resources Research* 39(8):1220.
- Wemple, B.C., J. Jones and G. Grant. 1996. Channel network extension by logging roads in two basins, western Cascades, Oregon. *Journal of the American Water Resources Association* 32(6):1195.
- Westerling, A.L., H.G. Hidalgo, D.R. Cayan and T.W. Swetnam. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. *Science* 313(5789): 940-943.
- Western Wood Products Association. 2006. 2005 Statistical Yearbook of the Western Lumber Industry. Portland, OR.
- Whiteaker, L. 2007a. personal com. Botanist, ACEC Interdisciplinary Team Member, Western Oregon Plan Revision, Klamath Falls, OR.
- Whiteaker, L. 2007b. personal com. Botanist, Klamath Resource Area. Cattle effects to rare species.
- Whitney, L.W. 2002. Ecological Relationships Between Columbian White-tailed and Black-tailed Deer in Southwest Oregon. M.S. Thesis. Oregon State University. Corvallis, OR.
- Wigmosta, M.S., L. Vail, and D. P. Lettenmaier, 1994: A distributed hydrology-vegetation model for complex terrain, *Wat. Resour. Res.*, 30, 1665-1679.
- Wiley, T. 2006. Personal Communications with Tom Wiley, Geologist, State of Oregon Department of Geology and Mineral Industries Southwest Oregon Section Leader.
- Wiley, T., 2008, Personal Communications with Tom Wiley, Geologist, State of Oregon Department of Geology and Mineral Industries Southwest Oregon Section Leader. March 11, 2008
- Willard, E. Earl; Ronald H. Wakimoto and Kevin C. Ryan. 1995. Vegetation recovery in sedge meadow communities within the Red Bench Fire, Glacier National Park. In: *Fire in wetlands: a management perspective: Proceedings, 19th Tall Timbers fire ecology conference, November 3-6; 1995.* pp. 102-110. Cerulean, Susan I.; Engstrom and R. Todd, editors. Tall Timbers Research Station. Tallahassee, FL.
- Williamson, Richard L. 1973. Results of shelterwood harvesting of Douglas-fir in the western Cascades. Research Paper PNW-161. Pacific Northwest and Range Experimental Station, U.S. Department of Agriculture, U.S. Forest Service. Portland, OR.



- Wimberly, M.C. 2002. Spatial simulation of historical landscape patterns in coastal forests of the Pacific Northwest. *Canadian Journal of Forest Research* 32:1316-1328.
- Wimberly, M.C. and J.L. Ohmann. 2004. A multi-scale assessment of human and environmental constraints on forest land cover change on the Oregon (USA) coast range. *Landscape Ecology* 19: 631-646.
- Wimberly, M.C., T.A. Spies, C.J. Long and C. Whitlock. 2000. Simulating historical variability in the amount of old forests in the Oregon Coast Range. *Conservation Biology* 14(1):167-180.
- Wind Energy Resource Atlas of the United States. 2007. Chapter 3: Regional Summaries, the Northwest Region, Oregon and Washington Coast.
- Winter, L.E., L.B. Brubaker, J.F. Franklin, E.A. Miller and D.Q. DeWitt. 2002. Initiation of an old-growth Douglas-fir stand in the Pacific Northwest. A reconstruction from tree ring records. *Canadian Journal of Forest Research* 32:1039-1056.
- Wipfli, M.S., J.S. Richardson and R.J. Naiman. 2007. Ecological Linkages Between Headwaters and Downstream Ecosystems: Transport of Organic Matter, Invertebrates, and Wood Down Headwater Channels. *Journal of the American Water Resources Association*. 43 p.
- Wisdom, M.J., N.J. Cimon, B.K. Johnson, E.O. Garton and J.W. Thomas. 2004a. Spatial partitioning by mule deer and elk in relation to traffic. In: *Transaction of the Sixty-ninth North American and Natural Resources Conference held March 16-20, 2004, in Spokane, WA*. J. Rahm, editor. Wildlife Management Institute. Washington, D.C.
- Wisdom, M.J., B.K. Johnson, M. Vavra, J.M. Boyd, P.K. Coe, J.G. Kie, and A.A. Ager. 2004b. Cattle and elk responses to intensive timber harvest. Pp. 727-758, in *Transactions of the 69th North American Wildlife and Natural Resources Conference held March 16-20, 2004 in Spokane, WA*. J. Rahm, editor. Wildlife Management Institute, Washington, D.C.
- With, K.A. and T.O. Crist. 1995. Critical thresholds in species' response to landscape structure. *Ecology* 76(8): 2446-2459.
- Witmer, G. and M. Wisdom. 1986. Some important elk-forest habitat relationships for western Oregon and Washington. In: *Proceedings of the 1986 Western States and Provinces Elk Workshop held March 17-19, 1986 in Coos Bay, Oregon*. Eastman, D.L., editor. Oregon Department of Fish and Wildlife. Portland, OR.
- Woltemade C.J.; Potter, K.W. 1994. A watershed modeling analysis of fluvial geomorphologic influences on flood peak attenuation. *Water Resources Research*. 30(6): 1933-1942.
- Woodbury, P.B., J.E. Smith and L.S. Heath. 2006. Carbon sequestration in the U.S. forest sector from 1990 to 2010. *Forest Ecology and Management* 241:14-27.
- Wright, K., K. Sendek, R. Rice and R. Thomas. 1990. Logging effects on streamflow: Storm runoff at Casper Creek in northwestern California. *Pacific Southwest Forest and Range Experiment Station, U.S. Department of Agriculture, U.S. Forest Service*. Arcata, CA.
- Wrangler, N.H. and J.D. Hall. 1975. Effects of logging on water temperature and dissolved oxygen in spawning beds. *TransAmerican Fisheries Society* 104(1):111-121.
- Yaeger, J. Scott. 2005. Habitat at Fisher Resting Sites in the Klamath Province of Northern California. Thesis presented to Humboldt University. Arcata, CA.



- Young, J.A., D.W. Hedrick and R.F. Keniston. 1967. Forest cover and logging--herbage and browse production in the mixed coniferous forest of northeastern Oregon. *Journal of Forestry* 65: 807-813.
- Zabel, C.J., K.M. McKelvey and J.P. Ward, Jr. 1995. Influence of primary prey on home-range size and habitat-use patterns of northern spotted owls (*Strix occidentalis caurina*). *Canadian Journal of Zoology* 73:433-439.
- Zabel, C.J., J.R. Dunk, H.B. Stauffer, L.M. Roberts, B.S. Mulder and A. Wright. 2003. Northern spotted owl habitat models for research and management application in California. *Ecological Applications* 13(4):1027-1040.
- Zenner, E. 2000. Do residual trees increase structural complexity in Pacific Northwest coniferous forests? *Ecological Applications* 10(3): 800–810.
- Zenner, E.K. 2005. Development of tree size distributions in Douglas-fir forests under differing disturbance regimes. *Ecological Applications* 15(2): 701–714.
- Zielinski, William J., Neil Duncan, Emma C. Farmer, Richard L. Truex, Anthony P. Clevenger and Reginald Barrett. 1999. Diet of Fishers (*Martes Pennanti*) at the Southernmost Extent of their Range. *Journal of Mammalogy* 80(3):961-971, 1999.
- Zielinski, William J., Richard L. Truex, Gregory A. Schmidt, Frederick V. Schlexer, Kristin N. Schmidt and Reginald H. Barrett. 2004. Resting Habitat Selection by Fishers in California. *Journal of Wildlife Management* 68(3):475-492.
- Ziemer, R. R. 1981. Storm flow response to road building and partial cutting in small streams of Northern California. *Water Resources Research* 17(4): 907-917.
- Ziemer, R. R. 1998. Proceedings of the conference on coastal watersheds: the Caspar Creek story. 6 May 1998; Ukiah, California. Pacific Southwest Research Station, U.S. Department of Agriculture. U. S. Forest Service. Albany, CA. 149 p.
- Ziemer, R. R. and E.T. Keppeler. 1996. Hydrologic consequences of logging second-growth redwood watersheds. Conference on coast redwood forest ecology and management. Humboldt State University. Arcata, CA.



Index

303(d) listed streams 10, 337

A

ACEC 11, 27, 43-46, 621
 Adaptive management 7, 881
 Administratively Withdrawn Area 27
 Air quality 408
 Allowable sale quantity 37, 40, 571-575
 Anadromous fish 362
 Annual program summary 139, 881
 Areas of concern (Northern Spotted Owl) 286

B

Bald eagle 310-312, 710-713
 Best Management Practices 867, Appendix I
 Biological Assessment 870
 Biological Opinion 870
 Biomass 861
 Bull Run Watershed 25-26

C


Cascade-Siskiyou National Monument 25-26
 Clean Air Act 408
 Clean Water Act 10, 336
 Climate change 488
 Coal bed methane 467, 861
 Columbian white-tailed deer 326, 697
 Communication sites 59
 Conservation needs (Northern Spotted Owl) 286-298, 645, 660, 661-667, 668-679, 680-683
 Consultation 19
 Cooperating agency 15, 16
 Coos Bay Wagon Roads 3, 12
 Coquille Forest 16-17, 148, 158
 Coquille Tribe 16, 17
 County payments 237-238, 547, 549, 561
 Critical habitat 5, 9, 298, 315, 365
 Cumulative effects 485

D

Deferred Timber Management Area 37
 Deer management areas 327-329, 698, 705
 Direct and indirect effects 485

E

Early-successional forests 206
 Eastside Forest Management Area 24, 35-37, 577
 Effective shade Summary lv
 Elk 7050710, 326, 328-330



Elk management areas 329-330, 705-710
Employment 247-250, 546, 550-559
Endangered Species Act 9, 869
Existing old forest 514

F

FEMAT 202, 211, 216
Fire regime 394-400, 807
Fire resiliency 401, 806, 808
Fire hazard 401
Fisher 318-321, 713-720
Fish productivity 801
Forest fragmentation 214

G

General Landscape Area 158
Geothermal energy 467

H

Habitat groups 271
Hardwood stands 214, 724-726
Harvest land base 516, 517, 575, 583
High intrinsic potential 367, 368, 803-804

I

Indian tribes 16
Instream restoration 803

J

Jordan Cove Energy Liquid Natural Gas Terminal and Pacific Connector Gas Pipeline 451, 487

L

Land birds 321-325, 721-735
Land tenure zones 57, 58
Land use allocations 24, 139, 140, 148, 158
Large wood model 372, 779
Late-successional forests 202, 505
Late-Successional Management Area 24, 28, 140, 148, 158
Listed fish species 362

M


Marbled murrelet 28, 299, -307, 684-697
Mature forests 206
Mitigation 495-497
Monitoring 880
Mt. Hood Corridor 25, 36, 63, 409
Mule deer 327, 698

N

National Energy Policy 469
National Environmental Policy Act 15
National Landscape Conservation System 24, 25, 621, 835
Natural disturbance 490-493



Nonharvest land base	519, 577
Northern spotted owl	5, 19, 28, 283-298, 644-681
Northwest Forest Plan 10-year monitoring	480
O	
O&C Act	3, 6, 8, 10, 12, 233
O&C lands	13, 193-197, 239
Off-highway vehicles	61, 62, 621
OPTIONS model	482, Appendix R
ORGANON growth and yield model	482, Appendix R
Oregon listed species	315
Oregon Smoke Management Plan	408
Owl activity centers	162
P	
Pacific Crest National Scenic Trail	25, 26, 63
Peak flow	355-357, 753-759, 800
Port-Orford cedar root rot	19, 41, 218
R	
Rangeland health	435, Appendix M
Reasonably Foreseeable Mineral Development	Appendix Q
Reference analyses	484, 573-574
Research natural area	440-441
Rights-of-way	59, 450-452
Riparian Management Areas	24, 32-37, 140, 148, 158
S	
Sage Grouse	306-310, 744-745
Salvage	32, 494-495, 616
Secure Rural School and Community Self Determination Act	236-237, 545
Sediment delivery	343, 347, 385, 799
Settlement agreement	4
Soil compaction	430
Source water watersheds	360-361, 778
Special status species	261-269, 315, 746
Stream temperature	336, 388, 801
Structural stage classifications	206-211, 502-516, 584
Sudden Oak death	490
Survey and Manage	5, 18-19
Sustained Yield Units	483
Swiss needle cast	214
T	
Temperature standards for fish species	388-389
Temporary use permits	451
Timber Management Areas	24, 37, 39, 140, 148
Timber Production Capability Classification (TPCC)	348
Traditional use sites	448, 855
Travel management plans	453



U

Uneven-Age Management Areas 24, 37
Utility corridors 59, 60

V

Visual resource management classes 425

W

Water quality 20, 334, 867
Western Snowy Plover 311-315, 743
West Nile virus 285
Westwide Energy Corridor Project 486
Wildland urban interface 50-51
Wind energy 468

Y

Yaquina Head Outstanding Natural Area 25, 26

A
New Map of
TEXAS OREGON
AND
CALIFORNIA

WITH THE REGIONS ADJOINING
CORRECTED
FROM THE MOST RECENT AUTHORITIES.
PHILADELPHIA
Published by S. Augustus Mitchell
N.E. CORNER OF MARKET & SEVENTH STREETS
1846

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

United States Department of the Interior
Bureau of Land Management
Oregon State Office
333 S.W. 1st Avenue
Portland, Oregon 97204



BLM/OR/WA/PL-08/096+1792

PRIORITY MAIL
POSTAGE AND FEES PAID
Bureau of Land Management
Permit No. G-76

The background of the page is a detailed topographic map, likely of a region in Oregon, showing contour lines, roads, and geographical features. The map is rendered in a light, faded gray tone.

Final Environmental Impact Statement

for the Revision of the Resource Management Plans of the Western Oregon Bureau of Land Management - Salem, Eugene, Roseburg, Coos Bay, and Medford Districts, and the Klamath Falls Resource Area of the Lakeview District

Vol. II

SPINE TEXT