

11.0 BIBLIOGRAPHY

The following articles resulted directly from NERL's Children's Pesticide Exposure Program

- Adgate JL, Barr DB, Clayton CA, Eberly LE, Freeman NCG, Lioy PJ, Needham LL, Pellizzari ED, Quackenboss JJ, Roy A, Sexton K. (2001) Measurement of children's exposure to pesticides: analysis of urinary metabolite levels in a probability-based sample. *Environ Health Perspect* 109:583-590.
- Adgate JL, Clayton CA, Quackenboss JJ, Thomas KW, Whitmore RW, Pellizzari ED, Lioy PJ, Shubat P, Stroebel C, Freeman NC, Sexton K. (2000) Measurement of multi-pollutant and multi-pathway exposures in a probability-based sample of children: practical strategies for effective field studies. *J Expo Anal Environ Epidemiol* 10:650-61.
- Adgate JL, Kukowski A, Stroebel C, Shubat PJ, Morrell S, Quackenboss JJ, Whitmore RW, Sexton K. (2000) Pesticide storage and use patterns in Minnesota households with children. *J Expo Anal Environ Epidemiol* 10(2):159-67.
- Berry MR, Cohen Hubal EA, Fortmann RC, Melnyk LJ, Sheldon LS, Stout D.M., Tulve NS, and Whitaker DA. (2001) Draft Protocol for Measuring Children's Non-Occupational Exposure to Pesticides by all Relevant Pathways. EPA/600/R-03/026, Office of Research and Development, Research Triangle Park, NC.
- Bradman A, Whitaker D, Quiros L, Castorina R, Henn BC, Nishioka M, Morgan J, Barr DB, Harnly M, Brisbin JA, Sheldon LS, McKone TE, Eskenazi B. (2006) Pesticides and their Metabolites in the Homes and Urine of Farmworker Children Living in the Salinas Valley, CA. *J Expo Sci Environ Epidemiol* [May 31 Epub ahead of print]
- Clayton C, Pellizzari E, Whitmore RW, Quackenboss JJ. (2003) Distributions, associations, and partial aggregate exposure of pesticides and polynuclear aromatic hydrocarbons in the Minnesota Children's Pesticide Exposure Study (MNCPES). *J Expo Anal Environ Epidemiol* 13(2):100-111.
- Cohen Hubal EA, Egeghy PP, Leovic KW, Akland GG. (2006) Measuring potential dermal transfer of a pesticide to children in a child care center. *Environ Health Perspect* 114(2):264-9.
- Cohen Hubal EA, Sheldon LS, Burke JM, McCurdy TR, Berry MR, Rigas ML, Zartarian VG, Freeman NCG. (2000a) Children's exposure assessment: a review of factors influencing children's exposure, and the data available to characterize and assess that exposure. *Environ Health Perspect* 108(6):475-486.
- Cohen Hubal EA, Sheldon LS, Zufall MJ, Burke JM, and Thomas K. (2000b) The challenge of assessing children's residential exposure to pesticides. *J Expo Anal Environ Epidemiol* 10:638-649.
- Cohen Hubal EA, Suggs JC, Nishioka MG, Ivancic WA. (2005) Characterizing residue transfer efficiencies using a fluorescent imaging technique. *J Expo Anal Environ Epidemiol* 15(3): 261-270.
- Edwards RD, Lioy PJ. (1995) The EL Sampler: A press sampler for the quantitative estimation of dermal exposure to pesticides in housedust. *J Expo Anal Environ Epidemiol* 9(5):521-529.
- Freeman N, Hore P, Black K, Jimenez M, Sheldon L, Tulve N, and Lioy P. (2005) Contributions of children's activities to pesticide hand loadings following residential pesticide applications. *J Expo Anal Environ Epidemiol* 15:81-88.
- Freeman NCG, Jiminez M, Reed KJ, Gurunthan S, Edwards RD, Roy A, Adgate JL, Pellizzari ED, Quackenboss JJ, Sexton K, Lioy PJ. (2001) Quantitative analysis of children's microactivity patterns: The Minnesota Children's Pesticide Exposure Study. *J Expo Anal Environ Epidemiol* 11(6):501-509.
- Hore P, Robson M, Freeman N, Zhang J, Wartenberg D, Ozkaynak H, Tulve N, Sheldon L, Needham L, Barr D, Lioy PJ. (2005) Chlorpyrifos accumulation patterns for child-accessible surfaces and objects and urinary metabolite excretion by children for 2 weeks after crack-and-crevice application. *Environ Health Perspect* 113(2):211-9.
- Hore P, Zartarian V, Xue J, Ozkaynak H, Wang SW, Yang YC, Chu PL, Sheldon L, Robson M, Needham L, Barr D, Freeman N, Georgopoulos P, Lioy PJ. (2006) Children's residential exposure to chlorpyrifos:

- Application of CPPAES field measurements of chlorpyrifos and TCPy within MENTOR/SHEDS-Pesticides model. *Sci Total Environ.* 1;366(2-3):525-537.
- Hu YA, Akland GG, Pellizzari ED, Berry MR, Melnyk LJ. (2004) Use of pharmacokinetic modeling to design studies for pathway-specific exposure model evaluation. *Environ Health Perspect* 112(17): 1697-1703.
- Ivancic WA, Nishioka, MG, Barnes, RH, and Cohen Hubal EA. (2004) Development and evaluation of a quantitative video fluorescence imaging system and fluorescent tracer for measuring transfer of pesticide residues from surfaces to hands with repeated contacts. *Ann Occup Hyg* 48(6): 519-532
- Lewis RG, Fortmann RC, Camann DE. (1994) Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. *Arch Environ Contam Toxicol* 26(1):37-46.
- Lewis RG, Fortune CR, Willis RD, Camann DE, Antley JT. (1999) Distribution of pesticides and polycyclic aromatic hydrocarbons in house dust as a function of particle size. *Environ Health Perspect* 107(9):721-6.
- Lioy PJ, Edwards RD, Freeman N, Gurunathan S, Pelizzari E, Adgate JL, Quackenboss J, Sexton K. (2000) House dust levels of selected insecticides and a herbicide measured by the EL and LWW samplers and comparisons to hand rinses and urine metabolites. *J Expo Anal Environ Epidemiol* 10(4):327-340.
- Melnyk LJ, Berry MR, Sheldon LS, Freeman NCG., Pellizzari ED, and Kinman RN. (2000) Dietary exposure of children in lead-laden environments. *J Expo Anal Environ Epidemiol* 10: 723-731.
- Morgan MK, Sheldon LS, Croghan CW, Jones PA, Chuang JC, Wilson NK. (2007) An observational study of 127 preschool children at their homes and daycare centers in Ohio: Environmental pathways to cis- and trans-permethrin exposure. *Environ Res* [Jan 25 Epub ahead of print].
- Morgan MK, Sheldon LS, Croghan CW, Jones PA, Robertson GL, Chuang JC, Wilson NK, Lyu CW. (2005) Exposures of preschool children to chlorpyrifos and its degradation product 3,5,6-trichloro-2-pyridinol in their everyday environments. *J Expo Anal Environ Epidemiol* 15: 297-309
- Morgan MK, Sheldon LS, Croghan CW, Chuang JW, Lordo RA, Wilson NK, Lyu C, Brinkman M, Morse N, Chou YL, Hamilton C, Finegold JK, Hand K, Gordon SM. (2004) "A Pilot Study of Children's Total Exposure to Persistent Pesticides and Other Persistent Organic Pollutants (CTEPP)." EPA/600/R-041/193
- Morgan MK, Stout II DM. (2001) Feasibility study of the potential for human exposure to pet-borne diazinon residues following lawn applications. *Bull Environ Contam Toxicol* 66:295-300.
- Ozkaynak H. (2005) Modeling children's exposures to pesticides: Issues and challenges. EPA's Workshop on the Analysis of Children's Measurements Data. RTP, NC; September 27, 2005.
- Pellizzari ED, Smith DJ, Clayton CA, Quackenboss JJ. (2003) Assessment of data quality for the NHEXAS - Part II: Minnesota children's pesticide exposure study (MNCPES). *J Expo Anal Environ Epidemiol* 13(6):465-479. {addendum}
- Quackenboss JJ, Pellizzari ED, Shubat P, Whitmore RW, Adgate JL, Thomas KW, Freeman CG, Stroebel C, Lioy PJ, Clayton AC, Sexton K. (2000) Design strategy for assessing multi-pathway exposure for children: the Minnesota Children's Pesticide Exposure Study (MNCPES). *J Expos Anal Environ Epidemiol* 10:145-158.
- Reed KJ, Jimenez M, Freeman NCG, Lioy P J. (1999) Quantification of children's hand and mouthing activities through a videotaping methodology. *J Expo Anal Environ Epidemiol* 9(5): 513-520.
- Rigas ML, Okino MS, Quackenboss JJ. (2001) Use of a pharmacokinetic model to assess chlorpyrifos exposure and dose in children, based on urinary biomarker measurements. *Toxicol Sci* 61:374-381.
- Riley WJ, McKone TE, Cohen Hubal EA. (2004) Estimating contaminant dose for intermittent dermal contact: model development, testing, and application. *Risk Analysis* Vol 24, No. 1:73-85.
- Rohrer CA, Hieber T, Melnyk LJ, Berry MR. (2003) Transfer efficiencies of pesticides to household flooring surfaces. *J Expo Anal Environ Epidemiol* 13: 454 - 464.
- Sexton K. (2005) Comparison of recruitment, retention, and compliance results for three children's exposure monitoring studies. *J Expo Anal Environ Epidemiol* 15(4):350-356.

- Sexton K, Adgate JL, Eberly LE, Clayton CA, Whitmore RW, Pellizzari ED, Lioy PJ, Quackenboss JJ. (2003) Predicting children's short-term exposure to pesticides: results of a questionnaire screening approach. Environ Health Perspect 110:123–128.
- Stout II DM, Mason M. (2003) The distribution of chlorpyrifos following a crack and crevice type application in the US EPA indoor air quality research house. Atmos Environ 37:5539-5549.
- Timchalk C, Nolan RJ, Mendrala AL, Dittenber DA, Brzak KA, Mattsson JL. (2002) A Physiologically based pharmacokinetic and pharmacodynamic (PBPK/PD) model for the organophosphate insecticide chlorpyrifos in rats and humans. Toxicol Sci 66(1):34-53.
- Tulve NS, Jones PA, Nishioka M, Fortmann RC, Croghan CW, Zhou JY, Fraser A, Cave C, Friedman W. (2006). Pesticide Measurements from the First National Environmental Health Survey of Child Care Centers Using a Multi-Residue GC/MS Analysis Method. Environ Sci Technol 40(20):6269-74.
- Tulve NS, Suggs JC, McCurdy T, Cohen Hubal EA, Moya J. (2002) Frequency of mouthing behavior in young children. J Expo Anal Environ Epidemiol 12:259-264.
- Wilson NK, Chuang JC, Morgan MK, Lordo RA, Sheldon LS. (2007) An observational study of the potential exposures of preschool children to pentachlorophenol, bisphenol-A, and nonylphenol at home and daycare. Environ Res 103(1):9-20.
- Zartarian V, Ferguson A, and Leckie J. (1998) Quantified dermal activity data from a four-child pilot field study. J Expo Anal Environ Epidemiol 8(1):109.
- Zartarian VG, Ozkaynak H, Burke JM, Zufall MJ, Rigas ML, Furtaw EJ Jr. (2000) A modeling framework for estimating children's residential exposure and dose to chlorpyrifos via dermal residue contact and nondietary ingestion. Environ Health Perspect 108(6):505-14.