Table 4-1. Population within 1,250 feet from Pipeline (Houston to El Paso)

Mile	ost		
From	To	Population ¹	Location
0.0	1.0	- 0 -	1-mile segment - Galena Park Terminal/industrial area
1.0	5.0	>3,600	4-mile segment - Northern Galena Park Terminal/industrial area; Galena Park; Jacinto City; and Holiday Forest
			and Songwood subdivisions
5.0	6.0	63	1-mile segment - Herman Brown Park and Wood Bayou Subdivision
6.0	7.0	30	1-mile segment - Wallisville Gardens Subdivision
7.0	10.0	568	3-mile segment - HL&P Greens Bayou Station and Ralston Acres, Houmont Park, and Green River subdivisions
10.0	27.0	>26,000	17-mile segment - Brock Park and Parkwood East, Lake Forest Estates, Glenwood Forest, Kentshire Place, Park North, Scenic Woods, Fontaine Place, Sherwood Place, Oakwilde, Melrose Place, Willow Run, Heather Glen, West Mount Houston, Inwood North, and Inwood North Estates subdivisions
27.0	28.0	3	1-mile segment - Undeveloped urban land
28.0	34.0	>11,000	6-mile segment - Rolling Fork, Arbor Vineyards, Willowbridge, Winchester Country, Steeplechase, Steeplechase Park, and Crossroads subdivisions
34.0	35.0	- 0 -	1-mile segment - Industrial/commercial area
35.0	36.0	487	1-mile segment - Northmead Village Subdivision
36.0	37.0	95	1-mile segment - Aberdeen Trails Subdivision
37.0	74.0	100	38-mile segment - Western Harris County to Austin County
74.0	75.0	55	1-mile segment - Vicinity of Bleiblerville
75.0	123.0	121	48-mile segment - Central Waller County to Eastern Bastrop County
123.0	126.0	402	2-mile segment - Indian Lake Estates
126.0	152.0	75	26-mile segment - Unincorporated Bastrop County
152.0	155.0	458	3-mile segment - Stony Point and East Travis Trails subdivisions
155.0	160.0	56	5-mile segment - Unincorporated Travis County
160.0	161.0	139	1-mile segment - Pilot Knob
161.0	163.0	27	2-mile segment - Unincorporated Travis County
163.0	172.0	>7,700	9-mile segment - Onion Creek Forest, Silverstone, Indian Hills, Meadow Creek, Park Ridge, Buckingham Estates,
			Parkwood, Tanglewood Forest, Shiloh, Southwest Oaks, Cherry Creek, Sendera Oaks, and Sendera Glen subdivisions
172.0	173.0	- 0 -	1-mile segment - Village at Western Oaks (undergoing development)
173.0	174.0	>514	1-mile segment - Circle C Ranch
174.0	176.0	241	2-mile segment - Unincorporated Travis County and Lookout Point and Lewis Mountain Ranch subdivisions
176.0	177.0	31	1-mile segment - Unincorporated Travis County

4-81

Table 4-1. (Continued)

Milepost			
From	From To Population ¹		Location
177.0	178.0	105	1-mile segment - Unincorporated Travis County and Cedar Valley Subdivision
178.0	179.0	36	1-mile segment - Unincorporated western Travis County
179.0	180.0	65	1-mile segment - Unincorporated western Travis County
180.0	695.0	524	530-mile segment - Hays County to El Paso Terminal
180.0	695.0	524	530-mile segment - Hays County to El Paso Terminal
Crane	Odessa	14	27-mile segment - MP 458 to Odessa Terminal

¹Estimated population estimates within 1,250 feet from the pipeline. (Refer to Appendix 4A, Table 4A-2.)

Note: Population numbers differ from total amounts stated in text due to rounding.

Note: Other subdivisions and neighborhoods in the Austin area beyond 1,250 ft distance include: Dove Springs, Beacon Ridge, Cortina, Deer Park at Maple Run, Maple Run No. 5, Mathews Lane, Onion Creek Plantation, Park Ridge, Park Wood, Plantation Oaks, Salem Walk, South Creek, Whispering Oaks, and Woodstone Village.

Table 4-2. Population by County – Estimated 1998 and Projections for 2020 and 2030

				Projected Annual Population Change			d Annual t Change
	1998	2020	2030	1998 - 2020	2020 - 2030	1998 - 2020	2020 - 2030
Harris	3,178,995	4,000,414	4,307,663	37,337	30,725	1.2	0.8
Waller	29,183	47,616	60,729	838	1,311	2.9	2.8
Austin	22,823	36,278	42,858	612	658	2.7	1.8
Fayette	21,768	28,509	31,544	306	304	1.4	1.1
Bastrop	48,929	97,916	125,426	2,227	2,751	4.6	2.8
Travis	699,981	1,145,909	1,401,692	20,269	25,578	2.9	2.2
Hays	86,475	154,296	191,951	3,083	3,766	3.6	2.4
Blanco	7,797	15,824	21,150	365	533	4.7	3.4
Gillespie	20,386	33,985	41,593	618	761	3.0	2.2
Mason	3,679	3,605	3,667	-3	6	-0.1	0.2
Kimble	4,269	5,668	7,173	64	151	1.5	2.7
Menard	2,360	2,419	2,442	3	2	0.1	0.1
Schleicher	3,372	4,371	4,776	45	41	1.3	0.9
Crockett	4,711	6,701	7,718	90	102	1.9	1.5
Reagan	4,229	6,637	7,122	109	49	2.6	0.7
Upton	4,030	6,039	6,290	91	25	2.3	0.4
Crane	4,583	6,265	6,501	76	24	1.7	0.4
Ector	124,139	142,539	145,399	836	286	0.7	0.2
Ward	12,761	16,190	16,523	156	33	1.2	0.2
Reeves	15,307	20,966	21,972	257	101	1.7	0.5
Culberson	3,302	5,275	5,800	90	53	2.7	1.0
Hudspeth	3,475	4,569	5,126	50	56	1.4	1.2
El Paso	688,626	1,021,886	1,178,165	15,148	15,628	2.2	1.5
Total	4,995,180	6,815,897	7,645,310				

Population estimates were acquired from the Texas State Data Center (1999) for those counties crossed by the Longhorn Pipeline. Current population numbers used were based on estimates as of January 1, 1998 (similar estimates for 1999 were not available). Population projections were compiled for 2020 and 2030 (estimates beyond 2030 were not available). Methodology used in estimating current (1998) population levels was based on 1990 Census data and factors that are known to influence population changes. A net migration pattern scenario that was based on 1990 through 1996 migration patterns was used to report estimated future population levels. The scenario was selected because it is particularly useful for those counties with post-1990 patterns that are substantially different than those of the 1980s.

Final EA 4-82 Volume 1: Chapter 4

Table 4-3. Summary of Vulnerable Receptors by Milepost Location within 1,250 feet of the Pipeline from the Galena Park Station to the El Paso Terminal

	Population B	ased Areas	Hospitals and			Land		
			Health Care			Energy	Other	
	20 or More Dwelling	Schools and Day	Facilities	Overnight	Correctional	Industry Land	Incompatible	Parks and
	Units per Mile	Care Facilities	(Mileposts)	Lodging	Facilities	Uses	Industries	Natural Areas
	(Mileposts)	(Mileposts)		(Mileposts)	(Mileposts)	(Mileposts)	(Mileposts)	(Mileposts)
	1.0 - 6.0	11.3	3.6	34.5	None	0.0 - 1.1	None	1.7
	7.0 - 27.0	12.0(a)	18.8	165.9		7.5 - 8.2		4.1 - 4.2
	28.0 - 34.0	12.0(b)	21.2			33.8 - 34.1		4.6 - 5.1
	35.0 - 37.0	13.7	168.2					9.7 - 10.4
	74.0 - 76.0	14.3(a)						16.3
	123.0 - 126.0	14.3(b)						17.9
	152.0 - 155.0	14.3(c)						22.6
	160.0 - 161.0	14.3(d)						25.4
	163.0 - 172.0	14.3(e)						25.6(a)
	173.0 - 176.0	17.1						25.6(b)
	177.0 - 178.0	20.5						28.2
	179.0 - 180.0	20.9						28.7
		21.1						31.2
		21.7						32.3
		24.5						35.0
		24.6						93.8
		25.5						127.5 - 128.8
		26.3						133.9 - 134.3
		27.8						162.9
		29.7						163.8
		30.9						164
		31.1						165.5
		32.0						167.9
		35.2						169.3
		163.1						170.7
		165.5						173.1
		168.9						194.5 - 197.0
		167.2						
		167.4						
Total Number of	56 miles	29 facilities	4 facilities	2 facilities	No facilities	3 areas	No facilities	26 facilities
Receptors/Miles								

Note: Dwelling unit analysis is based on 21 or more units per linear mile. All values expressed in full linear miles.

Milepost locations expressed as (a), (b), (c), (d), (e) reflect multiple vulnerable receptors at the same approximate location along the pipeline.

Energy industry land uses do not include oil and gas field operations.

Overnight lodging includes hotels, motels, and recreational vehicle parks.

		Distance from Pipeline	
Vulnerable Receptor	Location	(feet)	Mileposts
	Parks and Rec	creational Areas	
Smith Park	Galena Park	2,100	1.7
Herman Brown Park	East Houston	Traversed by ROW	4.1 to 4.2
			4.6 to 5.1
Brock Park	John Ralston Rd.	Traversed by ROW	9.7 to 10.4
James Driver Park	US 59 Frontage Rd.	400	16.3
Keith Weiss Park	Aldine and Hartwick	Adjacent to ROW	17.9
Commissioner Lee Park	Ella Blvd.	Traversed by ROW	22.6
Inwood North Forest Recreation Center I	Enchanted Forest Rd.	1,000	25.4
Inwood North Forest Recreation Center II	Maywood Forest Rd.	1,100	25.6
Inwood Forest Recreation Center	W. Mount Houston	Adjacent to ROW	25.6
Rolling Fork Park and Recreation Center	Rodney Ray Blvd.	Adjacent to ROW	28.2
Park and Community Recreation Center	Park Blvd.	Adjacent to ROW	28.7
Park Winchester Swim and Tennis Club	Rio Grande	700	31.2
Neighborhood Park ¹	12000 block of Steepleway Blvd.	940	32.3
Neighborhood Park ¹	Copper Grove Subdivision	830	35.0
		re Facilities	
Greenway Manor Personal Care	3625 Hopper Rd	600	18.8
Gulf Bank Medical Center	302 W. Gulf Bank	1,200	21.2
Medical Center of East Houston	I-10 Frontage Road	300	3.6
	Overnight Lo	dging Facilities	
Intown Suites	8800 block of SH 6	Adjacent to ROW	34.5
	Industria	l Facilities	
Galena Park – Ship Channel	Galena Park	Traversed by ROW	0.0 – 1.1
Miscellaneous (wastewater treatment storage tanks, warehouses)	Houston	Traversed by ROW	7.5 – 8.2
Pipeline and fuel storage complex around Satsuma Station	Houston	Traversed by ROW	33.8 – 34.1

¹ Unnamed neighborhood park.

Table 4-5. Schools and Day Care Facilities – Houston Metropolitan Area

School	Enrollment	Grades	School District	Proximity to Pipeline (feet)	<1,250	>1,250	Milepost
Bang Elementary 8900 Rio Grande	1,000	PK-5	Cy-Fair ISD	600	X	,	31.1
Brentwood Children's Academy Steeple Park Rd.	N/A	Day Care	Private	300	X		32.0
Calvary Lutheran School 10635 Homestead Rd	40	Day Care	Private	240	X		14.3
Carroll Academy for International Study 423 W. Gulfbank	1,100	PK - 4	Aldine ISD	480	X		20.9
Children's Rainbow Academy Day Care 1391 W. Gulfbank Rd.	N/A	Day Care	Private	600	X		21.7
Cook Jr. High 9111 Wheatland	1,300	6 - 8	Cy-Fair ISD	Adjacent to ROW	X		30.9
Cypress Fairbanks High School 9811 Huffmeister	2,900	9 - 12	Cy-Fair ISD	1,300		X	35.2
Eiland Elementary 6700 N. Klein Circle Dr.	560	PK - 5	Klein ISD	300	X		26.3
First Metropolitan Church Infant Development Center and Christian Academy 8870 Sam Houston N. Tollway	55	Day Care	Private	Adjacent to ROW	X		29.7
Fonwood Elementary 10719 Seneca	1,016	K - 5	North Forest ISD	Adjacent to ROW	X		14.3
Frazier Elementary 8300 Little River Dr.	525	K - 5	Cy-Fair ISD	1,000	X		27.8
Greater Progressive Baptist Church School 9847 Mesa Dr.	N/A	Day Care	Private	360	X		12.0
Keeble Primary 203 W. Gulfbank	577	PK	Aldine ISD	1,000	X		20.5
Kinder Care 8703 Antone Dr.	83	Day Care	Private	300	X		25.5
Kirby Middle School 9709 Mesa Dr.	950	6 - 8	North Forest ISD	600	X		12.0
Klein Intermediate 4710 W. Mt. Houston Rd.	1,100	6 - 8	Klein ISD	100	X		24.6

Table 4-5. (Continued)

School	Enrollment	Grades	School District	Proximity to Pipeline (feet)	<1,250	>1,250	Milepost
Langstead Primary 7201 Langley Rd.	498	PK	North Forest ISD	Adjacent to ROW	X		14.3
Miss Lucy's Early Childhood Center 10620 Homestead Rd	N/A	Day Care	Private	600	X		14.3
Nitsch Elementary 4702 W. Mt. Houston Rd.	840	PK - 5	Klein ISD	300	X		24.5
Northeast Christian School 7300-1/2 Langley	43	Day Care	Private	Adjacent to ROW	X		11.3
Northwood Middle School 10750 Homestead	650	6 - 8	North Forest ISD	Adjacent to ROW	X		14.3
Rogers Elementary 10550 J. L. Reaux	683	K - 5	North Forest ISD	900	X		13.7
Sweetwater Christian School/Day Care 8600 Sweetwater Ln.	580	Day Care	Private	Adjacent to ROW	X		21.1
Worsham Elementary 3007 Hartwick	800	PK - 4	Aldine ISD	1,300		X	17.1

N/A = Not Available PK = Pre-kindergartenK = Kindergarten

Source: American School Directory, 1999

Key Maps, 1998

Note: Cy-Fair ISD refers to the Cypress-Fairbanks Independent School District.

Table 4-6. Schools and Day Care Facilities – Austin Metropolitan Area

				Proximity to			
				Pipeline			
School	Enrollment	Grades	School District	(feet)	<1,250	>1,250	Milepost
Bailey Middle School	1,687	6 - 8	Austin ISD	12,700		X	171.8
4020 Lost Oasis Hollow							
Bedichek Middle School	1,200	6 - 8	Austin ISD	2,600		X	167.5
6800 Bill Hughes Rd.							
Boone Elementary	900	K – 5	Austin ISD	3,000		X	170.3
8101 Croftwood Rd.							
Bowie High School	3,100	9 - 12	Austin ISD	3,600		X	188.1
4103 Slaughter La.							
Bright Horizons Family Center	Under	Day Care	Private	1,700		X	172.5
Escarpment and Davis Rd.	construction						
Christ Community Christian School	N/A	Day Care	Private	2,000		X	167.2
8210 S. First St.							
Hillcrest Elementary	400	4 - 6	Del Valle ISD	300	X		163.1
6910 E. William Cannon Dr.							
Kiker Elementary	1,200	K – 5	Austin ISD	5,500		X	173.3
5913 La Crosse Ave.							
Kocurek Elementary	887	PK - 5	Austin ISD	7,000		X	170.1
9800 Curlew							
Legacy Oaks Christian Schools	N/A	Day Care	Private	1,100	X		168.9
7915 Manchaca Rd.							
Langford Elementary	850	PK – 5	Austin ISD	1,250	X		165.5
2206 Blude Meadow							
Cowan Elementary		K-5	Austin ISD	3,000		X	169.5
2871 Kentish Drive							
Mills Elementary	535	K-5	Austin ISD	1,800		X	172.7
6201 Davis Ln.							
Nana's Day Care	N/A	Day Care	Private	270	X		167.2
7806 S. First St.							
Odom Elementary	730	K-5	Austin ISD	6,400		X	167.6
1010 Turtle Creek Blvd.							
Palm Elementary	675	PK – 5	Austin ISD	1,880		X	164.0
7601 Dixie Dr.							

4-88

Table 4-6. (Continued)

School	Enrollment	Grades	School District	Proximity to Pipeline (feet)	<1,250	>1,250	Milepost
Pleasant Hill Elementary 6405 Circle S Rd.	670	PD – 5	Austin ISD	4,100		X	167.0
Popham Elementary 7014 Elroy Rd.	925	PK – 3	Del Valle ISD	2,000		X	158.0
Widen Elementary 5605 Nuckols Crossing	1,080	PK – 5	Austin ISD	6,500		X	164.2
Williams Elementary 500 Mairo Dr.	950	PK – 5	Austin ISD	1,140	X		167.4

N/A = Not Available PK = Pre-kindergartenK = Kindergarten

Source: American School Directory, 1999

Key Maps, 1998

Note: Cy-Fair ISD refers to the Cypress-Fairbanks Independent School District.

 ${\bf Table~4-7.~Non-school~Vulnerable~Receptors-Austin~Metropolitan~Area}$

		Distance from							
Land Use Feature	Location	Pipeline (feet)	Mileposts						
	Parks and Recreational Areas								
McKinney Falls State Park	N/A	200	162.9						
Neighborhood Park ¹	Vicinity of Marble	Adjacent to ROW	163.8						
	Creek Crossing								
Onion Creek Greenbelt	Onion Creek Dr.	Traversed by ROW	164.0						
Kendra Page Park	2203 Blue Meadow	900	165.5						
Dittmar Recreation Center and	1000 block of W.	700	167.9						
Park	Dittmar Rd.	7 00	1.50.0						
Neighborhood Park ¹	Cameron Loop Rd. and	700	169.3						
	Fort Sumpter								
Karst Nature Preserve	3900 block of Deer Lane	100	170.7						
Circle C Metropolitan Park	Circle C Development	500	173.1						
Health Care Facilities									
The Brown Schools	1106 W. Dittmar Rd.	Traversed by ROW	168.2						
Rehabilitation Center									
	Overnight Lodging	Facilities							
Lone Star RV Resort	6900 block of I-35	1,100	165.9						
	frontage road								

¹ Unnamed neighborhood park.

Final EA Volume 1: Chapter 4

Table 4-8. Dwelling Unit and Population Estimates – El Paso Laterals

	Fort Bliss	Alternative	Montana Av	e. Alternative
	Number of Dwellings ¹	Estimated Population ²	Number of Dwellings ¹	Estimated Population ²
Del Este Apartments	N/A	N/A	96	318
Del Este II Apartments	N/A	N/A	184	609
Carlsbad Mobile Home Park	N/A	N/A	75	248
Digger Pines Apartments	N/A	N/A	80	265
Las Palmas Subdivision (estimated to be 60 percent occupied)	N/A	N/A	200	662
Palm Desert Subdivision (estimated to be 30 percent occupied)	N/A	N/A	80	265
Hueco Mountain Village (estimated to be 15 percent occupied)	N/A	N/A	30	99
Unnamed mobile home park (west of Turf Lane)	N/A	N/A	60	199
Unnamed mobile home park (east of Turf Lane)	N/A	N/A	25	83
Quail Run Mobile Homes	N/A	N/A	12	40
Butterfield Square Subdivision	70	232	12	40
Desert Park Oasis	N/A	N/A	30	99
Other single-family dwellings			250	828
Total	70	232	1,134	3,755

N/A = Not Applicable

¹ Within 1,250 feet from Pipeline Centerline.

² Population estimated from 3.31 persons per household (1990 Census Bureau).

Table 4-9. El Paso Schools – Comparison of Montana Avenue and Fort Bliss Routes

				Distance (feet) from Pipeline	
School	Enrollment	Grades	School District	Fort Bliss Pipeline	Montana Ave. Laterals
Cielo Vista Elementary 9000 Basil Ct.	300	PK - 5	Ysleta ISD	37,000	2,800
East Montana Middle School 3490 Ascencion Blvd.	1,200	5 - 8	Clint ISD	13,500	14,500
Edgemere Elementary 10300 Edgemere St.	991	K - 6	Ysleta ISD	35,000	3,100
Montana Vista Elementary 14900 Greg Dr.	500	3 - 4	Clint ISD	14,000	15,000
Mountain View High School 14964 Greg Dr.	798	9 - 12	Clint ISD	15,500	15,500
Pebble Hills Elementary 11145 Edgemere St.	1,100	K - 6	Ysleta ISD	35,000	3,000
Unnamed Elementary School* Lee Trevino Dr. and Montana Ave.	900 - 900	K - 8	Ysleta ISD	34,000	<1,250

PK = Pre-kindergarten K = Kindergarten

Source: American School Directory, 1999 Escabar, 1999

Escabar, 1999 Mapsco, 1998 *Under construction

Table 4-10. Major and Minor Aquifers Crossed by the Longhorn Pipeline System Route with General Characteristics

Aquifer	Age	Lithology
Gulf Coast Aquifer System	Tertiary-Quaternary	Sand, silt clay, and gravel
(Major)		
Brazos River Alluvium Aquifer	Quaternary	Unconsolidated alluvium including sand,
(Minor)		gravel, with interbedded silts and clays
Sparta Aquifer	Tertiary	Interbedded sands and clays
(Minor)		
Queen City Aquifer	Tertiary	Sand, loosely cemented sandstone with
(Minor)		interbedded clay
Carrizo-Wilcox Aquifer System	Tertiary	Sand, sandstone, clay, silt, lignite, gravel
(Major)		
Colorado River Alluvium	Quaternary	Unconsolidated alluvium including sand,
(Proposed minor aquifer)		gravel, with interbedded silts and clays
Edwards Aquifer	Cretaceous	Limestones and dolomites (cavernous,
(Balcones Fault Zone)		vugular, fractured)
(Major)	+	
Trinity Aquifer	Cretaceous	Limestone and dolomite, gravel, and
(Major)		conglomerate with interbedded clay; sand
II: -1 A: f	Cambrian	with interbedded clay
Hickory Aquifer	Cambrian	Basal Paleozoic sandstone, medium to
(Minor)	Cambrian - Ordovician	coarse grained, hematite cemented
Ellenburger-San Saba Aquifer (Minor)	Cambrian - Ordovician	Limestone and dolomite, fractured
Marble Falls Aquifer	Pennsylvanian	Limestone and dolomite
(Minor)	1 chingy i vanian	Emissions and dolomics
Edwards-Trinity (Plateau) Aquifer	Cretaceous	Limestone, dolomite, and sandstone
(Major)		, ,
Cenozoic Pecos Alluvium Aquifer	Tertiary	Unconsolidated sand, silt, gravel, with
(Major)		interbedded clays and playa deposits
Dockum Aquifer	Triassic	Sandstone, shale and conglomerate
(Minor)		
Capitan Reef Complex Aquifer	Permian	Reef limestone and dolomite
(Minor)		
Rustler Aquifer	Permian	Limestone, siltstone, sandstone, and clay
(Minor)		
Hueco Bolson Aquifer	Tertiary	Unconsolidated sand, silt, gravel, with
(Minor)		interbedded clays and playa deposits
Lipan Aquifer	Tertiary	Unconsolidated conglomerate, gravels,
		sands, silt, and interbedded clay

Source: Texas Water Development Board and Bureau of Economic Geology

Note: Although not designated a major or minor aquifer by TWDB, the "Colorado River Alluvium Aquifer," primarily in Bastrop and Fayette counties, has been identified as a significant and vulnerable hydrogeologic unit and is discussed in this environmental assessment.

The Lipan Aquifer is not along the existing Longhorn Pipeline System route but is included in this discussion because it occurs along the Aquifer Avoidance/Minimization Route Alternative (discussed in Chapter 9).

Table 4-11a. Public Water Supply Systems (Ground Water) in the Vicinity (<2.5 miles) of the Longhorn Pipeline System

		% Total Supply	% of Total Supply
Public Water Supply System	Aquifer Used	Surface Water	Ground Water
City of Galena Park	Gulf Coast	61	39
Jacinto City	Gulf Coast	57	43
City of Houston	Gulf Coast	62	38
City of Bastrop	Colorado River Alluvium	0	100
City of La Grange	Carrito-Wilcox	0	100
City of Smithville	Carrito-Wilcox	0	100
City of Winchester	Colorado River Alluvium	0	100
City of Sunset Valley	Edwards (BFZ)	0	100
Aqua Water Supply Corp.	Carrizo-Wilcox	0	100
City of Cedar Creek	Colorado River Alluvium	0	100
Johnson City	Ellenburger-San Saba	60	40
Colorado River MWD*	Edwards-Trinity,		
(Pyote Field)	Cenozoic Pecos Alluvium	0	100
City of El Dorado	Edwards-Trinity	0	100
Upton County Water Supply			
Corp	Edwards-Trinity	0	100
City of Odessa	Edwards-Trinity	82	18
City of Pecos	Dockum Aquifer and		
	Cenozoic Pecos Alluvium	0	100
City of El Paso	Hueco Bolson	44	56
Dept. of the Army – Fort Bliss	Hueco Bolson	0	100

Source: Texas Water Development Board – Data for 1997 *Municipal Water District

Table 4-11b. Public Water Supply Systems (Ground Water) in the Vicinity (2.5-25 miles) of the Longhorn Pipeline System

		% of Total	% of Total
Public Water Supply		Supply Surface	Supply Ground
System	Aquifer Used	Water	Water
Rutersville	Gulf Coast	0	100
Travis County MUD #2	Colorado River	0	100
	Alluvium		
Manville Water Supply	Colorado River	0	100
Corp	Alluvium		
Garfield Water Supply	Colorado River	0	100
Corp	Alluvium		
The Colony	Colorado River	0	100
	Alluvium		
City of Manor	Colorado River	0	100
	Alluvium		
Manchaca	Edwards (BFZ)	0	100
Dripping Springs	Trinity	0	100
Cherry Spring	Ellenburger-San Saba	0	100
London	Edwards-Trinity	0	100
Cleo	Edwards-Trinity	0	100
Willow City	Ellenburger-San Saba	0	100

Source: TWDB (1997) and LCRA (1999)

Table 4-12. Municipal Water Use by County and Aquifer Along the Longhorn Pipeline System Route

County	County Aquifer System(s)		Public Supply Use % of Total Pumpage
Harris	Gulf Coast	336,878	90
Waller	Gulf Coast, Brazos River Alluvium	27,517	16
Austin	Gulf Coast, Brazos River Alluvium	11,409	28
Fayette	Carrizo-Wilcox, Sparta, Queen City, Gulf Coast, Colorado River Alluvium	3,328	86
Bastrop	Carrizo-Wilcox, Queen City, Sparta, Colorado River Alluvium	7,895	89
Travis	Trinity, Edwards (BFZ)	8,708	86
Hays	Trinity, Edwards (BFZ)	2,851	85
Blanco	Trinity, Ellenburger-San Saba, Marble Falls, Hickory	810	49
Gillespie	Edwards-Trinity, Ellenburger-San Saba, Trinity, Hickory, Marble Falls,	3,642	57
Llano	Ellenburger- San Saba, Trinity, Hickory, Marble Falls	156	7
Mason	Ellenburger-San Saba, Hickory, Marble Falls	818	8
Kimble	Edwards-Trinity	195	23
Menard	Edwards-Trinity	73	8
Sutton	Edwards-Trinity	1,417	38
Schleicher	Edwards-Trinity	566	20
Crockett	Edwards-Trinity	1,675	63
Reagan	Edwards-Trinity	637	1
Upton	Cenozoic Pecos Alluvium, Edwards- Trinity	19,432	4
Crane	Cenozoic Pecos Alluvium	1,088	37
Ector	Edwards-Trinity Cenozoic Pecos Alluvium	1,064	9
Ward	Cenozoic Pecos Alluvium, Dockum	9,077	57
Reeves	Edwards-Trinity, Cenozoic Pecos Alluvium, Rustler, Dockum	1,255	1
Culberson	Edwards-Trinity, Capitan Reef Complex, Rustler	22	14
Hudspeth	Hueco Bolson, Bone Spring, Capitan Reef	131,692	<1
El Paso	Hueco Bolson	86,161	90

Source: Texas Water Development Board, 1997

 Table 4-13. Springflow Sites in the Vicinity of the Longhorn Pipeline System

		Location	
County	Spring Name	(latitude-longitude)	Aquifer
Hudspeth	Ojos del Alamo	N31 32 W105 43	Edwards-Trinity
	Apache Spring	N31 27 W104 58	Rustler.
Schleicher	Government Springs	N30 50 W106 06	Edwards-Trinity
Kimble	Iona Spring	N 30 42 W99 41	Edwards-Trinity
	Gentry Spring	N30 39 W99 55	Edwards-Trinity
	Scott Spring	N30 37 W99 39	Edwards-Trinity
Mason	Anderegg Spring	N30 31 W99 08	Ellenburger-San Saba
Edwards-Trinity	Lange Springs	N30 28 W99 08	Edwards-Trinity
Blanco	Rocky Creek Spring	N30 15 W98 32	Ellenburger-San Saba
	Buffalo Spring	N30 20 W98 26	Ellenburger-San Saba
	Crofts Spring	N30 19 W98 23	Ellenburger-San Saba
	Hobbs Spring	N30 18 W98 25	Ellenburger-San Saba
Travis	Barton Springs	N30 16 W97 47	Edwards (BFZ)
Bastrop	Burleson Springs	N30 05 W97 21	Carrizo-Wilcox

Final EA 4-96 Volume 1: Chapter 4

Table 4-14. Estimated Hydrogeologic Vulnerability and Proximal Vulnerability (Vulnerability of Public Water Supply Receptors) in the Vicinity of the Longhorn Pipeline System Route

Starting Mileage	Ending Mileage		Hydrogeologic Vulnerability	Proximal Vulner- ability	Total Vulner- ability Sum A+B	Vulnerability and Justification
0	59.8	Gulf Coast Aquifer	4	5	9	Not Vulnerable – Deep Soil
		System				Formation with surface
	Ì					clays
59.8	66.0	Brazos River Alluvium	3	5	8	Vulnerable –
	<u>. </u>					Unconsolidated Alluvium
66.0	80.9	Gulf Coast Aquifer	5	5	10	Not Vulnerable – Deep Soil
		System				Formation with surface
						clays
80.9	81.2	Brazos River Alluvium	3	5	8	Vulnerable –
						Unconsolidated Alluvium
81.2	88.9	Gulf Coast Aquifer	4	5	9	Not Vulnerable – Deep Soil
		System				Formation with surface
						clays
88.9	91.0	Brazos River Alluvium	3	5	8	Vulnerable –
01.0	00.6	G 16 G A	4		0	Unconsolidated Alluvium
91.0	98.6	Gulf Coast Aquifer	4	5	9	Not Vulnerable – Deep Soil
		System				Formation with surface
98.6	99.0	Colorado River	3	5	8	Clays Vulnerable –
96.0	33.0	Alluvium	3	3	O	Unconsolidated Alluvium
99.0	111.5	Gulf Coast Aquifer	4	5	9	Not Vulnerable – Deep Soil
77.0	111.5	System	_	3		Formation with surface
		System				clays
111.5	112.5	Colorado River	3	5	8	Vulnerable –
111.0	112.0	Alluvium				Unconsolidated Alluvium
112.5	118.6	No major or minor	5	5	10	Low Vulnerability- Deep
		aquifer outcrops present				Clayey soil formation
118.6	119.7	Colorado River	3	5	8	Vulnerable –
		Alluvium				Unconsolidated Alluvium
119.7	122.1	No major or minor	5	5	10	Low Vulnerability – Deep
		aquifer outcrops present				Clayey soil formation
122.1	123.1	Colorado River	3	5	8	Vulnerable -
		Alluvium				Unconsolidated Alluvium
123.1	125.6	No major or minor	5	5	10	Low Vulnerability - Deep
		aquifer outcrops present				Clayey soil formation
125.6	127.5	Colorado River	3	5	8	Vulnerable –
		Alluvium				Unconsolidated Alluvium
127.5	128.9	No major or minor	5	5	10	Low Vulnerability – Deep
		aquifer outcrops present				Clayey soil formation

Final EA Volume 1: Chapter 4

Table 4-14. (Continued)

Starting Mileage	Ending Mileage	Hydrogeologic Unit	Hydrogeologic Vulnerability	Proximal Vulner- ability	Total Vulner- ability Sum A+B	Vulnerability and Justification
128.9	141.5	Colorado River	3	5	8	Vulnerable –
		Alluvium				Unconsolidated Alluvium
141.5	142.2	Carrizo-Wilcox Aquifer outcrop	3	5	8	Low – Moderate Vulnerability – Deep Sandy
142.2	143.2	Colorado River	3	5	8	Soil Formation Vulnerable –
142.2	143.2	Alluvium	3	3	0	Unconsolidated Alluvium
143.2	150.7	Carrizo-Wilcox Aquifer	3	5	8	Low – Moderate
143.2	130.7	outcrop	3	3	8	Vulnerability – Deep sandy soil formation
150.7	157.4	No major or minor aquifer outcrops present	5	5	10	Not Vulnerable - Deep clayey soil
157.4	157.7	Colorado River Alluvium	3	5	8	Vulnerable – Unconsolidated Alluvium
157.7	163.6	No major or minor aquifer outcrops present	5	5	10	Not Vulnerable – Deep Soil
163.6	164.9	Colorado River Alluvium	3	3	6	Onion Creek watershed - PWS wells downstream at confluence with Colorado River
164.9	170.5	None	5	5	10	Upper Confining unit of Edwards (BFZ) Aquifer
170.5	170.6	Edwards Aquifer (BFZ)	2	2	4	Vulnerable – Karst area
170.6	171.2	Edwards Aquifer (BFZ) Leached and Collapsed Member	1	2	3	Highly vulnerable –Karst High Permeability Unit
171.2	171.5	Edwards Aquifer (BFZ)	2	2	4	Vulnerable – Karst area
171.5	171.7	Edwards Aquifer (BFZ) Leached and Collapsed Member	1	2	3	Highly vulnerable-Karst High Permeability Unit
171.7	171.9	Edwards Aquifer (BFZ)	2	2	4	Vulnerable – Karst area
171.9	172.3	Edwards Aquifer (BFZ)	2	2	4	Vulnerable – Regional Dense member of Person formation - near by karst features
172.3	172.4	Edwards Aquifer (BFZ) Kirshberg Evaporite Member	1	1	2	Highly vulnerable – Karst High Permeability Unit
172.4	172.7	Edwards Aquifer (BFZ)	2	2	4	Vulnerable – Karst area

Final EA 4-98 Volume 1: Chapter 4

Table 4-14. (Continued)

Starting Mileage	Ending Mileage	Hydrogeologic Unit	Hydrogeologic Vulnerability	Proximal Vulner- ability	Total Vulner- ability Sum A+B	Vulnerability and Justification
172.7	173.1	Edwards Aquifer (BFZ) Kirshberg Evaporite Member	1	1	2	Highly vulnerable – Karst High Permeability Unit
173.1	173.5	Edwards Aquifer (BFZ)	2	2	4	Vulnerable - Karst area – Dolomitic member of Kainer Formation
173.5	199.0	Trinity Aquifer	4	4	8	Alternating clay and marl
199.0	206.0	Ellenburger-San Saba Aquifer	2	5	7	Known karst area
206.0	207.5	Edwards-Trinity (Plateau) Aquifer	4	5	9	Alternating clay and marl
207.5	210.0	Ellenburger-San Saba Aquifer	2	5	7	Known karst area
210.0	214.5	Edwards-Trinity (Plateau Aquifer	4	5	9	Alternating clay and marl
214.5	215.3	Ellen burger-San Saba Aquifer	2	5	7	Vulnerable Karst
215.3	224.8	Edwards-Trinity (Plateau) Aquifer	4	5	9	Alternating clay and marl
224.8	226.2	Ellenburger-San Saba Aquifer	2	5	7	Vulnerable – Karst
226.2	244.9	Edwards-Trinity (Plateau) Aquifer	4	5	9	Alternating clay and marl
244.9	276.6	Ellenburger-San Saba Aquifer	2	5	7	Vulnerable – Karst
276.6	281.2	Edwards-Trinity (Plateau) Aquifer	3	5	8	Low – Moderate Permeability Sandstone
281.2	341.0	Edwards-Trinity (Plateau) Aquifer	3	4	7	Known karst area
341.0	346.0	Edwards-Trinity Aquifer	2	1	3	City of Eldorado PWS wells < 2.5 miles north; and known karst features < 2.5 miles north
346.0	356.0	Edwards-Trinity Aquifer	3	3	6	High permeability limestone
356.0	361.0	Edwards-Trinity Aquifer	3	2	5	PWS well 2.5 miles north
361.0	410.0	Edwards-Trinity Aquifer	3	4	7	Known karst area
410.0	423.0	Edwards-Trinity Aquifer	-	3	6	City of Big Lake PWS wells within 25 miles along stream in karst area and known karst feature within 2.5 miles of
423	428	Edwards-Trinity Aquifer	2	2	4	pipeline; Upton County Water District Wells within 2.5 miles south of pipeline
428.0	446.8	Edwards-Trinity (Plateau) Aquifer	3	3	6	Limestones and Sandstones- Moderate permeability
446.8	492.0	Cenozoic Pecos Alluvium	3	4	7	Unconsolidated Alluvium

Table 4-14. (Continued)

Starting Mileage	Ending Mileage	Hydrogeologic Unit	Hydrogeologic Vulnerability	Proximal Vulner- ability	Total Vulner- ability Sum A+B	Vulnerability and Justification
492.0	495.0	Cenozoic Pecos Alluvium	5	2	7	City of Grand Falls PWS
495.0	508.7	Cenozoic Pecos Alluvium	3	4	7	wells within 2.5 miles south Unconsolidated Alluvium
508.7	516.7	None	5	5	10	No aquifers present
516.7	565.5	Cenozoic Pecos Alluvium & Edwards-Trinity (Plateau) Aquifer	3	4	7	Unconsolidated alluvium and sandstone
565.5	570.6	Rustler Aquifer Outcrop	4	5	9	Low Permeability limestones No PWS wells in proximity
570.6	687.5	No major or minor aquifers present	4	5	9	No PWS wells in close proximity
687.5	694.6	Hueco Bolson Aquifer	5	2	7	28 PWS wells within 2.5 miles
*0.00	25.80	Cenozoic Pecos Alluvium	3	5	8	Unconsolidated Alluvium
*25.80	28.00	Edwards-Trinity (Plateau) Aquifer	3	5	8	Non-karst area

^{*}Odessa Lateral

Final EA 4-100 Volume 1: Chapter 4

Table 4-15. Summary of Ground Water Vulnerability, Re-route

		Major or Minor		Physical Vulnerability	Proximal Vulnerability	Total	
Start Mileage	End Mileage	Aquifer System	Hydrogeologic Unit	(hydrogeology)(A)	(receptors) (B)	Vulnerability (A) + (B)	Remarks
0.00	4.50	None	Edwards Aquifer Upper Confining Unit	5	5	10	
4.50	12.12	None	Edwards Aquifer Upper Confining Unit	5	3	8	Public water supply wells within 2.5 miles
12.12	12.25	Edwards (BFZ)	Georgetown Formation	3	2	5	Karst features and public water supply wells within 2.5 miles
12.25	12.61	None	Edwards Aquifer Upper Confining Unit	5	2	7	Karst features and public water supply wells within 2.5 miles
12.61	13.24	Edwards (BFZ)	Person Formation - Leeched and Collapsed Member (undivided)	1	2	3	Karst features and public water supply wells within 2.5 miles
13.24	13.72	Edwards (BFZ)	Georgetown Formation	3	2	5	Karst features and public water supply wells within 2.5 miles
13.72	13.79	None	Edwards Aquifer Upper Confining Unit	5	2	7	Karst features and public water supply wells within 2.5 miles
13.79	13.80	Edwards (BFZ)	Georgetown Formation	3	2	5	Karst features and public water supply wells within 2.5 miles
13.80	13.98	None	Edwards Aquifer Upper Confining Unit	5	2	7	Karst features and public water supply wells within 2.5 miles
13.98	13.99	Edwards (BFZ)	Kainer Formation - Grainstone Member	2	2	4	Karst features and public water supply wells within 2.5 miles
13.99	14.20	Edwards (BFZ)	Kainer Formation - Kirshberg Evaporite Member	1	2	3	Karst features and public water supply wells within 2.5 miles
14.20	14.29	Edwards (BFZ)	Kainer Formation - Grainstone Member	2	2	4	Karst features and public water supply wells within 2.5 miles
14.29	14.54	Edwards (BFZ)	Kainer Formation - Kirshberg Evaporite Member	1	2	3	Karst features and public water supply wells within 2.5 miles
14.54	14.62	Edwards (BFZ)	Person Formation - Cyclic and Marine Members (undivided)	2	2	4	Karst features and public water supply wells within 2.5 miles

Table 4-15. (Continued)

		Major or			Proximal		
Starting	Ending	Minor Aquifer		Physical Vulnerability	Vulnerability (receptors)	Total Vulnerability (A)	
Mileage	Mileage	System	Hydrogeologic Unit	(hydrogeology) (A)	(B)	+ (B)	Remarks
14.62	15.14	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
			Member				2.5 miles
15.14	15.63	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic				water supply wells within
			Member				2.5 miles
15.63	15.70	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
15.70	16.05	F1 1	Member	2	2	4	2.5 miles
15.70	16.25	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic Member				water supply wells within 2.5 miles
16.25	16.59	Edwards	Kainer Formation	3	2	5	Karst features and public
10.23	10.59	(BFZ)	- Basal Nodular	3	2]	water supply wells within
		(DI L)	Member				2.5 miles
16.59	17.38	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic	_			water supply wells within
		, ,	Member				2.5 miles
17.38	17.57	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
			Member				2.5 miles
17.57	17.76	Trinity	Glen Rose -	4	2	6	Karst features and public
			Formation -				water supply wells within
			Upper Member;				2.5 miles
			Edwards Aquifer				
			Lower Confining Unit				
17.76	17.85	Edwards	Kainer Formation	3	2	5	Karst features and public
17.70	17.05	(BFZ)	- Basal Nodular	3	2	3	water supply wells within
		(BIE)	Member				2.5 miles
17.85	17.96	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic				water supply wells within
		, ,	Member				2.5 miles
17.96	18.04	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
			Member				2.5 miles
18.04	18.56	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic				water supply wells within
10.77	10	·	Member			_	2.5 miles
18.56	18.60	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
18.60	21.01	Edwards	Member Kainer Formation	2	2	4	2.5 miles Karst features and public
10.00	21.01	(BFZ)	- Dolomitic	<u> </u>	۷	4	water supply wells within
		(DIZ)	- Dolollitic Member				2.5 miles
<u> </u>		l	IVICIIIUCI			<u>I</u>	2.J IIIIC3

Final EA 4-102 Volume 1: Chapter 4

Table 4-15. (Continued)

Start Mileage	End Mileag e	Major or Minor Aquifer System	Hydrogeologic Unit	Physical Vulnerability (hydrogeology) (A)	Proximal Vulnerability (receptors) (B)	Total Vulnerability (A) + (B)	Remarks
21.01	21.02	Edwards	Kainer Formation	3	2	5	Karst features and public
		(BFZ)	- Basal Nodular				water supply wells within
			Member				2.5 miles
21.02	21.12	Edwards	Kainer Formation	2	2	4	Karst features and public
		(BFZ)	- Dolomitic				water supply wells within
			Member;				2.5 miles
			Terminus of				
			Austin Re-route				

Final EA 4-103 Volume 1: Chapter 4

Table 4-16. Summary of Data from Selected USGS Flow Gauges

						Mon	thly M	Iean F	lows	Mean		Flowra		
					Basin		(c	fs)	1	Annual	Extreme	%	of Tin	ıe
Map			Start	End	Area					Flow	Flow			
ID	Station	Station Name	Year	Year	(sq miles)	Jan		July	Oct	(cfs)	(cfs)	10%	50%	
3	08111700	Mill Creek near Bellville, Texas	1940	1993	376	280	329	34	114	237	44,400	280	34	4
15	08152900	Pedernales River near Fredericksburg, Texas	1980	1995	369	43	49	45	69	62	64,000	90	22	3
11	08153500	Pedernales River near Johnson City, Texas	1940	Current	901	128	244	103	228	197	441,000	284	50	4.8
7	08155200	Barton Creek at Hwy 71 near Oak Hill, Texas	1980	Current	89.7	44.6	50.9	12.8	12.8	46.7	14,900	88	4.2	0.02
5	08158000	Colorado River at Austin, Texas	1869	Current	39,009	1,240	2,701	2,769	2,018	2270	481,000	3,960	1,130	175
9	08158700	Onion Creek near Driftwood, Texas	1980	Current	124	54	53.1	27.7	19.4	53.1	11,000	120	9	0.36
8	08158810	Bear Creek below FM Road 1826 near Driftwood, Texas	1980	Current	12.2	6.02	6.37	2.45	2.56	6.21	10,200	13	1.2	0
6	08158840	Slaughter Creek at FM Road 1826 near Austin, Texas	1980	Current	8.24	5.12	4.71	1.24	3.31	5.72	6,330	10	0.34	0
4	08161000	Colorado River at Columbus, Texas	1869	Current	41,640	2,398	3,567	3,332	2,941	3151	190,000	6,000	1630	397
16	08150800	Beaver Creek near Mason, Texas	1964	Current	215	13.6	20	4.02	32.2	91.5	66,900	23	3.1	0.2
12	08151500	Llano River at Llano, Texas	1935	Current	4,197	285	384	233	538	380	260,000	545	155	40
18	08144500	San Saba River at Menard, Texas	1899	1995	1,135	32	70	106	91	63	130,000	60	23	2
19	08434000	Toyah Cr Bl Toyah Lk near Pecos, (Disc)	1940	1951	3,709	2	1	19	21	7	64,000	2	0	0
2	08068720	Cypress Cr at Katy-Hockley Road near Hockley, Texas	1960	Current	110	103	67.3	18.1	41	59.3	2,370	115	2.9	0
1	08068740	Cypress Creek at House-Hahl Road near Cypress, Texas	1937	Current	131	126	90.4	27.1	49.7	78.4	5,200	161	5.3	0.3
	08111500	Brazos River near Hempstead, Texas	1939	1996	43,880	6,883	8,640	4,811	4,594	6,813	143,000	17,600	2,490	688
	08114000	Brazos River near Richmond, Texas	1941	1996	45,007	7,907	9,153	4,932	5,077	7,500	119,000	18,800	2,880	775
	08190500	West Nueces River near Brackettville, Texas	1939	Current	694	2.45	9.95	48	83.4	35.3	246,000	8.3	0.01	0
	08194200	San Casimiro Creek near Freer, Texas	1962	Current	469	2.18	19.8	16.4	130	49.3	82,000	17	0	0
	08412500	Pecos River near Orla, Texas	1938	Current	21,210	39.3	198	239	157	145	23,700	365	34	5.3
	08446500	Pecos River near Girvin, Texas	1939	Current	29,560	65.7	36.9	48	204	74.1	20,000	86	30	11

Table 4-17. Summary of Pipeline Stream Crossings and Upstream Watersheds

		Pipeline Station for Crossing	Slope of Channel at	Basin Area	Stream	2-Year Flood, Conservative	100-Year Flood, Conservative
Stream at Crossing	Map ID	(mi) 0.1	Crossing 0.0006	(sq mi)	Order urban	Estimate (cfs)	Estimate (cfs) Urban
Hunting Bayou Greens Bayou	3	3.2	0.0000	182	urban	urban urban	Urban
	8	13.2	0.0000	24.7		urban	Urban
Halls Bayou Cypress Creek	34	47.1	0.0009	89.9	urban 3	2,701	17.689
Unnamed Tributary to	36	48.7	0.0009	3.9	2	311	1,568
Crypress Creek	30	46.7	0.0010	3.9	2	311	1,506
Mound Creek	37	50.4	0.0013	43.0	2	1,211	8,571
Live Oak	38	53.9	0.0017	10.1	2	782	4,381
Harris Creek Tributary	41	58.7	0.0033	7.5	2	576	3,941
Harris Creek Tributary	42	59.7	0.0020	8.0		596	2,812
Clear Creek ¹	44	62.6	0.0010	74.3	3	2,245	13,247
Brazos River	45	64.0	0.00033	44,000	Major	57,800	138,000
Muddy Branch	48	69.2	0.0022	9.2	2	1,172	5,293
East Fork Mill Creek	57	81.2	0.0007	126.0	3	3,539	45,282
Dogwood Creek	60	89.2	0.0025	11.1	2	988	8,526
West Fork Mill Creek	61	90.8	0.0013	44.0	3	2,034	21,479
Jacks Creek	67	98.3	0.0030	11.8	2	1,019	8,548
Cummins Creek	68	99.2	0.0018	94.3	3	4,155	28,229
Rabbs Creek	74	112.3	0.0013	81.3	3	4,366	36,109
Knobbs Creek	77	118.8	0.0033	23.2	2	1,453	16,106
Dreissner Branch	78	119.9	0.0033	6.8	2	761	5,178
Pin Oak Creek	80	122.5	0.0014	50.1	3	3,668	29,073
Gravelly Creek	81	123.0	0.0025	18.7	2	1,297	10,825
JD Creek	82	126.7	0.0050	6.7	2	755	8,909
Alum Creek	86	131.5	0.0028	46.1	3	3,884	36,491
Little Alum Creek	87	132.3	0.0056	4.6	2	622	7,321
Colorado River	89	134.5	0.00013	39,800	Major	48,300	192,000
Cedar Creek ²	93	142.8	0.0014	90	3	4,079	36,043
Unnamed	92	142.9	0.0048	7.3	2	691	8,167
Maha Creek ³	97	151.7	0.0029	32.7	2	2,677	14,719
Dry Creek	99	157.4	0.0029	22.2	2	1,312	18,233
Cottonmouth Creek	100	162.3	0.0040	2.2	1	324	1,910
Marble Creek	101	163.5	0.0143	3.8	1	449	3,329
Onion Creek	103	164.0	0.0014 0.0050	284.4	Large	6,983	67,042 42.053
Barton Creek	109	180.9		40.9	2	2,392	,
Flat Creek Pedernales River	112 115	193.2 198.8	0.0091 0.0026	31.0 1,000.0	3	1,919 15,488	44,860 210,574
Cottonwood Creek	119	203.2	0.0026	1,000.0	Large 2	901	14,913
Hickory Creek White Oak Creek	125 127	209.9 213.3	0.0063 0.0100	7.5	2	1,024 829	17,995 15,398
Crabapple Creek	135	213.3	0.0100	63.4	3	2,876	52,047
Bernst Creek	140	237.8	0.0100	3.8	2	543	10,371
Cherry Spring Creek	140	241.7	0.0100	11.0	2	1,011	15,643
Marshall Creek	143	242.7	0.0059	10.9	2	947	11,115
Squaw Creek	150	248.5	0.0063	39.6	2	2,231	56,941
Threadgill Creek	151	250.0	0.0042	117.3	4	4,363	94,579
James River	161	263.9	0.0029	322.1	Large	8,030	133,987
Mill Creek	164	267.9	0.0067	7.3	2	786	12,240
Rocky Creek	166	273.7	0.0100	10.5	2	993	16,326
Llano River	168	276.5	0.00115	2,400	Major	18,200	299,000
Terret Draw	185	315.9	0.0028	34.6	3	1,711	11,473
Middle Valley	192	324.2	0.0011	137.2	3	3,545	13,363
Antelope Draw	197	334.3	0.0018	62.0	3	2273	10,660

Table 4-17. (Continued)

		Pipeline Station for Crossing		Basin Area	Stream	2-Year Flood, Conservative	100-Year Flood, Conservative
	Map ID	(mi)	Crossing	(sq mi)	Order	Estimate (cfs)	Estimate (cfs)
Big Lake Draw	211	402.6	0.0030	46.0	2	627	12,286
Unnamed	216	415.8	0.0022	24.5	2	499	10,934
China Draw	224	433.1	0.0026	17.1	2	374	8,757
Mayfield Draw	234	450.2	0.0025	76.3	3	508	7,294
Landreth Draw	239	458.3	0.0033	247.0		1,348	32,665
Pecos River	250	525.6	0.0006	25,975	Major	NA	NA
Cottonwood Creek	254	556.6	0.0038	341.9	3	1,939	18,521
Cottonwood Creek	256	565.3	0.0071	247.5	3	1,348	12,645
Cottonwood Creek	257	577.3	0.0077	63.4	2	877	6,246
Frijole Draw	258	585.9	0.0143	7.8	2	291	1,717
Burro Canyon	263	597.7	0.0091	8.8	2	104	635
Cox Canyon	265	601.1	0.0100	21.2	2	234	1,142
Unnamed	269	625.1	0.0100	16.2	2	1,989	16,023
Antelope Gulch	274	631.0	0.0043	797.8	Large	2,700	33,772
Antelope Draw	282	651.3	0.0080	48.4	2	543	6,787
Wildhorse	283	669.6	0.0091	83.3	2	695	7,861
Middle Canyon	286	680.8	0.0032	9.5	2	426	2,607
Fourmile Draw	287	684.0	0.0063	37.4	2	884	6,993
Pow Wow Canyon	288	686.6	0.0133	46.2	2	347	3,474
*Landreth Draw	1	1.5	241.9	3	1,238	30,114	4
*Landreth Draw	2	7.0	65.1	1	1,587	29,029	4

Sources: Risk reference: Pemberton and Lara, 1984.

Sources for 2-year floods: Asquith and Slade, 1997; Asquith, 1998; Asquith et al., 1996; Rines, 1998.

¹Clear Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 85 miles.
²Cedar Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 320 miles.
³Maha Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 180 miles.

^{*}Odessa Lateral

Table 4-18a. Summary of Chemical Analyses on Surface Water Samples from Study Area Streams (per STORET)

					Mea	n Analytica	Results / # Of	Samples Ana	lvzed		
			Arsenic (mg/L)	Chloride, Total in Water (mg/L)	Fluoride, (mg/L)	Iron (mg/L)	Nitrite Plus Nitrate (mg/L as N) Standard	Oxygen, (mg/L)	Phos- Phorus, Total (mg/ L as P)	Sulfate, Total (Mg/L)	Fecal Coliform, MF,M-FC, 0.7 mm (cols/100 mL)
			50	250	4.0	200		5 or 6 for	0.014.02	250	400
		-	50	250	4.0	300	10	exceptional	0.01 to 0.3	250	400
	STORET	-		T			Type of Standa				<u> </u>
ID	Station	Station Name	Primary	Secondary	Primary	Secondary	Primary	Aquatic	1.10/06	Secondary	Recreation
4		Hunting Bayou at I-610, Houston, Texas	6.0/26	52.7/ 30	0.59/ 30	27.6/ 25	3.9/13	6.8/33	1.12/ 26	49.9/ 29	2,611/33
5		Greens Bayou near Houston, Texas	6.2/30	72.1/ 29	0.30/ 29	26.7/ 29	3.7/13	6.9/36	2.28/ 25	32.6/ 27	2,336/37
7		Cypress Creek at Grant Rd Near Cypress		32.7/ 51				7.2/49	1.24/ 51	13.0/ 53	
9		Brazos River at FM 1093		118.0/13				9.0/15	0.00/ 14	90.0/ 11	
10		Clear Creek at FM 1887 Northwest of Monaville		48.8/ 6				7.5/5	0.00/ 6	15.0/ 4	
12	11576	Mill Creek at Hwy 36	5.0/4	44.8/ 13	0.00/ 5	53.8/ 4		8.1/9	0.00/8	15.3/ 12	
13		Mill Creek at County Road 2.8 Miles Southwest of Bellville		48.7/ 6				7.1/26	0.00/ 6	13.5/ 6	
15	12290	Colorado River at Old Hwy 71	1.8/5	50.5/ 87	0.33/ 53	12.6/ 5	0.9/5	8.0/109	0.37/ 92	46.0/ 84	2,430/6
16		Cummins Creek at FM 109 north of Columbus	3.5/13	66.3/46		80.3/4		7.8/67	0.00/ 47	11.4/ 44	
17	12292	Colorado River at Hwy 71 at La Grange		51.6/ 16				7.8/29	0.00/ 14	40.1/ 16	
18		Colorado River at Hwy95/Hwy Loop 230 at Smithville		58.0/ 29				8.4/30	0.31/29	51.6/ 29	
20	8159200	Colorado River at Bastrop, Texas		63.0/ 52	0.35/ 54		2.1/10	8.2/54	0.45/44	53.7/ 53	
21	12466	Colorado River at County Park		64.2/ 53				8.7/54	0.53/ 55	56.5/ 55	
22	8158650	Colorado River below Austin, Texas	1.0/32	60.9/ 55	0.34/ 57	6.3/34	2.2/16	9.1/56	0.38/41	48.5/ 55	252/54
23	12435	Onion Creek upstream from FM 973		29.7/ 37				7.8/51	0.14/ 35	48.6/ 38	
25	8158000	Colorado River at Austin, Texas	1.0/25	60.6/ 36	0.23/ 37	6.2/31	0.3/34	9.0/33	0.02/ 34	45.8/ 34	166/34
26		Barton Creek below Barton Springs, Austin, Texas	1.0/1	13.0/ 1	0.10/ 1	16.0/ 1	0.6/11	8.5/1	0.15/ 11	25.0/ 1	11,758/10
27		Barton Springs at Austin, Texas	1.0/43	26.9/46	0.22/45	4.1/41	1.3/32	6.5/55	0.02/ 59	29.8/ 46	184/56
29		Barton Creek at Loop 360, Austin, Texas	1.0/27	13.5/ 31	0.16/ 32	10.2/ 27	0.2/66	8.9/25	0.10/ 112	22.8/ 30	12,268/99
30		Onion Creek 0.7 mile north of Buda next to Mopac		22.3/ 62				9.3/60	0.00/ 62	30.8/ 57	

Table 4-18a. (Continued)

					Mea	n Analytical	Results / # Of	Samples Ana	lvzed		
			Arsenic (mg/L)	Chloride, Total in Water (mg/L)	Fluoride (mg/L)	Iron (mg/L)	Nitrite Plus Nitrate (mg/L as N)	Oxygen (mg/L)	Phos- Phorus, Total (mg/ L as P)	Sulfate, Total (Mg/L)	Fecal Coliform, MF,M-FC, 0.7 mm (cols/100 mL)
							Standard				
			50	250	4.0	300	10	5 or 6 for exceptional	0.01 to 0.3	250	400
Man	STORET					,	Гуре of Standa	rd			
ID	Station	Station Name	Primary	Secondary	Primary	Secondary	Primary	Aquatic		Secondary	Recreation
31		Barton Creek at Lost Creek Blvd. near Austin, Texas	1.0/23	28.6/ 25	0.19/ 24	5.9/22	0.2/94	8.1/34	0.08/ 110	52.3/ 24	5,236/102
32		Barton Creek at Barton Creek Blvd., Austin, Texas	1.0/5	35.8/ 5	0.30/ 5	7.4/5	0.1/8	7.5/9	0.01/9	44.2/ 5	25/8
34		Colorado River below Mansfield Dam, Austin, Texas		80.3/ 39	0.23/ 37			6.4/40	0.00/40	59.2/ 39	
35		Barton Creek at Hwy 71 near Oak Hill, Texas	1.0/26	17.1/ 27	0.20/ 22	4.2/23	0.1/124	8.1/42	0.05/ 124	26.4/ 25	5,898/114
36	8158700	Onion Creek near Driftwood, Texas	1.0/36	14.2/ 38	0.19/40	5.1/34	0.2/24	8.6/47	0.02/ 51	31.8/ 38	1,171/60
36	8158700	Onion Creek near Driftwood, Texas	1.0/36	14.2/ 38	0.19/40	5.1/34	0.2/24	8.6/47	0.02/ 51	31.8/ 38	1,171/60
37	12451	Onion Creek at FM 150	1.0/29	13.9/ 34	0.19/ 33	5.1/28	0.1/6	8.6/87	0.02/41	30.8/ 33	589/45
38	12369	Pedernales River at Cr 962 at Hammett's Crossing		40.5/ 11				8.0/32	0.00/ 11	24.9/ 10	
39	12260	Flat Creek at Blanco Cr 201		11.5/ 2				7.0/8	0.00/2	31.0/ 2	
46		Llano River County Road 6.5 Miles upstream from Lake LBJ		20.7/ 30				9.2/48	0.00/ 31	16.3/30	
47	12265	North Grape Creek at FM 1320		44.0/ 2				7.8/8	0.00/ 2	20.5/ 2	
48		Llano River 0.4 mile downstream from bridge on State Hwy 16.	2.2/6	20.1/9	0.26/7	6.5/6	0.1/6	8.9/8	0.01/9	15.7/ 9	63/ 6
49	8151500	Llano River at Llano, Texas	2.2/6	21.3/7	0.26/7	6.5/6	0.1/6	8.9/7	0.02/7	15.4/ 7	63/6
50	12377	Pedernales River Goehman Lane		66.8/ 12				8.7/20	0.00/ 12	29.5/ 10	
51		Pedernales River US 290 SE of Fredericksburg		59.8/ 26	0.00/ 14			9.8/32	0.00/ 26	32.5/ 26	
53		James River on private Ranch Road 1.2 miles upstream		30.0/ 1				7.9/28	0.00/ 1	20.0/ 1	
54		James River at upper Mason County Road Crossing		28.0/ 1				8.8/4	0.00/ 1	20.0/ 1	
55		Llano River at Yates Crossing		14.0/ 8				8.0/7	0.00/8	7.4/8	
56	12389	Llano River at County Road 9.5 mi. northeast of Junction		14.4/ 30				8.4/28	0.00/ 30	12.0/ 28	

Table 4-18a. (Continued)

					Man	n Analytical	Results / # Of	Samples Ana	wzod		
				Chloride, Total in	Mea	II Anarytical	Nitrite Plus	Samples Ana	Phos- Phorus,		Fecal Coliform, MF,M-FC,
			Arsenic	Water	Fluoride	Iron	Nitrate	Oxygen	Total (mg/	Sulfate,	0.7 m m
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L as N)	(mg/L)	L as P)	Total (Mg/L)	(cols/100 mL)
							Standard				
						•••	4.0	5 or 6 for			400
			50	250	4.0	300	10	exceptional	0.01 to 0.3	250	400
Map	STORET			•	1	, , , , , , , , , , , , , , , , , , ,	Type of Standa	rd		T	T
ID	Station	Station Name	Primary	Secondary	Primary	Secondary	Primary	Aquatic		Secondary	Recreation
58	13257	Pecos River at Us 67		5,150.1/35	1.81/ 15		•	8.6/40	0.00/ 36	3,114.6/34	
59	13122	Diamond Y Draw @ 10 M upstream from Oil Field Rd		1,420.6/ 14	2.39/ 1			7.3/14	0.00/ 15	2260.6/14	
60	13260	Pecos River at FM 1776		4,550.2/21	1.55/ 14			8.9/26	0.00/ 22	2655.1/21	
62	8412500	Pecos River near Orla, Texas		2,968.1/47	0.88/44					2021.3/47	
63	13265	Pecos River at FM 652		2,976.5/78	0.92/60			8.6/34	0.00/ 33	2067.4/78	
64	13232	Rio Grande at Neely Canyon		593.2/39				8.6/29	0.95/ 39	512.1/39	
65	13234	Rio Grande at Zaragosa Bridge						7.7/67			

Table 4-18b. Summary of Total Organic Carbon Analyses from Study Areas Streams (per STORET)

			Total O	rganic Carbo	n (mg/l)
Map			Average	Maximum	Number of
ID	Station	Station Name	Value (mg/l)	Value (mg/l)	Samples
3	11125	Garners Bayou at North Belt (Lockwood Road)	5.6	8	7
4	8075770	Hunting Bayou at I-H 610, Houston	11.8	25	37
5		Greens Bayou near Houston	7.6	14	37
7	11332	Cypress Creek at Grant Road near Cypress	12.5	21	45
	8074500	White Oak Bayou at Houston	7.8	12	34
9	11848	Brazos River at FM 1093	14.4	36	8
10	11578	Clear Creek at FM 1887 Northwest of Monaville	9.5	12	4
12	11576	Mill Creek at SH 36	6.6	14	7
13	11574	Mill Creek at County Road	3.6	6	5
15	12290	Colorado River at Old Hwy 71	6.5	16	82
16	12249	Cummins Creek at FM 109 North of Columbus	6.8	15	41
17	12292	Colorado River at SH 71 at La Grange	3.9	5	16
18	12457	Colorado River at SH95/SH Loop 230 at Smithville	3.5	6	30
21		Colorado River at County Park	3.5	6	56
22	8158650	Colorado River below Austin	3.8	11	55
23	12435	Onion Creek Upstream from FM 973	2.8	6	36
26	8155505	Barton Creek below Barton Springs, Austin	15.0	31	10
27	8155500	Barton Springs at Austin	1.2	4	56
29	8155300	Barton Creek at Loop 360, Austin	11.8	41	107
30	12448	Onion Creek 0.7 Miles North of Buda next to Mopac	3.7	8	59
31	8155240	Barton Creek at Lost Creek Blvd. near Austin	6.3	26	101
32	8155220	Barton Creek at Barton Creek Blvd., Austin	2.5	5	9
34		Colorado River Below Mansfield Dam, Austin	4.2	4	2
35	8155200	Barton Creek at SH 71 near Oak Hill	5.6	27	114
36	8158700	Onion Creek near Driftwood	2.3	9	60
37	12451	Onion Creek at FM 150	2.3	9	47
38	12369	Pedernales River at Cr 962 at Hammett's Crossing	2.6	4	9
46		Llano River at County Road	2.4	6	30
48	12386	Llano River 0.4 Miles Downstream from Bridge	3.5	6	2
50	12377	Pedernales River Goehman Lane	2.9	5	10
51	12380	Pedernales River US 290 SE of Fredericksburg	4.2	10	23
55	14231	Llano River at Yates Crossing	1.8	2	8
56	12389	Llano River at County Road	1.3	3	30
58		Pecos River at US 67	4.8	11	34
59	13122	Diamond Y Draw at 10 M Upstream from Oil Field Rd.	3.1	6	14
60	13260	Pecos River at FM 1776	2.7	8	19
63		Pecos River at FM 652	4.6	11	29
64	13232	Rio Grande at Neely Canyon	6.9	15	40
65	13234	Rio Grande at Zaragosa Bridge	6.4	12	69
#N/A	12336				

Final EA 4-110 Volume 1: Chapter 4

Table 4-19. Summary of Federal Clean Water Section 303(d) Stream Segments in Vicinity of Pipeline

Segment Number	Segment Name	Overall Priority	Summary of Impairment
1009	Cypress Creek	Medium/ Study Underway	Bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (L/NS). Average total dissolved solids values exceeded the segment criterion to protect aquatic life, water supply, and other water quality uses (M/CN). A TMDL for dissolved oxygen is underway for this water body.
1014	Buffalo Bayou above Tidal	Low	Bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (L/NS).
1017	White Oak Bayou above Tidal	Medium	Bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (L/NS). Mean lead in water concentration exceeded the criterion established to protect aquatic life from chronic exposure (M/NS).
1427	Onion Creek	Low	In the 25-mile portion below Dripping Springs, bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (M/NS). In the lower 10 miles below McKinney Falls, dissolved oxygen concentrations are occasionally lower than the standard established to assure optimum conditions for aquatic life (M/PS). Average concentrations of sulfate and total dissolved solids exceed the criterion established to safeguard general water quality uses (L/CN).
1428	Colorado River below Town Lake	Medium	In the upper 6 miles of the segment (below Austin), bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (L/NS).
1429	Town Lake	Medium	The fish consumption use is partially supported, based on a restricted-consumption advisory issued by the Texas Department of Health due to chlordane (M/PS).
1430	Barton Creek	Medium	Bacteria levels sometimes exceed the criterion established to assure the safety of contact recreation (M/NS).
2307	Rio Grande below Riverside Diversion	Low	Average chloride, sulfate, and total dissolved solids concentrations exceed the criteria established to safeguard general water quality issues.

Table 4-20. Distances from Stream Crossings to Downstream Water Rights

			M	unicipal			Irr	igation			Indu	strial			Min	ing		Distance to	
		Rig		-ft/no. of Vithin:	rights)	R		ft/no. of rig	ghts)	Righ	ts (ac-ft Wi	/no. of thin:	rights)	Right	ts (ac-ft/ Wit		rights)	Downstream Lake	
	Crossing No.	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	Mainstream (mi)	Lake Name
Cypress Creek	34						3,041/2	3,041/2	3,041/2									,	
Unnamed Trib. to Crypress Creek	36							3,041/2	3,041/2										
Mound Creek	37						3,041/2	3,041/2	3,041/2										
Live Oak	38						3,041/2	3,041/2	3,041/2										
Harris Creek Trib.	41				75,000/1														
Harris Creek Trib.	42				75,000/1														
Clear Creek	44					136/1	136/1	136/1	136/1			10/ 1	10/ 1						
Brazos River	45					136/1	136/1	136/1	136/1			10/1	10/ 1						
Muddy Branch	48				75,000/1						10/ 1	10/ 1	10/ 1						
East Fork Mill Creek	57											10/ 1	10/ 1						
Dogwood Creek	60											10/ 1	10/1						
West Fork Mill Creek	61											10/ 1	10/ 1						
Jacks Creek	67							73/ 1	73/ 1										
Cummins Creek	68							73/ 1	73/ 1										
Rabbs Creek	74					33/2	33/ 2	148/6	148/6										
Knobbs Creek	77						35/ 1	150/5	150/5										
Dreissner Branch	78						35/ 1	150/5	150/5										
Pin Oak Creek	80						35/ 1	150/5	150/5										
Gravelly Creek	81						35/ 1	150/5	150/5										
JD Creek	82						35/ 1	35/ 1	150/5										
Alum Creek	86							35/ 1	150/5										
Little Alum Creek	87							35/ 1	150/5										
Colorado River	89							35/ 1	35/ 1										
Unnamed	92							35/ 1	35/ 1										
Cedar Creek	93							35/ 1	35/ 1										
Maha Creek	97								35/ 1										
Dry Creek	99																		
Cottonmouth Creek	100						67/ 1	67/ 1	67/ 1										

Table 4-20. (Continued)

	G :	`	ghts (ac	unicipal -ft/no. of Vithin:	rights)	R	ights (ac-	rigation -ft/no. of rig Vithin:	ghts)	Righ	ts (ac-f	thin:			ts (ac-ft	ning /no. of i	rights)	Distance to Downstream Lake	
	Crossing No.	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	5 mi	20 mi	40 mi	60 mi	Mainstream (mi)	Lake Name
Marble Creek	101						67/ 1	67/ 1	67/ 1										
Onion Creek	103						67/ 1	67/ 1	67/ 1										
Barton Creek	109							40/ 1	40/ 1									32.9	Town Lake
Flat Creek	112						34/ 1	34/ 1	34/ 1									26.8	Lake Travis
Pedernales River	115	30/ 1	30/1	30/ 1	30/ 1		34/ 1	34/ 1	34/ 1									33.2	Lake Travis
Cottonwood Creek	119		30/1	30/ 1	30/ 1		34/ 1	34/ 1	34/ 1									41.1	Lake Travis
Hickory Creek	125			30/ 1	30/ 1			34/ 1	34/ 1									53.7	Lake Travis
White Oak Creek	127			30/ 1	30/ 1			34/ 1	34/ 1									59.9	Lake Travis
Crabapple Creek	135						1/1	1/ 1	1/1		4/ 1	4/ 1	4/ 1					33.3	Lake LBJ
Bernst Creek	140			1,200/1	1,200/1	46/ 1	46/ 1	187/5	247/6									51.3	Lake LBJ
Cherry Spring Creek	142			1,200/1	1,200/1	46/ 1	46/ 1	187/5	247/6									50.2	Lake LBJ
Marshall Creek	143			1,200/1	1,200/1	46/ 1	46/ 1	187/5	247/6									50.7	Lake LBJ
Squaw Creek	150				1,200/1	49/ 2	139/4	163/6	304/10			31/2	31/2					63.2	Lake LBJ
Threadgill Creek	151				1,200/1	49/ 2	139/4	163/6	304/10			31/2	31/2					63.5	Lake LBJ
James River	161				1,200/1	46/ 1	237/6	351/10	492/14			31/2	31/2					69.5	Lake LBJ
Mill Creek	164				1,200/1	46/ 1	222/5	351/10	492/14			31/2	31/2					71	Lake LBJ
Rocky Creek	166					46/ 1	46/ 1	351/9	492/14				31/2					95.1	Lake LBJ
Llano River	168					53/ 1	53/ 1	358/9	358/10				31/2					79.7	Lake LBJ
Unnamed Tributary (first- order)	173						84/3	2,651/18	2,704/19)								116.3	Lake LBJ
Unnamed Tributary (first- order)	174						192/4	1,338/30	3,664/41							60/ 1	60/ 1	128	Lake LBJ
Unnamed Tributary (first- order)	175						76/5	1,227/31	3,513/40							60/ 1	60/ 1	129.8	Lake LBJ
Terret Draw	185			1,016/1	1,016/1		531/6	6,068/37	7,997/62	2					3/1	6/2	6/2		
Middle Valley	192			1,016/1	1,016/1		285/3	5,302/28	7,997/62	2					3/1	6/2	6/2		
Antelope Draw	197				1016/1		110/1	559/9	7,178/44	Į.					3/1	3/1	6/2		

Table 4-21. Ranking of Stream Crossings in Spill Transport Potential

Stream at Crossing	Map ID	Pipeline Crossing (MP)	Slope of Channel at Crossing	Basin Area (sq mi)	Stream Order	2-Year Flood (cfs)	Rank in Potential to Transport a Spill (1= highest)	Basis for Rank
Hunting Bayou	1	0.1	0.0006	14.4	urban	urban	4	Basin size
Greens Bayou	3	3.2, 6.0	0.0000	182	urban	urban	2	High Stream Order
Halls Bayou	8	13.2	0.0009	24.7	urban	urban	4	Basin size
Cypress Creek	34	47.1	0.0009	89.9	3	2701	2	High Stream Order
Unnamed Tributary to Cypress Creek	36	48.7	0.0010	3.9	2	311	5	Med-low 2-year flood
Mound Creek	37	50.4	0.0013	43.0	2	1,211	4	Med 2-year flood
Live Oak	38	53.9	0.0017	10.1	2	782	4	Med 2-year flood
Harris Creek Tributary	41	58.7	0.0033	7.5	2	576	5	Med-low 2-year flood
Harris Creek Tributary	42	59.7	0.0020	8.0		596	5	Med-low 2-year flood
Clear Creek ¹	44	62.6	0.0010	74.3	3	2,245	2	High Stream Order
Brazos River	45	64.0	0.00013	44,000	Major	57,800	1	Major Crossing
Muddy Branch	48	69.2	0.0022	9.2	2	1,172	4	Med 2-year flood
East Fork Mill Creek	57	81.2	0.0007	126.0	3	3,539	2	High Stream Order
Dogwood Creek	60	89.2	0.0025	11.1	2	988	4	Med 2-year flood
West Fork Mill Creek	61	90.8	0.0013	44.0	3	2,034	2	High Stream Order
Jacks Creek	67	98.3	0.0030	11.8	2	1,019	4	Med 2-year flood
Cummins Creek	68	99.2	0.0018	94.3	3	4,155	2	High Stream Order
Rabbs Creek	74	112.3	0.0013	81.3	3	4,366	2	High Stream Order
Knobbs Creek	77	118.8	0.0033	23.2	2	1,453	4	Med 2-year flood
Dreissner Branch	78	119.9	0.0033	6.8	2	761	5	Med-low 2-year flood
Pin Oak Creek	80	122.5	0.0014	50.1	3	3,668	2	High Stream Order
Gravelly Creek	81	123.0	0.0025	18.7	2	1,297	4	Med 2-year flood
JD Creek	82	126.7	0.0050	6.7	2	755	5	Med-low 2-year flood
Alum Creek	86	131.5	0.0028	46.1	3	3,884	2	High Stream Order
Little Alum Creek	87	132.3	0.0056	4.6	2	622	5	Med-low 2-year flood
Colorado River	89	134.5	0.00033	39.8	Major	48,300	1	Major Crossing
Unnamed	92	142.9	0.0048	7.3	2	691	5	Med-low 2-year flood
Cedar Creek ²	93	142.8	0.0014	90	3	4,079	2	High Stream Order
Maha Creek ³	97	151.7	0.0029	32.7	2	2,677	3	High 2-year flood
Dry Creek	99	157.4	0.0029	22.2	2	1,312	4	Med 2-year flood
Cottonmouth Creek	100	162.3	0.0040	2.2	1	324	5	Med-low 2-year flood
Marble Creek	101	163.5	0.0143	3.8	1	449	5	Med-low 2-year flood
Onion Creek	103	164.0	0.0014	284.4	Large	6,983	1	Major Crossing
Barton Creek	109	180.9	0.0050	40.9	2	2,392	3	High 2-year flood
Flat Creek	112	193.2	0.0091	31.0	3	1,919	2	High Stream Order
Pedernales River	115	198.8	0.0026	1,000.0	Large	15,488	1	Major Crossing
Cottonwood Creek	119	203.2	0.0111	10.3	2	901	4	Med 2-year flood
Hickory Creek	125	209.9	0.0063	12.2	2	1,024	4	Med 2-year flood
White Oak Creek	127	213.3	0.0100	7.5	2	829	4	Med 2-year flood
Crabapple Creek	135	229.3	0.0100	63.4	3	2,876	2	High Stream Order
Bernst Creek	140	237.8	0.0100	3.8	2	543	5	Med-low 2-year flood
Cherry Spring Creek	142	241.7	0.0040	11.0	2	1,011	4	Med 2-year flood
Marshall Creek	143	242.7	0.0059	10.9	2	947	4	Med 2-year flood
Squaw Creek	150	248.5	0.0063	39.6	2	2,231	3	High 2-year flood

Table 4-21. (Continued)

Stream at Crossing	Map ID	Pipeline Crossing (MP)	Slope of channel at crossing	Basin Area (sq mi)	Stream Order	2-Year Flood (cfs)	Rank in Potential to Transport a Spill (1= highest)	Basis for Rank
Threadgill Creek	151	250.0	0.0042	1,17.3	4	4,363	2	High Stream Order
James River	161	263.9	0.0029	322.1	Large	8,030	1	Major Crossing
Mill Creek	164	267.9	0.0067	7.3	2	786	4	Med 2-year flood
Rocky Creek	166	273.7	0.0100	10.5	2	993	4	Med 2-year flood
Llano River	168	276.5			Major		1	Major Crossing
Terret Draw	185	315.9	0.0028	34.6	3	1,711	3	High 2-year flood
Middle Valley	192	324.2	0.0011	137.2	3	3,545	3	High 2-year flood
Antelope Draw	197	334.3	0.0018	62.0	3	2,273	3	High 2-year flood
Big Lake Draw	211	402.6	0.0030	46.0	2	627	5	Med-low 2-year flood
Unnamed	216	415.8	0.0022	24.5	2	499	5	Med-low 2-year flood
China Draw	224	433.1	0.0026	17.1	2	374	5	Med-low 2-year flood
Mayfield Draw	234	450.2	0.0025	76.3	3	508	5	Med-low 2-year flood
Landreth Draw	239	458.3	0.0033	247.0	3	1,328	3	Med 2-year flood
Pecos River	250	525.6			Major		1	Major Crossing
Cottonwood Creek	254	556.6	0.0038	3,41.9	3	1,939	3	High 2-year flood
Cottonwood Creek	256	565.3	0.0071	247.5	3	1,348	4	Med 2-year flood
Cottonwood Creek	257	577.3	0.0077	63.4	2	877	4	Med 2-year flood
Frijole Draw	258	585.9	0.0143	7.8	2	291	5	Med-low 2-year flood
Burro Canyon	263	597.7	0.0091	8.8	2	104	6	Low 2-year flood
Cox Canyon	265	601.1	0.0100	21.2	2	234	6	Low 2-year flood
Unnamed	269	625.1	0.0100	16.2	2	1,989	3	High 2-year flood
Antelope Gulch	274	631.0	0.0043	797.8	Large	2,700	1	Major Crossing
Antelope Draw	282	651.3	0.0080	48.4	2	543	5	Med-low 2-year flood
Wildhorse	283	669.6	0.0091	83.3	2	695	5	Med-low 2-year flood
Middle Canyon	286	680.8	0.0032	9.5	2	426	5	Med-low 2-year flood
Fourmile Draw	287	684.0	0.0063	37.4	2	884	4	Med 2-year flood
Pow Wow Canyon	288	686.6	0.0133	46.2	2	347	5	Med-low 2-year flood

¹Clear Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 85 meters.

²Cedar Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 320 meters.

³Maha Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 180 meters.

Table 4-22. Ranking of Stream Crossings in Spill Control Potential

			Distance to Main	Rank in Potential	
		Pipeline	Stem of River	to Control a Spill	
	Map	Crossing	Downstream	(1= most difficult	
Stream at Crossing	ID	(MP)	(mi)	to control)	Basis for Rank
Hunting Bayou	1	0.1	N/A	6	In urban setting, within levees
Greens Bayou	3	3.2,6	N/A	6	In urban setting, within levees
Halls Bayou	8	13.2	N/A	6	In urban setting, within levees
Cypress Creek	34	47.1	0.0	1	Main stem
Unnamed Tributary to	36	48.7	1.9	2	Within 2 miles of main stem
Cypress Creek					
Mound Creek	37	50.4		3	3 to 10 miles from main stem
Live Oak	38	53.9		3	3 to 10 miles from main stem
Harris Creek Tributary	41	58.7		5	20-30 miles from main stem
Harris Creek Tributary	42	59.7	20.6	5	20-30 miles from main stem
Clear Creek ¹	44	62.6	1.2	2	Within 2 miles of main stem
Brazos River	45	64.0	0.0	1	Main stem
Muddy Branch	48	69.2	7.0	3	3 to 10 miles from main stem
East Fork Mill Creek	57	81.2	26.5	5	20-30 miles from main stem
Dogwood Creek	60	89.2	38.1	6	Over 35 miles from main stem
West Fork Mill Creek	61	90.8	38.7	6	Over 35 miles from main stem
Jacks Creek	67	98.3	37.0	6	Over 35 miles from main stem
Cummins Creek	68	99.2	36.9	6	Over 35 miles from main stem
Rabbs Creek	74	112.3	6.9	3	3 to 10 miles from main stem
Knobbs Creek	77	118.8	9.6	3	3 to 10 miles from main stem
Dreissner Branch	78	119.9	9.0	3	3 to 10 miles from main stem
Pin Oak Creek	80	122.5	9.6	3	3 to 10 miles from main stem
Gravelly Creek	81	123.0	9.8	3	3 to 10 miles from main stem
JD Creek	82	126.7	2.2	2	Near main stem
Alum Creek	86	131.5	3.3	2	On Colorado River Alluvium
Little Alum Creek	87	132.3	3.3	2	On Colorado River Alluvium
Colorado River	89	134.5	0.0	1	Main stem
Unnamed	92	142.9	13.2	2	On Colorado River Alluvium
Cedar Creek ²	93	142.8	13.0	2	On Colorado River Alluvium
Maha Creek ³	97	151.7	26.5	2	On Colorado River Alluvium
Dry Creek	99	157.4	14.9	4	10-20 miles from main stem
Cottonmouth Creek	100	162.3	4.0	3	3 to 10 miles from main stem
Marble Creek	101	163.5	0.2	1	Essentially at main stem
Onion Creek	103	164.0	15.3	1	Major tributary
Barton Creek	109	180.9	26.3	1	On Edwards/Balcones
					Contributing Zone
Flat Creek	112	193.2	3.8	3	3 to 10 miles from main stem
Pedernales River	115	198.8	33.2	1	Main stem, major tributary
Cottonwood Creek	119	203.2	1.2	2	Within 2 miles of main stem
Hickory Creek	125	209.9	2.6	2	Very near main stem
White Oak Creek	127	213.3		2	Near Ellenburger-San Saba
					Aquifer (karst)
Crabapple Creek	135	229.3	33.3	2	Near Ellenburger-San Saba
					Aquifer (karst)
Bernst Creek	140	237.8	22.7	5	20-30 miles from main stem

Table 4-22. (Continued)

		D: 1:	Distance to Main	Rank in Potential	
	M	Pipeline Cressing	Stem of River	to Control a Spill	
Stream at Crossing	Map ID	Crossing (MP)	Downstream (mi)	(1= most difficult to control)	Basis for Rank
Cherry Spring Creek	142	241.7		5	20-30 miles from main stem
Marshall Creek	143	242.7		5	20-30 miles from main stem
Squaw Creek	150	248.5	14.2	1	On Ellenburger-San Saba
Squaw Cicck	130	246.3	14.2	1	Aquifer (karst)
Threadgill Creek	151	250.0	14.5	2	On Ellenburger-San Saba
Timeaughi Creek	131	250.0	11.5	_	Aquifer (karst)
James River	161	263.9	9.1	1	Main stem, major tributary
Mill Creek	164	267.9		2	On Ellenburger-San Saba
					Aquifer (karst)
Rocky Creek	166	273.7	2.8	2	Near Ellenburger-San Saba
					Aquifer (karst)
Llano River	168	276.5	0.0	1	On Ellenburger-San Saba
					Aquifer (karst), major river
Terret Draw	185	315.9	9.5	2	On Edwards-Trinity (karst)
Middle Valley	192	324.2	14.9	2	On Edwards-Trinity (karst)
Antelope Draw	197	334.3		2	On Edwards-Trinity (karst)
Big Lake Draw	211	402.6	35.5	1	On Edwards-Trinity (karst),
					near known karst feature
Unnamed	216	415.8		2	Cenozoic Pecos Alluvium
China Draw	224	433.1	28.2	2	Cenozoic Pecos Alluvium
Mayfield Draw	234	450.2	22.6	2	Cenozoic Pecos Alluvium
Landreth Draw	239	458.3		2	Cenozoic Pecos Alluvium
Pecos River	250	525.6		2	Cenozoic Pecos Alluvium
Cottonwood Creek	254	556.6		2	Cenozoic Pecos Alluvium
Cottonwood Creek	256	565.3		2	Cenozoic Pecos Alluvium
Cottonwood Creek	257	577.3		6	Over 35 miles from main stem
Frijole Draw	258	585.9	67.6	6	Over 35 miles from main stem
Burro Canyon	263	597.7	4.0	6	Arid area
Cox Canyon	265	601.1	4.7	6	Arid area
Unnamed	269	625.1	9.8	6	Arid area
Antelope Gulch	274	631.0	21.3	6	Arid area
Antelope Draw	282	651.3	40.2	6	Arid area
Wildhorse	283	669.6	21.0	6	Arid area
Middle Canyon	286	680.8	19.0	6	Arid area
Fourmile Draw	287	684.0	16.1	6	Arid area
Pow Wow Canyon	288	686.6	15.0	6	Arid area
*Landreth Draw	1	1.5	17.6	2	Cenozoic Pecos Alluvium
*Landreth Draw	2	7.0	21.9	2	Cenozoic Pecos Alluvium

¹Clear Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 85 meters. ²Cedar Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 320 meters.

³Maha Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 180 meters.

^{*}Odessa Lateral.

Table 4-23. Ranking of Stream Crossings in Terms of Downstream Resource Importance as a Water Supply

Stream at Crossing	Map ID	Pipeline Crossing (MP)	Rank in Importance of Proximity and Type of Downstream Water Supply (1= most important)	Basis for Rank
Hunting Bayou	1	0.1	6	Low quality water
Greens Bayou	3	3.2, 6	6	Low quality water
Halls Bayou	8	13.2	6	Low quality water
Cypress Creek	34	47.1	3	Large irrigation right within 20 miles
Unnamed Tributary to Cypress Creek	36	48.7	3	Large irrigation right within 20 miles
Mound Creek	37	50.4	3	Large irrigation right within 20 miles
Live Oak	38	53.9	3	Large irrigation right within 20 miles
Harris Creek Tributary	41	58.7	2	Large irrigation right within 20 miles
Harris Creek Tributary	42	59.7	2	Large irrigation right within 20 miles
Clear Creek ¹	44	62.6	5	Small irrigation right within 20 miles
Brazos River	45	64.0	5	Small irrigation right within 20 miles
Muddy Branch	48	69.2	2	Municipal right within 75 miles downstream
East Fork Mill Creek	57	81.2	6	Small right, within 40/60 miles
Dogwood Creek	60	89.2	6	Small right, within 40/60 miles
West Fork Mill Creek	61	90.8	6	Small right, within 40/60 miles
Jacks Creek	67	98.3	6	Small right, within 40/60 miles
Cummins Creek	68	99.2	6	Small right, within 40/60 miles
Rabbs Creek	74	112.3	5	Small irrigation right within 20 miles
Knobbs Creek	77	118.8	5	Small irrigation right within 20 miles
Dreissner Branch	78	119.9	5	Small irrigation right within 20 miles
Pin Oak Creek	80	122.5	5	Small irrigation right within 20 miles
Gravelly Creek	81	123.0	5	Small irrigation right within 20 miles
JD Creek	82	126.7	5	On Colorado River Alluvium
Alum Creek	86	131.5	5	Alluvial irrigation well within 20 miles
Little Alum Creek	87	132.3	5	Alluvial irrigation well within 20 miles
Colorado River	89	134.5	5	Alluvial irrigation well within 20 miles
Unnamed	92	142.9	5	Alluvial irrigation well within 20 miles
Cedar Creek ²	93	142.8	5	Alluvial irrigation well within 20 miles
Maha Creek ³	97	151.7	5	Alluvial irrigation well within 20 miles
Dry Creek	99	157.4	1	14.9 miles to Colorado River Alluvium
Cottonmouth Creek	100	162.3	1	12.7 miles to Colorado River Alluvium
Marble Creek	101	163.5	1	13.7 miles to Colorado River Alluvium
Onion Creek	103	164.0	1	15.3 miles to Colorado River Alluvium
Barton Creek	109	180.9	1	26.3 miles to Edwards/Balcones recharge
Flat Creek	112	193.2	1	Highland Lake within 40 miles downstream
Pedernales River	115	198.8	1	Highland Lake within 40 miles downstream
Cottonwood Creek	119	203.2	2	Highland Lake within 75 miles downstream
Hickory Creek	125	209.9	2	Highland Lake within 75 miles downstream
White Oak Creek	127	213.3	2	Highland Lake within 75 miles downstream
Crabapple Creek	135	229.3	2	Highland Lake within 75 miles downstream
Sandy Creek (1)	138	234.9	1	Alluvial public water supply well within 2 mi
Sandy Creek (2)	139	236.6	1	Alluvial public water supply well within 2 mi
Bernst Creek	140	237.8	1	Highland Lake within 40 miles downstream

Table 4-23. (Continued)

		Pipeline Crossing	Rank in Importance of Proximity and Type of Downstream Water Supply (1= most	
Stream at Crossing	Map ID	(MP)	important)	Basis for Rank
Cherry Spring Creek	142	241.7	2	Highland Lake within 40 miles downstream
Marshall Creek	143	242.7	2	Highland Lake within 75 miles downstream
Squaw Creek	150	248.5	2	Highland Lake within 75 miles downstream
Threadgill Creek	151	250.0	2	Highland Lake within 75 miles downstream
James River	161	263.9	2	Highland Lake within 75 miles downstream
Mill Creek	164	267.9	2	Highland Lake within 75 miles downstream
Rocky Creek	166	273.7	5	Small irrigation right within 20 miles
Llano River	168	276.5	5	Small irrigation right within 20 miles
Terret Draw	185	315.9	2	Alluvial public water supply well within 60 mi
Middle Valley	192	324.2	4	Large irrigation right within 40 miles
Antelope Draw	197	334.3	4	Large irrigation right within 40 miles
Big Lake Draw	211	402.6	7	No uses identified within 60 miles
Unnamed	216	415.8	7	No uses identified within 60 miles
China Draw	224	433.1	7	No uses identified within 60 miles
Mayfield Draw	234	450.2	7	No uses identified within 60 miles
Landreth Draw	239	458.3	7	No uses identified within 60 miles
Pecos River	250	525.6	7	No uses identified within 60 miles
Cottonwood Creek	254	556.6	7	No uses identified within 60 miles
Cottonwood Creek	256	565.3	7	No uses identified within 60 miles
Cottonwood Creek	257	577.3	7	No uses identified within 60 miles
Frijole Draw	258	585.9	7	No uses identified within 60 miles
Burro Canyon	263	597.7	7	No uses identified within 60 miles
Cox Canyon	265	601.1	7	No uses identified within 60 miles
Unnamed	269	625.1	7	No uses identified within 60 miles
Antelope Gulch	274	631.0	7	No uses identified within 60 miles
Antelope Draw	282	651.3	7	No uses identified within 60 miles
Wildhorse	283	669.6	7	No uses identified within 60 miles
Middle Canyon	286	680.8	7	No uses identified within 60 miles
Fourmile Draw	287	684.0	7	No uses identified within 60 miles
Pow Wow Canyon	288	686.6	7	No uses identified within 60 miles
*Landreth Draw	1	1.5	7	No uses identified within 60 miles
*Landreth Draw	2	7.0	7	No uses identified within 60 miles

¹Clear Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 85 meters.
²Cedar Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 320 meters.
³Maha Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 180 meters.
*Odessa Lateral.

Table 4-24. Summary of Vulnerability Rankings, Surface Water Crossings

			D1 *.			
			Rank in			
			Importance of			
		Pipeline	Proximity and Type of	Rank in Potential		
		Station for	Downstream Water	to Control a Spill	Rank in Potential	
		Crossing	Supply (1= most	(1= most difficult	to Transport a	Sum of
Stream at Crossing	Map ID	(miles)	important)	to control)	Spill (1= highest)	Ranks
Onion Creek	103	164.0	1	1	1	3
Pedernales River	115	198.8	1	1	1	3
James River	161	263.9	2	1	1	4
Barton Creek	109	180.9	1	1	3	5
Threadgill Creek	151	250.0	2	1	2	5
Cypress Creek	34	47.1	3	1	2	6
Flat Creek	112	193.2	1	3	2	6
Crabapple Creek	135	229.3	2	2	2	6
Squaw Creek	150	248.5	2	1	3	6
Terret Draw	185	315.9	2	1	3	6
Brazos River	45	64.0	5	_	1	7
Colorado River	89	134.5	5	1	1	7
Mill Creek	164	267.9	2	1	4	7
				_		
Llano River	168	276.5	5	1	1	7
Alum Creek Cedar Creek ²	86 93	131.5 142.8	5 5	1	2 2	8
				1		8
Cottonwood Creek	119	203.2	2	2	4	8
Hickory Creek	125	209.9	2	2	4	8
White Oak Creek	127	213.3	2	2	4	8
Middle Valley	192	324.2	4	1	3	8
Antelope Draw	197	334.3	4	1	3	8
Clear Creek ³	44	62.6	5	2	2	9
Muddy Branch	48	69.2	2	3	4	9
Maha Creek ¹	97	151.7	5	1	3	9
Dry Creek	99	157.4	1	4	4	9
Pecos River	250	525.6	7	1	1	9
Unnamed Trib to	36	48.7	3	2	5	10
Cypress Creek	2=	70.4				10
Mound Creek	37	50.4	3	3	4	10
Live Oak	38	53.9	3	3	4	10
Rabbs Creek	74	112.3	5	3	2	10
Pin Oak Creek	80	122.5	5	3	2	10
Cottonmouth Creek	100	162.3	1	4	5	10
Marble Creek	101	163.5	1	4	5	10
JD Creek	82	126.7	5	1	5	11
Little Alum Creek	87	132.3	5	1	5	11
Unnamed	92	142.9	5	1	5	11
Sandy Creek (1)	138	234.9	1	5	5	11
Sandy Creek (2)	139	236.6	1	5	5	11
Bernst Creek	140	237.8	1	5	5	11
Cherry Spring Creek		241.7	2	5	4	11
Marshall Creek	143	242.7	2	5	4	11

Table 4-24. (Continued)

			Rank in Importance of			
		Pipeline Station for Crossing	Proximity and Type of Downstream Water Supply (1= most	Rank in Potential to Control a Spill (1= most difficult	Rank in Potential to Transport a	Sum of
Stream at Crossing	Man ID	(miles)	important)	to control)	Spill (1= highest)	Ranks
Rocky Creek	166	273.7	5	2	4	11
Landreth Draw	239	281.8	7	1	3	11
Cottonwood Creek	254	556.6	7	1	3	11
Harris Creek Trib	41	58.7	2	5	5	12
Harris Creek Trib	42	59.7	2	5	5	12
Knobbs Creek	77	118.8	5	3	4	12
Gravelly Creek	81	123.0	5	3	4	12
Cottonwood Creek	256	565.3	7	1	4	12
East Fork Mill Creek	57	81.2	6	5	2	13
Dreissner Branch	78	119.9	5	3	5	13
Big Lake Draw	211	402.6	7	1	5	13
Unnamed	216	415.8	7	1	5	13
China Draw	224	433.1	7	1	5	13
Mayfield Draw	234	450.2	7	1	5	13
West Fork Mill	61	90.8	6	6	2	14
Creek						
Cummins Creek	68	99.2	6	6	2	14
Antelope Gulch	274	631.0	7	6	1	14
Greens Bayou	3		6	6	2	14
Dogwood Creek	60	89.2	6	6	4	16
Jacks Creek	67	98.3	6	6	4	16
Unnamed	269	625.1	7	6	3	16
Hunting Bayou	1		6	6	4	16
Halls Bayou	8		6	6	4	16
Cottonwood Creek	257	577.3	7	6	4	17
Fourmile Draw	287	684.0	7	6	4	17
Frijole Draw	258	585.9	7	6	5	18
Antelope Draw	282	651.3	7	6	5	18
Wildhorse	283	669.6	7	6	5	18
Middle Canyon	286	680.8	7	6	5	18
Pow Wow Canyon	288	686.6	7	6	5	18
Burro Canyon	263	597.7	7	6	6	19
Cox Canyon	265	601.1	7	6	6	19
*Landreth Draw	1	1.5	4	2	7	13
*Landreth Draw	2	7.0	4	2	7	13

¹Clear Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 85 m. ²Cedar Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 320 m.

³Maha Creek does not cross the pipeline, but at one location parallels the pipeline at a distance of 180 m.

^{*}Odessa Lateral.

Table 4-25. Summary of Pipeline Stream Crossings and Upstream Watersheds, Re-route Crossings

Stream at	Мар	Pipeline Station for Crossing	Basin Area	Stream	2-Year	100-Year	Rank in Potential to Transport a Spill (1=	
Crossing	ID	(mi)	(sq mi)	Order	Flood	Flood	highest)	Basis for Rank
Cottonmouth	1	2.2	0.71	1	126	1,208	6	Low 2-year flood
Marble	2	3.8	1.65	1	224	2,442	6	Low 2-year flood
Rinard	3	5.4	3.57	2	378	4,707	5	Med-low 2-year flood
Unnamed trib, Rinard	4	6.3	2.95	1	332	3,721	5	Med-low 2-year flood
Unnamed trib,	5	7.2	1.42	1	202	1,963	6	Low 2-year flood
Rinard								
Onion	6	9.2	169.51	Large	4,858	40,871	1	Major Crossing
Garlic	7	10.1	4.97	1	473	6,122	5	Med-low 2-year flood
Little Bear	8	11.7	20.22	2	1,228	24,980	4	Med 2-year flood
Little Bear	9	12.8	18.09	2	1,139	22,426	4	Med 2-year flood
Little Bear	10	14.5	11.77	2	850	15,663	4	Med 2-year flood
Unnamed trib, Little Bear	11	16.0	1.50	1	209	2,827	6	Low 2-year flood
Bear	12	17.6	19.63	3	1,204	28,497	2	High Stream Order
Unnamed trib, Slaughter	13	18.6	2.18	1	270	3,617	6	Low 2-year flood
Slaughter	14	20.7	9.65	2	743	13,595	5	Med-low 2-year flood

Final EA 4-122 Volume 1: Chapter 4

Table 4-26. Ranking of Stream Crossings in Spill Control Potential, Re-route Crossings

	Map	Pipeline Station for Crossing	Distance to Main Stem of River Downstream	Rank in Potential to Control a Spill (1= most difficult to	
Stream at Crossing	ID 1	(miles)	(miles)	control)	Basis for Rank
Cottonmouth	1	2.2	5.0	3	3 to 10 miles from main stem
Marble	2	3.8	3.7	3	3 to 10 miles from main stem
Rinard	3	5.4	1.9	2	Within 2 miles of main stem
Unnamed trib, Rinard	4	6.3	3.1	3	3 to 10 miles from main stem
Unnamed trib, Rinard	5	7.2	4.0	3	3 to 10 miles from main stem
Onion	6	9.2	0	1	On main stem
Garlic	7	10.1	0.6	2	Within 2 miles of main stem
Little Bear	8	11.7	4.0	3	3 to 10 miles from main stem
Little Bear	9	12.8	5.0	1	Karst (Person) formation (leached and collapsed)
Little Bear	10	14.5	7.8	1	Karst (evaporite) member
Unnamed trib, Little Bear	11	16.0	8.7	1	Karst (Kainer) formation member
Bear	12	17.6	6.8	3	3 to 10 miles from main stem
Unnamed trib, Slaughter	13	18.6	11.2	1	Karst (Kainer) formation member
Slaughter	14	20.7	11.8	1	Karst (Kainer) formation member

Final EA 4-123 Volume 1: Chapter 4

Table 4-27. Ranking of Stream Crossings in Terms of Downstream Resource Importance as a Water Supply, Re-route Crossings

		Pipeline Station for	Rank in Importance of Proximity and Type of Downstream Water	
g, , , , ,	Map	Crossing	Supply (1= most	
Stream at Crossing	ID	(miles)	important)	Basis for Rank
Cottonmouth	1	2.2	1	15 miles to Colorado River Alluvium
Marble	2	3.8	1	17 miles to Colorado River Alluvium
Rinard	3	5.4	1	21 miles to Colorado River Alluvium
Unnamed trib, Rinard	4	6.3	1	22 miles to Colorado River Alluvium
Unnamed trib, Rinard	5	7.2	1	24 miles to Colorado River Alluvium
Onion	6	9.2	1	Small municipal right within 10 miles
Garlic	7	10.1	1	Small municipal right within 10 miles
Little Bear	8	11.7	1	Small municipal right within 10 miles
Little Bear	9	12.8	1	Small municipal right within 10 miles
Little Bear	10	14.5	1	Small municipal right within 10 miles
Unnamed trib, Little Bear	11	16.0	1	Small municipal right within 10 miles
Bear	12	17.6	1	Small municipal right within 10 miles
Unnamed trib, Slaughter	13	18.6	1	30 miles to Colorado River Alluvium
Slaughter	14	20.7	1	29 miles to Colorado River Alluvium

Final EA 4-124 Volume 1: Chapter 4

Table 4-28. Summary of Vulnerability Ranking, Re-route Crossings

Stream at Crossing	Map ID	Pipeline Station for Crossing (miles)	Rank in Importance of Proximity and Type of Downstream Water Supply (1= most important)	Rank in Potential to Control a Spill (1= most difficult to control)	Rank in Potential to Transport a Spill (1= highest)	Sum of Ranks
Onion	6	9.2	1	3	1	5
Bear	12	17.6	1	3	2	6
Little Bear	8	11.7	1	2	4	7
Rinard	3	5.4	1	1	5	7
Slaughter	14	20.7	1	1	5	7
Little Bear	9	12.8	1	3	4	8
Little Bear	10	14.5	1	3	4	8
Unnamed trib, Rinard	4	6.3	1	2	5	8
Cottonmouth	1	2.2	1	1	6	8
Marble	2	3.8	1	1	6	8
Unnamed trib, Little Bear	11	16.0	1	1	6	8
Unnamed trib, Slaughter	13	18.6	1	1	6	8
Garlic	7	10.1	1	3	5	9
Unnamed trib, Rinard	5	7.2	1	3	6	10

Final EA 4-125 Volume 1: Chapter 4

Table 4-29. Maximum Pipeline Spans in Flood Flow

Flood Flow Velocity at the Pipe (ft/sec) Maximum Span Allowable (ft) a, b						
8	140					
9	125					
10	113					
11	103					
12	95					
13	88					
14	81					
15	76					
16	71					
17	67					
18	63					
19	60					
20	57					

 ^a Pipe perpendicular to flow.
 ^b Occasional load allowable (0.8 times yield stress).

Table 4-30. Summary of Initial Screening of Scour Risk at Crossings

						Further Effo			
	3.50	Basin				Study Level per	Aerial	Estimated 100- Year Maximum Velocity in	Estimated Velocity
	Mile-	Area	Rock	_		DOT	Photo	Center Channel	vs. Allowable for
Stream Name	post	(mi ²)	bed	3	2	HEC20	Review	(fps)	100-Year Flow
Cypress Creek	47.05	89.9						5.3	Less than allowable
Unnamed Trib to Cypress Creek	48.72	3.89						3.3	Less than allowable
Mound Creek	50.44	43.02						6.1	Less than allowable
Live Creek	53.88	10.07						6.4	Less than allowable
Harris Creek Trib	58.70	7.55						7.7	Less than allowable
Harris Creek Trib	59.68	8.0						5.3	Less than allowable
Muddy Branch	69.23	9.23						10.0	Less than allowable
East Fork Mill Creek	81.20	126.0					Х	10.3	Less than allowable
Dogwood Creek	89.23	11.13						9.2	Less than allowable
West Fork Mill Creek	90.83	44.0						7.8	Less than allowable
Jacks Creek	98.31	11.8						10.9	Less than allowable
Cummins Creek	99.23	94.32						9.2	Less than allowable
Rabbs Creek	112.26	81.3				1		7.6	Less than allowable
Knobbs Creek	112.26	23.19				1		6.3	Less than allowable
Dreissner Branch		6.78						8.2	Less than allowable
	119.86								
Pin Oak Creek	122.55	50.11						10.0	Less than allowable
Gravelly Creek	122.96	18.69						8.2	Less than allowable
JD Creek	126.66	6.68					X	12.0	Greater than allowable
Alum Creek	131.47	46.06			X	1	X	13.7	Greater than allowable
Little Alum Creek	132.35	4.63					X	11.7	Greater than allowable
Dry Creek	157.40	22.17						9.4	Less than allowable
Cottonmouth Creek	162.34	2.23						5.7	Less than allowable
Marble Creek	163.51	3.8		X	X	1		7.5	Less than allowable
Onion Creek	163.99	284.4		X	X	1/2	X	15.6	Greater than allowable
Boggy Creek	168.50	1.19		X	X	1		7.8	Less than allowable
Slaughter Creek	174.66	3.03		X	X	1		10.8	Less than allowable
Long Branch	179.70	4.49		X	X	1	X	12.8	Greater than allowable
Barton Creek	180.92	40.9		X	Х	1/2	Х	19.0	Much greater than allowable
Fitzhugh Creek	185.60	4.26	X	X	Х		X	13.4	Greater than allowable
Unnamed Trib of Ped.	190.30	1.22	X	X	Х		X	12.2	Greater than allowable
Flat Creek	193.21	31.04	Х	X	Х		Х	23.0	Much greater than allowable
Unnamed Trib of Ped. (State park)	196.20	0.60	X	X	Х			9.5	Less than allowable
Unnamed Trib of Ped.	198.20	1.88	X	X	Х		X	13.8	Greater than allowable
Unnamed Trib of Ped.	199.40	1.58	X	X	X		 	10.3	Less than allowable
Unnamed Trib of Ped.	202.00	3.01	X	X	X			11.3	Less than allowable
Cottonwood Creek	203.19	10.34	X	X	X		Х	18.0	Much greater than allowable
Trib of Salter Springs Creek	205.10	0.32	Х	X	Х			6.1	Less than allowable
Salter Springs Creek	206.02	1.88	х	X	Х			11.5	Less than allowable
Buffalo Creek	208.00	3.89	X	X	X		X	18.4	Much greater than allowable
Hickory Creek	209.92	12.20	X	X	Х		X	14.5	Greater than allowable

Table 30. (Continued)

Stream Name Mile Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	(mi ²) 52 4.6 26 7.5 33 63.33 60 0.1	Rock bed 8 x 2 x 3 x	Tier 3	Tier 2 x x	Study Level per DOT HEC20	Aerial Photo Review	Estimated 100- Year Maximum Velocity in Center Channel	Estimated Velocity vs. Allowable for	
Stream Name pos Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Creek 236. Sandy Creek (2) 236. Bernst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	Area (mi²) 52 4.6 26 7.5 33 63.33 63.33	Rock bed 8 x 2 x 3 x	3 x	2 x	Level per DOT	Photo	Year Maximum Velocity in	•	
Stream Name pos Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Creek 236. Sandy Creek (2) 236. Bernst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	Area (mi²) 52 4.6 26 7.5 33 63.33 63.33	Rock bed 8 x 2 x 3 x	3 x	2 x	Level per DOT	Photo	Velocity in	•	
Stream Name pos Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	Area (mi²) 52 4.6 26 7.5 33 63.33 63.33	Rock bed 8 x 2 x 3 x	3 x	2 x	DOT	Photo		•	
Stream Name pos Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Creek 236. Sandy Creek (2) 236. Bernst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	(mi ²) 52 4.6 26 7.5 33 63.33 60 0.1	bed	3 x	2 x	_		Center Chamner	vs. And wante for	
Spring Creek 211. White Oak Creek 213. Crabapple Creek 229. Unnamed trib of Crabapple Creek 230. Unnamed trib of Sandy Creek 233. Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	52 4.6 26 7.5 33 63.3 80 0.1	8 x 2 x 8 x	X	X	HEC20		(fng)	100-Year Flow	
White Oak Creek 213. Crabapple Creek 229. Unnamed trib of 230. Crabapple Creek Unnamed trib of Sandy 233. Creek Sandy Creek (1) 234. Sandy Creek (2) 236. Bernst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	26 7.5 33 63.33 63.0 0.1	2 x 3 x				X	(fps) 13.3	Greater than allowable	
Crabapple Creek 229. Unnamed trib of 230. Crabapple Creek Unnamed trib of Sandy 233. Creek Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	63.33	3 x				X	15.5	Greater than allowable	
Unnamed trib of Crabapple Creek Unnamed trib of Sandy Creek Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	80 0.1		X	X		X	27.2	Much greater than	
Crabapple Creek Unnamed trib of Sandy Creek Sandy Creek (1) Sandy Creek (2) Sandy Creek (2) Bernst Creek Blockhouse Creek Cherry Spring Creek Marschall Creek Cedar Hollow 233. 234. 235. 236. 237. 240. 241. 242. 242. 243.		5 x		Х		Х		allowable	
Unnamed trib of Sandy	20 0.3		X	X			9.1	Less than allowable	
Creek Sandy Creek (1) 234. Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	0.3								
Sandy Creek (2) 236. Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.		5 x	X	Х			8.3	Less than allowable	
Bemst Creek 237. Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	35 1.4	5 x	X	X		Х	12.1	Less than allowable	
Blockhouse Creek 240. Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	70 2.4	4 x	Х	Х		Х	13.3	Marginally less	
Cherry Spring Creek 241. Marschall Creek 242. Cedar Hollow 248.	31 3.7	5 x				Х	13.1	Greater than allowable	
Marschall Creek 242. Cedar Hollow 248.	30 1.59	9 x	Х	Х			11.1	Less than allowable	
Cedar Hollow 248.	57 11.03	3 x					11.3	Less than allowable	
Cedar Hollow 248.	57 10.92	2 x				Х	12.8	Greater than allowable	
G G 1 240			Х	Х			10.1	Less than allowable	
Squaw Creek 248.	19 39.63	3 x	Х	Х		Х	21.0	Much greater than allowable	
Threadgill Creek 249.	99 117.29	У	Х	Х		X	23.6	Much greater than allowable	
James River 263.	90 322.12	2 x	Х	Х	1/2	Х	23.4	Much greater than allowable	
Mill Creek 267.	37 7.3	3 x	X	Х		Х	12.4	Greater than allowable	
Rocky Creek 273.	59 10.49) x				Х	16.1	Greater than allowable	
Terret Draw 315.	94 34.	5					8.3	Less than allowable	
Middle Valley 324.	21 137.2	1		Х			7.6	Less than allowable	
Antelope Draw 334.	27 61.99)		Х			7.2	Less than allowable	
Big Lake Draw 402.	60 46.)					5.8	Less than allowable	
Unnamed 415.	31 24.	5					7.1	Less than allowable	
China Draw 433.	10 17.	1					4.6	Less than allowable	
Mayfield Draw (1) 450.	22 76.30)					4.0	Less than allowable	
Cottonwood Creek 565.	29 247.52	2				Х	14.8	Greater than allowable	
Cottonwood Creek 577.		4					8.4	Less than allowable	
Frijole Draw 585.	39 7.5	3					9.0	Less than allowable	
Burro Canyon 597.	72 8.83	2					2.4	Less than allowable	
Cox Canyon 601.	13 21.	2					5.1	Less than allowable	
Unnamed 625.		2				X	13.3	Greater than allowable	
Antelope Gulch 63	.0 797.3	3					11.2	Less than allowable	
Antelope Draw 651.	.01 /7/.0	1	1				11.2	Less man anowable	

^{*}All major crossings (Brazos, Colorado, Pedernales, Llano, and Pecos Rivers had Level 1/2 study per HEC20, and aerial photo analysis **Per URS Calculation C-6, Estimation of Velocities at Stream Crossings

Table 4-31. Threatened, Endangered, and Candidate Species Potentially Affected by Longhorn Pipeline

Common Name	Scientific Name		Counties of Occurrence	Vegetation Regions				
Avian Species								
Bald Eagle	Haliaeetus leucocephalus	FT, ST	Austin, Bastrop, Fayette, Gillespie, Harris, Waller	Gulf Coast Prairies and Marshes, Oak Woodlands and Prairies, Blackland Prairies, Llano Uplift				
Interior Least Tern	Sterna antillarum athalassos	FE, SE	Bastrop, Blanco, Crockett, Fayette, Gillespie, Kimble, Mason, Menard, Reagan, Schleicher, Waller	Gulf Coast Prairies and Marshes, Oak Woodlands and Prairies, Blackland Prairies, Edwards Plateau, Llano Uplift				
Black-capped Vireo	Vireo atricapillus	FE, SE	Blanco, Crockett, Gillespie, Hays, Kimble, Llano, Mason, Menard, Reagan, Schleicher, Travis, Upton	Edwards Plateau, Llano Uplift				
Golden-cheeked Warbler	Varbler Dendroica chrysoparia		Blanco, Gillespie, Hays, Kimble, Llano, Mason, Menard, Travis	Edwards Plateau, Llano Uplift				
Southwestern Willow Flycatcher	Empidonax traillii extimus	FE, SE	Hudspeth, Culberson, El Paso	Trans-Pecos				
Aquatic Species								
Barton Springs Salamander	Eurycea sosorum	FE, SE	Travis	Edwards Plateau (Barton Springs)				
Amphibian Species								
Houston Toad	Bufo houstonensis	FE, SE	Austin, Bastrop, Lee, Waller	Lost Pines, Piney Woods				
Plant Species								
Texas Prairie-dawn	Hymenoxys texana	FE, SE	Harris, Waller	Gulf Coast Prairies and Marshes				
Navasota Ladies'-tresses	Spiranthes parksii	FE, SE	Fayette	Oak Woodlands and Prairies				
Tobusch Fishhook Cactus	Ancistrocactus tobuschii	FE, SE	Kimble	Edwards Plateau				

Abbreviations:

FE Federally-listed as Endangered FT Federally-listed as Threatened ST State-listed as Threatened SE State-listed as Endangered

Sources:

Horizon, 2000

US Fish and Wildlife Service, 1995

US Fish and Wildlife Service, 1998

Texas Parks and Wildlife Department - dated and undated literature entitled: Barton Springs Salamander, Karst Invertebrates, Golden-cheeked Warbler, Black-capped Vireo, and Edwards Aquifer Species.

Table 4-32. Threatened and Endangered Species

AVIAN SPECIES

Bald Eagle:

The Bald Eagle is a large raptor with an expansive (6-7 feet) wingspan and unfeathered feet. The current range of the Bald Eagle in Texas includes the central portion of the state, generally near large rivers and reservoirs. Nests are often located in areas where forest, marsh, and water meet. Large, tall trees (40- to 120-ft) that are taller than the general forest canopy are used for nesting and roosting. Tree species used for nesting in Texas include loblolly pine, bald cypress, oak, cottonwood, and sycamore. Eagles are associated with aquatic ecosystems throughout most of their range and fish are their primary food. Eagles also prey on waterfowl, turtles, small mammals, and carrion (EPA, 1993). Although it is unlikely that pipeline operations, maintenance, or repair activities would directly affect eagle populations, an accidental release of product to a major body of water that is used by eagle populations for feeding (fishing) could reduce prey availability and/or result in poisoning of individuals.

Interior Least Tern:

The Least Tern is a migratory species with a current summer distribution along the Red River from Louisiana to the Panhandle, along the Canadian River (in the Panhandle), the upper Trinity River, and several waterways within central Texas. Winter distribution is limited to the Texas coast. Habitat requirements for the species are primarily based on the presence of bare or nearly bare ground and alluvial islands for nesting, availability of food (primarily small fish), and favorable water levels during the nesting season. Preferred nesting sites are salt flats along lake shorelines, broad sandbars, and barren shores within wide, unobstructed river channels.

Black-capped Vireo:

The Black-capped Vireo is a small migratory songbird. In Texas, vireo habitat is found on rocky limestone soils of the Edwards Plateau, eastern Trans-Pecos, and to a limited extent, on igneous soil in the Chisos Mountains. Vireos require vegetation reaching to ground level for nesting cover and typically nest in shrublands and open woodlands with a distinctive patchy structure. Typical habitat is characterized by shrubs extending from the ground to about 6 feet and covering 30 to 60 percent or greater of the total area. In typical habitat, open grassland separates clumps of shrubs and trees (TPWD, various dates).

Golden-cheeked Warbler:

The Golden-cheeked Warbler is a small (4.5 to 5 inches long), migratory songbird, with a wingspan of about 8 inches. Typical nesting habitat consists of tall, thick, mature stands of Ashe juniper (cedar) mixed with hardwoods such as Texas (Spanish) oak, Lacey oak, shin (scalybark) oak, live oak, post oak, Texas ash, cedar elm, hackberry, bigtooth maple, sycamore, Arizona walnut, escarpment cherry, and pecan. Preferred habitat typically is within relatively moist areas such as steep sided canyons and slopes; however, suitable habitat also occurs in drier, upland juniper-oak (i.e. live oak, post oak, blackjack oak) woodlands over flat topography. The range and distribution of the species in Texas is largely limited to the Edwards Plateau, including Blanco, Gillespie, Hays, Kimble, Mason, Menard, and Travis counties (TPWD, various dates).

Southwestern Willow Flycatcher:

The Southwestern Willow Flycatcher, is a small neotropical migratory species with a present breeding range extending from southern California, southern Nevada, southern Utah, Arizona, New Mexico, western Texas, southwestern Colorado, and extreme northwestern Mexico. Its range and distribution in Texas includes the Pecos River basin and Hudspeth, Culberson, and El Paso counties. Habitat requirements include dense riparian associations of willow, cottonwood, buttonbush, tamarisk, baccharis, and other deciduous shrubs and trees. Consequently, the species is indigenous to rivers, streams, and woodlands that are widely separated by expanses of arid lands (FWS, 1995).

Final EA Volume 1: Chapter 4

Table 4-32. (Continued)

AQUATIC SPECIES

Barton Springs Salamander:

The Barton Springs Salamander is a rare endemic to Barton Springs, in Austin. The species is entirely aquatic throughout its life and occurs only at the outflows of the springs in water depths from several inches to 15 feet. The salamander is known to consume amphipods and other small aquatic crustaceans (TPWD, various dates). Preservation of the species is contingent upon a continuous and ample supply of fresh water to the Barton Springs pool and the adjacent Eliza Springs pool. Although populations of the species was abundant in both pools during the early 1970s, their numbers have decreased sharply as a result of the removal of aquatic vegetation and other factors.

AMPHIBIAN SPECIES

Houston Toad:

The Houston Toad is an endemic of the Lost Pines of Bastrop County and piney woods of several southeast Texas counties. The species is a terrestrial amphibian associated with deep sandy soils. For breeding and tadpole development, Houston toads also require still or slow-moving bodies of water that persist for at least 30 days. The source of ephemeral or persistent water should be located within one-half to three-quarters mile of the toad's hibernation/foraging habitat (deep sands supporting woodlands or savannah). Critical habitat was designated for the Houston toad in January 1978. A portion of this habitat in Bastrop and Austin counties is traversed by the Longhorn pipeline.

PLANTS

Texas Prairie Dawn:

Texas Prairie Dawn is a small, delicate annual with single or branching stems. Blooms are small yellow flowers coming in late-March to early-April. The species grows in sparsely vegetated areas with fine, sandy soil, specifically in the northern part of the Gulf Coastal Prairie. It is found in poorly drained depressions or saline swales around the periphery of low, natural mounds (mima mounds) in open grasslands. These mostly barren areas are sparsely vegetated and the soil often supports a blue-green alga (*Nostoc* sp.). It can also occur on disturbed areas such as rice fields, vacant lots, and pastures if the soil structure remains relatively intact (USFWS, 1995).

Navasota ladies'-tresses

Navasota ladies'-tresses is an orchid that is found in moist sandy soils in small openings amongst post oak savanna. The present range and distribution of the species is limited to the Navasota, Trinity, and Brazos River drainages.

Tobusch Fishhook Cactus:

This plant is a rounded, biscuit shaped cacti usually 2-3 inches tall and up to 3.5 inches in diameter. There are 3-5 central spines with the upper 2-3 erect and straight and the lower central spines hooked at the tip and spreading. This cactus occurs on limestone gravels of stream terraces, limestone ledges, ridges, and opening in the rocky hills of live oak juniper woodlands (FWS, 1995). The Tobusch fishhook cactus has been documented in Kimble County. Habitat assessment surveys conducted along an adjacent pipeline reported minimal potential habitat being found and no individuals being encountered (Horizon Environmental, 1991).

Sources:

Garrett et al., 1992

Rappole and Blacklock, 1994

Texas Parks and Wildlife Department, undated literature entitled: Barton Springs Salamander, Karst Invertebrates, Golden-cheeked Warbler, Black-capped Vireo, and Houston Toad

Texas Parks and Wildlife Department, Endangered Resources Branch: various county listings US Fish and Wildlife Service. 1995

Final EA Volume 1: Chapter 4

Table 4-33. Common Fish Species in Surface Water Features Crossed by the Longhorn Pipeline

Species	Upper Pecos River	Llano River	Barton Creek	Pedernales River	Onion Creek	Cypress Creek	Greens Bayou	White Oak Bayou	Brazos River	Colorado River
Largemouth bass (Micropterus salmoides)	X	X	X	Kivei	X	X	X	X	X	X
White bass (Morone chrysops)	X									
Guadalupe bass (Micropterus treculi)		X	X		X					X
Smallmouth bass (Micropterus dolomieui)				X						
Channel catfish (Ictalurus punctatus)		X				X			X	X
Flathead catfish (Pilodictus olivaris)	X	X							X	X
Green sunfish (Lepomis cyanellus)		X	X	X	X	X		X	X	X
Longear sunfish (Lepomis megalotis)		X	X	X	X	X	X			X
Freshwater drum (Aplodinotus grunniens)									X	

Final EA 4-132 Volume 1: Chapter 4