

Health Officer/School Nurse Checklist

Name:	
School:	
Room or Area:	Date Completed:
Signature:	

Instructions

- 1. Read the *IAQ*Backgrounder and the Background Information for this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1. MAINTAINING STUDENT HEALTH					
					N/A
		Completed health records for each student			
		Updated health records, as appropriate	ш.		
		Obtained necessary information about student allergies and other health factors			
	1d.	Developed a system to log health complaints (note symptoms, location and time of symptom onset, and exposure to pollutant sources)			
	1e.	Monitored trends in health complaints (especially in timing or location of complaints)			
	1f.	Investigated potential causes of health complaints (for example, school was renovated or refurnished recently; individual recently started working with new or different materials or equipment; new practices or products, such as cleaners or pesticides, were introduced into the school)			
	1g.	Ensured that the school prohibits smoking			
	1h.	Noted any new warm-blooded animals introduced into classrooms			
	1i.	Reviewed and understood indicators of IAQ-related problems			
	2.	HEALTH, IAQ, AND HYGIENE EDUCATION			
	2a.	Educated students and staff about the importance of good hygiene			
	2b.	Arranged individual instruction/counseling where necessary			
		Developed information and education programs for parents and staff			
	2d.	Established an information and counseling program for smokers			
	2e.	Provided literature on smoking and secondhand smoke			
	2f.	Educated school staff, students, and parents on the link between IAQ			
		and health			
	3.	HEALTH OFFICER'S OFFICE			
	3a.	Ensured the ventilation system operates properly and supplies adequate quantities of outdoor air (i.e., at least 25 cubic feet per minute of outdoor air per occupant)			
	3h	Ensured that air filters are clean and properly installed			
		Ensured that air supply pathways are clear of any obstructions			
		Determined that air removed from the health office is separated from the	_	_	_
		ventilation system to avoid affecting other occupied areas of the school			

NOTES

