



# Estimated Numbers of AIDS Cases and Rates (per 100,000 population) among Adults and Adolescents, by Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays.




# Estimated Percentages of AIDS Cases among Adults and Adolescents, by Percentage in each Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays.




# Estimated Numbers of AIDS Cases among Adults and Adolescents, by Region 1996–2006—50 States and DC



Note. Data have been adjusted for reporting delays.



# Estimated Numbers of Adults and Adolescents Living with AIDS, by Region 1996–2006—50 States and DC



Note. Data have been adjusted for reporting delays.



# Estimated AIDS Rates among Adults and Adolescents by Region and Size of Place of Residence 2006—50 States and DC


	Population			Overall rate
	<50,000	50,00– 499,999	≥ 500,000	
Northeast	7.3	12.9	23.3	20.6
Midwest	2.5	4.7	11.0	7.6
South	9.2	11.6	25.5	19.0
West	3.5	4.9	13.2	10.7

Note. Data have been adjusted for reporting delays.



CS201256-A


# Northeast Region—Estimated Numbers of AIDS Cases and Rates (per 100,000 population) among Adults and Adolescents by State, 2006 N = 9,483



Note. Data have been adjusted for reporting delays.



# Northeast Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Sex 2006




Note. Data have been adjusted for reporting delays.

\*Includes 130 male and 66 female adults and adolescents of unknown race/ethnicity.



# Northeast Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2006



Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.


\*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.

†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.






# Northeast Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex, Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# Midwest Region—Estimated Numbers of AIDS Cases and Rates (per 100,000 population) among Adults and Adolescents, by State, 2006 N = 4,160



Note. Data have been adjusted for reporting delays.




# Midwest Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Sex 2006



Note. Data have been adjusted for reporting delays.  
 \*Includes 34 male and 8 female adults and adolescents of unknown race/ethnicity.



# Midwest Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2006




Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.

\*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.

†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



# Midwest Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex, Race/Ethnicity and Population of Area of Residence, 2006




Note. Data have been adjusted for reporting delays.



# South Region—Estimated Numbers of AIDS Cases and Rates (per 100,000 population) among Adults and Adolescents, by State, 2006


N = 17,083



Note. Data have been adjusted for reporting delays.




# South Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Sex 2006



Note. Data have been adjusted for reporting delays.  
 \*Includes 61 male and 30 female adults and adolescents of unknown race/ethnicity.



# South Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2006



Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.


\*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.

†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.






# South Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex, Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# West Region—Estimated Numbers of AIDS Cases and Rates (per 100,000 population) among Adults and Adolescents, by State, 2006, N = 6,064



Note. Data have been adjusted for reporting delays.




# West Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Sex 2006



Note. Data have been adjusted for reporting delays.  
 \*Includes 29 male and 2 female adults and adolescents of unknown race/ethnicity.



# West Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex and Transmission Category 2006




Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.

\*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.

†Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



# West Region—Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex, Race/Ethnicity and Population of Area of Residence, 2006




Note. Data have been adjusted for reporting delays.



# Summary Slides




# Estimated Numbers of AIDS Cases among Adults and Adolescents, by Sex and Region, 2006—50 States and DC



Note. Data have been adjusted for reporting delays.



# Estimated Numbers of AIDS Cases among Adults and Adolescents, by Age Group and Region 2006—50 States and DC




Note. Data have been adjusted for reporting delays.






# Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Race/Ethnicity and Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays.  
Includes 254 male adults and adolescents of unknown or multiple races.




# Estimated Numbers AIDS Cases among Female Adults and Adolescents, by Race/Ethnicity and Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays.  
Includes 104 female adults and adolescents of unknown or multiple race.




# Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Transmission Category and Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.  
 \*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.  
 †Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.




# Estimated Numbers of AIDS Cases among Female Adults and Adolescents, by Transmission Category and Region 2006—50 States and DC



Note. Data have been adjusted for reporting delays and redistribution of cases in persons initially reported without an identified risk.  
 \*Heterosexual contact with a person known to have, or be at high risk for, HIV infection.  
 †Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.




# Northeast Region—Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# Northeast Region—Estimated Numbers of AIDS Cases among Female Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# Midwest Region—Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.



# Midwest Region—Estimated Numbers of AIDS Cases among Female Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006




Note. Data have been adjusted for reporting delays.






# South Region—Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# South Region—Estimated Numbers of AIDS Cases among Female Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.




# West Region—Estimated Numbers of AIDS Cases among Male Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.



# West Region—Estimated Numbers of AIDS Cases among Female Adults and Adolescents, by Race/Ethnicity and Population of Area of Residence, 2006



Note. Data have been adjusted for reporting delays.

