

NET SUBSIDY RATE

Manufacturer/Exporter	Percent
Norsk Hydro Canada, Inc.	1.68

Assessment Rates

We will instruct the U.S. Bureau of Customs and Border Protection ("BCBP") to assess countervailing duties as indicated above. As requested by NHCI, pursuant to 19 U.S.C. § 1516a(g)(5)(c)(i), the Department will not order the liquidation of entries of pure magnesium from Canada exported by NHCI on or after August 1, 2000, pending final disposition of the NAFTA panel review of this case. Liquidation will occur at the rates described in these final results of review, if appropriate, following the final judgment in the NAFTA panel dispute.

Cash Deposit Instructions

The Department will instruct the BCBP to collect cash deposits of estimated countervailing duties in the percentage detailed above of the f.o.b. invoice value on all shipments of the subject merchandise from NHCI, entered, or withdrawn from warehouse, for consumption on or after the date of publication of the final results of these administrative reviews.

We will instruct BCBP to continue to collect cash deposits for non-reviewed companies at the most recent company-specific or country-wide rate applicable to the company (except Timminco Limited, which was excluded from the orders in the original investigations). Accordingly, the cash deposit rate that will be applied to non-reviewed companies covered by these orders is that established in *Pure and Alloy Magnesium From Canada: Final Results of the Second (1993) Countervailing Duty Administrative Reviews*, 62 FR 48607 (September 16, 1997) or the company-specific rate published in the most recent final results of an administrative review in which a company participated. These rates shall apply to all non-reviewed companies until a review of a company assigned these rates is requested.

This notice serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

These administrative reviews and notice are in accordance with section 751(a)(1) of the Act.

Dated: September 9, 2003.

Joseph A. Spetrini,

Acting Assistant Secretary for Import Administration.

APPENDIX I**List of Comments and Issues in the Decision Memorandum**

Comment 1: Adjusting Current Assessment Rates to Compensate for Over-assessment on Prior Entries [FR Doc. 03-23459 Filed 9-12-03; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE**International Trade Administration**

[C-427-815]

Stainless Steel Sheet and Strip in Coils from France: Final Results of Countervailing Duty Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of Final Results of Countervailing Duty Administrative Review.

SUMMARY: The Department is issuing the final results of the second administrative review of the countervailing duty order on stainless steel sheet and strip in coils from France for the period January 1, 2001, through December 31, 2001.

EFFECTIVE DATE: September 15, 2003.

FOR FURTHER INFORMATION CONTACT: Jesse Cortes at (202) 482-3986; Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230.

SUPPLEMENTARY INFORMATION:**Case History**

Since the publication of the preliminary results in the **Federal Register** (see *Stainless Steel Sheet and Strip in Coils from France: Preliminary Results of Second Countervailing Duty Administrative Review*, 68 FR 24921 (May 9, 2003) ("*Preliminary Results*")), the following events have occurred:

On June 9, 2003, we received a case brief and request for a hearing from Ugine SA, Imphy Ugine Precision, Ugine France Service, Sollac Mediterranee, Usinor Packaging, Sollac Lorraine, Sollac Atlantique, CARLAM, G. Fer, IRSID, and Usinor Stainless (collectively referred to as "Usinor").

The petitioners (*i.e.*, Allegheny Ludlum Corporation, AK Steel, Inc., North American Stainless, United Steelworkers of America, AFL-CIO/CLC, Butler Armco Independent Union, and Zanesville Armco Independent Organization) submitted a rebuttal brief on June 16, 2003. On July 7, 2003, Usinor withdrew its request for a hearing.

Scope of Review

The products covered by this countervailing duty order are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (*e.g.*, cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise covered by this order is currently classifiable in the *Harmonized Tariff Schedule of the United States* ("HTSUS") at the following subheadings:

7219.13.00.30, 7219.13.00.50, 7219.13.00.70, 7219.13.00.80, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20, 7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, 7219.34.00.25, 7219.34.00.30, 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10, 7220.90.00.15, 7220.90.00.60, and 7220.90.00.80.

Although the HTSUS subheadings are provided for convenience and customs purposes, the Department's written

description of the merchandise under review is dispositive.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled; (2) sheet and strip that is cut to length; (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more); (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm); and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTSUS, "Additional U.S. Note" 1(d).

Also excluded from the scope of this order are:

Flapper Valve Steel: Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Suspension Foil: Suspension foil is a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection and flatness of 1.6 mm over 685 mm length.

Certain Stainless Steel Foil for Automotive Catalytic Converters: This stainless steel strip in coils is a specialty

foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent Magnet Iron-chromium-cobalt Alloy Stainless Strip: This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."¹

Certain Electrical Resistance Alloy Steel: This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high-temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."²

Certain Martensitic Precipitation-hardenable Stainless Steel: This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging and will exhibit

yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."³

Three Specialty Stainless Steels Typically Used in Certain Industrial Blades and Surgical and Medical Instruments: These include stainless steel strip in coils used in the production of textile cutting tools (*e.g.*, carpet knives).⁴ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo."⁵ The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent, and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6."

Period of Review

The period of review ("POR") for which we are measuring subsidies is January 1, 2001, through December 31, 2001.

Attribution of Subsidies

Usinor has filed its responses on behalf of its French affiliates involved in the manufacture, production or

³ "Durphynox 17" is a trademark of Imphy, S.A.

⁴ This list of uses is illustrative and provided for descriptive purposes only.

⁵ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.

¹ "Arnokrome III" is a trademark of the Arnold Engineering Company.

² "Gilphy 36" is a trademark of Imphy, S.A.

exportation of the subject merchandise (*i.e.*, Ugine SA, Imphy Ugine Precision, Ugine France Service, Sollac Mediterranee, Usinor Packaging, Sollac Lorraine, Sollac Atlantique, CARLAM, G. Fer, IRSID, and Usinor Stainless). Usinor holds a majority interest in all of these companies. Therefore, in accordance with 19 CFR 351.525(b)(6)(iii), we have attributed subsidies received by these companies to the total sales by Usinor of French-produced merchandise.

Analysis of Comments Received

All issues raised in Usinor's case brief and the petitioners' rebuttal brief filed in this administrative review are addressed in the "Issues and Decision Memorandum" from Jeffrey A. May, Deputy Assistant Secretary, to Joseph A. Spetrini, Acting Assistant Secretary for Import Administration, dated September 8, 2003 ("*Decision Memorandum*"), which is hereby adopted by this notice. Attached to this notice as Appendix I is a list of the issues which parties have raised and to which we have responded in the *Decision Memorandum*. Parties can find a complete discussion of all issues raised in this review and the corresponding recommendations in this public memorandum, which is on file in the Central Records Unit, Room B-099 of the main Department building. In addition, a complete version of the *Decision Memorandum* can be accessed directly on the Internet at <http://ia.ita.doc.gov/frn/summary/list.htm> under the heading "France." The paper copy and electronic version of the *Decision Memorandum* are identical in content.

Final Results of Review

In accordance with 19 CFR 351.221(b)(5), we calculated an individual subsidy rate for the producer/exporter subject to this administrative review. For the period January 1, 2001 through December 31, 2001, we determine the net subsidy rate for Usinor to be 1.11 percent *ad valorem*. In a change from the *Preliminary Results* and for the reasons set forth in the *Decision Memorandum* at Comment 3, no duty deposit is required.

As a result of the injunction issued December 22, 1999, by the U.S. Court of International Trade, enjoining us from liquidating any entries of the subject merchandise after August 6, 1999, we will not order liquidation of entries of stainless steel sheet and strip in coil from France at this time. Liquidation will occur at the rates described in this

notice at such time as the injunction is lifted.

The cash deposit rates for all companies not covered by this review are not changed by the results of this review. Thus, we will instruct the United States Bureau of Customs and Border Protection to continue to collect cash deposits for non-reviewed companies at the most recent rate applicable to the company. These rates shall apply to all non-reviewed companies until a review of the companies assigned these rates is completed. In addition, for the POR, the assessment rates applicable to all non-reviewed companies covered by this order are the cash deposit rates in effect at the time of entry.

This notice serves as a reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305. Timely written notification of return or destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This administrative review and notice are in accordance with sections 751(a)(1) and 777(i) of the Act.

Dated: September 8, 2003.

Joseph A. Spetrini,

Acting Assistant Secretary for Import Administration.

APPENDIX I

List of Comments and Issues in the Decision Memorandum

Comment 1: Treatment of Usinor's Pre-Privatization Benefits

Comment 2: Appropriate AUL for 1988 FIS Bonds Conversion

Comment 3: Cash Deposit Rate

[FR Doc. 03-23455 Filed 9-12-03; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

ENVIRONMENTAL PROTECTION AGENCY

Coastal Nonpoint Pollution Control Program: Approval Decision on Connecticut Coastal Nonpoint Pollution Control Program

AGENCY: National Oceanic and Atmospheric Administration, U.S. Department of Commerce and the U.S. Environmental Protection Agency.

ACTION: Notice of intent to approve the Connecticut Coastal Nonpoint Program.

SUMMARY: Notice is hereby given of the intent to fully approve the Connecticut Coastal Nonpoint Pollution Control Program (coastal nonpoint program) and of the availability of the draft Approval Decisions on conditions for the Connecticut coastal nonpoint program. Section 6217 of the Coastal Zone Act Reauthorization Amendments (CZARA), 16 U.S.C. 1455b, requires States and Territories with coastal zone management programs that have received approval under section 306 of the Coastal Zone Management Act to develop and implement coastal nonpoint programs. Coastal States and Territories were required to submit their coastal nonpoint programs to the National Oceanic and Atmospheric Administration (NOAA) and the U.S. Environmental Protection Agency (EPA) for approval in July 1995. NOAA and EPA conditionally approved the Connecticut coastal nonpoint program on June 3, 1998. NOAA and EPA have drafted approval decisions describing how Connecticut has satisfied the conditions placed on its program and therefore has a fully approved coastal nonpoint program.

NOAA and EPA are making the draft decisions for the Connecticut coastal nonpoint program available for a 30-day public comment period. If comments are received, NOAA and EPA will consider whether such comments are significant enough to affect the decision to fully approve the program.

Copies of the draft Approval Decisions can be found on the NOAA Web site at <http://www.ocrm.nos.noaa.gov/czm/> or may be obtained upon request from: Helen Farr, Coastal Programs Division (N/ORM3), Office of Ocean and Coastal Resource Management, NOS, NOAA, 1305 East-West Highway, Silver Spring, Maryland, 20910, phone (301) 713-3155, x150, e-mail helen.farr@noaa.gov.

DATES: Individuals or organizations wishing to submit comments on the draft Approval Decisions should do so by October 15, 2003.

ADDRESSES: Comments should be made to: John King, Acting Chief, Coastal Programs Division (N/ORM3), Office of Ocean and Coastal Resource Management, NOS, NOAA, 1305 East-West Highway, Silver Spring, Maryland, 20910, phone (301) 713-3155, x188, e-mail john.king@noaa.gov.

FOR FURTHER INFORMATION CONTACT: Helen Farr, Coastal Programs Division (N/ORM3), Office of Ocean and Coastal Resource Management, NOS, NOAA,