Figure I-25

# Partition of Trend in Incidence Rates for the Time Period 1995-2004 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -2.57

	% of decreasing
Overall Net Trend	
Overall Decreasing Trend	% of decreasing
Lung & Bronchus	26.8%
Breast (Female)	24.0%
Colon & Rectum	23.0%
Oral Cavity & Pharynx	5.1%
Cervix Uteri	5.0%
Corpus & Uterus	4.2%
Stomach	4.2%
Leukemia	3.9%
Ovary*	3.1%
Brain & ONS	0.7%
Urinary Bladder	0.0%
Pancreas	0.0%
Overall Increasing Trend	% of increasing
Non-Hodgkin Lymphoma	3.4%
All Other Sites	30.4%
Melanoma of the Skin	32.2%
Prostate	34.0%

Change in Incidence Rate (Cases/100,000/Year)

-3.5 -3 -2.5 -2 -1.5 -1 -0.5 0 0.5 1

Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).
Percents may not add to 100 due to rounding.
* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Figure I-26

# Partition of Trend in Incidence Rates for the Time Period 1995-2004
All Races, Males

Overall Decreasing Regression Coefficient : -3.95

Category	%
Overall Net Trend	
Overall Decreasing Trend	% of decreasing
Lung & Bronchus	41.4%
Colon & Rectum	25.1%
All Other Sites	6.6%
Stomach	6.4%
Oral Cavity & Pharynx	6.1%
Prostate	5.8%
Leukemia	4.7%
Non-Hodgkin Lymphoma	2.5%
Brain & ONS	0.8%
Pancreas	0.4%
Overall Increasing Trend	% of increasing
Urinary Bladder	0.4%
Melanoma of the Skin	99.6%

Change in Incidence Rate (Cases/100,000/Year)

Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).
Percents may not add to 100 due to rounding.

Figure I-27

Partition of Trend in Incidence Rates for the Time Period 1995-2004 All Races, Females

Overall Decreasing Regression Coefficient : -2.08

|	% of decreasing
Overall Net Trend	
Overall Decreasing Trend	% of decreasing
Breast	40.3%
Colon & Rectum	19.0%
Cervix Uteri	10.1%
Lung & Bronchus	8.7%
Corpus & Uterus	6.4%
Ovary*	5.4%
Oral Cavity & Pharynx	3.9%
Leukemia	3.0%
Stomach	1.6%
Urinary Bladder	1.2%
Brain & ONS	0.4%
Overall Increasing Trend	% of increasing
Pancreas	0.0%
Non-Hodgkin Lymphoma	16.8%
Melanoma of the Skin	19.9%
All Other Sites	63.2%

Change in Incidence Rate (Cases/100,000/Year)

Source: SEER 13 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry and Rural Georgia).
Percents may not add to 100 due to rounding.
* Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Figure I-28

# Partition of Trend in Death Rates for the Time Period 1995-2004 All Races, Both Sexes

Overall Decreasing Regression Coefficient : -2.44

Category	%
Overall Net Trend	
Overall Decreasing Trend	% of decreasing
Lung & Bronchus	22.1%
Colon & Rectum	18.5%
Prostate	17.0%
Breast(Female)	15.4%
Non-Hodgkin Lymphoma	8.4%
Stomach	6.0%
Oral Cavity & Pharynx	2.5%
Leukemia	2.5%
Cervix Uteri	2.3%
Brain & ONS	1.9%
All Other Sites	1.5%
Ovary	0.7%
Melanoma of the Skin	0.6%
Urinary Bladder	0.3%
Corpus & Uterus	0.3%
Overall Increasing Trend	% of increasing
Pancreas	100.0%

Change in Death Rate (Deaths/100,000/Year)

Source: NCHS public-use file for the total US.
Percents may not add to 100 due to rounding.

Figure I-29

Partition of Trend in Death Rates for the Time Period 1995-2004 All Races, Males

Overall Decreasing Regression Coefficient : -4.20

	% of decreasing
Lung & Bronchus	36.9%
Prostate	30.8%
Colon & Rectum	14.0%
Stomach	5.8%
Non-Hodgkin Lymphoma	5.6%
Oral Cavity & Pharynx	2.2%
Leukemia	2.2%
Brain & ONS	1.2%
Urinary Bladder	0.8%
Melanoma of the Skin	0.3%
	% of increasing
Pancreas	29.3%
All Other Sites	70.7%

Change in Death Rate (Deaths/100,000/Year)

Source: NCHS public-use file for the total US.
Percents may not add to 100 due to rounding.

Figure I-30

# Partition of Trend in Death Rates for the Time Period 1995-2004 All Races, Females

Overall Decreasing Regression Coefficient : -1.59

	% of decreasing
Breast	37.0%
Colon & Rectum	22.9%
Non-Hodgkin Lymphoma	10.7%
All Other Sites	7.6%
Cervix Uteri	5.9%
Stomach	5.3%
Leukemia	3.1%
Brain & ONS	2.6%
Oral Cavity & Pharynx	2.5%
Melanoma of the Skin	1.0%
Ovary	0.7%
Urinary Bladder	0.7%
	% of increasing
Corpus & Uterus	3.9%
Pancreas	8.5%
Lung & Bronchus	87.6%

Change in Death Rate (Deaths/100,000/Year)

Source: NCHS public-use file for the total US.
Percents may not add to 100 due to rounding.