

River Forecast Center Operations

<u>Table of Contents:</u>	<u>Page</u>
1. Introduction.....	3
2. Staff Operational Responsibilities and Specialty Areas	3
2.1 Hydrologist In Charge	3
2.2 Development and Operations Hydrologist	3
2.3 Service Coordination Hydrologist.....	3
2.4 Senior Hydrologic Forecaster.....	3
2.5 Senior Hydrometeorological Analysis and Support Forecaster	4
2.6 Hydrologic Forecaster	4
2.7 Hydrometeorological Analysis and Support Forecaster.....	4
2.8 Hydrologic Intern	4
2.9 Hydrologic Technician	5
2.10 Information Technology Officer	5
3. Hours of Operation	5
3.1 Routine Hours of Operation	5
3.2 Extension to 24-Hour Operation	5
3.3 Off-hour Contact	5
3.4 Continuous Product/Data System Viability	5
4. Routine Operations	5
4.1 Assimilation of Observed Data	5
4.2 Assimilation of Forecast Data	6
4.2.1 Quantitative Precipitation Forecasts.....	6
4.2.2 Temperature Forecasts.....	6
4.3 Hydrologic Forecast Operations.....	6
4.4 Flash Flood Guidance Operations	6
4.5 WFO Support Operations	7
4.5.1 HAS Function Coordination.....	7
4.5.2 Hydrologic Forecast Coordination	7
4.5.3 Hydrologic Model Support.....	7
4.5.4 Staff Training.....	7
4.5.5 Outreach	7
4.5.6 RFC/WFO Collaboration.....	8
4.6 Interagency Support and Forecast Exchange	8
4.7 Forecast Verification	8
4.8 Data Archive.....	8
4.8.1 Data Sets Required for Archive.....	9
4.8.2 Data Sets Recommended for Archive	9
4.9 Non-Real-Time Operations	10
5. Non-Routine Operations	10
5.1 Dam Failures	10
5.2 Hazardous Materials (HAZMAT) Spills	10

5.3 Significant Event Reports.....10

1. Introduction. This directive specifies national instructions on operations at river forecast centers (RFC) in National Oceanic and Atmospheric Administration’s (NOAA) National Weather Service (NWS). It ensures basic consistency among all centers while providing flexibility to account for user requirements in each RFC area. Instructions on content of RFC products are described in [NWS Instruction 10-912, River Forecast Center Product Specification](#) and [NWS Instruction 10-913, River Forecast Center Product Examples](#). This directive provides instructions on key RFC operations supporting provision of those products and services.

2. Staff Operational Responsibilities and Specialty Areas. Operational staff responsibilities specified here are common to all RFCs. Many centers have unique staff responsibilities which account for hydroclimatological characteristics and specialized requirements of partners and other users in the RFC area.

2.1 Hydrologist In Charge. The hydrologist in charge (HIC) provides oversight and management for all activities in the RFC, and has ultimate responsibility for quality of hydrologic and hydrometeorological services provided by the RFC. The HIC manages RFC involvement in cooperative efforts with weather forecast offices (WFO) and other NWS offices as well as water-oriented agencies outside the NWS.

2.2 Development and Operations Hydrologist. The development and operations hydrologist (DOH) is part of the RFC management team, and among other managerial functions, directs the implementation and operational support for hydrologic forecasting technology employed in the RFC such as the NWS river forecast system (NWSRFS). He/she performs operational forecast operations, including the hydrometeorological analysis and support (HAS) function. The DOH is the point of contact for hydrologic research publications and other scientific developments of the RFC, oversees training activities for the RFC staff, and ensures hydrologic training to the staff of supporting WFOs as requested.

2.3 Service Coordination Hydrologist. The service coordination hydrologist (SCH) is part of the RFC management team and leads the RFC effort to (1) make partners and other users aware of NWS hydrologic capabilities, (2) seek out and understand partner/user needs, and (3) provide technical guidance to partners and other users. The SCH provides WFOs with technical guidance and training assistance needed for effective hydrologic science and service outreach. The SCH also assists the HIC in interactions with partner agencies, including other organizations within NOAA.

2.4 Senior Hydrologic Forecaster. Senior hydrologic forecasters serve as the lead hydrologic forecasters in daily RFC shift operations, and are ultimately responsible for timeliness and accuracy of the river forecasts issued by their shift. A senior hydrologic forecaster may work HAS shifts as required.

At the discretion of the HIC, a senior hydrologic forecaster may serve as the RFC's subject matter expert in a variety of specialty areas determined by the requirements of the RFC. Such specialty areas include flash flood hydrology, extended range streamflow forecasting, computer

systems and their application to RFC operations, snow hydrology, dam failure hydrology, site specific hydrologic modeling at WFOs, hydrologic modeling techniques, and hydrometeorological data systems.

2.5 Senior Hydrometeorological Analysis and Support Forecaster. The senior HAS forecaster serves as program leader for the RFC's HAS functions. Senior HAS forecasters perform HAS operations as outlined for HAS forecasters in section 2.7 below and when required, perform hydrologic forecast shifts as outlined for hydrologic forecasters in section 2.6 below. The senior HAS forecaster guides the execution of hydrometeorological operations at the RFC and ensures that the necessary hydrometeorological training is available to other staff personnel. The senior HAS forecaster oversees development, maintenance, and implementation of computerized procedures used in hydrometeorological support operations. She/he also provides operations-oriented hydrometeorological training to the RFC staff and, when requested, the staff at associated WFOs.

2.6 Hydrologic Forecaster. Hydrologic forecasters perform the routine and specialized hydrologic forecast operations of the RFC. These include short-, medium-, and long-term streamflow forecast operations. Hydrologic forecasters participate in procedure development activities of the RFC. Qualified hydrologic forecasters also work HAS shifts as required. A hydrologic forecaster may also serve as a focal point for an area of specialization as determined by the HIC. She/he also provides hydrologic training to the staff at associated WFOs, when requested.

2.7 Hydrometeorological Analysis and Support Forecaster. In conjunction with the senior HAS forecaster, the HAS forecasters perform the basic hydrometeorological analysis and support functions at the RFC. These basic HAS shift functions include assimilation and quality assurance of observed and forecast data sets for use in the hydrologic modeling process, production of hydrometeorological discussions and other coordination products, and coordination activities with forecasters in associated WFOs and the Hydrometeorological Prediction Center (HPC) of the National Centers for Environmental Prediction (NCEP). HAS forecasters may also work occasional hydrologic forecast shifts as required. HAS shifts during flood situations should generally be staffed by the HAS forecasters or senior HAS forecaster, with the remaining HAS shifts covered, as necessary, by other appropriately trained RFC staff.

HAS forecasters may provide advice and support to WFOs as needed. HAS forecasters also apply their meteorological expertise to specialized activities above and beyond the basic HAS functions such as quantitative precipitation forecast (QPF) verification analysis and development and improvement of hydrometeorological procedures.

2.8 Hydrologic Intern. RFC hydrologic interns perform operational support and procedure development activities designed to familiarize them with hydrologic/hydrometeorologic operations at the RFC and/or the WFO. Hydrologic interns may work at offices other than RFCs such as a WFO, or a regional/national headquarters office. Hydrologic interns participate in continuing education and professional development activities in hydrology and/or meteorology through NWS training mechanisms and university course work.

2.9 Hydrologic Technician. Hydrologic technicians (at RFCs which employ them) conduct data collection and quality control activities. Hydrologic technicians at some RFCs also perform administrative assistant duties.

2.10 Information Technology Officer. Information Technology Officers (ITO) (at RFCs which employ them) support the operational information technology and data communications needs of the RFC. They also develop new software procedures to enhance RFC services and improve efficiency.

3. Hours of Operation. As described in the following section, RFCs are considered to provide 24-hours per day, 7 days per week service availability to their partnering water management agencies and supported WFOs through their nominal 16 hours, 7 days per week schedules; extension to 24-hour operations when needed; designation of off-hour contacts; and establishment of procedures to ensure viability of mission-critical products and data systems during unstaffed periods.

3.1 Routine Hours of Operation. Nominal office staffing for RFCs is 16 hours per day and 7 days per week. Minor adjustments to nominal staffing are made to meet local requirements. At RFCs serving areas with climatologically-defined period(s) of low hydrologic activity, shorter hours of coverage may be provided if approval is given by regional headquarters.

3.2 Extension to 24-Hour Operation. During periods when moderate or greater flooding has begun or is expected, RFCs extend staffing to 24 hours per day. For periods of prolonged moderate flooding, 24-hour operations may not be necessary. For these cases, RFCs will coordinate with WFOs to determine the optimum hours of operation. In addition, following coordination with affected WFOs, RFC management may decide to extend RFC staffing (1) during periods when minor flooding is observed or expected or (2) to provide hydrometeorological support during periods when flash flood events are either occurring or expected on a widespread basis.

3.3 Off-hour Contact. RFCs will establish procedures to be used by their supported WFOs for contacting RFC personnel during off hours to obtain hydrologic expertise or request RFC office staffing. These contacts will be achieved through a mutually agreeable mechanism and instructions for contacts will be shared with supported WFOs on a daily basis.

3.4 Continuous Product/Data System Viability. Per [NWS Instruction 10-2201, Backup Operations](#), and associated regional supplements, procedures will be established to ensure the viability of mission-critical RFC products and essential data systems during all periods.

4. Routine Operations. RFCs provide river forecasts and hydrologic guidance to their partners, which consist of WFOs, NCEP service centers, other RFCs, and cooperating water-related agencies. The forecasts and guidance are used for the protection of life and property associated with flooding, and to provide water resource information to support commerce and economic decisions. Instructions on key components of RFC operations are presented below.

4.1 Assimilation of Observed Data. Assimilation of stream stage, precipitation, temperature, and other hydrometeorological data from ground-based networks as required for the hydrologic

modeling process is essential to RFC operations. WFOs support the quality control of data from ground-based networks which are assimilated by the RFCs. RFCs also assimilate gridded precipitation estimates from remote sensing technologies such as radar and satellite to form a mosaic of precipitation observations.

The mosaic of precipitation observations and remotely-sensed precipitation estimates forms a quantitative precipitation estimate (QPE) for the RFC area. The QPE is provided to NCEP and associated WFOs as required to support forecast and warning operations and verification activities. RFC QPE products are made available to the public and media partners via the Internet.

4.2 Assimilation of Forecast Data. All RFCs use quantitative precipitation forecasts (QPF), temperature forecasts, and, where applicable, other forecast information as input to the NWS river forecast system. HICs coordinate RFC requirements and schedules for NCEP QPFs and temperature forecasts with the regional headquarters and the Hydrologic Services Division in the Office of Climate, Water, and Weather Services. RFC requirements and schedules for locally-produced forecasts supplementing national forecasts, where deemed appropriate, are coordinated by regional headquarters with the HICs and affected meteorologists in charge.

4.2.1 Quantitative Precipitation Forecasts. RFCs in the conterminous United States receive QPF guidance from the HPC and make adjustments as necessary before entering it into their operational hydrologic modeling system. RFCs coordinate with HPC and affected WFOs when operationally significant changes are made to QPF guidance. RFCs should be proactive in communicating QPF impacts to river forecasts with affected WFOs, particularly when such impacts result in a forecast rise to flood stage or changes in flood categories.

RFC QPF products are made available to the public and media partners over NWS-supported public dissemination pathways and are posted on the Internet. RFCs forward quantitative precipitation estimate (QPE) and QPF products to the National Precipitation Verification Unit.

4.2.2 Temperature Forecasts. Temperature forecast information needed in RFC hydrologic modeling operations is acquired through use of routinely issued products from NCEP or supported WFOs. However, RFCs may request specialized temperature forecast support from NCEP or WFOs if routinely issued products are insufficient for hydrologic modeling operations. RFCs should be proactive in communicating temperature forecast impacts to river forecasts with affected WFOs, particularly when such impacts result in a forecast rise to flood stage or changes in flood categories.

4.3 Hydrologic Forecast Operations. Partner requirements, consistent with regional and national policy, are the predominant driver of RFC hydrologic forecast operations. The two primary partners for RFCs are NWS field offices (primarily WFOs) and external water-related agencies. During routine or extended hours of operation, RFC operational staff should maintain continuous situational awareness of changing hydrologic conditions by monitoring hydrologic data. Forecasts should be updated when they fail to adequately represent current conditions.

4.4 Flash Flood Guidance Operations. Flash flood guidance (FFG) serves as key input to the evaluation of flash flood threat at WFOs. It also may serve as an index of soil moisture for some

simplified WFO flash flood warning and forecast applications. RFCs will monitor the quality of their FFG, particularly as it relates to areas near shared RFC boundaries, and coordinate routinely to ensure FFG is as consistent as physically reasonable from one RFC area to the next.

If significant rainfall or snowmelt renders FFG values unrepresentative, RFCs should update the FFG and coordinate with affected WFOs and RFCs.

4.5 WFO Support Operations. RFCs conduct several types of support activities with WFOs which facilitate effective execution of hydrologic services at both offices. These activities can be divided roughly between HAS function coordination activities and hydrologic forecast coordination activities. RFCs and WFOs are full partners in collaborating to achieve successful warning and forecast operations for every hydrologic event.

4.5.1 HAS Function Coordination. HAS function coordination encompasses interaction with other offices on hydrometeorological inputs to hydrologic operations (see section 2.6). The HAS function serves as a liaison with WFOs and the HPC to ensure the full utilization of hydro-meteorological data in the hydrologic modeling process.

4.5.2 Hydrologic Forecast Coordination. RFCs support WFO hydrologic operations by providing expert advice and assistance on hydrologic forecasts when necessary. Coordination of hydrologic forecasts should include some discussion of the parameters significantly impacting the forecast, such as QPF, to assist the WFO in the warning decision process.

RFCs and WFOs have a variety of collaborative tools available to them, including AWIPS messages, telephones, and the Internet. Incoming Hydrologic Coordination Messages (AWIPS identifier HCM) from WFOs should be set to alarm/alert at the RFC. More details on this hydrologic forecast coordination process are contained in [NWS Instruction 10-921 - Weather Forecast Office Hydrologic Operations](#).

4.5.3 Hydrologic Model Support. If a supported WFO uses RFC model variable states as input to its site-specific hydrologic modeling system, the RFC should provide the appropriate variable states from its operational forecast system to the WFO each time the states are updated. This applies to variable states updated through incorporation of new hydrometeorological data or manual modification of the variable states themselves.

4.5.4 Staff Training. As feasible within the limitations of existing resources, RFC personnel participate in hydrologic training activities for WFOs when requested. Within these limitations, RFC personnel should visit their supported WFOs to provide training and observe WFO hydrologic operations.

4.5.5 Outreach. RFCs cover large geographical areas and must coordinate with a diverse base of partners and other users. These include the U.S. Army Corps of Engineers, U.S. Bureau of Reclamation, U.S. Geological Survey, water authorities and management districts, river basin commissions, state and Federal emergency management offices, dam and reservoir safety groups, and universities. Outreach activities such as coordinating existing products and services, providing training on new products, and learning about emerging scientific techniques and technologies through these interactions play a vital role in RFC operations.

RFCs should frequently interact with their partners and other users to help determine user requirements and overall satisfaction with RFC products and services. This interaction may involve attendance and participation at conferences or meetings, on-site visits, or participation in hydrology-related outreach events.

As feasible within existing resource limitations, RFCs should also assist WFOs in efforts to provide hydrologic outreach and training to local and state partners and other users when requested. RFCs should coordinate with their supported WFOs on ideas and proposals for improving hydrologic services.

4.5.6 RFC/WFO Collaboration. RFCs and WFOs should make collaboration and teamwork an intentional activity. Programs, initiatives, and ideas that advance NWS hydrologic services should be identified, recognized, and shared. Each RFC should work with its supported WFOs to develop a hydrologic collaboration plan to improve hydrologic forecasts and warnings, increase the sharing of technology and information, and support the education of partners and other users. Collaboration should also include pre-flood season readiness activities and post-flood service evaluations and development of service improvements.

4.6 Interagency Support and Forecast Exchange. RFCs have a variety of interactions with external water-related partners in addition to their support for WFOs. These coordination responsibilities help fulfill the NWS mission by ensuring the hydrologic services program complements the water-related activities of other agencies. RFCs have considerable latitude to configure their forecast operations to meet the requirements of these external-NWS partners.

RFCs may exchange their forecasts directly with their cooperators as part of the two-way information exchange process associated with hydrologic forecast operations. If any forecast values are subsequently changed through coordination with WFOs, RFCs should ensure that the updated forecast value(s) replace the old information stored in the RFC server/database accessed by the cooperators they exchange data with.

RFCs will maintain operational contacts with partners responsible for maintaining stream gaging stations (e.g., district offices of the U.S. Geological Survey [USGS]) in the RFC area. Prior to and during high flow events, real-time coordination occurs as much as possible between the RFC and streamflow measuring crews. Agencies and key personnel who perform operational maintenance of stream gaging stations are listed in RFC station duty manuals, and RFC phone numbers are provided to these agencies for posting in each stream gage house. RFCs also work with partners to provide efficient two-way exchange of routine information, including forecasts, data, and rating tables.

4.7 Forecast Verification. RFCs conduct operations in support of the verification of hydrologic forecasts. All national requirements for RFC verification activities are subject to availability of nationally-supported verification procedures.

4.8 Data Archive. RFCs data archive operations are conducted to support verification and non-real-time operations. This section provides a baseline of data sets to be archived, but if a specific data type is not applicable to a particular RFC (e.g., .vgf files at Western Region

locations), it does not have to be archived at that site. Other items not listed in this section may also be archived as the need is determined by individual RFCs.

4.8.1 Data Sets Required for Archive. The following data sets **WILL** be archived (mandatory):

- a. All SHEF encoded real-time data stored in the IHFS database. All real-time data turned on by the location table in the IHFS database will also be turned on by the RAX (RFC archive) database and stored in their corresponding tables. This data includes but is not limited to precipitation, stage and discharge data.
- b. For RFCs routinely producing them, the following QPE files in xmrq format:
 - (1) The multisensor product providing the best estimate of 1- and 24-hour QPE for the RFC area.
 - (2) The 1-hour local satellite precipitation field (LSATPRE).
- c. All 6- and 24-hour QPF files in xmrq format.
- d. All 1-, 3-, and 6-hour gridded FFG files.
- e. NWSRFS fs5files, on an at least weekly basis
- f. NWSRFS mod files, on a daily basis.
- g. All output from Office of Hydrologic Development (OHD) legacy scripts that collect data from selected IHFS database tables. These tables are: dparadar, location, radarloc, rwbiasdyn, rwradarresult and rejecteddata.
- h. All digital precipitation array (DPA) files used by the RFC.
- i. Terminal Doppler Weather Radar (TDWR) files used by the RFC, after they become available on the AWIPS system.
- j. All rating curves and shifts used by a RFC.

4.8.2 Data Sets Recommended for Archive. The following data sets **SHOULD** be archived (highly recommended):

- a. QPF files sent from the HPC to a RFC in vgf format.
- b. All adjusted and unadjusted ESPTS binary files.
- c. All adjusted historical mean areal precipitation and temperature (MAP/MAT) files used for input into ESP.
- d. All text products issued by the RFC. The official archive for products sent across the NWS gateway will be at NCDC.

- e. Flood Outlook Product (FOP) graphics created by a RFC.
- f. All extended streamflow prediction (ESP) graphics and tables.
- g. All 1-, 3-, and 6- hour gridded FFG files in grib format.
- h. All files, if a RFC chooses to generate them, for multisensor precipitation estimator (MPE) fields such as, but not limited to, the following: radar mosaic, field bias radar mosaic, local bias radar mosaic, gage only analysis, satellite precipitation (SATPRE), multisensor mosaic, local bias multisensor mosaic, and height.
- i. All output from OHD legacy script that collects data from selected IHFS database data value tables, these tables are: agricultural, evaporation, ground, height, ice, lake, moisture, rawpp, rawpc, rawpothor, discharge, radiation, pressure, snow, temperature, wind, weather, yunique.

4.9 Non-Real-Time Operations. Non-real-time operations are defined as those non-administrative, non-training-oriented activities which are conducted in support of operational forecast functions. These non-real-time operations, or *development activities*, are recognized as essential to maintaining the ongoing operational readiness of each RFC. Each RFC should allocate a significant amount of work hours for development activities, predominately in the area of model calibration and procedure development but also in other areas deemed important by the HIC. Details on the oversight of RFC development activities are contained in policies and procedures under [NWS Policy Directive 80-7, River Forecast Center Development Management](#).

5. Non-Routine Operations. Certain types of unusual events require a specialized operational response at RFCs. RFC responsibilities during these events are described in this section.

5.1 Dam Failures. WFOs serve as the point of issuance for hydrologic products associated with dam failures. The RFC role in these situations is primarily in the area of support, such as providing forecast information derived from the RFC dam break (DAMBRK) model or other sources for incorporation into the WFO dam catalog. RFCs also support WFO efforts to maximize use of simplified dam break model (SMPDBK) by providing advice, training, and expertise as appropriate.

5.2 Hazardous Materials (HAZMAT) Spills. RFCs, under some conditions, provide estimates of time-of-travel for HAZMAT spills into rivers. They also support other NOAA-related missions when they can be of service.

5.3 Significant Event Reports. RFCs provide input to for the record (FTR) significant event reports, as appropriate. This can be done in conjunction with the WFO for flood events, or individually to report events such as forecast support for a HAZMAT spill. See [NWS Instruction 10-1603, Significant Event Reporting](#), for more information.