



CRS Pap Smear (Cervical Cancer Screening) Measures

April 23, 2008

Stephanie Klepacki, CRS Federal Lead, OIT

Stephanie.Klepacki@ihs.gov

(505) 821-4480



CRS Logic

CRS GPRA Denominator

- GPRA: Female Active Clinical patients ages 21-64 without a documented history of hysterectomy
 - Patient must be at least 21 years old as of first day in the reporting period and not turn 65 during the report period
- This denominator is reported for GPRA in the IHS Annual GPRA Performance Report



CRS GPRA Denominator (cont'd)

– Active Clinical defined as

- Must be Indian/Alaska Native, based on Beneficiary classification 01, and
- Must reside in a community specified in the site's GPRA community taxonomy, and
- Must be alive on last day of Report Period, and
- Must have two visits to defined medical clinics in the past 3 years. One of those visits must to be any of the following: 01 General, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 16 Obstetrics, 20 Pediatrics, 24 Well Child, 28 Family Practice, 57 EPSDT, 70 Women's Health, 80 Urgent, 89 Evening. Second visit may be to larger list of clinics (see CRS User Manual)

Other CRS Denominator (Non-GPRA)

- Female User Population patients ages 21-64 without a documented history of hysterectomy
 - User Population defined as
 - Must reside in a community specified in the site's GPRA community taxonomy, **and**
 - Must be alive on last day of Report Period, **and**
 - Must have one visit to any clinic in the past 3 years
- This denominator is only included in the Selected Measures (Local) Reports and is not reported for GPRA in the Annual GPRA Performance Report



Denominator Exclusion Logic

- Patients with a documented history of hysterectomy, defined as any of the following ever
 - V Procedure: 68.4-68.8
 - V CPT: 51925, 56308 (old code), 58150, 58152, 58200-58294, 58548, 58550-58554, 58951, 58953-58954, 58956, 59135
 - V POV: 618.5



CRS Numerators

- GPRAs Numerator

- Patients with a Pap smear in the past 3 years or documented refusal in the past year

- This numerator is reported in the Annual GPRAs Performance Report

- Non-GPRAs Numerator

- Patients with a documented refusal in the past year

- This numerator is not reported in the Annual GPRAs Performance Report



CRS 2008 GPRA Measure

- Female Active Clinical patients ages 21-64 without a documented history of hysterectomy, who have had a Pap smear in the past 3 years or a documented refusal in the past year



What Counts as a Pap Smear?

Any of the following in the past 3 years from end of Report Period:

- **V Lab:** Test called “Pap Smear” or any test included in your site-populated taxonomy
BGP PAP SMEAR TAX
- **LOINC:** Any code included in hard-coded taxonomy
BGP PAP LOINC CODES
- **POV:** V67.01, V76.2, V72.31, V72.32, V72.3, V76.47, 795.0*
- **V Procedure:** 91.46

What Counts as a Pap (cont'd)?

- **V CPT:** 88141-88167, 88174-88175, G0101, G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091
- **Women's Health:** Test called "Pap Smear"



What Counts as a Pap (cont'd)?


If patient did not have a Pap smear in the past 3 years, CRS looks for a refusal during the report period

- **Refusal:** PCC refusal of lab test called “Pap Smear” or any test included in site-populated taxonomy BGP PAP SMEAR TAX



GPRA Performance 2002-2008

- 2007 target of 60% was not met. The 2007 rate was 59%, the same rate as in 2006.
- 2008 target is 59% (maintain 2007 rate). Mid-year rate of 56% is not on track to meet target.





RPMS Data Entry Options



RPMS Data Entry Options for Pap Smear

- PCC
 - Pap smear performed
 - Historical Pap
 - Refusal of Pap
- EHR
 - Historical Pap
 - Refusal of Pap
 - Orders (not counted as Pap until performed)
- Women's Health
 - Pap smear performed



PCC Data Entry

PCC Data Entry

- If V Lab
 - Mnemonic LAB
 - Lab test name (test with name of “Pap Smear” or a test included in your site-populated taxonomy BGP PAP SMEAR TAX)
 - Results
 - Units
 - Abnormal
 - Site
 - Ordering Provider
- If CPT code
 - Mnemonic CPT
 - CPT code
 - Quantity
 - Modifier(s)

NOTE: When entering the applicable codes, ensure you enter a code that is included in the CRS logic. Otherwise, it will not be counted.

PCC Data Entry (cont'd)

- If Purpose of Visit (POV)
 - Mnemonic PV
 - ICD-9 Diagnosis (POV) code
 - Provider Narrative
 - Modifier
 - Cause of DX
- If V Procedure
 - Mnemonic OP
 - ICD-9 Procedure code
 - Provider Narrative
 - Operating Provider
 - Diagnosis

PCC Data Entry (cont'd)

- If patient declined the Pap Smear (i.e. refusal)
 - Mnemonic REF
 - LAB
 - Name of lab test refused
 - Date Refused
 - Provider's Name
 - Comment
- If patient has historical Pap Smear
 - Mnemonic HPAP
 - Date of Pap
 - Create a new historical visit with the following information
 - Location Type (e.g. IHS, Tribal, CHS)
 - Location Name (if Location Type is Other, will need to enter additional information for the outside location's name)
 - Lab test type of Pap Smear
 - Result

TEHR.STE - TNVTPlus

Session Edit View Commands Script Help

MNEMONIC: LAB Lab Test ALLOWED VISIT RELATED ONLY
Enter LAB TEST: PAF SMEAR
RESULTS: NORMAL
UNITS:
ABNORMAL:
SITE:

CURRENT LAB TESTS AND RESULTS FOR THIS VISIT
Visit Date: APR 17, 2008@11:00 Patient Name: PATIENT,CRSA
PAF SMEAR NORMAL
Enter LAB TEST:

MNEMONIC: CPT CPT Codes ALLOWED VISIT RELATED ONLY
Enter CPT Code: P3000()
MTLU found no usable words.

The following word was not used in this search
P3

Attempting FILEMAN lookup... SCREEN PAP BY TECH WHO SERV
SCREENING PAPANICOLAOU SMEAR, CERVICAL OR VAGINAL, UP TO THREE SMEARS, BY
TECHNICIAN UNDER PHYSICIAN SUPERVISION
TECHNICIAN UNDER PHYSICIAN SUPERVISION
...OK? Yes// Y (Yes)

CAP NUM

Example of entering Pap with Lab Test

Example of entering Pap with CPT

TEHR.STE - TNVTPlus

Session Edit View Commands Script Help

MODIFIER:
MODIFIER 2:
Enter CPT Code:

MNEMONIC: PV ← Purpose of Visit ALLOWED VISIT RELATED ONLY
Enter PURPOSE of VISIT: V76.2 SCREEN MAL NEOP-CERVIX
...OK? Yes// Y (Yes)

PROVIDER NARRATIVE: SCREEN MAL NEOP-CERVIX SC
MODIFIER:
CAUSE OF DX:
Enter PURPOSE of VISIT:

MNEMONIC: OP ← Operations ALLOWED VISIT RELATED ONLY
Enter OPERATION/PROCEDURE: 91.46 91.46 CELL BLK/PAP-FEMALE GEN CELL BLO
CK AND PAPANICOLAOU SMEAR OF SPECIMEN FROM FEMALE GENITAL TRACT
...OK? Yes// Y (Yes)

PROVIDER NARRATIVE: CELL BLK/PAP-FEMALE GEN
OPERATING PROVIDER:
DIAGNOSIS:
Enter OPERATION/PROCEDURE:

MNEMONIC: █

CAP NUM

Example of entering Pap with Purpose of Visit

Example of entering Pap with Procedure code

TEHR.STE - TNVTPlus

Session Edit View Commands Script Help

MNEMONIC: REF Refusal for Service ALLOWED NON-VISIT/VISIT MNEMONIC
Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: LAB
Enter the LABORATORY TEST value: PAP SMEAR
DATE REFUSED/NOT INDICATED: T (APR 17, 2008)
PROVIDER WHO DOCUMENTED: KLEPACKI,STEPHANIE
COMMENT: PATIENT ADAMANT; DOES NOT WANT PAP

Example of entering
Pap with refusal of lab
test





MNEMONIC: HPAP Historical PAP Smear ALLOWED NON-VISIT/VISIT MNEMONIC

PAP SMEAR RES

Example of entering historical Pap

Patient Name: PATIENT,CRSA Patient Age

Date/Time of Visit Pap Smear Result Test Name

NO Pap Smear Lab Tests on File

You will be asked to enter the name of the pap test from the Lab test file.

Enter Date of Historical PAP SMEAR: 06/15/07 (JUN 15, 2007) (JUN 15, 2007@12:00)

Creating PCC Visit...

TYPE: I// IHS

Select LOCATION NAME: MESCALERO

1 MESCALERO APACHE REHAB ALBUQUERQUE TRIBE/638 MESCALERO

60

2 MESCALERO HO ALBUQUERQUE MESCALERO 01

CHOOSE 1 2 3 MESCALERO HO ALBUQUERQUE MESCALERO 01

NUM



EHR Data Entry

EHR GUI Data Entry of Historical Pap - Pick List Tab

- Historical Services component (normally on the SuperBill tab)
 - Select Laboratory from the dropdown list.
 - Click the Add button to the right of the list.
 - From Pick List tab, select Pap Smear.
 - Enter date of Pap (must be in the past).
 - Enter location type (IHS/Tribal Facility or Other).
 - If IHS/Tribal Facility, choose the location by clicking the “...” button
 - Click Save button.
 - Pap Smear is now listed in this section.



Patient_Crsaa
900027 01-Feb-1956 (52) F

Visit not selected
KLEPACKI,STEPHANIE

Primary Care Team Unassigned

Visit ummar [Icons]

Evaluation and Management
New Patient Established

Visit Services [Info] Add Edit Delete

- Type of Service
- Level of Service
- Office Visit
- Consultation
- Preventive Medicine
- Emergency Services
- Other ER Services
- Initial Hospital Care
- Subsequent Hospital Care
- Observation Inpatient Care
- Hospital Discharge
- Initial Inpatient Consult

Add Historical Service

Pick List Procedure

GPPA SERVICES

- Barium Enema
- Colonoscopy
- Fobt (guaiac)
- Hiv-1
- Hiv-1 And Hiv-2
- Hiv-2
- Mammography, Bilat
- Mammography, Unilat
- Pap Smear
- Sigmoidoscopy

Date: 04/17/2007

Location: PRESBYTERIAN HOSPITAL

IHS/Tribal Facility
 Other

Save Cancel

Step 1

Step 4

Step 3

Show All

Historical Services Laboratory Add to Current Add Delete

Visit Date	IPT Code	Description	Facility	Qty	Diagnosis	Prim	Mo

Step 2

Activity Time KLEPACKI,STEPHANIE

Encounter Time [] (minutes)

Travel Time [] (minutes)

Total

EHR GUI Data Entry of Historical CRC Screening-Procedure Tab

- Historical Services component (normally on the SuperBill tab)
 - Select Laboratory from the dropdown list.
 - Click the Add button to the right of the list.
 - From Procedure tab, type the CPT code to search for and click the “...” button.
 - At the Procedure Lookup window, ensure the Laboratory is one of the code sets selected and click Search. Click OK to save the selected CPT code.
 - Enter date of Pap (must be in the past).
 - Enter location type (IHS/Tribal Facility or Other).
 - If IHS/Tribal Facility, choose the location by clicking the “...” button.
 - Click Save button.
 - Pap Smear is now listed in this section.

Patient_Crsaa
900027 01-Feb-1956 (52) F

Visit not selected
KLEPACKI,STEPHANIE

Primary Care Team Unassigned

Visit ummar

Evaluation and Management

Visit Services

Type of Service Level of Service

Code Narrative Qty Diagnosis Prim Modifier 1 Modifier 2

- Office Visit
- Consultation
- Preventive Medic
- Emergency Servi
- Other ER Service
- Initial Hospital Ca
- Subsequent Hos
- Observation Inpa
- Hospital Discharg
- Initial Inpatient Co

Add Historical Service

Pick List Procedure

Procedure 88141

(NOTE: If the Procedure is not selected it defaults to 00099 - Uncoded CPT Code)

Narrative

Save

Cancel

Procedure Lookup

Lookup Option Lexicon CPT

Search Value 88141

Search

Included Medical Surgical HCPCS E & M
Code Sets Radiology Laboratory Anesthesia Home Health

Select from one of the following items

Code	Narrative
88141	Cytopathology, Cervical Or Vaginal (any Reporting System), Requiring Interpretation by Physician

Return Search Text as Narrative

OK Cancel

Super-

Date

Location

IHS/Tribal Facility
 Other

Services Laboratory

Add to Current Add Delete

Visit Date	CPT Code	Description	Facility	Qty	Diagnosis	Prim	Mo

Step 8

Step 4

Step 3

Step 7

Step 5

Step 1

Step 2

Step 6

EHR GUI Data Entry of Pap Smear Refusal

- Personal Health component (normally on the Wellness tab)
 - Select Refusal from drop-down list.
 - Click the Add Button to the right of the list.
 - At Enter Refusal window, select Pap Smear for Refusal Type.
 - Enter date of refusal.
 - Add comments, if desired.
 - Click Add Button.
 - Refusal is now listed in this section.

Patient_Crsaa
900027 01-Feb-1956 (52) F

Visit not selected
KLEPACKI,STEPHANIE

Primary Care Team Unassigned

Visit ummar [Icons] No Posting

Enter Refusal

Refusal Type

- EKG
- Exam
- Immunization
- Lab
- Mammogram
- Measurement
- Medication/Drug
- PAP Smear
- Radiology Exam
- Skin Test

PAP Smear: PAP SMEAR

Date Refused: 04/18/2008

Comment: Patient does not want Pap

Buttons: Add, Cancel

Factors

Buttons: Add, Edit, Delete

Health Factor	Category	Comment
Age 0/4	Alcohol/drug	

Step 1

Step 2

Step 4

Step 3

Step 5

Personal Health

Refusal [Add] [Edit] [Delete]

- 03/21/2008: GUAIAAC (Lab); Comment=Patient does not want the screening
- 02/19/2008: BARIUM ENEMA, THERAPEUTIC REDUCTION OF INTUSSUSCEPTION (Radiology Exam)
- 02/15/2008: MAMMOGRAM BILAT (Mammogram); Comment=Patient afraid of the mammography equipment.

Exams

Buttons: Add, Edit, Delete

Visit Date	Exams	Result	Comme
------------	-------	--------	-------





Women's Health Data Entry



Women's Health Data Entry of Pap Smear

- Women's Health Application
 - Select patient
 - Select procedure (Pap Smear)
 - Enter date of Pap Smear
 - Enter procedure details, where necessary
 - Save and exit







CRS Outputs

Sample National GPRA Report (Report Text Section)

Cancer Screening: Pap Smear Rates

Denominator(s):

GPRA Denominator: Female Active Clinical patients ages 21 through 64 without documented history of Hysterectomy.

Numerator(s):

GPRA Numerator: Patients with a Pap Smear documented in the past 3 years, including refusals in past year.

A: Patients with documented refusal in past year.

Logic:

Age of the patient is calculated at the beginning of the Report Period. Patients must be at least 21 years of age at the beginning of the Report Period and less than 65 years of age as of the end of the Report Period. Hysterectomy defined as any of the following ever: 1) V Procedure: 68.4-68.8; 2) CPT 51925, 56308 (old code), 58150, 58152, 58200-58294, 58548, 58550-58554, 58951, 58953-58954, 58956, 59135; or 3) V POV 618.5.

Pap Smear definitions: 1) V Lab: Pap Smear; 2) POV: V67.01 Follow-up Vaginal Pap Smear, V76.2 Screen Mal Neop-Cervix, V72.31 Routine Gynecological Examination, V72.32 Encounter for Pap Cervical Smear to Confirm Findings of Recent Normal Smear Following Initial Abnormal Smear, V72.3 Gynecological Examination, Pap Cervical Smear as Part of General Gynecological Exam, Pelvic Exam (annual) (periodic) (old code, to be counted for visits prior to 10/1/04 only), V76.47 Vaginal Pap Smear for Post-Hysterectomy Patients, 795.0*; 3) V Procedure: 91.46; 4) V CPT: 88141-88167, 88174-88175, G0101, G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091; 5) Women's Health: procedure called Pap Smear; 6) LOINC taxonomy; 7) site-populated taxonomy BGP PAPER SMEAR TAX; 8) Refusal (in past year) Lab Test Pap Smear.

Performance Measure Description:

TBD

Past Performance and/or Target:

IHS Performance - FY 2007 - 59%, FY 2006 - 59%, FY 2005 - 60%, FY 2004 - 58%, FY 2003 - 61%; IHS 2010 Goal: 90%

Sample National GPRA Report (Tabular Section)

SK

Jan 10, 2008

Page 32

*** IHS 2008 National GPRA Report ***

DEMO INDIAN HOSPITAL

Report Period: Jul 01, 2007 to Jun 30, 2008

Previous Year Period: Jul 01, 2006 to Jun 30, 2007

Baseline Period: Jul 01, 1999 to Jun 30, 2006

Cancer Screening: Pap Smear Rates (con't)

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Female Active Clinical								
21-64 years								
(GPRA)	463		349			320		
# w/Pap Smear recorded								
w/in 3 years								
(GPRA)	198	42.8	180	51.6	-8.8	147	45.9	-3.2
A. # Refusals								
w/ % of Total Pap	0	0.0	0	0.0	+0.0	0	0.0	+0.0

|

Sample Selected Measures (Local) Report (Tabular Section)

```

SK                               Jan 17, 2008                               Page 64
*** IHS 2008 Selected Measures with Community Specified Report ***
                                DEMO INDIAN HOSPITAL
                                Report Period: Jan 01, 2007 to Dec 31, 2007
                                Previous Year Period: Jan 01, 2006 to Dec 31, 2006
                                Baseline Period: Jan 01, 2000 to Dec 31, 2000
-----
Cancer Screening: Pap Smear Rates (con't)

                                REPORT    %    PREV YR    %    CHG from    BASE    %    CHG from
                                PERIOD    %    PERIOD    %    PREV YR    %    PERIOD    %    BASE    %

Female Active Clinical
21-64 years
(GPRA)                            463                349                320

# w/Pap Smear recorded
w/in 3 years
(GPRA)                            198  42.8        180  51.6        -8.8        147  45.9        -3.2
A. # Refusals
w/ % of Total Pap                  0   0.0          0   0.0         +0.0         0   0.0         +0.0

# Female User Pop
21-64 years                        815                660                610

# w/Pap Smear recorded
w/in 3 years                       216  26.5        197  29.8        -3.3        158  25.9        +0.6
A. # Refusals
w/ % of Total Pap                  0   0.0          0   0.0         +0.0         0   0.0         +0.0
|

```

CRS Patient Lists for Pap Smear Rates

- **National GPRA Report Patient Lists**
 - List of female patients with a Pap Smear documented in the past 3 years or refusal in past year.
 - List of female patients without a Pap Smear documented in the past 3 years or refusal in past year.
- **Selected Measures (Local) Report Patient List**
 - List of women 21-64 with documented Pap smear or refusal, if any.



Sample Patient List (Selected Measures Report)

Cancer Screening: Pap Smear Rates: List of women 21-64 with documented
Pap smear or refusal, if any.

PATIENT NAME	HRN	COMMUNITY	SEX	AGE	DENOMINATOR	NUMERATOR
PATIENT,CRSBJ	900063	COMM A	F	51	UP,AC	05/05/07 795.06
PATIENT,CRSBL	900065	COMM A	F	51	UP,AC	
PATIENT,CRSMK	900342	COMM A	F	51	UP,AC	10/10/05 795.00
PATIENT,CRSMQ	900348	COMM A	F	51	UP	
PATIENT,CRSNK	900368	COMM A	F	51	UP,AC	10/31/06 Lab
PATIENT,CRSU	900020	COMM A	F	52	UP	07/25/06 Lab
PATIENT,CRSBA	900054	COMM A	F	52	UP	09/10/07 Lab
PATIENT,CRSBD	900057	COMM A	F	52	UP	
PATIENT,CRSBE	900058	COMM A	F	52	UP,AC	01/15/06 V72.3
PATIENT,CRSBG	900060	COMM A	F	52	UP,AC	10/31/05 Lab
PATIENT,CRSBH	900061	COMM A	F	52	UP,AC	
PATIENT,CRSBI	900062	COMM A	F	52	UP,AC	04/26/07 G0141
PATIENT,CRSBM	900066	COMM A	F	52	UP,AC	
PATIENT,CRSNG	900364	COMM A	F	52	UP	11/08/06 P3001
PATIENT,CRSMZ	900357	COMM A	F	53	UP	06/12/06 V67.01
PATIENT,CRSCP	900096	COMM A	F	57	UP,AC	



For more info, visit:

www.ihs.gov/cio/crs



GPRA & CRS Contacts

GPRA Lead	Francis Frazier FNP, MPH (301) 443-4700	Francis.Frazier@ihs.gov
OIT Clinical Lead	Chris Lamer (828) 497-9163	Chris.Lamer@ihs.gov
OIT Federal Lead	Stephanie Klepacki (505) 821-4480	Stephanie.Klepacki@ihs.gov
CRS Analysts	Amy Taylor Michelle Irwin (505) 248-8019	Amy.Taylor@ihs.gov Michelle.Irwin@ihs.gov
Developer	Lori Butcher (520) 577-2146	butcherla@aol.com

