



# CRS Intimate Partner Violence/Domestic Violence Screening Measures

*Updated May 14, 2007*

*Stephanie Klepacki, Business Systems Analyst, DNC*

[Stephanie.Klepacki@ihs.gov](mailto:Stephanie.Klepacki@ihs.gov)

*(505) 821-4480*

*Denise Grenier, LCSW*

[Denise.Grenier@ihs.gov](mailto:Denise.Grenier@ihs.gov)

*(520) 670-4865*


# CRS 2007 GPRA Measure and Target

- Female Active Clinical patients ages 15-40 who are screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year
- Target: Maintain the FY 2006 rate of 28%



# GPRA Performance 2004-2007

- National GPRA performance has increased significantly since this measure was introduced in 2004!
- California 2007 3<sup>rd</sup> quarter performance was 30%



# What Counts as Screening?

- Any of the following during the Report Period
  - Patients with documented IPV/DV exam
  - Patients with IPV/DV-related diagnosis
  - Patients provided with patient education or counseling about IPV/DV
  - Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education



# What Counts as Screening (cont'd)?

- Patients with documented IPV/DV exam during the Report Period
  - PCC Exam 34 (Intimate Partner Violence)
  - BHS IPV/DV Exam
- IPV/DV exam is the preferred method for screening
  - Demonstrates intentional screening
  - Captures screening result
  - Released with AUM 4.1 patch 1, AUPN patch 11



# What Counts as Screening (cont'd)?

- Patients with IPV/DV-related diagnosis during the Report Period
  - POV or current PCC or BHS Problem List: 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse)
  - BHS POV 43.\* (Partner Abuse), 44.\* (Adult Abuse)



# What Counts as Screening (cont'd)?

- Patients with patient education or counseling about IPV/DV during the Report Period
  - Patient education codes containing “DV-” or “-DV”
  - POV V61.11 Counseling for victim of spousal and partner abuse



# What Counts as Screening (cont'd)?

- Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education
  - Any PCC refusal in past year with Exam Code 34
  - BHS refusal in past year of IPV/DV exam
  - Any refusal in past year of Patient Education codes containing "DV-" or "-DV"





# Documenting IPV/DV Screening in RPMS

- Screening results are recorded as an “exam”
- Providers and Data Entry need to communicate about documentation of screening results
  - Providers need to know how and where to record results on the PCC Encounter Form
  - DE needs to know where to look for documentation and how to record in RPMS
- Only date of screen and provider initials – not result of screen – appear on Health Summary for reasons of patient safety



# Documenting IPV/DV Exam in RPMS (cont'd)

- PCC
  - POV
  - Stamp
- PCC+
- BH applications (BHS v3.0 and BH GUI)
  - Direct provider entry of screening results when recording a visit
  - Wellness tab in BH GUI
- IHS Electronic Health Record
  - Direct provider entry
  - Exam component (typically on Wellness Tab)

# Documenting IPV/DV Screening in RPMS (cont'd)

- Allowable Results of IPV/DV Screen
  - Negative: Patient denies being a current or past victim of DV
  - Present: Patient admits to being current victim of DV
  - Past: Patient denies being a current victim, but admits being a past victim of DV



# Documenting IPV/DV Screening in RPMS (cont'd)

- Unsuccessful attempts to screen should also be recorded
  - Refused (REF)
    - Patient declined exam/screen
  - Unable to screen (UAS)
    - Acceptable reasons for UAS
      - Partner present
      - Verbal child present



# Documenting IPV/DV Screening in RPMS (cont'd)

- Documenting Results on PCC Form
  - POV section of the PCC
    - POV: DV Screen Negative, TC (provider initials)
    - POV: EX #34 UAS, partner present, TC
  - Stamp on the PCC form or customized PCC+ template

IPV/DV Exam Screening (circle one)				
Negative	Present	Past	Refused	Unable to screen
Comment				

# Documenting IPV/DV Screening in BH GUI (IHS Patient Chart)

POV CC/SOAP Rx Notes Activity CD STG **Wellness**

Behavioral Health Wellness Activity  Behavioral Health Wellness Activity  PCC Wellness Activity

Date	Education Topic	Health Factor	Alcohol Screening	Depression Screening

Education Health Factors **Screening**

Screening

Alcohol

Comment

Depression

Comment

IPV/DV

Comment

# Documenting IPV/DV Screening in EHR



## Health Factors:

Add Delete

Visit Date	Health Factor	Category	Qty	Severity
02/03/2000	CURRENT SMOKER	TOBACCO		
09/25/2000	PREVIOUS SMOKER	TOBACCO		



## Exams:

Add Edit Delete

Visit Date	Exams	Result	Comments
09/25/2000	DIABETIC FOOT CHECK	NORMAL/NEGATIVE	
04/17/2000	DIABETIC FOOT EXAM, COMPLETE	NORMAL/NEGATIVE	5.07 monofilament exam normal.

**Add Exam**

Exam: INTIMATE PARTNER VIOLENCE

Result: PRESENT

Comment: ABUSIVE HUSBAND JAILED; PATIENT IN SAFE HOUSE

Provider: USER, DEMO

Historic Event

Event Date: [dropdown]

Location: [dropdown]

IHS Facility  Other

Add Cancel



## Reproductive History:

G: 0 P: 0 LC: 0 SA: 0

Family Planning Method:

Pregnant Est. Delivery:

# PCC Data Entry of IPV/DV Exam

- If negative, past, or present screen
  - Mnemonic EX
  - 34 (indicates Intimate Partner Violence Exam)
  - N (Negative), PR (Present), or PA (Past)
  - Provider's Name
- If patient declined the screen or refused to answer
  - Mnemonic REF
  - Exam
  - 34
  - Date Refused
  - Provider's Name
- If provider unable to screen the patient
  - Mnemonic UAS
  - Exam
  - 34
  - Date Refused
  - Provider's Name





CPT: 99212            QUANTITY: 1

===== HEALTH FACTORS's =====  
 HEALTH FACTOR: CURRENT SMOKER

===== TRANSACTION CODES's=====

TRANSACTION CODE: 26100250        CAN #: J500693  
 SERVICE CLASSIFICATION CODE: 26        CHARGE: 116  
 HCPCS: 99212        REVENUE CODE: 510        DESCRIPTION: OP VISIT;EST-LEVEL 2

MNEMONIC: EX            Examinations        ALLOWED        VISIT RELATED ONLY  
 Select V EXAM: 34    INTIMATE PARTNER VIOLENCE        34  
 RESULT: N    NORMAL/NEGATIVE  
 COMMENTS:  
 PROVIDER PERFORMING EXAM: MCCOY,NATALIE

**Example of entering  
IPV/DV Exam**

MNEMONIC: REF            Refusal for Service        ALLOWED        NON-VISIT/VISIT MNEMONIC  
 Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXAM  
 Enter the EXAM value: 34    INTIMATE PARTNER VIOLENCE        34  
 DATE REFUSED/NOT INDICATED: 5/7/07    (MAY 07, 2007)  
 PROVIDER WHO DOCUMENTED: MCCOY,NATALIE  
 COMMENT: PATIENT REFUSED EXAM

**Example of entering refusal  
of IPV/DV Exam**

MNEMONIC: █



LENGTH OF EDUC (MINUTES): 5

TOPIC: WH-FOLLOW-UP PROVIDER: MCCOY,NATALIE  
 LEVEL OF UNDERSTANDING: GOOD INDIVIDUAL/GROUP: INDIVIDUAL

===== CPT's =====  
 CPT: 99212 QUANTITY: 1

===== HEALTH FACTORS' s =====  
 HEALTH FACTOR: CURRENT SMOKER

===== TRANSACTION CODES' s =====  
 TRANSACTION CODE: 26100250 CAN #: J500693  
 SERVICE CLASSIFICATION CODE: 26 CHARGE: 116  
 HCPCS: 99212 REVENUE CODE: 510 DESCRIPTION: OP VISIT;EST-LEVEL 2

MNEMONIC: VAS Unable to Screen ALLOWED NON-VISIT/VISIT MNEMONIC  
 Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXAM  
 Enter the EXAM value: 34 INTIMATE PARTNER VIOLENCE 34  
 DATE REFUSED/NOT INDICATED: 5/7/07 (MAY 07, 2007)  
 PROVIDER WHO DOCUMENTED: MCCOY,NATALIE  
 COMMENT: PARTNER PRESENT

MNEMONIC: █

**Example of entering Unable to Screen refusal for IPV/DV Exam**

# CRS Denominators

- GPRA: Female Active Clinical patients ages 15-40
  - Active Clinical defined as
    - Must be Indian/Alaska Native, based on Beneficiary classification 01, and
    - Must reside in a community specified in the site's GPRA community taxonomy, and
    - Must be alive on last day of Report Period, and
    - Must have two visits to defined medical clinics in the past 3 years. One of those visits must to be any of the following: 01 General, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 16 Obstetrics, 20 Pediatrics, 24 Well Child, 28 Family Practice, 57 EPSDT, 70 Women's Health, 80 Urgent, 89 Evening. Second visit may be to larger list of clinics (see CRS User Manual)

# CRS Denominators (cont'd)

- Female User Population patients ages 15-40 (*included in Selected Measures (Local) Reports only*)
  - User Population defined as
    - Must be Indian/Alaska Native, based on Beneficiary classification 01, and
    - Must reside in a community specified in the site's GPRA community taxonomy, and
    - Must be alive on last day of Report Period, and
    - Must have one visit to any clinic in the past 3 years



# CRS Denominators (cont'd)

- Female Active Clinical patients ages 13 and older
- Female User Population patients ages 13 and older
  - *Both included in Selected Measures (Local) Reports only*



# CRS Numerators

- **GPR A Numerator:** Patients screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year.
- **Other Numerators** (*included in Selected Measures (Local) Reports only*)
  - A: Patients with documented IPV/DV exam.
  - B: Patients with IPV/DV related diagnoses.
  - C: Patients provided with education or counseling about IPV/DV.
  - D: Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education.

# Sample National GPRA Report

## Intimate Partner (Domestic) Violence Screening

### Denominator(s):

GPRA Denominator: Female Active Clinical patients ages 15-40.

### Numerator(s):

GPRA Numerator: Patients screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year.

Age is calculated at beginning of the Report Period. Screening is defined as at least one of the following: A) PCC Exam code 34 or BHS IPV/DV exam; B) Diagnosis (POV or current PCC or BHS Problem List): 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse); BHS POV 43.\*, 44.\* C1) Patient education codes containing "DV-" or "-DV"; C2) IPV/DV counseling: V61.11. Refusals defined as: A) Any PCC refusal in past year with Exam Code 34, BHS refusal in past year of IPV/DV exam; B) Any refusal in past year with Patient Education codes containing "DV-" or "-DV".

During FY 2007, maintain the FY 2006 rate of 28% for screening for domestic violence in female patients ages 15 through 40.

IHS Performance: FY 2006 - 28.0%, FY 2005 - 13.0%, FY 2004 - 4.0%; IHS FY 2010 Target: 40.0%

NOTE: Age range changed from 16-24 to 15-40 in 2005.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 15-40 (GPRA)	302		292			267		
# w/IPV/DV screening or refusal (GPRA)	0	0.0	0	0.0	+0.0	0	0.0	+0.0

# Sample Selected Measures (Local) Report

## Intimate Partner (Domestic) Violence Screening (con't)

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 13 and older	523		483			460		
# w/IPV/DV screening or refusal	0	0.0	0	0.0	+0.0	0	0.0	+0.0
A. # w/documented IPV/DV exam	0	0.0	0	0.0	+0.0	0	0.0	+0.0
B. # w/ IPV/DV related diagnosis	0	0.0	0	0.0	+0.0	0	0.0	+0.0
C. # provided DV education	0	0.0	0	0.0	+0.0	0	0.0	+0.0
D. # w/ documented refusal w/% of total screened	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# Female Active Clinical ages 15-40 (GPRA)	302		292			267		
# w/IPV/DV screening or refusal (GPRA)	0	0.0	0	0.0	+0.0	0	0.0	+0.0
A. # w/ documented IPV/DV exam	0	0.0	0	0.0	+0.0	0	0.0	+0.0
B. # w/ IPV/DV related diagnosis	0	0.0	0	0.0	+0.0	0	0.0	+0.0
C. # provided DV education	0	0.0	0	0.0	+0.0	0	0.0	+0.0
D. # w/ documented refusal w/% of total screened	0	0.0	0	0.0	+0.0	0	0.0	+0.0



# CRS Patient Lists for IPV/DV Screening

- **National GPRA Report Patient Lists**
  - Active Clinical females 15-40 with documented IPV/DV screening/refusal
  - Active Clinical females 15-40 with no documented IPV/DV screening/refusal
- **Selected Measures (Local) Report Patient List**
  - User Pop and Active Clinical females 13 and older with no documented IPV/DV screening



# Sample Patient List (National GPRA Report)

1	*** IHS GPRA Performance Patient List ***						
2	CRS 2007, Version 7.0						
3	DEMO INDIAN HOSPITAL						
4	Report Period: Jul 01, 2006 to Jun 30, 2007						
5	Random Patient List						
6	-----						
7	Intimate Partner (Domestic) Violence Screening						
8	List of patients with documented IPV/DV screening or refusal.						
9							
10	UP=User Pop; AC=Active Clinical; AD=Active Diabetic;						
11	AAD=Active Adult Diabetic; PREG=Pregnant Female;						
12	IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease						
13							
14	PATIENT NAME	HRN	COMMUNITY	SEX	AGE	DENOMINATOR	NUMERATOR
15	-----						
16	PATIENT1,SAMPLE	000001	COMMUNITY A	F	15	UP;AC	exam 34 06/01/06
17	PATIENT2,SAMPLE	000002	COMMUNITY A	F	15	UP;AC	V61.11 04/09/07
18	PATIENT3,SAMPLE	000003	COMMUNITY A	F	15	UP;AC	ref PtEd DV-PATIENT LITERATURE 04/21/07
19	PATIENT4,SAMPLE	000004	COMMUNITY A	F	16	UP;AC	Dv Dx 995.81 05/05/07
20	PATIENT5,SAMPLE	000005	COMMUNITY A	F	20	UP;AC	Dv Dx V15.42 12/16/06
21	PATIENT6,SAMPLE	000006	COMMUNITY A	F	22	UP;AC	PED PN-DV 05/06/07
22	PATIENT7,SAMPLE	000007	COMMUNITY A	F	26	UP;AC	Dv Dx 995.81 07/26/06
23	PATIENT8,SAMPLE	000008	COMMUNITY A	F	27	UP;AC	Dv Dx V15.41 02/20/07
24	PATIENT9,SAMPLE	000009	COMMUNITY A	F	29	UP;AC	ref exam 34 08/04/06
25	PATIENT10,SAMPLE	000010	COMMUNITY A	F	34	UP;AC	Dv Dx 995.81 09/01/06
26	PATIENT11,SAMPLE	000011	COMMUNITY A	F	35	UP;AC	Dv Dx V15.42 04/17/07
27	PATIENT12,SAMPLE	000012	COMMUNITY A	F	37	UP;AC	ref PtEd DV-SAFETY & INJURY PREVENTION 01/05/07
28	PATIENT13,SAMPLE	000013	COMMUNITY B	F	35	UP;AC	Dv Dx V15.41 08/06/06
29							



For more info, visit:

[www.ihs.gov/cio/crs](http://www.ihs.gov/cio/crs)



# CRS Contacts

HQ Lead	Francis Frazier FNP, MPH (301) 443-4700	Francis.Frazier@ihs.gov
Field Leads	Lisa Dolan (301) 443-8680 Chris Lamer (828) 497-9163	Lisa.Dolan@ihs.gov Chris.Lamer@ihs.gov
Developer	Lori Butcher (520) 577-2146	butcherla@aol.com
Project Coordinator/ Analyst	Stephanie Klepacki (505) 821-4480	Stephanie.Klepacki@ihs.gov