

U.S. Fish & Wildlife Service

# Federal and State Endangered and Threatened Species Expenditures

*Fiscal Year 2000*



# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY</b> .....	ii
What is the purpose of this report? .....	ii
What expenditures are reported?.....	ii
What expenditures are not included?.....	ii
What are the expenditures reported for FY 2000?.....	ii
How does the 2000 expenditure report compare to other years? .....	iii
<b>ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2000</b> .....	1
PURPOSE.....	1
BACKGROUND .....	1
What does "Reasonably Identifiable Expenditures" mean? .....	1
What is not included in the report? .....	1
What is included in the report? .....	2
SECTION 18(1), FEDERAL EXPENDITURES .....	3
What expenditures are reported by the Fish and Wildlife Service?.....	3
What expenditures are reported by other Federal agencies? .....	3
SECTION 18(2), STATE EXPENDITURES .....	3
What is included in the State expenditures? .....	3
SUMMARY OF DATA .....	4
What is the format for the report's tables? .....	4
What are the expenditures reported for FY 2000? .....	4
What are the 10 species with the highest reported expenditures in Fiscal Year 2000 .....	5
How do the expenditures compare among species? .....	5
COMPARISON TO PREVIOUS REPORTS .....	5
Why are comparisons with other reports difficult?.....	5
Table 1. <i>FY 2000 Reported Expenditures (\$000) for Endangered             and Threatened Species, Not Including Land Acquisition Costs</i> .....	1-33
Table 2. <i>Species Ranked in Descending Order of Total             FY 2000 Reported Expenditures (\$000), Not Including             Land Acquisition Costs</i> .....	1-34
Table 3. <i>FY 2000 Reported Land Acquisition Expenditures (\$000)             For Endangered and Threatened Species</i> .....	1-4
<b>Appendix A. Reports Provided by Other Federal Agencies</b>	
<b>Appendix B. Summary of Legislative Record and Supplemental             Guidance of What is a "Reasonably Identifiable             Expenditure" for Purposes of this Report</b>	

## EXECUTIVE SUMMARY

### What is the purpose of this report?

Section 18 of the Endangered Species Act (Act) of 1973 requires the Secretary of the Interior (working through the Fish and Wildlife Service) to annually report certain expenditures for the conservation of threatened and endangered species. Due to delays in data collections, this report presents the reported expenditures for Fiscal Year 2000 (October 1999 - September 2000).

### What expenditures are reported?

In the past and for this report, only those expenditures that are reasonably identifiable for a specific listed species have been reported. All Federal agencies and those States receiving section 6 grant-in-aid funds pursuant to the Act are asked to report. Since only a few foreign species are receiving expenditures from U.S. governmental agencies, we restrict these annual reports to a discussion concerning listed U.S. species. Beginning with the FY 2001 report, we will seek to more fully identify other Act-related expenditures.

Expenditures are identified by species and reported separately for the Service, the States, and in aggregate for all other reporting Federal agencies. The Service and 19 other Federal agencies identified expenditures for the conservation of individual threatened and endangered species. Two additional Federal agencies responded that their expenditures were not reasonably identifiable to species. We included responses from all Federal agencies in Appendix B.

### What expenditures are not included?

The reporting Federal and State agencies made a good faith effort to develop species-by-species expenditures for this report. However, a significant portion of threatened and endangered species conservation activities includes law enforcement, consultation, recovery coordination, and other actions that are not easily or reasonably identified to species. Accounting procedures by all agencies for most staff salaries, operations, maintenance, and other support services are not recorded to species and are not reflected in the reported expenditures in this and past reports. These costs should be generally included in the FY 2001 and subsequent reports.

### What are the expenditures reported for FY 2000?

- C Total Expenditures reported: \$610,285,971 (\$86,109,292 for land acquisition--Table 3, \$524,176,679 all other expenditures--Table 1)
- C Percent of threatened and endangered species with expenditures reported: 96.6
- C The median and maximum general (non-land) expenditure for species with at least \$100 reported expenditures:
  - Median - \$19,350
  - Maximum species total - \$87,644,160
- C The range of general (non-land) expenditures: \$0 to \$87,644,160 (Table 2)
- C Number of species with 50 percent of expenditures: 7 species (0.6 percent of the ESA list) (Table 2)
- C Number of species with 90 percent of expenditures: 91 species (7.4 percent of the ESA list) (Table 2).

### How does the 2000 expenditure report compare to other years?

Due to differences in reporting methods, this report cannot be easily compared to prior expenditure reports. These year-to-year differences include changes in the number of States reporting, changes in how expenditures are calculated, changes in the agencies' ability to track expenditures, and changes in the number of listed species. Therefore, real dollar increases or decreases cannot be accurately calculated or inferred from the overall or individual totals.

Taking into account the limits of this reporting system and excluding land acquisition expenditures, the 2000 reported expenditures increased by approximately \$87.09 million from the FY 1999 report, an increase of 19.9 percent. Of the increase in reported expenditures since FY 1999, the States reported \$8.4 million more than the previous year, while the Federal agencies reported an increase of \$78.69 million. For an additional comparison of the FY 2000 report to previous years, see the "Summary of Figures" table on page 7.

## ENDANGERED SPECIES EXPENDITURES FISCAL YEAR 2000

### PURPOSE

The Endangered Species Act of 1973 (16 U.S.C. 1531 *et seq.*) (Act) was reauthorized and amended on October 7, 1988, under Public Law 100-478. A new section 18 was added to the Act that requires the Fish and Wildlife Service (Service) on behalf of the Secretary of the Interior to report on certain expenditures on a species-by-species basis. The section reads:

SEC. 18. On or before January 15, 1990, and each January 15 thereafter, the Secretary of the Interior, acting through the Fish and Wildlife Service, shall submit to the Congress an annual report covering the preceding fiscal year which shall contain

(1) the accounting on a species-by-species basis of all reasonably identifiable Federal expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act; and

(2) an accounting on a species-by-species basis of all reasonably identifiable expenditures made primarily for the conservation of endangered or threatened species pursuant to this Act by States receiving grants under section 6.

This document constitutes the twelfth report by the Service pursuant to the requirements of section 18 of the Act. The report covers Fiscal Year 2000 (October 1999 - September 2000), although some States may be reporting for a different fiscal year period (without duplicating previous year's reported data).

The term "State" as used in this report is defined in section 3(17) of the Act to mean any of the several States, the District of Columbia, the Commonwealth of Puerto Rico, American Samoa, the Virgin Islands, Guam, and the Trust Territory of the Pacific Islands.

The term "conservation," as defined in section 3(3) of the Act, means the use of all methods and procedures necessary to bring any endangered or threatened species to the point where the measures provided for by the Act are no longer necessary--including, but not limited to, research, census, law enforcement, habitat acquisition and maintenance, propagation, live trapping, and transplantation. For the purposes of this report, the definition of conservation is further expanded to include any and all actions taken by Federal and State agencies on behalf of threatened or endangered species listed pursuant to the Act.

### BACKGROUND

#### What does "Reasonably Identifiable Expenditures" mean?

At the time the reporting requirement was enacted, the Service determined that a good faith effort was expected to develop and obtain data that are "reasonably identifiable" (Appendix B). No extensive or extraordinary measures to develop exceptionally precise data were sought, nor were the reporting agencies expected to "pro-rate" staff salaries and other normal operational and maintenance costs not directed toward a particular species.

#### What is not included in the report?

Since it is recognized that certain expenditures would not be included, this report is not a complete representation of all Federal and State expenditures for the conservation of specific listed species.

The expenditures reported in this and the preceding reports do not necessarily constitute all expenditures made for each species.

Beginning with the FY 2001 report, we will seek to more fully identify expenditures related to the conservation of listed species. We will do this by reporting for the Service, and asking other Federal agencies and States to report, expenditures which can be reasonably assigned to a specific listed species (as in the past) and those expenditures which can be reasonably assigned to other Act-related work, but not to individual species. We believe this will provide a more accurate report of expenditures related to the Act. Some agencies and States already report this information, which is included in Appendix A but not reflected in the totals. The data for this report had already been requested and largely received when the decision was made to revise the format to more accurately reflect the Act expenditures. We have not asked agencies and States to resubmit data based on the change in reporting requirements. We will institute the new format with the request for data for the FY 2001 report.

In FY 2000, a species listed as endangered outside of the United States (northern swift fox), but also occurring in the United States was not included in the tabulation. Expenditures for candidate species or other species not listed in 50 CFR Part 17 as of September 30, 2000, were excluded unless the species was listed during the year. The report also does not include unrealized revenues from unsold water, timber, power, or other resources by the reporting agencies.

#### What is included in the report?

This report represents a compilation of those reasonably identifiable expenditures reported independently by the various Federal and State agencies. Expenditures for FY 2000 (Tables 1 and 3) are reported for 1,193 threatened and endangered species (96.6 percent) of the 1,235 species that were listed under United States jurisdiction in 50 CFR Part 17 as of September 30, 2000. Expenditures are identified by species and reported separately for the Service and in aggregate for all other Federal agencies reporting and for the States (Tables 1 and 3).

Some vertebrate species (as defined under the Act) have more than a single listing in 50 CFR 17.11, where one population is listed as endangered and the other threatened (for example, gray wolf or green sea turtle). For the purposes of reporting expenditures, we combined such multiple listings. We listed subspecies separately (for example, the Hawaiian common moorhen and Mariana common moorhen) when one or more other subspecies are not listed.

For previous reports, the Evolutionarily Significant Units (ESU) were reported separately for salmon and steelhead. However, this year (and for FY 1999) they were combined, so that there is one entry each for both species. This was necessary since the request for data was unintentionally sent out without the ESUs. Consequently, the ranking for the species will change, although the total amount spent for both species will be the same.

The Service did not report land acquisition funds in the expenditures tables for FY 1989. However, other Federal agencies reported land acquisition costs in that report, and even more were reported in the 1990, 1991, and, most noticeably, the 1992 tabulations. Beginning with the FY 1993 report, the Service has tabulated the known expenditures for land acquisition separately (Table 3) from all other expenditures. The Service's land acquisitions expenditures (\$53.68 million) have been included in this report when they were identifiable to a species (Table 3). The States' reported land acquisition expenditures (\$14.70 million) are also reported in Table 3. In this report for FY 2000, total reported land acquisition expenditures for 122 species represent 14.1 percent of the total gross expenditures. One species had only land acquisition costs without any general costs reported in FY 2000.

## **SECTION 18(1), FEDERAL EXPENDITURES**

### What expenditures are reported by the Fish and Wildlife Service?

The Service's operational categories of expenditures include fisheries, refuges, land acquisition, law enforcement, research, and Regional and field operations for listing, recovery, consultation, migratory birds, and grants. All reasonably identifiable expenditures that could be attributed to individual species that were made by these activities have been included.

For example, reasonably identifiable expenditures for research programs included large sums for species where an intensive effort is underway to save a species from extinction (such as whooping crane or California condor) and smaller sums where only a minor research effort exists. The Refuge program identified specific listed species as a major responsibility of certain refuges. The Columbian white-tailed deer, Key deer, Hawaiian monk seal, and masked bobwhite quail are examples of listed species where the respective National Wildlife Refuge contributes substantially to their management and recovery. Other listed species use these and many other refuges for all or part of their life cycles. Only "dedicated" refuge expenditures that are reasonably identifiable to species are included in this report.

Listed fish species benefit from fisheries programs, but costs are seldom identifiable to a particular species. For example, the Dexter National Fish Hatchery in Arizona has achieved a remarkable record in the propagation and maintenance of listed southwestern fishes. Attributing costs on a species-by-species basis for the dozen or so species managed at this facility is difficult. Few species-specific expenditures could be reasonably identified in the Law Enforcement program for specific endangered species. The Federal Aid portion under section 6 of the Act for each species is included in the FWS TOTAL in Table 1. The State share for each species for which a Federal contribution was made is included in the STATE TOTAL column of Table 1, as reported to the International Association of Fish and Wildlife Agencies (IAFWA).

A significant portion of the Service's funds for consultations, listing, and recovery are incorporated into salaries, operations, and maintenance costs. As a result, they are not reasonably identifiable to species. Only salary, operation, and maintenance costs toward individual species coordinators (such as whooping crane, red wolf, grizzly bear, sea turtle, sea otter) are included in this report.

### What expenditures are reported by other Federal agencies?

The Director of the Service sent a request to other Federal agencies identified as likely to have species-specific expenditures under the Act to report. The Service provided background information identifying what constitutes reasonably identifiable expenditures and how these were to be reported (Appendix B). Two agencies responded with letters indicating that they did not have any reasonably identifiable expenditures for individual species. Correspondence from all responding Federal agencies is included in Appendix B; this includes expenses they couldn't reasonably assign to a species. The data identified by those responding Federal agencies for individual species have been tabulated in the OTHER FED column of this report (Tables 1 and 3).

## **SECTION 18(2), STATE EXPENDITURES**

### What is included in the State expenditures?

Because reporting is voluntary, we only submit those expenditure figures that were voluntarily provided. To maximize the return of information, the assistance of the IAFWA was sought by the Service to coordinate the reporting of reasonably identifiable expenditures made by States.

The States report to the IAFWA, and the latter tabulates the data by species and provides the totals to the Service, based on the best available information provided by the States. The States reported \$100.31 million for general (non-land) expenditures (Table 1) and \$14.70 million for land acquisition expenditures (Table 3). This represented an increase of \$8.4 million in non-land expenditures from the previous year, or a 9.1 percent increase.

## SUMMARY OF DATA

### What is the format for the report's tables?

Table 1 reports the reasonably identifiable expenditures for each species by the Service, other Federal agencies, and the States; expenditures for land acquisitions are not included in this tabulation or used in the ranking. We grouped species in the same general order as they appear in 50 CFR Part 17. Tables 1 and 3 also provide the rank for each species from Table 2. Table 2 ranks each species in descending order by the SPECIES TOTAL of Table 1; a cumulative, or running, total and percentage of the \$524.18 million total (general (non-land) expenditures) is also provided for the comparison. Land acquisition expenditures are included only in Table 3.

### What are the expenditures reported for FY 2000?

Total expenditures reported: \$610,285,971 (\$86,109,292 for land acquisition--Table 3;  
\$524,176,679 for all other expenditures--Table 1)

Percent of threatened and endangered species with reported expenditures: 96.6

The median and maximum general (non-land) expenditure for species with at least \$100 reported expenditures:  
Median - \$19,350  
Maximum species total - \$87,640,000

The range of general (non-land) expenditures: \$0 to \$87.64 million (Table 2)

Number of species with general (non-land) expenditures exceeding \$1 million: 55 species  
(including 8 with both endangered and threatened vertebrate populations) (Table 2)

Number of species with 50 percent of expenditures: 7 species (0.6 percent of the ESA List) (Table 2)  
2 are threatened species and 4 have threatened and endangered populations

Number of species with 90 percent of expenditures: 91 species (7.4 percent of the ESA List)  
(Table 2)



What are the 10 species with the highest reported expenditures in Fiscal Year 2000 (from Table 2)?

2000 RANK	SPECIES (50 CFR Part 17)	STATUS	TOTAL (\$000s)	1999 RANK
1	Salmon, chinook	E,T	87,644.2	1
2	Steelhead	E,T	61,319.3	2
3	Salmon, coho	T	50,324.4	3
4	Salmon, sockeye	E,T	21,388.2	5
5	Salmon, chum	T	20,157.4	4
6	Sea-lion, Steller	E,T	13,112.7	9
7	Woodpecker, red-cockaded	E	11,800.5	6
8	Trout, bull	T	11,419.4	7
9	Sparrow, Cape Sable seaside	E	10,161.5	104
10	Manatee, West Indian	E	9,743.4	23

How do the expenditures compare among species?

Taking into account the limits of this reporting system, less than one percent of all listed species received approximately half of the reasonably identifiable funding (Table 2). This conclusion was expected. The Congress and some State legislatures identify specific appropriations for most of these species, and State and Federal natural resource managers use the public interest in these high-profile species to help protect other species in the same habitats or imperiled by the same threats. The species identified by Congress as deserving of specific appropriations are the same species that drive interest and participation in the considerable State and private sector efforts on behalf of all listed species. It is also important to note that 96.6 percent of the listed species had reported expenditures, including land acquisition expenditures. Of the listed species, 10.1 percent had land expenditures as well as non-land expenditures.

## **COMPARISON TO PREVIOUS REPORTS**

Why are comparisons with other reports difficult?

A good faith effort was made to develop species-by-species expenditures for this report. However, the information presented each year does not reflect the total governmental (Federal and State) effort toward threatened and endangered species conservation, because not all actions can be easily identified or funding directly calculated per species. Therefore, the reader is cautioned against making comparisons with other reports on threatened and endangered species expenditures beyond those which are provided below. A significant portion of threatened and endangered species conservation activities at all levels includes law enforcement, consultation, recovery coordination, and other actions that are not easily or reasonably funded in a species-by-species manner. Accounting procedures for staff salaries and operational, maintenance, and other support services are not normally creditable toward individual species totals. In addition, as the Service, States, and other Federal agencies move

to actions and planning efforts that benefit multi-species, dividing costs by the species benefitting also becomes more difficult.

Also, significant variability exists among some Federal and State agency reports that are compiled to produce this report. Some agencies reported gross totals for those other expenditures that could not be identified to species; this reporting is not included within the summary tables in this report because they cannot be itemized by species and because not all agencies reported them. However, this information is available on the individual agency reports under Appendix B (Reports Provided by Other Federal Agencies) and will be provided in the summary tables from FY 2001 forward.

For only the FY 99 and 00 reports, the salmon and steelhead were separated by Evolutionarily Significant Units. Since the amount of money spent on these two species is large, the effect on the top 10 ranked species is profound (see table above). Thus, chinook and steelhead moved up in the ranking both years, and more species could fit into the top 10.

The amendment to the Act requiring this report was passed in the first quarter of FY 1989. The Service, other Federal agencies, and State agencies gathered the best available data with little opportunity for advance planning and coordination in that year. Subsequent reports have greatly benefited by the FY 1989 experience in planning and coordination with the reporting agencies to track such expenditures. Therefore, due to differences in reporting methods, this report cannot be easily compared to the 1989 or subsequent expenditure reports prior to this one. These year-to-year differences include changes in the States' reporting, changes in how expenditures are calculated, and changes in the agencies' ability to track expenditures. Thus, real dollar increases or decreases cannot be accurately calculated or inferred from the overall or individual totals.

When requested by the House Appropriations Committee staff, the Service has provided reports on allocations of current or anticipated funding by species. The reader of this report is cautioned that there are important differences in the assumptions that led to each of these reports. The data in this report are more precise than previous reports on estimated allocations, since land acquisition costs are separated from general expenditures. However, they still do not accurately reflect the total cost of conserving listed species, since they only include expenditures reasonably identifiable for individual species. The following table includes data from the present and previous expenditure reports.

Summary of expenditures and associated statistics from FY 1989-2000

SUMMARY OF FIGURES (Amounts \$000)												
	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Federal Total	39,638.7	96,642.5	112,684.8	160,060.3	204,501.8	234,933.9	286,445	268,778.5	288,661.5	434,669.1	411,727.1	495,270
State Total	4,086.1	5,701.2	64,126.7	131,450.7	17,698.5	9,643.6	11,231	16,935.2	12,269.8	19,655.2	102,334.3	115,016
Grand Total	43,724.8	102,343.7	176,811.5	291,510.9	222,200.3	244,577.5	297,676	285,713.7	300,931.3	454,324.3	514,061.5	610,286
Change from previous year	*****	58,618.9	74,467.8	114,699.4	-69,310.6	22,377.2	53,098.5	-11,962.3	15,217.6	153,393	59,737.2	96,224.5
No. listed species	554	591	639	728	809	914	957	963	1,111	1,166	1,202	1,235
No. reporting expenditures	347	477	570	679	749	819	925	895	1,060	1,137	1,163	1,193
Max. reported amount	3,108.6	9,687.2	24,651.3	73,578.6	18,518.7	24,280.6	35,942.5	40,777.3	28,545.3	34,945	57,050.3	87,644.2
Median for species equal to or greater than \$100	11.8	13.2	12.2	16	12.9	23	30	15	13.8	14.2	16.2	19.4
No. with 50% of expenditures (percentage of no. listed)	12 (2.2%)	10 (1.7%)	7 (1.1%)	5 (0.7%)	10 (1.2%)	9 (1.1%)	6 (0.6%)	5 (0.5%)	10 (0.9%)	9 (0.8%)	7 (0.6%)	7 (0.6%)
No. with 90% of expenditures (percentage of no. listed)	63 (11.4%)	58 (9.8%)	54 (8.5%)	59 (8.1%)	79 (9.8%)	103 (11%)	131 (14%)	77 (8%)	101 (9.1%)	86 (7.4%)	82 (6.8%)	91 (7.4%)

NOTES:  
 All figures include land acquisition expenditures, except those that are shaded. In 1993 the Service began to tabulate these costs separately.  
 The Federal and Grand Totals for 1993 differ from those published in the 1993 report due to an error made in the 1993 report for the desert tortoise.  
 Due to an error, the Federal and Grand Totals shown for 1995 differ from those published in the 1995 report by \$32,002.5 less than what was reported for the FWS total.

Table 1.

FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

The list of species in Table 1 essentially follows the taxonomic and nomenclatural conventions used in 50 CFR Part 17 for the identification and sequence of names. For ease of reference, the alphabetized, inverted common name is provided within each group (usually Class) of animals. Thus, the gray bat is found with other bats under "Bat, gray" within mammals, and Tar River spiny mussel is found under "Spiny mussel, Tar River" within the clams. Groups of animals follow the sequence: Mammals, Birds, Reptiles, Amphibians, Fishes, and Invertebrates, which include Clams, Snails, Insects, Arachnids, and Crustaceans. Groups of plants follow the sequence: Flowering Plants, Conifers, Ferns, and Lichens. If no common name exists for the species, the species name reads "No Common Name." Plants are alphabetized by scientific name.

If a reader should need other information about the names, historical range, or status of an endangered or threatened species, the species can be found in 50 CFR 17.11 (wildlife) or 17.12 (plants), or through our web site at <http://endangered.fws.gov>. The STATUS column indicates whether the species is endangered (E), threatened (T) or with multiple United States populations under separate classifications (E,T) [for purposes of this report, the multiple populations are counted as one species in the number listed].

Service expenditures (FWS TOTAL) and other Federal agencies expenditures (OTHER FED) are totaled in the FED TOTAL column. The STATES TOTAL is the amount reported by the International Association of Fish and Wildlife Agencies to the Service. None of these reported totals include known costs for land acquisition; see Table 3 for land acquisitions reported to the Service.

The RANK is from Table 2 and indicates each species rank by identifiable expenditures, where #1 is the highest expenditure.

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
	<b>VERTEBRATES</b>							
	<b>MAMMALS</b>							
56	Bat, gray	<i>Myotis grisescens</i>	E	172.25	736.51	908.76	64.12	972.88
486	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	E	12.00	17.61	29.61	0.00	29.61
39	Bat, Indiana	<i>Myotis sodalis</i>	E	611.50	1,279.13	1,890.63	228.22	2,118.85
123	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	E	17.25	246.00	263.25	4.25	267.50
872	Bat, little Mariana fruit	<i>Pteropus tokudae</i>	E	12.00	0.00	12.00	0.00	12.00
190	Bat, Mariana fruit	<i>Pteropus mariannus mariannus</i>	E	105.00	25.00	130.00	1.23	131.23
206	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	45.50	17.60	63.10	50.25	113.35
226	Bat, Ozark big-eared	<i>Corynorhinus townsendii ingens</i>	E	31.20	62.40	93.60	6.50	100.10
120	Bat, Virginia big-eared	<i>Corynorhinus townsendii virginianus</i>	E	23.00	232.49	255.49	18.13	273.62
23	Bear, grizzly	<i>Ursus arctos horribilis</i>	T	800.50	2,756.75	3,557.25	944.72	4,501.97
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	198.50	300.51	499.01	3.00	502.01
111	Caribou, woodland	<i>Rangifer tarandus caribou</i>	E	259.00	9.50	268.50	48.12	316.62
95	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	E	392.00	46.29	438.29	5.50	443.79
84	Deer, Key	<i>Odocoileus virginianus clavium</i>	E	520.00	0.00	520.00	0.00	520.00
34	Ferret, black-footed	<i>Mustela nigripes</i>	E	268.75	2,389.09	2,657.84	219.68	2,877.51
61	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	179.50	696.66	876.16	11.20	887.36
407	Jaguar	<i>Panthera onca</i>	E	5.00	20.42	25.42	20.00	45.42
998	Jaguarundi, Gulf Coast	<i>Herpailurus yagouaroundi cacomitli</i>	E	4.80	1.50	6.30	0.00	6.30
1058	Jaguarundi, Sinaloa	<i>Herpailurus yagouaroundi tolteca</i>	E	0.00	0.90	0.90	3.00	3.90
134	Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	E	98.50	137.87	236.37	0.83	237.20
109	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	168.50	158.25	326.75	9.33	336.08
218	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	105.00	0.00	105.00	0.45	105.45
316	Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	E	57.00	12.89	69.89	0.55	70.44
107	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i>	E	217.00	125.06	342.06	3.35	345.41
116	Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	E	195.50	87.33	282.83	8.55	291.38
32	Lynx, Canada	<i>Lynx canadensis</i>	T	844.50	1,597.44	2,441.94	625.95	3,067.89
10	Manatee, West Indian	<i>Trichechus manatus</i>	E	2,727.00	1,093.17	3,820.17	5,923.20	9,743.37
701	Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	E	13.50	0.00	13.50	1.00	14.50
92	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	459.00	0.00	459.00	0.00	459.00
1062	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	E	0.00	3.55	3.55	0.00	3.55
456	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	E	31.00	3.55	34.55	0.00	34.55
440	Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	E	38.00	0.00	38.00	0.00	38.00
129	Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	E	134.00	100.00	234.00	18.58	252.58
188	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	E	16.00	118.43	134.43	0.00	134.43
38	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	400.00	1,870.30	2,270.30	99.53	2,369.83
110	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	E	134.50	57.64	192.14	132.45	324.59
511	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	T	1.00	24.54	25.54	0.00	25.54

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
996	Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	E	4.00	2.53	6.53	0.00	6.53	
422	Ocelot	<i>Leopardus pardalis</i>	E	28.00	13.70	41.70	1.00	42.70	
77	Otter, southern sea	<i>Enhydra lutris nereis</i>	T	173.50	415.67	589.17	35.03	624.19	
15	Panther, Florida	<i>Puma concolor coryi</i>	E	981.00	144.03	1,125.03	5,194.00	6,319.03	
153	Prairie dog, Utah	<i>Cynomys parvidens</i>	T	7.00	142.51	149.51	42.70	192.21	
58	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	E	60.00	830.18	890.18	80.00	970.18	
972	Puma, eastern	<i>Puma concolor cougar</i>	E	0.00	0.00	0.00	10.30	10.30	
441	Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	E	3.00	35.00	38.00	0.00	38.00	
70	Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	E	102.50	518.96	621.46	43.28	664.74	
1107	Rice rat	<i>Oryzomys palustris natator</i>	E	2.00	0.00	2.00	0.00	2.00	
1194	Sea-lion, Steller	<i>Eumetopias jubatus</i>	E, T	0.00	13,106.70	13,106.70	6.00	13,112.70	
1106	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	0.00	0.00	0.00	0.00	0.00	
48	Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	T	0.00	2.20	2.20	0.00	2.20	
6	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	0.00	1,253.12	1,253.12	13.50	1,266.62	
83	Sheep, bighorn	<i>Ovis canadensis</i>	E	320.00	180.45	500.45	59.95	560.40	
136	Sheep, bighorn	<i>Ovis canadensis californiana</i>	E	230.00	0.00	230.00	0.00	230.00	
963	Shrew, Dismal Swamp southeastern	<i>Sorex longirostris fisheri</i>	T	0.00	10.28	10.28	0.75	11.03	
543	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	E	13.00	5.00	18.00	5.00	23.00	
138	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	E	29.50	182.70	212.20	13.10	225.30	
702	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	E	0.00	10.50	10.50	4.00	14.50	
191	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	T	73.50	46.61	120.11	8.60	128.71	
159	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	E	15.50	150.75	166.25	9.11	175.36	
322	Vole, Amargosa	<i>Microtus californicus scirpensis</i>	E	68.00	0.00	68.00	0.00	68.00	
1027	Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	E	0.00	0.00	0.00	5.00	5.00	
719	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	E	0.00	10.00	10.00	4.00	14.00	
1021	Whale, blue	<i>Balaenoptera musculus</i>	E	0.00	5.59	5.59	0.00	5.59	
1093	Whale, bowhead	<i>Balaena mysticetus</i>	E	0.00	0.00	0.00	2.50	2.50	
1039	Whale, finback	<i>Balaenoptera physalus</i>	E	0.00	4.11	4.11	0.75	4.86	
82	Whale, humpback	<i>Megaptera novaeangliae</i>	E	0.00	556.31	556.31	10.75	567.06	
21	Whale, right	<i>Balaena glacialis</i>	E	0.00	4,744.43	4,744.43	127.40	4,871.83	
1060	Whale, Sei	<i>Balaenoptera borealis</i>	E	0.00	3.72	3.72	0.00	3.72	
1090	Whale, sperm	<i>Physeter catodon</i>	E	0.00	2.69	2.69	0.00	2.69	
24	Wolf, gray	<i>Canis lupus</i>	E, T	2,052.50	2,047.67	4,100.17	253.47	4,353.65	
44	Wolf, red	<i>Canis rufus</i>	E	1,209.50	496.40	1,705.90	0.00	1,705.90	
296	Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	E	76.00	0.00	76.00	0.00	76.00	
170	Woodrat, riparian	<i>Neotoma fuscipes riparia</i>	E	100.50	50.00	150.50	5.03	155.53	
	<b>MAMMALS Subtotals</b>		<b># of Species</b>	<b>73</b>	<b>14,846.75</b>	<b>39,200.17</b>	<b>54,046.92</b>	<b>14,386.87</b>	<b>68,433.79</b>
	<b>BIRDS</b>								

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
879	Akepa, Hawaii	<i>Loxops coccineus coccineus</i>	E	41.00	8.00	49.00	4.20	53.20
880	Akepa, Maui	<i>Loxops coccineus ochraceus</i>	E	66.00	0.00	66.00	0.00	66.00
382	Akialoa, Kauai	<i>Hemignathus procerus</i>	E	12.00	0.00	12.00	0.00	12.00
334	Akiapola`au	<i>Hemignathus munroi</i>	E	41.00	8.00	49.00	0.20	49.20
873	Albatross, short-tailed	<i>Phoebastria albatrus</i>	E	878.50	94.36	972.86	0.00	972.86
395	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	135.00	60.00	195.00	27.50	222.50
57	Bobwhite, masked	<i>Colinus virginianus ridgwayi</i>	E	0.00	0.00	0.00	3.00	3.00
140	Broadbill, Guam	<i>Myiagra freycineti</i>	E	12.00	0.00	12.00	0.00	12.00
1075	Cahow	<i>Pterodroma cahow</i>	E	0.00	0.00	0.00	0.00	0.00
874	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	2.00	2.14	4.14	10.50	14.64
1195	Condor, California	<i>Gymnogyps californianus</i>	E	504.00	69.19	573.19	18.10	591.29
698	Coot, Hawaiian	<i>Fulica americana alai</i>	E	52.00	132.37	184.37	1.40	185.77
81	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	70.00	0.14	70.14	1.00	71.14
156	Crane, whooping	<i>Grus americana</i>	E	604.00	7,805.15	8,409.15	199.08	8,608.23
315	Creepers, Hawaii	<i>Oreomystis mana</i>	E	41.00	8.00	49.00	4.20	53.20
11	Creepers, Molokai	<i>Paroreomyza flammea</i>	E	12.00	0.00	12.00	0.00	12.00
383	Creepers, Oahu	<i>Paroreomyza maculata</i>	E	12.00	59.50	71.50	0.00	71.50
875	Crow, Hawaiian	<i>Corvus hawaiiensis</i>	E	41.00	10.00	51.00	60.00	111.00
313	Crow, Mariana	<i>Corvus kubaryi</i>	E	347.50	129.80	477.30	0.00	477.30
207	Crow, white-necked	<i>Corvus leucognaphalus</i>	E	0.00	0.00	0.00	0.00	0.00
88	Curlew, Eskimo	<i>Numenius borealis</i>	E	0.00	2.00	2.00	0.00	2.00
1196	Duck, Hawaiian	<i>Anas wyvilliana</i>	E	52.00	203.91	255.91	1.60	257.51
1108	Duck, Laysan	<i>Anas laysanensis</i>	E	12.00	35.00	47.00	0.00	47.00
125	Eagle, bald	<i>Haliaeetus leucocephalus</i>	T	1,286.50	4,168.67	5,455.17	1,049.69	6,504.86
401	Eider, spectacled	<i>Somateria fischeri</i>	T	378.00	222.00	600.00	3.00	603.00
13	Eider, Steller's	<i>Polysticta stelleri</i>	T	402.00	546.78	948.78	1.50	950.28
79	Elepaio, Oahu	<i>Chasiempis sandwichensis ibidus</i>	E	12.00	233.10	245.10	0.70	245.80
60	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	E	10.00	941.20	951.20	7.00	958.20
131	Finch, Laysan	<i>Telespyza cantans</i>	E	12.00	1.00	13.00	0.00	13.00
59	Finch, Nihoa	<i>Telespyza ultima</i>	E	12.00	0.00	12.00	0.00	12.00
811	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	E	427.00	7,503.50	7,930.50	134.15	8,064.64
876	Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	T	324.00	231.04	555.04	90.40	645.44
12	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	T	44.00	126.31	170.31	3.13	173.43
75	Goose, Hawaiian	<i>Branta sandvicensis</i>	E	72.00	181.33	253.33	41.20	294.53
160	Hawk, Hawaiian	<i>Buteo solitarius</i>	E	32.00	9.71	41.71	0.00	41.71
115	Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	E	6.00	0.00	6.00	0.00	6.00
425	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	6.00	0.00	6.00	0.00	6.00
1002	Honeycreeper, crested	<i>Palmeria dolei</i>	E	41.00	0.00	41.00	22.30	63.30
1003	Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	T	276.00	761.03	1,037.03	14.00	1,051.03

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
354	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	65.00	37.70	102.70	0.00	102.70
54	Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	E	11.50	2.96	14.46	33.00	47.46
222	Mallard, Mariana	<i>Anas oustaleti</i>	E	12.00	0.00	12.00	0.00	12.00
400	Megapode, Micronesian	<i>Megapodius laperouse</i>	E	67.00	0.00	67.00	3.32	70.32
877	Millerbird, Nihoa	<i>Acrocephalus familiaris kingi</i>	E	12.00	0.00	12.00	0.00	12.00
317	Monarch, Tinian	<i>Monarcha takatsukasae</i>	T	32.00	0.00	32.00	0.00	32.00
878	Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	E	12.00	128.04	140.04	1.60	141.64
469	Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	E	52.00	44.30	96.30	0.00	96.30
181	Murrelet, marbled	<i>Brachyramphus marmoratus marmoratus</i>	T	1,862.00	1,931.90	3,793.90	1,667.63	5,461.52
235	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	6.00	0.00	6.00	0.00	6.00
17	Nukupu'u	<i>Hemignathus lucidus</i>	E	111.00	0.00	111.00	0.00	111.00
1004	`O'o, Kauai	<i>Moho braccatus</i>	E	12.00	0.00	12.00	0.00	12.00
208	`O'u	<i>Psittirostra psittacea</i>	E	12.00	0.00	12.00	0.00	12.00
36	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	T	207.00	2,496.82	2,703.82	55.50	2,759.32
14	Owl, northern spotted	<i>Strix occidentalis caurina</i>	T	2,259.00	3,531.54	5,790.54	590.20	6,380.74
41	Palila	<i>Loxioides bailleui</i>	E	61.00	1,816.46	1,877.46	17.20	1,894.66
51	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	945.00	166.58	1,111.58	41.50	1,153.08
200	Parrotbill, Maui	<i>Pseudonestor xanthophrys</i>	E	95.00	0.00	95.00	26.00	121.00
102	Pelican, brown	<i>Pelecanus occidentalis</i>	E	191.50	192.40	383.90	8.90	392.80
675	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	E	12.00	0.00	12.00	3.50	15.50
203	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	E	48.00	0.00	48.00	66.00	114.00
33	Plover, piping	<i>Charadrius melodus</i>	E, T	413.00	2,180.19	2,593.19	370.77	2,963.96
46	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	625.00	881.99	1,506.99	49.99	1,556.97
196	Po'ouli	<i>Melamprosops phaeosoma</i>	E	95.00	0.00	95.00	30.00	125.00
183	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	25.00	52.28	77.28	62.00	139.28
78	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	146.25	371.91	518.16	100.00	618.16
114	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	E	123.50	171.98	295.48	5.45	300.93
89	Rail, Guam	<i>Rallus owstoni</i>	E	223.50	249.00	472.50	0.00	472.50
158	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	E	48.00	124.68	172.68	3.88	176.56
152	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	38.50	118.73	157.23	35.50	192.73
676	Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	T	12.00	0.00	12.00	3.50	15.50
37	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	65.00	2,442.15	2,507.15	0.28	2,507.43
9	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	3.00	10,158.50	10,161.50	0.00	10,161.50
184	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	E	2.00	135.15	137.15	0.00	137.15
298	Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	T	31.00	44.60	75.60	0.00	75.60
149	Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	E	58.00	141.42	199.42	2.40	201.82
31	Stork, wood	<i>Mycteria americana</i>	E	154.50	2,942.66	3,097.16	32.14	3,129.30
179	Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	E	42.00	100.00	142.00	0.00	142.00
52	Tern, California least	<i>Sterna antillarum browni</i>	E	166.00	953.24	1,119.24	28.40	1,147.64



**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
45	Tern, least	<i>Sterna antillarum</i>	E	74.60	1,534.95	1,609.55	50.16	1,659.71	
161	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	64.00	51.69	115.69	57.68	173.37	
881	Thrush, large Kauai	<i>Myadestes myadestinus</i>	E	12.00	0.00	12.00	0.00	12.00	
882	Thrush, Molokai	<i>Myadestes lanaiensis rutha</i>	E	12.00	0.00	12.00	0.00	12.00	
282	Thrush, small Kauai	<i>Myadestes palmeri</i>	E	57.00	0.00	57.00	23.40	80.40	
294	Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	T	67.00	10.00	77.00	0.10	77.10	
42	Vireo, black-capped	<i>Vireo atricapillus</i>	E	113.00	1,525.71	1,638.71	96.90	1,735.61	
55	Vireo, least Bell's	<i>Vireo bellii pusillus</i>	E	214.00	734.54	948.54	70.48	1,019.02	
1138	Warbler, Bachman's	<i>Vermivora bachmanii</i>	E	0.00	1.33	1.33	0.00	1.33	
47	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	66.00	1,392.45	1,458.45	40.00	1,498.45	
106	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	E	125.00	183.20	308.20	55.30	363.50	
508	Warbler, nightingale reed	<i>Acrocephalus luscini</i>	E	12.00	0.00	12.00	13.93	25.93	
883	White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	E	12.00	0.00	12.00	0.00	12.00	
990	Woodpecker, ivory-billed	<i>Campyphilus principalis</i>	E	7.00	0.00	7.00	0.00	7.00	
7	Woodpecker, red-cockaded	<i>Picoides borealis</i>	E	1,502.50	10,178.89	11,681.39	119.10	11,800.49	
	<b>BIRDS Subtotals</b>		<b># of Species</b>	<b>93</b>	<b>16,969.85</b>	<b>70,583.15</b>	<b>87,553.00</b>	<b>5,463.52</b>	<b>93,016.51</b>
	<b>REPTILES</b>								
1131	Anole, Culebra Island giant	<i>Anolis roosevelti</i>	E	1.50	0.00	1.50	0.00	1.50	
1094	Boa, Mona	<i>Epicrates monensis monensis</i>	T	2.50	0.00	2.50	0.00	2.50	
278	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	14.00	67.00	81.00	0.00	81.00	
982	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	E	6.00	0.00	6.00	2.50	8.50	
451	Crocodile, American	<i>Crocodylus acutus</i>	E	7.00	25.64	32.64	3.00	35.64	
1109	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	2.00	0.00	2.00	0.00	2.00	
478	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	11.50	0.00	11.50	19.30	30.80	
133	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	134.50	107.25	241.75	0.30	242.05	
267	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	68.00	10.10	78.10	4.65	82.75	
477	Lizard, Island night	<i>Xantusia riversiana</i>	T	31.00	0.00	31.00	0.00	31.00	
682	Lizard, St. Croix ground	<i>Ameiva polops</i>	E	2.50	12.80	15.30	0.00	15.30	
449	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	T	1.50	32.00	33.50	3.00	36.50	
22	Sea turtle, green	<i>Chelonia mydas</i>	E, T	136.20	4,638.84	4,775.04	39.05	4,814.09	
28	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	E	30.20	3,641.21	3,671.41	16.70	3,688.11	
25	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	E	221.50	3,655.18	3,876.68	8.25	3,884.93	
29	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	E	181.70	3,459.37	3,641.07	21.75	3,662.82	
20	Sea turtle, loggerhead	<i>Caretta caretta</i>	T	628.70	4,209.06	4,837.76	142.85	4,980.61	
30	Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	E, T	0.00	3,288.50	3,288.50	0.00	3,288.50	
1103	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	1.00	1.32	2.32	0.00	2.32	
1046	Skink, sand	<i>Neoseps reynoldsi</i>	T	2.00	2.10	4.10	0.00	4.10	
1137	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	0.00	1.39	1.39	0.00	1.39	

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
105	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	366.00	6.60	372.60	0.00	372.60	
736	Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	T	13.00	0.86	13.86	0.00	13.86	
128	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	25.50	227.23	252.73	1.00	253.73	
90	Snake, giant garter	<i>Thamnophis gigas</i>	T	182.50	241.10	423.60	42.60	466.20	
212	Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	T	108.00	0.00	108.00	0.83	108.83	
289	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	E	79.50	0.00	79.50	0.00	79.50	
16	Tortoise, desert	<i>Gopherus agassizii</i>	T	790.00	4,564.37	5,354.37	166.72	5,521.09	
86	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	135.00	310.51	445.51	56.50	502.01	
448	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	E	25.00	8.71	33.71	3.00	36.71	
143	Turtle, bog	<i>Clemmys muhlenbergii</i>	T	72.50	50.44	122.94	86.11	209.05	
398	Turtle, flattened musk	<i>Sternotherus depressus</i>	T	47.00	1.00	48.00	0.00	48.00	
1005	Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	E	0.00	0.00	0.00	6.00	6.00	
598	Turtle, ringed map	<i>Graptemys oculifera</i>	T	0.00	14.08	14.08	5.00	19.08	
718	Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	T	3.50	5.52	9.02	5.00	14.02	
526	Whipsnake, Alameda	<i>Masticophis lateralis euryxanthus</i>	T	24.50	0.00	24.50	0.00	24.50	
	<b>REPTILES Subtotals</b>		<b># of Species</b>	<b>36</b>	<b>3,355.30</b>	<b>28,582.17</b>	<b>31,937.47</b>	<b>634.12</b>	<b>32,571.58</b>
	<b>AMPHIBIANS</b>								
979	Coqui, golden	<i>Eleutherodactylus jasperi</i>	T	9.00	0.00	9.00	0.00	9.00	
50	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	743.50	465.79	1,209.29	13.73	1,223.01	
1022	Guajon	<i>Eleutherodactylus cooki</i>	T	5.50	0.00	5.50	0.00	5.50	
121	Salamander, Barton Springs	<i>Eurycea sosorum</i>	E	60.50	202.26	262.76	6.28	269.04	
198	Salamander, California tiger	<i>Ambystoma californiense</i>	E	113.00	2.20	115.20	8.03	123.23	
211	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	T	5.00	103.50	108.50	0.38	108.88	
490	Salamander, desert slender	<i>Batrachoseps aridus</i>	E	26.00	2.20	28.20	0.00	28.20	
122	Salamander, flatwoods	<i>Ambystoma cingulatum</i>	T	58.00	203.77	261.77	6.00	267.77	
1197	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	T	0.00	0.00	0.00	0.00	0.00	
959	Salamander, San Marcos	<i>Eurycea nana</i>	T	0.00	3.90	3.90	7.45	11.35	
236	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	73.00	23.20	96.20	0.00	96.20	
1159	Salamander, Shenandoah	<i>Plethodon shenandoah</i>	E	0.00	0.00	0.00	0.80	0.80	
396	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	27.25	13.85	41.10	8.00	49.10	
1158	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	0.00	0.90	0.90	0.00	0.90	
53	Toad, arroyo	<i>Bufo microscaphus californicus</i>	E	614.00	476.17	1,090.17	32.25	1,122.42	
144	Toad, Houston	<i>Bufo houstonensis</i>	E	115.00	30.00	145.00	64.00	209.00	
964	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	T	8.00	0.00	8.00	3.00	11.00	
797	Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	E	0.00	5.50	5.50	7.68	13.18	
	<b>AMPHIBIANS Subtotals</b>		<b># of Species</b>	<b>18</b>	<b>1,857.75</b>	<b>1,533.23</b>	<b>3,390.98</b>	<b>157.59</b>	<b>3,548.57</b>
	<b>FISHES</b>								

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1142	Catfish, Yaqui	<i>Ictalurus pricei</i>	T	0.00	0.20	0.20	1.00	1.20
323	Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	E	68.00	0.00	68.00	0.00	68.00
457	Cavefish, Ozark	<i>Amblyopsis rosae</i>	T	28.00	0.00	28.00	6.40	34.40
49	Chub, bonytail	<i>Gila elegans</i>	E	28.50	1,036.72	1,065.22	187.89	1,253.11
272	Chub, Borax Lake	<i>Gila boraxobius</i>	E	43.00	34.00	77.00	5.30	82.30
645	Chub, Chihuahua	<i>Gila nigrescens</i>	T	13.25	3.00	16.25	0.75	17.00
43	Chub, humpback	<i>Gila cypha</i>	E	4.50	1,559.96	1,564.46	143.74	1,708.21
409	Chub, Hutton tui	<i>Gila bicolor ssp.</i>	T	43.00	0.00	43.00	2.10	45.10
219	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	74.00	29.20	103.20	2.20	105.40
137	Chub, Oregon	<i>Oregonichthys crameri</i>	E	214.00	3.50	217.50	10.60	228.10
147	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	137.00	20.20	157.20	45.90	203.10
375	Chub, Pahrnagat roundtail	<i>Gila robusta jordani</i>	E	47.50	7.20	54.70	0.00	54.70
646	Chub, slender	<i>Erimystax cahni</i>	T	16.30	0.00	16.30	0.50	16.80
614	Chub, Sonora	<i>Gila ditaenia</i>	T	15.00	0.00	15.00	3.00	18.00
481	Chub, spotfin	<i>Cyprinella monacha</i>	T	20.90	1.86	22.76	7.50	30.26
98	Chub, Virgin River	<i>Gila robusta seminuda</i>	E	48.50	338.20	386.70	31.80	418.50
991	Chub, Yaqui	<i>Gila purpurea</i>	E	0.00	6.00	6.00	1.00	7.00
66	Cui-ui	<i>Chasmistes cujus</i>	E	61.00	681.00	742.00	0.00	742.00
415	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	41.00	2.20	43.20	0.50	43.70
494	Dace, blackside	<i>Phoxinus cumberlandensis</i>	T	16.00	11.95	27.95	0.00	27.95
418	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	E	41.00	2.20	43.20	0.00	43.20
384	Dace, desert	<i>Eremichthys acros</i>	T	41.00	12.20	53.20	0.00	53.20
514	Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	T	23.00	0.00	23.00	2.10	25.10
419	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	E	41.00	2.20	43.20	0.00	43.20
1147	Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	E	0.00	1.00	1.00	0.00	1.00
364	Dace, Moapa	<i>Moapa coriacea</i>	E	53.00	5.20	58.20	0.00	58.20
118	Darter, amber	<i>Percina antesella</i>	E	16.50	261.00	277.50	3.50	281.00
974	Darter, bayou	<i>Etheostoma rubrum</i>	T	0.00	0.20	0.20	10.00	10.20
583	Darter, bluemask	<i>Etheostoma sp.</i>	E	20.00	0.00	20.00	0.00	20.00
417	Darter, boulder	<i>Etheostoma wapiti</i>	E	37.00	0.00	37.00	6.50	43.50
1038	Darter, Cherokee	<i>Etheostoma scotti</i>	T	1.00	1.49	2.49	2.50	4.99
501	Darter, duskytail	<i>Etheostoma percnurum</i>	E	18.30	1.70	20.00	6.50	26.50
999	Darter, Etowah	<i>Etheostoma etowahae</i>	E	1.00	2.69	3.69	2.50	6.19
453	Darter, fountain	<i>Etheostoma fonticola</i>	E	4.00	31.40	35.40	0.00	35.40
865	Darter, goldline	<i>Percina aurolineata</i>	T	11.00	1.49	12.49	0.00	12.49
283	Darter, leopard	<i>Percina pantherina</i>	T	37.50	41.50	79.00	1.30	80.30
1076	Darter, Maryland	<i>Etheostoma sellare</i>	E	3.00	0.00	3.00	0.00	3.00
410	Darter, Niangua	<i>Etheostoma nianguae</i>	T	0.00	6.00	6.00	39.00	45.00
65	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	E	6.00	780.29	786.29	0.00	786.29

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
787	Darter, relict	<i>Etheostoma chienense</i>	E	13.00	0.49	13.49	0.00	13.49
856	Darter, slackwater	<i>Etheostoma boschungii</i>	T	9.50	3.09	12.59	0.00	12.59
488	Darter, snail	<i>Percina tanasi</i>	T	7.00	21.91	28.91	0.00	28.91
1148	Darter, watercress	<i>Etheostoma nuchale</i>	E	0.00	1.00	1.00	0.00	1.00
602	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	2.00	16.90	18.90	0.00	18.90
1198	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	E	0.00	0.00	0.00	0.00	0.00
372	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	10.00	21.14	31.14	24.25	55.39
1199	Gambusia, San Marcos	<i>Gambusia georgei</i>	E	0.00	0.00	0.00	0.00	0.00
112	Goby, tidewater	<i>Eucyclogobius newberryi</i>	E	148.00	157.09	305.09	4.08	309.17
119	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	13.80	261.49	275.29	1.00	276.29
173	Logperch, Roanoke	<i>Percina rex</i>	E	24.25	112.00	136.25	17.00	153.25
194	Madtom, Neosho	<i>Noturus placidus</i>	T	8.50	113.05	121.55	5.68	127.23
747	Madtom, pygmy	<i>Noturus stanauli</i>	E	7.00	0.00	7.00	6.50	13.50
1200	Madtom, Scioto	<i>Noturus trautmani</i>	E	0.00	0.00	0.00	0.00	0.00
428	Madtom, smoky	<i>Noturus baileyi</i>	E	15.50	19.20	34.70	6.50	41.20
487	Madtom, yellowfin	<i>Noturus flavipinnis</i>	T	18.50	1.70	20.20	9.00	29.20
859	Minnow, Devils River	<i>Dionda diaboli</i>	T	7.00	1.50	8.50	4.00	12.50
69	Minnow, loach	<i>Tiaroga cobitis</i>	T	45.00	641.86	686.86	3.25	690.11
19	Minnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	0.00	5,111.92	5,111.92	2.00	5,113.92
27	Pikeminnow, Colorado	<i>Ptychocheilus lucius</i>	E	12.00	3,540.53	3,552.53	153.74	3,706.27
385	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	49.50	3.20	52.70	0.50	53.20
241	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	88.00	2.20	90.20	1.65	91.85
489	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	E	10.00	18.50	28.50	0.00	28.50
230	Pupfish, desert	<i>Cyprinodon macularius</i>	E	4.00	60.68	64.68	33.30	97.98
255	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	78.00	5.20	83.20	4.22	87.42
988	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	7.00	0.00	7.00	1.00	8.00
244	Pupfish, Owens	<i>Cyprinodon radiosus</i>	E	66.00	18.20	84.20	5.70	89.90
420	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	41.00	2.20	43.20	0.00	43.20
1	Salmon, chinook	<i>Oncorhynchus tshawytscha</i>	E, T	9.00	71,918.44	71,927.44	15,716.72	87,644.16
5	Salmon, chum	<i>Oncorhynchus keta</i>	T	0.00	15,761.95	15,761.95	4,395.40	20,157.35
3	Salmon, coho	<i>Oncorhynchus kisutch</i>	T	0.00	20,035.01	20,035.01	30,289.36	50,324.37
4	Salmon, sockeye	<i>Oncorhynchus nerka</i>	E, T	0.00	17,009.06	17,009.06	4,379.09	21,388.15
1006	Sculpin, pygmy	<i>Cottus pygmaeus</i>	T	5.00	1.00	6.00	0.00	6.00
157	Shiner, Arkansas River	<i>Notropis girardi</i>	T	72.70	111.81	184.51	0.35	184.86
1161	Shiner, beautiful	<i>Cyprinella formosa</i>	T	0.00	0.20	0.20	0.50	0.70
544	Shiner, blue	<i>Cyprinella caerulea</i>	T	19.00	3.99	22.99	0.00	22.99
434	Shiner, Cahaba	<i>Notropis cahabae</i>	E	39.00	1.86	40.86	0.00	40.86
193	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	118.00	5.00	123.00	5.00	128.00
1042	Shiner, palezone	<i>Notropis albizonatus</i>	E	4.50	0.25	4.75	0.00	4.75

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
64	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	T	265.00	522.00	787.00	0.50	787.50	
164	Shiner, Topeka	<i>Notropis topeka</i>	E	85.00	31.15	116.15	51.10	167.25	
1007	Silverside, Waccamaw	<i>Menidia extensa</i>	T	4.00	0.00	4.00	2.00	6.00	
26	Smelt, delta	<i>Hypomesus transpacificus</i>	T	146.50	3,464.49	3,610.99	210.00	3,820.99	
67	Spinedace	<i>Meda fulgida</i>	T	45.00	689.72	734.72	3.25	737.97	
180	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	T	49.50	92.20	141.70	0.00	141.70	
439	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	16.50	14.18	30.68	8.00	38.68	
327	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	62.00	5.20	67.20	0.00	67.20	
113	Splittail, Sacramento	<i>Pogonichthys macrolepidotus</i>	T	52.50	147.52	200.02	107.00	307.02	
393	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	E	47.50	3.20	50.70	0.00	50.70	
367	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	T	50.00	7.20	57.20	0.00	57.20	
273	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	E	47.50	34.20	81.70	0.00	81.70	
2	Steelhead	<i>Oncorhynchus mykiss</i>	E, T	9.00	44,881.66	44,890.66	16,428.67	61,319.32	
85	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	E	85.00	404.99	489.99	13.33	503.31	
103	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	E	239.00	143.00	382.00	1.00	383.00	
104	Sturgeon, Gulf	<i>Acipenser oxyrinchus desotoi</i>	T	248.00	112.17	360.17	20.00	380.17	
63	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	43.50	601.56	645.06	152.00	797.06	
71	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	70.00	575.66	645.66	14.00	659.66	
35	Sturgeon, white	<i>Acipenser transmontanus</i>	E	205.00	2,620.25	2,825.25	5.52	2,830.77	
387	Sucker, June	<i>Chasmistes liorus</i>	E	0.00	27.70	27.70	25.00	52.70	
73	Sucker, Lost River	<i>Deltistes luxatus</i>	E	494.50	149.20	643.70	5.48	649.18	
231	Sucker, Modoc	<i>Catostomus microps</i>	E	94.00	3.40	97.40	0.30	97.70	
18	Sucker, razorback	<i>Xyrauchen texanus</i>	E	42.75	5,135.48	5,178.23	185.06	5,363.29	
333	Sucker, Santa Ana	<i>Catostomus santaanae</i>	T	40.00	23.49	63.49	2.55	66.04	
74	Sucker, shortnose	<i>Chasmistes brevirostris</i>	E	492.50	149.20	641.70	5.48	647.18	
150	Sucker, Warner	<i>Catostomus warnerensis</i>	T	45.00	144.00	189.00	5.30	194.30	
80	Topminnow, Gila	<i>Poeciliopsis occidentalis</i>	E	20.25	554.23	574.48	18.25	592.73	
227	Trout, Apache	<i>Oncorhynchus apache</i>	T	9.00	10.20	19.20	80.00	99.20	
8	Trout, bull	<i>Salvelinus confluentus</i>	T	2,698.50	3,913.22	6,611.72	4,807.64	11,419.35	
260	Trout, Gila	<i>Oncorhynchus gilae</i>	E	1.50	12.50	14.00	72.50	86.50	
256	Trout, coastal cutthroat	<i>Oncorhynchus clarki clarki</i>	E	0.00	70.10	70.10	16.00	86.10	
126	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	T	40.00	61.60	101.60	152.86	254.46	
40	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	T	464.00	1,470.87	1,934.87	43.30	1,978.17	
654	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	T	13.50	2.51	16.01	0.00	16.01	
284	Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	T	47.00	11.20	58.20	22.10	80.30	
101	Woundfin	<i>Plagopterus argentissimus</i>	E	6.50	334.10	340.60	53.75	394.35	
	<b>FISHES Subtotals</b>		<b># of Species</b>	<b>114</b>	<b>8,505.00</b>	<b>206,292.70</b>	<b>214,797.70</b>	<b>78,105.79</b>	<b>292,903.49</b>
	<b>VERTEBRATES Subtotals</b>		<b># of Species</b>	<b>334</b>	<b>45,534.65</b>	<b>346,191.41</b>	<b>391,726.06</b>	<b>98,747.89</b>	<b>490,473.95</b>

TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
	<b>INVERTEBRATES</b>							
	<b>CLAMS</b>							
869	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	E	9.00	1.19	10.19	2.00	12.19
524	Bankclimber, purple	<i>Elliptoideus sloatianus</i>	T	2.00	20.11	22.11	2.50	24.61
542	Bean, Cumberland	<i>Villosa trabalis</i>	E	13.00	8.04	21.04	2.20	23.24
681	Bean, purple	<i>Villosa perpurpurea</i>	E	7.50	1.88	9.38	6.10	15.48
983	Blossom, green	<i>Epioblasma torulosa gubernaculum</i>	E	8.00	0.00	8.00	0.50	8.50
867	Blossom, tubercled	<i>Epioblasma torulosa torulosa</i>	E	10.50	0.78	11.28	1.00	12.28
965	Blossom, turgid	<i>Epioblasma turgidula</i>	E	10.00	0.00	10.00	1.00	11.00
966	Blossom, yellow	<i>Epioblasma florentina florentina</i>	E	10.00	0.00	10.00	1.00	11.00
1041	Catspaw	<i>Epioblasma obliquata obliquata</i>	E	3.00	0.78	3.78	1.00	4.78
412	Catspaw, white	<i>Epioblasma obliquata perobliqua</i>	E	5.00	39.00	44.00	0.00	44.00
163	Clubshell	<i>Pleurobema clava</i>	E	18.00	128.53	146.53	21.67	168.20
1047	Clubshell, black	<i>Pleurobema curtum</i>	E	0.00	0.00	0.00	4.00	4.00
436	Clubshell, ovate	<i>Pleurobema perovatum</i>	E	0.00	35.75	35.75	4.00	39.75
388	Clubshell, southern	<i>Pleurobema decisum</i>	E	12.00	36.55	48.55	4.00	52.55
506	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	E	16.00	2.67	18.67	7.40	26.07
860	Combshell, southern	<i>Epioblasma penita</i>	E	0.00	8.50	8.50	4.00	12.50
967	Combshell, upland	<i>Epioblasma metastriata</i>	E	9.00	1.00	10.00	1.00	11.00
472	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	E	11.90	17.70	29.60	2.00	31.60
962	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	E	8.00	3.06	11.06	0.00	11.06
523	Fanshell	<i>Cyprogenia stegaria</i>	E	13.00	0.00	13.00	11.70	24.70
980	Fatmucket, Arkansas	<i>Lampsilis powelli</i>	T	2.00	7.00	9.00	0.00	9.00
1001	Heelsplitter, Alabama	<i>Potamilus inflatus</i>	T	0.00	2.03	2.03	4.00	6.03
155	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	E	31.80	2.47	34.27	152.70	186.97
93	Higgins eye	<i>Lampsilis higginsii</i>	E	83.00	351.80	434.80	17.27	452.07
748	Kidneyshell, triangular	<i>Ptychobranthus greeni</i>	E	2.00	9.50	11.50	2.00	13.50
1026	Lampmussel, Alabama	<i>Lampsilis virescens</i>	E	4.00	0.20	4.20	1.00	5.20
1139	Lilliput, pale	<i>Toxolasma cylindrellus</i>	E	0.00	0.30	0.30	1.00	1.30
209	Mapleleaf, winged	<i>Quadrula fragosa</i>	E	8.50	96.28	104.78	5.70	110.48
386	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	T	12.50	36.28	48.78	4.00	52.78
662	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	E	12.50	1.39	13.89	2.00	15.89
674	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	E	0.00	12.18	12.18	3.50	15.68
1201	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	E	0.00	0.00	0.00	0.00	0.00
953	Monkeyface, Appalachian	<i>Quadrula sparsa</i>	E	11.00	0.00	11.00	0.80	11.80
512	Monkeyface, Cumberland	<i>Quadrula intermedia</i>	E	18.00	0.78	18.78	6.70	25.48
424	Mucket, orangenacre	<i>Lampsilis perovalis</i>	T	2.00	35.92	37.92	4.00	41.92
167	Mucket, pink	<i>Lampsilis abrupta</i>	E	20.00	117.95	137.95	26.64	164.59

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
522	Mussel, oyster	<i>Epioblasma capsaeformis</i>	E	11.00	6.45	17.45	7.40	24.85	
971	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	T	3.50	7.13	10.63	0.00	10.63	
520	Pearlymussel, birdwing	<i>Conradilla caelata</i>	E	19.00	0.30	19.30	5.70	25.00	
700	Pearlymussel, cracking	<i>Hemistena lata</i>	E	10.00	2.78	12.78	1.80	14.58	
694	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	E	2.00	0.00	2.00	12.90	14.90	
569	Pearlymussel, dromedary	<i>Dromus dromas</i>	E	14.00	0.78	14.78	6.70	21.48	
479	Pearlymussel, littlewing	<i>Pegias fabula</i>	E	14.00	6.99	20.99	9.47	30.46	
601	Pearlymussel, white wartyback	<i>Plethobasus cicatricosus</i>	E	6.00	3.78	9.78	9.14	18.92	
590	Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	E	8.00	11.50	19.50	0.00	19.50	
973	Pigtoe, dark	<i>Pleurobema furvum</i>	E	0.00	9.28	9.28	1.00	10.28	
749	Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	E	11.00	0.00	11.00	2.50	13.50	
1008	Pigtoe, flat	<i>Pleurobema marshalli</i>	E	0.00	2.00	2.00	4.00	6.00	
531	Pigtoe, heavy	<i>Pleurobema taitianum</i>	E	20.00	0.07	20.07	4.00	24.07	
1059	Pigtoe, oval	<i>Pleurobema pyriforme</i>	E	0.00	1.39	1.39	2.50	3.89	
857	Pigtoe, rough	<i>Pleurobema plenum</i>	E	8.00	2.78	10.78	1.80	12.58	
688	Pigtoe, shiny	<i>Fusconaia cor</i>	E	13.00	0.30	13.30	1.80	15.10	
532	Pigtoe, southern	<i>Pleurobema georgianum</i>	E	12.50	9.50	22.00	2.00	24.00	
381	Pimpleback, orangefoot	<i>Plethobasus cooperianus</i>	E	15.00	29.58	44.58	9.14	53.72	
301	Pocketbook, fat	<i>Potamilus capax</i>	E	11.50	50.28	61.78	13.20	74.98	
509	Pocketbook, finelined	<i>Lampsilis altilis</i>	T	12.50	11.33	23.83	2.00	25.83	
564	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	E	14.50	7.00	21.50	0.00	21.50	
1043	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	E	0.00	1.19	1.19	3.50	4.69	
408	Pocketbook, speckled	<i>Lampsilis streckeri</i>	E	42.00	3.00	45.00	0.30	45.30	
868	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	E	10.00	0.78	10.78	1.50	12.28	
205	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	E	7.00	102.41	109.41	4.00	113.41	
528	Riffleshell, tan	<i>Epioblasma florentina walkeri</i>	E	16.00	6.29	22.29	2.00	24.29	
622	Ring pink	<i>Obovaria retusa</i>	E	10.00	6.62	16.62	1.00	17.62	
1110	Slabshell, Chipola	<i>Elliptio chipolaensis</i>	T	0.00	1.00	1.00	1.00	2.00	
458	Spinymussel, James	<i>Pleurobema collina</i>	E	16.00	12.79	28.79	5.00	33.79	
608	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	E	6.30	0.00	6.30	12.00	18.30	
1028	Stirrupshell	<i>Quadrula stapes</i>	E	0.00	1.00	1.00	4.00	5.00	
584	Three-ridge, fat	<i>Amblema neislerii</i>	E	1.00	19.00	20.00	0.00	20.00	
258	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	E	24.70	40.96	65.66	20.59	86.25	
	<b>CLAMS Subtotals</b>		<b># of Species</b>	<b>69</b>	<b>711.70</b>	<b>1,337.86</b>	<b>2,049.56</b>	<b>460.32</b>	<b>2,509.88</b>
	<b>SNAILS</b>								
371	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	E	12.75	15.90	28.65	28.00	56.65	
1202	Campeloma, slender	<i>Campeloma decampi</i>	E	0.00	0.00	0.00	0.00	0.00	
1162	Elimia, lacy	<i>Elimia crenatella</i>	T	0.00	0.68	0.68	0.00	0.68	

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	
312	Limpet, Banbury Springs	<i>Lanx sp.</i>	E	68.50	3.54	72.04	0.37	72.41	
1163	Lioplax, cylindrical	<i>Lioplax cyclostomaformis</i>	E	0.00	0.68	0.68	0.00	0.68	
1077	Marstonia, royal	<i>Pyrgulopsis ogmorhapse</i>	E	3.00	0.00	3.00	0.00	3.00	
1203	Pebblesnail, flat	<i>Lepyrium showalteri</i>	E	0.00	0.00	0.00	0.00	0.00	
1009	Riversnail, Anthony's	<i>Athearnia anthonyi</i>	E	6.00	0.00	6.00	0.00	6.00	
1184	Rocksnailed, painted	<i>Leptoxis taeniata</i>	T	0.00	0.19	0.19	0.00	0.19	
1170	Rocksnailed, plicate	<i>Leptoxis plicata</i>	E	0.00	0.30	0.30	0.00	0.30	
1171	Rocksnailed, round	<i>Leptoxis ampla</i>	T	0.00	0.30	0.30	0.00	0.30	
1177	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	T	0.00	0.00	0.00	0.20	0.20	
585	Snail, armored	<i>Pyrgulopsis pachyta</i>	E	0.00	20.00	20.00	0.00	20.00	
299	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	T	68.50	6.04	74.54	1.03	75.57	
1078	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	T	1.50	0.00	1.50	1.50	3.00	
976	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	T	3.00	0.00	3.00	6.40	9.40	
390	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	E	50.00	0.00	50.00	1.37	51.37	
220	Snail, Morro shoulderband	<i>Helminthoglypta walkeriana</i>	E	104.00	0.00	104.00	0.00	104.00	
884	Snail, Newcomb's	<i>Erinna newcombi</i>	T	12.00	0.00	12.00	0.00	12.00	
1157	Snail, noonday	<i>Mesodon clarki nantahala</i>	T	0.80	0.15	0.95	0.00	0.95	
1029	Snail, painted snake coiled forest	<i>Anguispira picta</i>	T	5.00	0.00	5.00	0.00	5.00	
302	Snail, Snake River physa	<i>Physa natricina</i>	E	68.50	5.14	73.64	1.03	74.67	
885	Snail, Stock Island tree	<i>Orthalicus reses</i>	T	12.00	0.00	12.00	0.00	12.00	
629	Snail, tulotoma	<i>Tulotoma magnifica</i>	E	16.00	1.39	17.39	0.00	17.39	
142	Snail, Utah valvata	<i>Valvata utahensis</i>	E	68.50	148.68	217.18	3.03	220.21	
1204	Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	E	0.00	0.00	0.00	0.00	0.00	
139	Snails, Oahu tree	<i>Achatinella spp.</i>	E	33.50	178.10	211.60	13.00	224.60	
1149	Springsnail, Alamosa	<i>Tryonia alamosae</i>	E	0.00	0.00	0.00	1.00	1.00	
76	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	E	568.50	20.04	588.54	54.14	642.68	
285	Springsnail, Idaho	<i>Fontelicella idahoensis</i>	E	68.50	10.54	79.04	1.03	80.07	
1175	Springsnail, Socorro	<i>Pyrgulopsis neomexicana</i>	E	0.00	0.00	0.00	0.25	0.25	
	<b>SNAILS Subtotals</b>		<b># of Species</b>	<b>31</b>	<b>1,170.55</b>	<b>411.66</b>	<b>1,582.21</b>	<b>112.35</b>	<b>1,694.57</b>
	<b>INSECTS</b>								
177	Beetle, American burying	<i>Nicrophorus americanus</i>	E	69.00	75.39	144.39	4.28	148.67	
1205	Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	E	0.00	0.00	0.00	0.00	0.00	
1166	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	E	0.00	0.40	0.40	0.00	0.40	
1167	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	E	0.00	0.40	0.40	0.00	0.40	
677	Beetle, delta green ground	<i>Elaphrus viridis</i>	T	13.50	0.00	13.50	2.00	15.50	
1206	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	E	0.00	0.00	0.00	0.00	0.00	
1133	Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	E	0.00	1.40	1.40	0.00	1.40	
344	Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	E	65.00	0.00	65.00	0.00	65.00	



**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
957	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	E	10.00	1.40	11.40	0.00	11.40
97	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	T	235.00	181.55	416.55	2.00	418.55
377	Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	T	54.50	0.00	54.50	0.00	54.50
591	Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	E	19.50	0.00	19.50	0.00	19.50
703	Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	E	14.50	0.00	14.50	0.00	14.50
468	Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	E	32.00	0.00	32.00	0.10	32.10
141	Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	E	202.50	18.00	220.50	0.00	220.50
68	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	E	225.30	308.58	533.88	164.90	698.78
565	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	E	19.50	0.00	19.50	2.00	21.50
604	Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>	E	18.50	0.00	18.50	0.00	18.50
394	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	50.50	0.00	50.50	0.00	50.50
223	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	34.50	47.00	81.50	20.00	101.50
704	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	14.50	0.00	14.50	0.00	14.50
96	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	T	391.50	21.50	413.00	12.55	425.55
197	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	E	69.00	54.00	123.00	1.10	124.10
353	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	E	47.00	13.00	60.00	4.93	64.93
1150	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	E	1.00	0.00	1.00	0.00	1.00
750	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	13.50	0.00	13.50	0.00	13.50
623	Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	E	16.00	1.58	17.58	0.00	17.58
214	Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	E	68.00	39.50	107.50	0.00	107.50
192	Butterfly, Uncompahgre fritillary	<i>Boloria acrocnema</i>	E	0.00	128.50	128.50	0.00	128.50
186	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	E	50.00	8.86	58.86	78.10	136.96
215	Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	E	107.00	0.00	107.00	0.00	107.00
335	Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	E	66.00	0.00	66.00	0.00	66.00
550	Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	E	12.00	10.00	22.00	0.00	22.00
562	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	13.50	8.19	21.69	0.00	21.69
430	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	41.00	0.00	41.00	0.00	41.00
216	Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	E	32.00	75.00	107.00	0.00	107.00
1111	Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	T	0.00	2.00	2.00	0.00	2.00
404	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	T	17.50	24.48	41.98	3.85	45.83
955	Tiger beetle, Puritan	<i>Cicindela puritana</i>	T	4.00	0.00	4.00	7.61	11.61
	<b>INSECTS Subtotals</b>		<b># of Species</b>	<b>39</b>	<b>2,027.30</b>	<b>1,020.74</b>	<b>3,048.04</b>	<b>303.41</b>
	<b>ARACHNIDS</b>							
1134	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	0.00	1.40	1.40	0.00	1.40
958	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	10.00	1.40	11.40	0.00	11.40
1101	Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	E	2.00	0.40	2.40	0.00	2.40
815	Spider, Kauai cave wolf or pe'e pe'e maka 'ole	<i>Adelocosa anops</i>	E	12.00	0.86	12.86	0.00	12.86
365	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	E	47.00	10.30	57.30	0.00	57.30

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1102	Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	E	2.00	0.40	2.40	0.00	2.40
	<b>ARACHNIDS Subtotals</b>	<b># of Species</b>	<b>6</b>	<b>73.00</b>	<b>14.76</b>	<b>87.76</b>	<b>0.00</b>	<b>87.76</b>
	<b>CRUSTACEANS</b>							
812	Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	E	0.00	13.00	13.00	0.00	13.00
426	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	E	39.00	0.00	39.00	2.68	41.68
886	Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	E	12.00	0.00	12.00	0.00	12.00
1168	Amphipod, Peck's cave	<i>Stygobromus pecki</i>	E	0.00	0.40	0.40	0.00	0.40
711	Crayfish, cave	<i>Cambarus zophonastes</i>	E	14.00	0.00	14.00	0.30	14.30
720	Crayfish, cave	<i>Cambarus aculabrum</i>	E	14.00	0.00	14.00	0.00	14.00
586	Crayfish, Nashville	<i>Orconectes shoupi</i>	E	20.00	0.00	20.00	0.00	20.00
145	Crayfish, Shasta	<i>Pacifastacus fortis</i>	E	202.50	4.72	207.22	0.45	207.67
217	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	E	82.50	23.20	105.70	0.00	105.70
146	Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	E	200.50	3.20	203.70	0.00	203.70
189	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	E	104.00	26.56	130.56	3.68	134.23
135	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	E	165.00	69.08	234.08	2.53	236.60
62	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	309.50	507.78	817.28	0.00	817.28
1165	Isopod, Lee County cave	<i>Lirceus usdagalun</i>	E	0.00	0.00	0.00	0.50	0.50
1023	Isopod, Madison Cave	<i>Antrolana lira</i>	T	5.00	0.00	5.00	0.50	5.50
1048	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	0.00	0.00	0.00	4.00	4.00
328	Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	E	12.00	55.00	67.00	0.00	67.00
437	Shrimp, California freshwater	<i>Syncaris pacifica</i>	E	37.50	2.20	39.70	0.00	39.70
887	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	E	8.00	4.00	12.00	0.00	12.00
1207	Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	T	0.00	0.00	0.00	0.00	0.00
72	Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	E	313.00	337.97	650.97	0.00	650.97
	<b>CRUSTACEANS Subtotals</b>	<b># of Species</b>	<b>21</b>	<b>1,538.50</b>	<b>1,047.10</b>	<b>2,585.60</b>	<b>14.63</b>	<b>2,600.22</b>
	<b>INVERTEBRATES Subtotals</b>	<b># of Species</b>	<b>166</b>	<b>5,521.05</b>	<b>3,832.12</b>	<b>9,353.17</b>	<b>890.71</b>	<b>10,243.88</b>
493	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	11.00	0.00	11.00	17.00	28.00
842	No common name	<i>Abutilon eremitopetalum</i>	E	12.50	0.00	12.50	0.13	12.63
609	Ko'oloa'ula	<i>Abutilon menziesii</i>	E	18.00	0.00	18.00	0.23	18.23
611	No common name	<i>Abutilon sandwicense</i>	E	12.00	6.10	18.10	0.00	18.10
913	Liliwai	<i>Acaena exigua</i>	E	12.00	0.00	12.00	0.00	12.00
466	Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>	T	20.00	10.00	30.00	2.38	32.38
650	Thornmint, San Mateo	<i>Acanthomintha obovata duttonii</i>	E	16.50	0.00	16.50	0.00	16.50
741	No common name	<i>Achyranthes mutica</i>	E	13.50	0.00	13.50	0.25	13.75
714	Chaff-flower, round-leaved	<i>Achyranthes splendens rotundata</i>	E	13.50	0.00	13.50	0.63	14.13
229	Monkshood, northern wild	<i>Aconitum noveboracense</i>	T	94.00	1.16	95.16	3.00	98.16
497	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	19.50	6.00	25.50	1.64	27.14

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
360	Gerardia, sandplain	<i>Agalinis acuta</i>	E	22.50	31.30	53.80	8.96	62.76
1105	Agave, Arizona	<i>Agave arizonica</i>	E	0.00	0.33	0.33	1.89	2.21
262	Mahoe	<i>Alectryon macrococcus</i>	E	16.50	67.40	83.90	0.35	84.25
518	Onion, Munz's	<i>Allium munzii</i>	E	22.00	0.00	22.00	3.05	25.05
527	Alopecurus, Sonoma	<i>Alopecurus aequalis sonomensis</i>	E	14.50	10.00	24.50	0.00	24.50
637	Kuawawaenohu	<i>Alsinidendron lychnoides</i>	E	16.00	0.00	16.00	1.30	17.30
305	No common name	<i>Alsinidendron obovatum</i>	E	12.50	61.30	73.80	0.45	74.25
582	No common name	<i>Alsinidendron trinerve</i>	E	13.50	6.10	19.60	0.63	20.23
642	No common name	<i>Alsinidendron viscosum</i>	E	16.00	0.00	16.00	1.30	17.30
841	No common name	<i>Amaranthus brownii</i>	E	12.50	0.00	12.50	0.13	12.63
127	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	46.50	203.92	250.42	3.50	253.92
1025	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	E	5.00	0.40	5.40	0.00	5.40
1216	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	E	0.00	0.00	0.00	0.00	0.00
668	Amphianthus, little	<i>Amphianthus pusillus</i>	T	0.00	4.22	4.22	11.50	15.72
625	Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>	E	17.50	0.00	17.50	0.00	17.50
1044	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	E	1.50	1.00	2.50	1.89	4.39
199	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	27.00	0.90	27.90	94.68	122.58
695	Potato-bean, Price's	<i>Apios priceana</i>	T	12.00	2.30	14.30	0.50	14.80
257	Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	E	85.50	1.00	86.50	0.00	86.50
108	Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	E	313.50	25.00	338.50	0.00	338.50
984	Rock-cress, Braun's	<i>Arabis perstellata</i>	E	8.00	0.30	8.30	0.00	8.30
406	Rock-cress, shale barren	<i>Arabis serotina</i>	E	4.00	41.00	45.00	0.55	45.55
363	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	E	0.00	60.00	60.00	0.20	60.20
245	Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	E	87.50	1.70	89.20	0.00	89.20
447	Manzanita, Del Mar	<i>Arctostaphylos glandulosa crassifolia</i>	E	22.00	14.60	36.60	0.63	37.23
770	Manzanita, Presidio	<i>Arctostaphylos hookeri ravenii</i>	E	13.50	0.00	13.50	0.00	13.50
326	Manzanita, Morro	<i>Arctostaphylos morroensis</i>	T	66.00	0.00	66.00	1.50	67.50
399	Manzanita, Ione	<i>Arctostaphylos myrtifolia</i>	T	41.50	0.00	41.50	6.20	47.70
769	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	13.50	0.00	13.50	0.00	13.50
981	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	E	9.00	0.00	9.00	0.00	9.00
238	Sandwort, Marsh	<i>Arenaria paludicola</i>	E	93.50	0.00	93.50	1.00	94.50
279	Sandwort, Bear Valley	<i>Arenaria ursina</i>	T	22.00	59.00	81.00	0.00	81.00
483	Poppy, Sacramento prickly	<i>Argemone pleiacantha pinnatisecta</i>	E	12.00	18.00	30.00	0.00	30.00
369	Silversword, Mauna Loa	<i>Argyroxiphium kauense</i>	E	19.50	30.00	49.50	7.43	56.93
864	Silversword, Haleakala	<i>Argyroxiphium sandwicense macrocephalum</i>	T	12.00	0.50	12.50	0.00	12.50
525	Silversword, Mauna Kea	<i>Argyroxiphium sandwicense sandwicense</i>	E	19.50	0.00	19.50	5.08	24.58
1015	No common name	<i>Aristida chaseae</i>	E	6.00	0.00	6.00	0.00	6.00
1225	Pelos del diablo	<i>Aristida portoricensis</i>	E	0.00	0.00	0.00	0.00	0.00
446	Milkweed, Mead's	<i>Asclepias meadii</i>	T	3.00	29.00	32.00	5.50	37.50

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
397	Milkweed, Welsh's	<i>Asclepias welshii</i>	T	0.00	46.00	46.00	2.09	48.09
1144	Pawpaw, four-petal	<i>Asimina tetramera</i>	E	0.00	1.04	1.04	0.00	1.04
175	Milk-vetch, Cushenbury	<i>Astragalus albens</i>	E	22.00	129.00	151.00	0.00	151.00
168	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	E	162.00	0.20	162.20	0.00	162.20
968	Ground-plum, Pyne's	<i>Astragalus bibullatus</i>	E	11.00	0.00	11.00	0.00	11.00
324	Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	E	67.00	0.29	67.29	0.35	67.64
773	Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>	E	13.50	0.00	13.50	0.00	13.50
977	Milk-vetch, Sentry	<i>Astragalus cremnophylax cremnophylax</i>	E	6.00	1.50	7.50	1.89	9.39
1179	Milk-vetch, Deseret	<i>Astragalus desereticus</i>	T	0.00	0.00	0.00	0.20	0.20
1153	Milk-vetch, Mancos	<i>Astragalus humillimus</i>	E	0.00	1.00	1.00	0.00	1.00
349	Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	E	65.00	0.00	65.00	0.00	65.00
548	Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus coachellae</i>	E	22.00	0.10	22.10	0.00	22.10
338	Milk-vetch, Fish Slough	<i>Astragalus lentiginosus piscinensis</i>	T	66.00	0.00	66.00	0.00	66.00
533	Milk-vetch, Peirson's	<i>Astragalus magdalenae peirsonii</i>	T	22.00	0.00	22.00	2.00	24.00
1132	Milk-vetch, heliotrope	<i>Astragalus montii</i>	T	0.00	1.30	1.30	0.20	1.50
1218	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	0.00	0.00	0.00	0.00	0.00
433	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	41.00	0.00	41.00	0.00	41.00
975	Milk-vetch, Jesup's	<i>Astragalus robbinsii jesupi</i>	E	9.00	0.50	9.50	0.10	9.60
330	Milk-vetch, coastal dunes	<i>Astragalus tener titi</i>	E	67.00	0.00	67.00	0.00	67.00
530	Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	E	24.00	0.10	24.10	0.00	24.10
1071	Cactus, star	<i>Astrophytum asterias</i>	E	3.10	0.20	3.30	0.00	3.30
553	Crownscale, San Jacinto Valley	<i>Atriplex coronata notatior</i>	E	22.00	0.00	22.00	0.00	22.00
1099	No common name	<i>Auerodendron pauciflorum</i>	E	2.50	0.00	2.50	0.00	2.50
1070	Ayenia, Texas	<i>Ayenia limitaris</i>	E	3.10	0.20	3.30	0.00	3.30
545	Baccharis, Encinitas	<i>Baccharis vanessae</i>	T	22.00	0.00	22.00	0.60	22.60
1055	Palo de ramon	<i>Banara vanderbiltii</i>	E	4.00	0.00	4.00	0.00	4.00
1073	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	0.00	1.50	1.50	1.70	3.20
500	Barberry, Nevin's	<i>Berberis nevinii</i>	E	24.00	2.29	26.29	0.50	26.79
249	Barberry, island	<i>Berberis pinnata insularis</i>	E	87.50	0.50	88.00	0.00	88.00
752	Barberry, Truckee	<i>Berberis sonnei</i>	E	13.50	0.00	13.50	0.00	13.50
1135	Birch, Virginia round-leaf	<i>Betula uber</i>	T	0.00	1.40	1.40	0.00	1.40
909	Ko`oko`olau	<i>Bidens micrantha kalealaha</i>	E	12.00	0.00	12.00	0.00	12.00
910	Ko`oko`olau	<i>Bidens wiebkei</i>	E	12.00	0.00	12.00	0.00	12.00
505	Sunshine, Sonoma	<i>Blennosperma bakeri</i>	E	23.00	0.00	23.00	3.10	26.10
362	Aster, decurrent false	<i>Boltonia decurrens</i>	T	44.00	13.50	57.50	3.03	60.53
1176	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	0.00	0.21	0.21	0.00	0.21
240	No common name	<i>Bonamia menziesii</i>	E	22.00	69.30	91.30	1.53	92.83
947	Olulu	<i>Brighamia insignis</i>	E	12.00	0.00	12.00	0.00	12.00
724	Pau`ala, (=alulu)	<i>Brighamia rockii</i>	E	14.00	0.00	14.00	0.00	14.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
476	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	T	22.00	2.29	24.29	7.25	31.54
756	Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	T	13.50	0.00	13.50	0.00	13.50
1010	Boxwood, Vahl's	<i>Buxus vahlii</i>	E	6.00	0.00	6.00	0.00	6.00
414	Uhiuhi	<i>Caesalpinia kavaense</i>	E	25.00	16.00	41.00	2.98	43.98
1112	Capa rosa	<i>Callicarpa ampla</i>	E	2.00	0.00	2.00	0.00	2.00
1181	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	E	0.00	0.20	0.20	0.00	0.20
771	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	13.50	0.00	13.50	0.00	13.50
1067	No common name	<i>Calyptrothos thomasiana</i>	E	3.00	0.50	3.50	0.00	3.50
777	Pussypaws, Mariposa	<i>Calyptridium pulchellum</i>	T	13.50	0.00	13.50	0.00	13.50
1034	Manaca, palma de	<i>Calyptronoma rivalis</i>	T	5.00	0.00	5.00	0.00	5.00
277	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	81.50	0.00	81.50	0.00	81.50
337	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	T	66.00	0.00	66.00	0.00	66.00
1209	Bellflower, Brooksville	<i>Campanula robinsiae</i>	E	0.00	0.00	0.00	0.00	0.00
658	`Awikiwiki	<i>Canavalia molokaiensis</i>	E	16.00	0.00	16.00	0.00	16.00
1095	Bittercress, small-anthered	<i>Cardamine micranthera</i>	E	0.00	1.50	1.50	1.00	2.50
778	Sedge, white	<i>Carex albida</i>	E	13.50	0.00	13.50	0.00	13.50
1045	Sedge, Navajo	<i>Carex specuicola</i>	T	0.00	2.25	2.25	2.09	4.34
680	Paintbrush, Tiburon	<i>Castilleja affinis neglecta</i>	E	15.50	0.00	15.50	0.00	15.50
776	Owl's-clover, fleshy	<i>Castilleja campestris succulenta</i>	T	13.50	0.00	13.50	0.00	13.50
213	Paintbrush, ash-grey	<i>Castilleja cinerea</i>	T	22.00	86.29	108.29	0.00	108.29
320	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	E	22.00	46.50	68.50	0.00	68.50
210	Paintbrush, golden	<i>Castilleja levisecta</i>	T	102.00	3.20	105.20	5.00	110.20
233	Paintbrush, soft-leaved	<i>Castilleja mollis</i>	E	87.50	9.50	97.00	0.00	97.00
1081	No common name	<i>Catesbaea melanocarpa</i>	E	3.00	0.00	3.00	0.00	3.00
237	Jewelflower, California	<i>Caulanthus californicus</i>	E	17.50	77.69	95.19	0.00	95.19
757	Ceanothus, coyote	<i>Ceanothus ferrisae</i>	E	13.50	0.00	13.50	0.00	13.50
552	Ceanothus, Vail Lake	<i>Ceanothus ophiophilus</i>	T	22.00	0.00	22.00	0.00	22.00
270	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	82.50	0.00	82.50	0.00	82.50
280	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonioides</i>	E	17.00	61.67	78.67	2.05	80.72
379	Centauray, spring-loving	<i>Centaurium namophilum</i>	T	54.00	0.00	54.00	0.00	54.00
684	Awiwi	<i>Centaurium sebaeoides</i>	E	14.50	0.00	14.50	0.73	15.23
557	Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	E	22.00	0.00	22.00	0.00	22.00
616	Prickly-apple, fragrant	<i>Cereus eriophorus fragrans</i>	E	8.00	10.00	18.00	0.00	18.00
1082	No common name	<i>Chamaecrista glandulosa mirabilis</i>	E	3.00	0.00	3.00	0.00	3.00
712	`Akoko	<i>Chamaesyce celastroides kaenana</i>	E	13.50	0.00	13.50	0.63	14.13
587	Spurge, deltoid	<i>Chamaesyce deltoidea deltoidea</i>	E	0.00	20.00	20.00	0.00	20.00
728	`Akoko	<i>Chamaesyce deppeana</i>	E	13.50	0.00	13.50	0.38	13.88
1155	Spurge, Garber's	<i>Chamaesyce garberi</i>	T	1.00	0.00	1.00	0.00	1.00
655	`Akoko	<i>Chamaesyce halemanui</i>	E	16.00	0.00	16.00	0.00	16.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
866	`Akoko	<i>Chamaesyce herbstii</i>	E	12.00	0.00	12.00	0.33	12.33
780	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	13.50	0.00	13.50	0.00	13.50
889	`Akoko	<i>Chamaesyce kuwaleana</i>	E	12.00	0.00	12.00	0.00	12.00
791	`Akoko	<i>Chamaesyce rockii</i>	E	13.00	0.00	13.00	0.25	13.25
729	`Akoko, Ewa Plains	<i>Chamaesyce skottsbergii kalaeloana</i>	E	13.50	0.00	13.50	0.38	13.88
1172	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	E	0.00	0.29	0.29	0.00	0.29
228	Amole, purple	<i>Chlorogalum purpureum</i>	T	73.00	26.00	99.00	0.00	99.00
779	Spineflower, Howell's	<i>Chorizanthe howellii</i>	E	13.50	0.00	13.50	0.00	13.50
540	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	22.00	0.00	22.00	1.50	23.50
350	Spineflower, Ben Lomond	<i>Chorizanthe pungens hartwegiana</i>	E	65.00	0.00	65.00	0.00	65.00
204	Spineflower, Monterey	<i>Chorizanthe pungens pungens</i>	T	102.00	12.00	114.00	0.00	114.00
224	Spineflower, Robust	<i>Chorizanthe robusta</i>	E	90.50	10.00	100.50	0.00	100.50
607	Spineflower, Sonoma	<i>Chorizanthe valida</i>	E	13.50	5.00	18.50	0.00	18.50
597	Aster, Florida golden	<i>Chrysopsis floridana</i>	E	19.00	0.19	19.19	0.00	19.19
784	Thistle, fountain	<i>Cirsium fontinale fontinale</i>	E	13.50	0.00	13.50	0.00	13.50
341	Thistle, Chorro Creek bog	<i>Cirsium fontinale obispoense</i>	E	66.00	0.00	66.00	0.00	66.00
435	Thistle, Suisun	<i>Cirsium hydrophilum hydrophilum</i>	E	14.50	1.00	15.50	25.00	40.50
297	Thistle, La Graciosa	<i>Cirsium loncholepis</i>	E	75.00	0.00	75.00	1.00	76.00
176	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	0.00	148.60	148.60	1.00	149.60
1087	Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	T	0.00	2.92	2.92	0.00	2.92
759	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	13.50	0.00	13.50	0.00	13.50
760	Clarkia, Vine Hill	<i>Clarkia imbricata</i>	E	13.50	0.00	13.50	0.00	13.50
336	Clarkia, Pismo	<i>Clarkia speciosa immaculata</i>	E	66.00	0.00	66.00	0.00	66.00
566	Clarkia, Springville	<i>Clarkia springvillensis</i>	T	13.50	8.00	21.50	0.00	21.50
1217	Leather flower, Morefield's	<i>Clematis morefieldii</i>	E	0.00	0.00	0.00	0.00	0.00
816	Leather flower, Alabama	<i>Clematis socialis</i>	E	11.00	0.00	11.00	1.80	12.80
806	`Oha wai	<i>Clermontia drepanomorpha</i>	E	13.00	0.00	13.00	0.13	13.13
538	`Oha wai	<i>Clermontia lindseyana</i>	E	15.50	8.00	23.50	0.13	23.63
854	`Oha wai	<i>Clermontia oblongifolia brevipes</i>	E	12.50	0.00	12.50	0.13	12.63
853	`Oha wai	<i>Clermontia oblongifolia mauiensis</i>	E	12.50	0.00	12.50	0.13	12.63
744	`Oha wai	<i>Clermontia peleana</i>	E	13.50	0.00	13.50	0.25	13.75
560	`Oha wai	<i>Clermontia pyrularia</i>	E	13.50	8.00	21.50	0.38	21.88
946	`Oha wai	<i>Clermontia samuelii</i>	E	12.00	0.00	12.00	0.00	12.00
1160	Pigeon wings	<i>Clitoria fragrans</i>	T	0.00	0.77	0.77	0.00	0.77
498	Kauila	<i>Colubrina oppositifolia</i>	E	24.50	0.00	24.50	2.63	27.13
1173	Rosemary, short-leaved	<i>Conradina brevifolia</i>	E	0.00	0.29	0.29	0.00	0.29
1228	Rosemary, Etonia	<i>Conradina etonia</i>	E	0.00	0.00	0.00	0.00	0.00
692	Rosemary, Apalachicola	<i>Conradina glabra</i>	E	15.00	0.00	15.00	0.00	15.00
507	Rosemary, Cumberland	<i>Conradina verticillata</i>	T	26.00	0.00	26.00	0.00	26.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1054	No common name	<i>Cordia alliodora</i>	E	4.00	0.00	4.00	0.00	4.00
286	Bird's-beak, salt marsh	<i>Cordylanthus maritimus maritimus</i>	E	27.00	52.50	79.50	0.50	80.00
413	Bird's-beak, soft	<i>Cordylanthus mollis mollis</i>	E	15.50	1.00	16.50	27.50	44.00
753	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	E	13.50	0.00	13.50	0.00	13.50
754	Bird's-beak, Pennell's	<i>Cordylanthus tenuis capillaris</i>	E	13.50	0.00	13.50	0.00	13.50
1037	Palo de nigua	<i>Cornutia obovata</i>	E	5.00	0.00	5.00	0.00	5.00
1213	Cactus, Nellie cory	<i>Coryphantha minima</i>	E	0.00	0.00	0.00	0.00	0.00
1152	Cory cactus, bunched	<i>Coryphantha ramillosa</i>	T	0.00	1.00	1.00	0.00	1.00
1019	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	T	3.75	0.25	4.00	1.89	5.89
225	Cactus, Pima pineapple	<i>Coryphantha scheeri robustispina</i>	E	51.00	47.39	98.39	1.89	100.27
1212	Cactus, Lee pincushion	<i>Coryphantha sneedii leei</i>	T	0.00	0.00	0.00	0.00	0.00
416	Cactus, Sneed pincushion	<i>Coryphantha sneedii sneedii</i>	E	0.00	43.42	43.42	0.20	43.62
1116	No common name	<i>Cranichis ricartii</i>	E	2.00	0.00	2.00	0.00	2.00
1097	Higuero de sierra	<i>Crescentia portoricensis</i>	E	2.50	0.00	2.50	0.00	2.50
1187	Harebells, Avon Park	<i>Crotalaria avonensis</i>	E	0.00	0.04	0.04	0.00	0.04
1214	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	E	0.00	0.00	0.00	0.00	0.00
1186	Gourd, Okeechobee	<i>Cucurbita okeechobeensis okeechobeensis</i>	E	0.00	0.04	0.04	0.00	0.04
515	Haha	<i>Cyanea acuminata</i>	E	13.00	11.80	24.80	0.25	25.05
823	Haha	<i>Cyanea asarifolia</i>	E	12.50	0.00	12.50	0.13	12.63
737	Haha	<i>Cyanea copelandii copelandii</i>	E	13.50	0.00	13.50	0.25	13.75
824	Haha	<i>Cyanea copelandii haleakalaensis</i>	E	12.50	0.00	12.50	0.13	12.63
588	Haha	<i>Cyanea crispa</i>	E	13.50	5.70	19.20	0.38	19.58
822	Haha	<i>Cyanea dunbarii</i>	E	12.50	0.00	12.50	0.13	12.63
898	Haha	<i>Cyanea glabra</i>	E	12.00	0.00	12.00	0.00	12.00
593	Haha	<i>Cyanea grimesiana grimesiana</i>	E	13.00	6.10	19.10	0.25	19.35
696	Haha	<i>Cyanea grimesiana obatae</i>	E	14.00	0.00	14.00	0.75	14.75
547	Haha	<i>Cyanea hamatiflora carlsonii</i>	E	20.00	0.00	20.00	2.20	22.20
899	Haha	<i>Cyanea hamatiflora hamatiflora</i>	E	12.00	0.00	12.00	0.00	12.00
793	Haha	<i>Cyanea humboldtiana</i>	E	13.00	0.00	13.00	0.25	13.25
473	Haha	<i>Cyanea koolauensis</i>	E	13.00	18.30	31.30	0.25	31.55
901	Haha	<i>Cyanea lobata</i>	E	12.00	0.00	12.00	0.00	12.00
746	Haha	<i>Cyanea longiflora</i>	E	13.00	0.00	13.00	0.58	13.58
825	Haha	<i>Cyanea macrostegia gibsonii</i>	E	12.50	0.00	12.50	0.13	12.63
897	Haha	<i>Cyanea mannii</i>	E	12.00	0.00	12.00	0.00	12.00
895	Haha	<i>Cyanea mceldowneyi</i>	E	12.00	0.00	12.00	0.00	12.00
826	Haha	<i>Cyanea pinnatifida</i>	E	12.50	0.00	12.50	0.13	12.63
738	Haha	<i>Cyanea platyphylla</i>	E	13.50	0.00	13.50	0.25	13.75
821	Haha	<i>Cyanea procera</i>	E	12.50	0.00	12.50	0.13	12.63
896	Haha	<i>Cyanea recta</i>	T	12.00	0.00	12.00	0.00	12.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
900	Haha	<i>Cyanea remyi</i>	E	12.00	0.00	12.00	0.00	12.00
559	Haha	<i>Cyanea shipmannii</i>	E	13.50	8.00	21.50	0.43	21.93
725	Haha	<i>Cyanea stictophylla</i>	E	13.50	0.00	13.50	0.43	13.93
600	Haha	<i>Cyanea st-johnii</i>	E	13.00	5.70	18.70	0.25	18.95
295	Haha	<i>Cyanea superba</i>	E	14.00	61.30	75.30	0.75	76.05
706	Haha	<i>Cyanea truncata</i>	E	14.00	0.00	14.00	0.50	14.50
820	Haha	<i>Cyanea undulata</i>	E	12.50	0.00	12.50	0.13	12.63
1000	Cycladenia, Jones	<i>Cycladenia humilis jonesii</i>	T	0.00	4.00	4.00	2.09	6.09
796	Pu`uka`a	<i>Cyperus trachysanthos</i>	E	13.00	0.00	13.00	0.25	13.25
730	Ha`iwale	<i>Cyrtandra crenata</i>	E	13.50	0.00	13.50	0.38	13.88
917	Mapele	<i>Cyrtandra cyaneoides</i>	E	12.00	0.00	12.00	0.00	12.00
303	Ha`iwale	<i>Cyrtandra dentata</i>	E	13.00	61.30	74.30	0.25	74.55
802	Ha`iwale	<i>Cyrtandra giffardii</i>	E	13.00	0.00	13.00	0.13	13.13
902	Ha`iwale	<i>Cyrtandra limahuliensis</i>	T	12.00	0.00	12.00	0.00	12.00
827	Ha`iwale	<i>Cyrtandra munroi</i>	E	12.50	0.00	12.50	0.13	12.63
707	Ha`iwale	<i>Cyrtandra polyantha</i>	E	14.00	0.00	14.00	0.50	14.50
594	Ha`iwale	<i>Cyrtandra subumbellata</i>	E	13.00	6.10	19.10	0.25	19.35
739	Ha`iwale	<i>Cyrtandra tintinnabula</i>	E	13.50	0.00	13.50	0.25	13.75
589	Ha`iwale	<i>Cyrtandra viridiflora</i>	E	13.50	5.70	19.20	0.38	19.58
561	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	18.50	3.30	21.80	0.00	21.80
1016	No common name	<i>Daphnopsis hellerana</i>	E	6.00	0.00	6.00	0.00	6.00
1224	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	E	0.00	0.00	0.00	0.00	0.00
1056	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	4.00	0.00	4.00	0.00	4.00
817	Oha	<i>Delissea rhytidosperma</i>	E	12.50	0.00	12.50	0.25	12.75
852	Oha	<i>Delissea rivularis</i>	E	12.50	0.00	12.50	0.13	12.63
669	Oha	<i>Delissea subcordata</i>	E	14.50	0.00	14.50	1.20	15.70
723	Oha	<i>Delissea undulata</i>	E	13.50	0.00	13.50	0.50	14.00
679	Larkspur, Baker's	<i>Delphinium bakeri</i>	E	14.50	0.00	14.50	1.00	15.50
708	Larkspur, yellow	<i>Delphinium luteum</i>	E	14.50	0.00	14.50	0.00	14.50
443	Larkspur, San Clemente Island	<i>Delphinium variegatum kinkiense</i>	E	22.00	15.83	37.83	0.00	37.83
1190	Mint, Garrett's	<i>Dicerandra christmanii</i>	E	0.00	0.04	0.04	0.00	0.04
1220	Mint, longspurred	<i>Dicerandra cornutissima</i>	E	0.00	0.00	0.00	0.00	0.00
1192	Mint, scrub	<i>Dicerandra frutescens</i>	E	0.00	0.04	0.04	0.00	0.04
1191	Mint, Lakela's	<i>Dicerandra immaculata</i>	E	0.00	0.04	0.04	0.00	0.04
502	Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	E	24.00	0.29	24.29	2.18	26.46
921	Na`ena`e	<i>Dubautia herbstobatae</i>	E	12.00	0.00	12.00	0.00	12.00
918	Na`ena`e	<i>Dubautia latifolia</i>	E	12.00	0.00	12.00	0.00	12.00
920	Na`ena`e	<i>Dubautia pauciflora</i>	E	12.00	0.00	12.00	0.00	12.00
919	Na`ena`e	<i>Dubautia plantaginea humilis</i>	E	12.00	0.00	12.00	0.00	12.00



**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
343	Dudleya, Conejo	<i>Dudleya abramsii parva</i>	T	65.00	0.00	65.00	0.25	65.25
346	Dudleya, marcescent	<i>Dudleya cymosa marcescens</i>	T	65.00	0.00	65.00	0.00	65.00
329	Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ovatifolia</i>	T	67.00	0.00	67.00	0.00	67.00
251	Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	T	87.50	0.50	88.00	0.00	88.00
761	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	13.50	0.00	13.50	0.00	13.50
555	Liveforever, Laguna Beach	<i>Dudleya stolonifera</i>	T	22.00	0.00	22.00	0.00	22.00
332	Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	E	65.00	1.50	66.50	0.00	66.50
347	Dudleya, Verity's	<i>Dudleya verityi</i>	T	65.00	0.00	65.00	0.00	65.00
373	Coneflower, smooth	<i>Echinacea laevigata</i>	E	21.00	29.04	50.04	5.00	55.04
618	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	E	17.50	0.30	17.80	0.00	17.80
1089	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius nicholii</i>	E	0.00	1.00	1.00	1.89	2.89
368	Cactus, Chisos Mtn. hedgehog	<i>Echinocereus chisoensis chisoensis</i>	T	0.00	57.00	57.00	0.00	57.00
599	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri kuenzleri</i>	E	0.00	19.06	19.06	0.00	19.06
1104	Cactus, black lace	<i>Echinocereus reichenbachii albertii</i>	E	2.20	0.10	2.30	0.00	2.30
986	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus arizonicus</i>	E	3.00	3.23	6.23	1.89	8.11
1227	Pitaya, Davis' green	<i>Echinocereus viridiflorus davisii</i>	E	0.00	0.00	0.00	0.00	0.00
1151	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	0.00	1.00	1.00	0.00	1.00
392	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis corrugata</i>	T	51.00	0.00	51.00	0.00	51.00
839	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	E	12.50	0.00	12.50	0.13	12.63
567	Mallow, Kern	<i>Eremalche kernensis</i>	E	21.50	0.00	21.50	0.00	21.50
536	Woolly-star, Santa Ana River	<i>Eriastrum densifolium sanctorum</i>	E	22.00	1.79	23.79	0.00	23.79
576	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	17.50	3.50	21.00	0.00	21.00
266	Daisy, Willamette	<i>Erigeron decumbens decumbens</i>	E	51.50	31.60	83.10	0.00	83.10
610	Daisy, Maguire	<i>Erigeron maguirei</i>	T	0.00	18.00	18.00	0.20	18.20
172	Daisy, Parish's	<i>Erigeron parishii</i>	T	24.00	130.00	154.00	0.00	154.00
1072	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	T	0.00	3.20	3.20	0.00	3.20
339	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	66.00	0.00	66.00	0.00	66.00
311	Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>	E	73.00	0.00	73.00	0.00	73.00
374	Buckwheat, lone	<i>Eriogonum apricum</i>	E	42.50	0.00	42.50	12.40	54.90
1092	Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	T	0.00	2.55	2.55	0.00	2.55
291	Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi austromontanum</i>	T	22.00	57.00	79.00	0.00	79.00
1169	Buckwheat, scrub	<i>Eriogonum longifolium gnaphalifolium</i>	T	0.00	0.39	0.39	0.00	0.39
185	Buckwheat, cushenbury	<i>Eriogonum ovalifolium vineum</i>	E	22.00	115.00	137.00	0.00	137.00
423	Buckwheat, steamboat	<i>Eriogonum ovalifolium williamsiae</i>	E	41.00	1.00	42.00	0.00	42.00
1057	Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	E	0.00	4.00	4.00	0.00	4.00
783	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	13.50	0.00	13.50	0.00	13.50
356	Button-celery, San Diego	<i>Eryngium aristulatum parishii</i>	E	22.00	41.11	63.11	0.08	63.18
785	Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>	E	13.50	0.00	13.50	0.00	13.50
1230	Snakeroot	<i>Eryngium cuneifolium</i>	E	0.00	0.00	0.00	0.00	0.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
651	Wallflower, Contra Costa	<i>Erysimum capitatum angustatum</i>	E	16.50	0.00	16.50	0.00	16.50
221	Wallflower, Menzies'	<i>Erysimum menziesii</i>	E	103.00	0.00	103.00	0.00	103.00
351	Wallflower, Ben Lomond	<i>Erysimum teretifolium</i>	E	65.00	0.00	65.00	0.00	65.00
539	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	E	9.00	0.00	9.00	14.50	23.50
1100	Uvillo	<i>Eugenia haematocarpa</i>	E	2.50	0.00	2.50	0.00	2.50
580	Nioi	<i>Eugenia koolauensis</i>	E	13.50	6.50	20.00	0.38	20.38
1014	No common name	<i>Eugenia woodburyana</i>	E	6.00	0.00	6.00	0.00	6.00
592	`Akoko	<i>Euphorbia haeleleana</i>	E	17.50	0.00	17.50	1.93	19.43
1233	Spurge, telephus	<i>Euphorbia telephioides</i>	T	0.00	0.00	0.00	0.00	0.00
1222	Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	T	0.00	0.00	0.00	0.00	0.00
633	Heau	<i>Exocarpos luteolus</i>	E	16.00	0.00	16.00	1.30	17.30
239	Mehamehame	<i>Flueggea neowawraea</i>	E	24.50	67.40	91.90	2.05	93.95
454	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	21.00	4.00	25.00	10.00	35.00
264	Flannelbush, Pine Hill	<i>Fremontodendron californicum decumbens</i>	E	82.50	0.00	82.50	1.00	83.50
554	Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	E	22.00	0.00	22.00	0.00	22.00
154	Fritillary, Gentner's	<i>Fritillaria gentneri</i>	E	186.00	3.00	189.00	0.00	189.00
851	No common name	<i>Gahnia lanaiensis</i>	E	12.50	0.00	12.50	0.13	12.63
1219	Milkpea, Small's	<i>Galactia smallii</i>	E	0.00	0.00	0.00	0.00	0.00
246	Bedstraw, island	<i>Galium buxifolium</i>	E	87.50	1.00	88.50	0.00	88.50
269	Bedstraw, El Dorado	<i>Galium californicum sierrae</i>	E	82.50	0.00	82.50	0.00	82.50
617	Gardenia, Hawaiian	<i>Gardenia brighamii</i>	E	17.00	0.00	17.00	0.88	17.88
460	Nanu	<i>Gardenia mannii</i>	E	14.50	18.30	32.80	0.88	33.68
579	No common name	<i>Geocarpon minimum</i>	T	19.00	0.00	19.00	1.40	20.40
858	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	E	12.00	0.00	12.00	0.55	12.55
945	Nohoanu	<i>Geranium multiflorum</i>	E	12.00	0.00	12.00	0.00	12.00
1117	No common name	<i>Gesneria pauciflora</i>	T	2.00	0.00	2.00	0.00	2.00
861	Avens, spreading	<i>Geum radiatum</i>	E	3.50	9.00	12.50	0.00	12.50
348	Gilia, Monterey	<i>Gilia tenuiflora arenaria</i>	E	65.00	0.00	65.00	0.00	65.00
242	Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora hoffmannii</i>	E	87.50	3.80	91.30	0.00	91.30
1012	Goetzea, beautiful	<i>Goetzea elegans</i>	E	6.00	0.00	6.00	0.00	6.00
810	No common name	<i>Gouania hillebrandii</i>	E	13.00	0.00	13.00	0.10	13.10
660	No common name	<i>Gouania meyenii</i>	E	16.00	0.00	16.00	0.00	16.00
667	No common name	<i>Gouania vitifolia</i>	E	15.50	0.00	15.50	0.25	15.75
391	Gumplant, Ash Meadows	<i>Grindelia fraxino-pratensis</i>	T	51.00	0.00	51.00	0.00	51.00
94	Seagrass, Johnson's	<i>Halophila johnsonii</i>	T	0.00	448.86	448.86	0.00	448.86
788	Honohono	<i>Haplostachys haplostachya</i>	E	13.00	0.00	13.00	0.30	13.30
813	Beauty, Harper's	<i>Harperocallis flava</i>	E	0.00	13.00	13.00	0.00	13.00
1033	Higo, chumbo	<i>Harrisia portoricensis</i>	T	5.00	0.00	5.00	0.00	5.00
492	Pennyroyal, Todsen's	<i>Hedeoma todsenii</i>	E	0.00	28.00	28.00	0.00	28.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
801	Awiwi	<i>Hedyotis cookiana</i>	E	13.00	0.00	13.00	0.13	13.13
726	Kio'ele	<i>Hedyotis coriacea</i>	E	13.50	0.00	13.50	0.43	13.93
862	No common name	<i>Hedyotis degeneri</i>	E	12.50	0.00	12.50	0.00	12.50
950	Pilo	<i>Hedyotis mannii</i>	E	12.00	0.00	12.00	0.00	12.00
306	No common name	<i>Hedyotis parvula</i>	E	12.00	61.30	73.30	0.00	73.30
1064	Bluet, Roan Mountain	<i>Hedyotis purpurea montana</i>	E	3.50	0.00	3.50	0.00	3.50
834	Kopa	<i>Hedyotis schlechtendahliana remyi</i>	E	12.50	0.00	12.50	0.13	12.63
903	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	E	12.00	0.00	12.00	0.00	12.00
1231	Sneezeweed, Virginia	<i>Helenium virginicum</i>	T	0.00	0.00	0.00	0.00	0.00
243	Rush-rose, island	<i>Helianthemum greenei</i>	T	89.50	1.00	90.50	0.00	90.50
380	Sunflower, Eggert's	<i>Helianthus eggertii</i>	T	27.00	26.80	53.80	0.00	53.80
148	Sunflower, Pecos	<i>Helianthus paradoxus</i>	T	6.00	195.92	201.92	0.00	201.92
429	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	E	15.00	18.15	33.15	8.00	41.15
621	Pink, swamp	<i>Helonias bullata</i>	T	14.00	1.89	15.89	1.76	17.65
480	Tarplant, Otay	<i>Hemizonia conjugens</i>	T	22.00	0.00	22.00	8.35	30.35
271	Tarplant, Gaviota	<i>Hemizonia increscens villosa</i>	E	73.00	0.00	73.00	9.40	82.40
762	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	T	13.50	0.00	13.50	0.00	13.50
462	No common name	<i>Hesperomannia arborescens</i>	E	14.50	18.30	32.80	0.63	33.43
717	No common name	<i>Hesperomannia arbuscula</i>	E	13.50	0.00	13.50	0.63	14.13
930	No common name	<i>Hesperomannia lydgatei</i>	E	12.00	0.00	12.00	0.00	12.00
535	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	T	0.40	14.47	14.87	9.00	23.87
624	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	E	15.00	0.00	15.00	2.53	17.53
664	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	E	13.50	2.00	15.50	0.25	15.75
632	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	E	16.50	0.00	16.50	0.80	17.30
828	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	E	12.50	0.00	12.50	0.13	12.63
908	Koki'o ke'oke'o	<i>Hibiscus arnottianus immaculatus</i>	E	12.00	0.00	12.00	0.00	12.00
534	Ma'o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	E	17.50	5.70	23.20	0.68	23.88
829	Hibiscus, Clay's	<i>Hibiscus clayi</i>	E	12.50	0.00	12.50	0.13	12.63
907	Koki'o ke'oke'o	<i>Hibiscus waimeae hanneriae</i>	E	12.00	0.00	12.00	0.00	12.00
790	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	E	4.00	9.30	13.30	0.00	13.30
287	Tarplant, Santa Cruz	<i>Holocarpha macradenia</i>	T	75.00	5.00	80.00	0.00	80.00
187	Howellia, water	<i>Howellia aquatilis</i>	T	50.50	84.10	134.60	0.43	135.03
1032	Heather, mountain golden	<i>Hudsonia montana</i>	T	5.00	0.00	5.00	0.00	5.00
987	Daisy, lakeside	<i>Hymenoxys herbacea</i>	T	0.00	8.00	8.00	0.07	8.07
482	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	25.00	5.00	30.00	0.00	30.00
438	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	39.00	0.29	39.29	0.00	39.29
1115	Holly, Cook's	<i>Ilex cookii</i>	E	2.00	0.00	2.00	0.00	2.00
1098	No common name	<i>Ilex sintenisii</i>	E	2.50	0.00	2.50	0.00	2.50
956	Mallow, Peter's Mountain	<i>Iliamna corei</i>	E	11.00	0.00	11.00	0.56	11.56

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
904	Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	E	12.00	0.00	12.00	0.00	12.00
997	Iris, dwarf lake	<i>Iris lacustris</i>	T	4.00	1.50	5.50	1.00	6.50
643	Ischaemum, Hilo	<i>Ischaemum byrone</i>	E	13.00	4.00	17.00	0.23	17.23
800	Aupaka	<i>Isodendrion hosakae</i>	E	13.00	0.00	13.00	0.13	13.13
603	Aupaka	<i>Isodendrion laurifolium</i>	E	17.00	0.00	17.00	1.55	18.55
631	Aupaka	<i>Isodendrion longifolium</i>	T	16.00	0.00	16.00	1.30	17.30
871	Kula wahine noho	<i>Isodendrion pyriform</i>	E	12.00	0.00	12.00	0.13	12.13
274	Pogonia, small whorled	<i>Isotria medeoloides</i>	T	13.00	65.45	78.45	3.21	81.66
432	Ivesia, Ash Meadows	<i>Ivesia kingii eremica</i>	T	41.00	0.00	41.00	0.00	41.00
1188	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	E	0.00	0.04	0.04	0.00	0.04
1084	Walnut, West Indian or nogal	<i>Juglans jamaicensis</i>	E	3.00	0.00	3.00	0.00	3.00
1234	Water-willow, Cooley's	<i>Justicia cooleyi</i>	E	0.00	0.00	0.00	0.00	0.00
833	Kohe malama malama o kanaloa	<i>Kanaloa kahoowawensis</i>	E	12.50	0.00	12.50	0.13	12.63
653	Koki`o, (=Cooke's koki`o)	<i>Kokia cookei</i>	E	15.50	0.00	15.50	0.68	16.18
405	Koki`o	<i>Kokia drynarioides</i>	E	23.00	20.00	43.00	2.75	45.75
635	Koki`o, (=Kaua`i koki`o)	<i>Kokia kauaiensis</i>	E	16.00	0.00	16.00	1.30	17.30
731	Kamakahala	<i>Labordia cyrtandrae</i>	E	13.50	0.00	13.50	0.38	13.88
832	Kamakahala	<i>Labordia lydgatei</i>	E	12.50	0.00	12.50	0.13	12.63
905	Kamakahala	<i>Labordia tinifolia lanaiensis</i>	E	12.00	0.00	12.00	0.00	12.00
831	Kamakahala	<i>Labordia tinifolia wahiiwaensis</i>	E	12.50	0.00	12.50	0.13	12.63
830	Kamakahala	<i>Labordia triflora</i>	E	12.50	0.00	12.50	0.13	12.63
503	Goldfields, Burke's	<i>Lasthenia burkei</i>	E	23.00	0.00	23.00	3.10	26.10
265	Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	E	18.50	65.00	83.50	0.00	83.50
626	Layia, beach	<i>Layia carnosa</i>	E	15.50	2.00	17.50	0.00	17.50
572	Woolly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	17.50	3.69	21.19	0.00	21.19
1053	No common name	<i>Lepanthes eltoroensis</i>	E	4.00	0.00	4.00	0.00	4.00
275	`Anaunau	<i>Lepidium arbuscula</i>	E	13.50	67.40	80.90	0.63	81.53
1183	Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>	E	0.00	0.00	0.00	0.20	0.20
1035	No common name	<i>Leptocereus grantianus</i>	E	5.00	0.00	5.00	0.00	5.00
263	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	T	66.00	1.35	67.35	16.35	83.70
992	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	T	0.00	7.00	7.00	0.00	7.00
281	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	E	0.00	79.10	79.10	1.50	80.60
182	Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii bernardina</i>	E	22.00	119.00	141.00	0.00	141.00
1210	Bladderpod, lyrate	<i>Lesquerella lyrata</i>	T	0.00	0.00	0.00	0.00	0.00
496	Bladderpod, white	<i>Lesquerella pallida</i>	E	25.00	2.20	27.20	0.00	27.20
575	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	E	21.00	0.00	21.00	0.00	21.00
450	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	E	36.00	0.00	36.00	0.00	36.00
513	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	E	0.00	25.00	25.00	0.20	25.20
767	Lessingia, San Francisco	<i>Lessingia germanorum</i>	E	13.50	0.00	13.50	0.00	13.50

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
1063	Blazingstar, Heller's	<i>Liatrix helleri</i>	T	3.50	0.00	3.50	0.00	3.50
1164	Blazingstar, scrub	<i>Liatrix ohlingerae</i>	E	0.00	0.61	0.61	0.00	0.61
402	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana recurva</i>	E	7.50	37.00	44.50	1.89	46.39
117	Lily, Western	<i>Lilium occidentale</i>	E	265.00	12.50	277.50	9.90	287.40
768	Lily, Pitkin Marsh	<i>Lilium pardalinum pitkinense</i>	E	13.50	0.00	13.50	0.00	13.50
772	Meadowfoam, Butte County	<i>Limnanthes floccosa californica</i>	E	13.50	0.00	13.50	0.00	13.50
504	Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	E	23.00	0.00	23.00	3.10	26.10
130	Pondberry	<i>Lindera melissifolia</i>	E	21.00	223.10	244.10	5.70	249.80
638	Nehe	<i>Lipochaeta fauriei</i>	E	16.00	0.00	16.00	1.30	17.30
924	Nehe	<i>Lipochaeta kamolensis</i>	E	12.00	0.00	12.00	0.00	12.00
923	Nehe	<i>Lipochaeta lobata leptophylla</i>	E	12.00	0.00	12.00	0.00	12.00
926	Nehe	<i>Lipochaeta micrantha</i>	E	12.00	0.00	12.00	0.00	12.00
925	Nehe	<i>Lipochaeta tenuifolia</i>	E	12.00	0.00	12.00	0.00	12.00
803	Nehe	<i>Lipochaeta venosa</i>	E	13.00	0.00	13.00	0.13	13.13
639	Nehe	<i>Lipochaeta waimeaensis</i>	E	16.00	0.00	16.00	1.30	17.30
445	Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	E	22.00	15.83	37.83	0.00	37.83
595	No common name	<i>Lobelia gaudichaudii koolauensis</i>	E	13.00	6.10	19.10	0.25	19.35
732	No common name	<i>Lobelia monostachya</i>	E	13.50	0.00	13.50	0.38	13.88
276	No common name	<i>Lobelia niihauensis</i>	E	13.50	67.40	80.90	0.63	81.53
268	No common name	<i>Lobelia oahuensis</i>	E	14.50	67.40	81.90	0.63	82.53
91	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	424.50	37.10	461.60	0.00	461.60
319	Broom, San Clemente Island	<i>Lotus dendroideus traskiae</i>	E	22.00	46.50	68.50	0.00	68.50
1189	Lupine, scrub	<i>Lupinus aridorum</i>	E	0.00	0.04	0.04	0.00	0.04
300	Lupine, Nipomo Mesa	<i>Lupinus nipomensis</i>	E	75.00	0.00	75.00	0.00	75.00
99	Lupine, Kincaid's	<i>Lupinus sulphureus kincaidii</i>	T	376.50	35.69	412.19	0.00	412.19
378	Lupine, clover	<i>Lupinus tidestromii</i>	E	52.50	2.00	54.50	0.00	54.50
1050	No common name	<i>Lyonia truncata proctorii</i>	E	4.00	0.00	4.00	0.00	4.00
169	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	E	12.00	148.88	160.88	0.00	160.88
940	No common name	<i>Lysimachia filifolia</i>	E	12.00	0.00	12.00	0.00	12.00
932	No common name	<i>Lysimachia lydgatei</i>	E	12.00	0.00	12.00	0.00	12.00
849	No common name	<i>Lysimachia maxima</i>	E	12.50	0.00	12.50	0.13	12.63
814	Birds-in-a-nest, white	<i>Macbridea alba</i>	T	0.00	13.00	13.00	0.00	13.00
442	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	E	22.00	15.83	37.83	0.00	37.83
250	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus nesioticus</i>	E	87.50	0.50	88.00	0.00	88.00
247	Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	E	87.50	1.00	88.50	0.00	88.50
253	Malacothrix, island	<i>Malacothrix squalida</i>	E	87.50	0.50	88.00	0.00	88.00
1074	Manioc, Walker's	<i>Manihot walkerae</i>	E	3.10	0.00	3.10	0.00	3.10
805	No common name	<i>Mariscus fauriei</i>	E	13.00	0.00	13.00	0.13	13.13
697	No common name	<i>Mariscus pennatiformis</i>	E	14.50	0.00	14.50	0.25	14.75

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1096	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	T	0.00	1.00	1.00	1.50	2.50
647	Alani	<i>Melicope adscendens</i>	E	16.50	0.00	16.50	0.13	16.63
892	Alani	<i>Melicope balloui</i>	E	12.00	0.00	12.00	0.00	12.00
819	Alani	<i>Melicope haupuensis</i>	E	12.50	0.00	12.50	0.13	12.63
656	Alani	<i>Melicope knudsenii</i>	E	16.00	0.00	16.00	0.00	16.00
663	Alani	<i>Melicope lydgatei</i>	E	15.00	0.00	15.00	0.75	15.75
648	Alani	<i>Melicope mucronulata</i>	E	16.50	0.00	16.50	0.13	16.63
891	Alani	<i>Melicope munroi</i>	E	12.00	0.00	12.00	0.00	12.00
890	Alani	<i>Melicope ovalis</i>	E	12.00	0.00	12.00	0.00	12.00
630	Alani	<i>Melicope pallida</i>	E	16.00	0.00	16.00	1.30	17.30
818	Alani	<i>Melicope quadrangularis</i>	E	12.50	0.00	12.50	0.13	12.63
484	Alani	<i>Melicope reflexa</i>	E	12.00	17.88	29.88	0.00	29.88
792	Alani	<i>Melicope saint-johnii</i>	E	13.00	0.00	13.00	0.25	13.25
713	Alani	<i>Melicope zahlbruckneri</i>	E	13.00	1.00	14.00	0.13	14.13
431	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	41.00	0.00	41.00	0.00	41.00
1221	Monkey-flower, Michigan	<i>Mimulus glabratus michiganensis</i>	E	0.00	0.00	0.00	0.00	0.00
165	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	T	143.50	22.00	165.50	0.10	165.60
1052	No common name	<i>Mitracarpus maxwelliae</i>	E	4.00	0.00	4.00	0.00	4.00
1051	No common name	<i>Mitracarpus polycladus</i>	E	4.00	0.00	4.00	0.00	4.00
541	Monardella, willowy	<i>Monardella linoidea viminea</i>	E	22.00	0.00	22.00	1.38	23.38
944	No common name	<i>Munroidendron racemosum</i>	E	12.00	0.00	12.00	0.00	12.00
1118	No common name	<i>Myrcia paganii</i>	E	2.00	0.00	2.00	0.00	2.00
794	Kolea	<i>Myrsine juddii</i>	E	13.00	0.00	13.00	0.25	13.25
636	Kolea	<i>Myrsine linearifolia</i>	T	16.00	0.00	16.00	1.30	17.30
357	Navarretia, spreading	<i>Navarretia fossalis</i>	T	22.00	41.11	63.11	0.00	63.11
774	Navarretia, few-flowered	<i>Navarretia leucocephala pauciflora</i>	E	13.50	0.00	13.50	0.00	13.50
775	Navarretia, many-flowered	<i>Navarretia leucocephala plieantha</i>	E	13.50	0.00	13.50	0.00	13.50
763	Grass, Colusa	<i>Neostapfia colusana</i>	T	13.50	0.00	13.50	0.00	13.50
178	No common name	<i>Neraudia angulata</i>	E	12.00	134.80	146.80	0.00	146.80
666	No common name	<i>Neraudia ovata</i>	E	15.50	0.00	15.50	0.25	15.75
606	No common name	<i>Neraudia sericea</i>	E	18.50	0.00	18.50	0.00	18.50
421	Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	E	43.00	0.00	43.00	0.00	43.00
1141	Beargrass, Britton's	<i>Nolina brittoniana</i>	E	1.00	0.21	1.21	0.00	1.21
427	`Aiea	<i>Nothocestrum breviflorum</i>	E	16.00	25.00	41.00	0.35	41.35
888	`Aiea	<i>Nothocestrum peltatum</i>	E	12.00	0.00	12.00	0.00	12.00
259	Kulu'i	<i>Nototrichium humile</i>	E	13.00	73.10	86.10	0.10	86.20
740	Holei	<i>Ochrosia kilauaeensis</i>	E	13.50	0.00	13.50	0.25	13.75
232	Evening-primrose, Eureka Valley	<i>Oenothera avita eurekaensis</i>	E	65.00	32.50	97.50	0.00	97.50
605	Evening-primrose, Antioch Dunes	<i>Oenothera deltoidea howellii</i>	E	16.50	0.00	16.50	2.00	18.50

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
745	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	13.50	0.19	13.69	0.00	13.69
471	Grass, California Orcutt	<i>Orcuttia californica</i>	E	24.00	6.20	30.20	1.45	31.65
672	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	13.50	2.20	15.70	0.00	15.70
670	Orcutt grass, hairy	<i>Orcuttia pilosa</i>	E	13.50	2.20	15.70	0.00	15.70
491	Orcutt grass, slender	<i>Orcuttia tenuis</i>	T	20.00	8.20	28.20	0.00	28.20
671	Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	E	13.50	2.20	15.70	0.00	15.70
993	Palo de rosa	<i>Ottoschulzia rhodoxylon</i>	E	7.00	0.00	7.00	0.00	7.00
459	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	13.00	17.91	30.91	2.80	33.71
558	Oxytheca, cushenbury	<i>Oxytheca parishii goodmaniana</i>	E	22.00	0.00	22.00	0.00	22.00
1080	Locoweed, Fassett's	<i>Oxytropis campestris chartacea</i>	T	2.00	0.00	2.00	1.00	3.00
693	Panicgrass, Carter's	<i>Panicum fauriei carteri</i>	E	14.50	0.00	14.50	0.48	14.98
835	Lau `ehu	<i>Panicum niihauense</i>	E	12.50	0.00	12.50	0.13	12.63
1130	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	1.00	0.70	1.70	0.00	1.70
781	Stoncrop, Lake County	<i>Parvisedum leiocarpum</i>	E	13.50	0.00	13.50	0.00	13.50
970	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	E	7.00	0.00	7.00	3.76	10.76
573	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	E	5.25	14.00	19.25	1.89	21.14
985	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	0.00	8.00	8.00	0.20	8.20
727	Cactus, Knowlton	<i>Pediocactus knowltonii</i>	E	12.00	1.92	13.92	0.00	13.92
961	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	E	5.25	4.00	9.25	1.89	11.14
549	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	2.25	16.00	18.25	3.78	22.03
570	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	0.00	21.00	21.00	0.20	21.20
546	Penstemon, blowout	<i>Penstemon haydenii</i>	E	0.00	17.00	17.00	5.50	22.50
1208	Beardtongue, Penland	<i>Penstemon penlandii</i>	E	0.00	0.00	0.00	0.00	0.00
359	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	63.00	0.00	63.00	0.00	63.00
234	Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	E	89.50	0.00	89.50	7.45	96.95
1120	Peperomia, Wheeler's	<i>Peperomia wheeleri</i>	E	2.00	0.00	2.00	0.00	2.00
808	Makou	<i>Peucedanum sandwicense</i>	T	13.00	0.00	13.00	0.10	13.10
1180	Phacelia, clay	<i>Phacelia argillacea</i>	E	0.00	0.00	0.00	0.20	0.20
1226	Phacelia, North Park	<i>Phacelia formosula</i>	E	0.00	0.00	0.00	0.00	0.00
254	Phacelia, island	<i>Phacelia insularis insularis</i>	E	87.50	0.50	88.00	0.00	88.00
171	Phlox, Yreka	<i>Phlox hirsuta</i>	E	154.50	0.00	154.50	0.00	154.50
465	Phlox, Texas trailing	<i>Phlox nivalis texensis</i>	E	30.00	2.90	32.90	0.00	32.90
844	No common name	<i>Phyllostegia glabra lanaiensis</i>	E	12.50	0.00	12.50	0.13	12.63
474	No common name	<i>Phyllostegia hirsuta</i>	E	13.00	18.30	31.30	0.25	31.55
596	No common name	<i>Phyllostegia kaalaensis</i>	E	13.00	6.10	19.10	0.25	19.35
798	No common name	<i>Phyllostegia knudsenii</i>	E	12.50	0.00	12.50	0.68	13.18
699	No common name	<i>Phyllostegia mannii</i>	E	12.50	0.00	12.50	2.10	14.60
612	No common name	<i>Phyllostegia mollis</i>	E	12.00	6.10	18.10	0.00	18.10
627	No common name	<i>Phyllostegia parviflora</i>	E	16.50	0.00	16.50	1.00	17.50

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
574	Kiponapona	<i>Phyllostegia racemosa</i>	E	13.00	8.00	21.00	0.13	21.13
743	No common name	<i>Phyllostegia velutina</i>	E	13.50	0.00	13.50	0.25	13.75
848	No common name	<i>Phyllostegia wairimeae</i>	E	12.50	0.00	12.50	0.13	12.63
742	No common name	<i>Phyllostegia warshaueri</i>	E	13.50	0.00	13.50	0.25	13.75
931	No common name	<i>Phyllostegia wawrana</i>	E	12.00	0.00	12.00	0.00	12.00
995	Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	T	0.00	7.00	7.00	0.00	7.00
1211	Cactus, Key tree	<i>Pilosocereus robinii</i>	E	0.00	0.00	0.00	0.00	0.00
659	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	T	15.00	1.00	16.00	0.00	16.00
202	Piperia, Yadon's	<i>Piperia yadonii</i>	E	106.50	0.00	106.50	13.80	120.30
657	Aster, Ruth's golden	<i>Pityopsis ruthii</i>	E	8.00	8.00	16.00	0.00	16.00
310	Popcornflower, rough	<i>Plagiobothrys hirtus</i>	E	73.00	0.19	73.19	0.00	73.19
705	Allocarya, Calistoga	<i>Plagiobothrys strictus</i>	E	14.50	0.00	14.50	0.00	14.50
683	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	E	13.00	2.00	15.00	0.30	15.30
248	Kuahiwi laukahi	<i>Plantago princeps</i>	E	18.00	67.40	85.40	2.98	88.38
939	No common name	<i>Platanthera holochila</i>	E	12.00	0.00	12.00	0.00	12.00
166	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	T	41.50	120.22	161.72	3.27	164.99
201	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	T	8.50	79.30	87.80	33.00	120.80
1113	Chupacallos	<i>Pleodendron macranthum</i>	E	2.00	0.00	2.00	0.00	2.00
452	Hala pepe	<i>Pleomele hawaiiensis</i>	E	15.00	20.50	35.50	0.13	35.63
366	Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	E	22.00	35.29	57.29	0.00	57.29
894	Bluegrass, Mann's	<i>Poa mannii</i>	E	12.00	0.00	12.00	0.00	12.00
755	Bluegrass, Napa	<i>Poa napensis</i>	E	13.50	0.00	13.50	0.00	13.50
893	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	E	12.00	0.00	12.00	0.00	12.00
689	No common name	<i>Poa siphonoglossa</i>	E	15.00	0.00	15.00	0.00	15.00
376	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	22.00	31.80	53.80	0.70	54.50
556	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	22.00	0.00	22.00	0.00	22.00
1185	Polygala, Lewton's	<i>Polygala lewtonii</i>	E	0.00	0.13	0.13	0.00	0.13
1145	Polygala, tiny	<i>Polygala smallii</i>	E	1.00	0.04	1.04	0.00	1.04
568	Wireweed	<i>Polygonella basiramia</i>	E	21.00	0.48	21.48	0.00	21.48
1174	Sandlace	<i>Polygonella myriophylla</i>	E	0.00	0.29	0.29	0.00	0.29
686	Po'e	<i>Portulaca sclerocarpa</i>	E	13.00	2.00	15.00	0.13	15.13
1017	Pondweed, Little Aguja Creek	<i>Potamogeton clystocarpus</i>	E	6.00	0.00	6.00	0.00	6.00
331	Potentilla, Hickman's	<i>Potentilla hickmanii</i>	E	67.00	0.00	67.00	0.00	67.00
1088	Cinquefoil, Robbins'	<i>Potentilla robbinsiana</i>	E	2.40	0.50	2.90	0.00	2.90
1182	Primrose, Maguire	<i>Primula maguirei</i>	T	0.00	0.00	0.00	0.20	0.20
685	Lo'ulu	<i>Pritchardia affinis</i>	E	13.00	2.00	15.00	0.13	15.13
838	Lo'ulu, (=wahane)	<i>Pritchardia aylmer-robinsonii</i>	E	12.50	0.00	12.50	0.13	12.63
915	Lo'ulu	<i>Pritchardia kaalae</i>	E	12.00	0.00	12.00	0.00	12.00
836	Lo'ulu	<i>Pritchardia munroi</i>	E	12.50	0.00	12.50	0.13	12.63



**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
916	Lo`ulu	<i>Pritchardia napaliensis</i>	E	12.00	0.00	12.00	0.00	12.00
914	Lo`ulu	<i>Pritchardia remota</i>	E	12.00	0.00	12.00	0.00	12.00
665	Lo`ulu	<i>Pritchardia schattaueri</i>	E	15.50	0.00	15.50	0.25	15.75
837	Lo`ulu	<i>Pritchardia viscosa</i>	E	12.50	0.00	12.50	0.13	12.63
577	Plum, scrub	<i>Prunus geniculata</i>	E	20.00	0.68	20.68	0.00	20.68
461	Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	E	13.50	20.00	33.50	0.00	33.50
782	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	T	13.50	0.00	13.50	0.00	13.50
906	Kaulu	<i>Pteralyxia kauaiensis</i>	E	12.00	0.00	12.00	0.00	12.00
485	Harperella	<i>Ptilimnium nodosum</i>	E	8.00	19.51	27.51	2.34	29.85
954	Cliff-rose, Arizona	<i>Purshia subintegra</i>	E	7.50	2.33	9.83	1.89	11.71
1223	Oak, Hinckley	<i>Quercus hinckleyi</i>	T	0.00	0.00	0.00	0.00	0.00
1178	Buttercup, autumn	<i>Ranunculus acriformis aestivalis</i>	E	0.00	0.00	0.00	0.20	0.20
641	No common name	<i>Remya kauaiensis</i>	E	16.00	0.00	16.00	1.30	17.30
855	Remya, Maui	<i>Remya mauiensis</i>	E	12.50	0.00	12.50	0.13	12.63
933	No common name	<i>Remya montgomeryi</i>	E	12.00	0.00	12.00	0.00	12.00
691	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	E	15.00	0.00	15.00	0.00	15.00
174	Sumac, Michaux's	<i>Rhus michauxii</i>	E	11.00	140.00	151.00	1.20	152.20
1020	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	T	5.00	0.60	5.60	0.00	5.60
1114	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	T	0.00	0.00	0.00	2.00	2.00
318	Watercress, Gambel's	<i>Rorippa gambellii</i>	E	68.00	0.00	68.00	1.00	69.00
1040	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	E	0.60	1.23	1.83	3.00	4.83
1128	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	T	0.00	1.91	1.91	0.00	1.91
307	No common name	<i>Sanicula mariversa</i>	E	12.00	61.30	73.30	0.00	73.30
517	No common name	<i>Sanicula purpurea</i>	E	13.00	11.80	24.80	0.25	25.05
661	Sandalwood, Lanai or `iliahi	<i>Santalum freycinetianum lanaiense</i>	E	16.00	0.00	16.00	0.00	16.00
403	Pitcher-plant, green	<i>Sarracenia oreophila</i>	E	40.50	5.60	46.10	0.00	46.10
969	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	E	11.00	0.00	11.00	0.00	11.00
960	Pitcher-plant, mountain sweet	<i>Sarracenia rubra jonesii</i>	E	5.00	0.32	5.32	6.00	11.32
809	Naupaka, dwarf	<i>Scaevola coriacea</i>	E	13.00	0.00	13.00	0.10	13.10
734	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	E	13.50	0.00	13.50	0.38	13.88
620	Ma`oli`oli	<i>Schiedea apokremnos</i>	E	12.00	5.70	17.70	0.00	17.70
938	No common name	<i>Schiedea haleakalensis</i>	E	12.00	0.00	12.00	0.00	12.00
937	No common name	<i>Schiedea helleri</i>	E	12.00	0.00	12.00	0.00	12.00
290	No common name	<i>Schiedea hookeri</i>	E	12.00	67.40	79.40	0.00	79.40
716	No common name	<i>Schiedea kaalae</i>	E	13.50	0.00	13.50	0.63	14.13
847	No common name	<i>Schiedea kauaiensis</i>	E	12.50	0.00	12.50	0.13	12.63
715	Ma`oli`oli	<i>Schiedea kealiae</i>	E	13.50	0.00	13.50	0.63	14.13
936	No common name	<i>Schiedea lydgatei</i>	E	12.00	0.00	12.00	0.00	12.00
640	No common name	<i>Schiedea membranacea</i>	E	16.00	0.00	16.00	1.30	17.30

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
293	No common name	<i>Schiedea nuttallii</i>	E	16.00	61.30	77.30	0.33	77.63
928	No common name	<i>Schiedea sarmentosa</i>	E	12.00	0.00	12.00	0.00	12.00
935	No common name	<i>Schiedea spergulina leiopoda</i>	E	12.00	0.00	12.00	0.00	12.00
934	No common name	<i>Schiedea spergulina spergulina</i>	T	12.00	0.00	12.00	0.00	12.00
912	Lauhilihi, (=Ma`oli`oli)	<i>Schiedea stellarioides</i>	E	12.00	0.00	12.00	0.00	12.00
927	No common name	<i>Schiedea verticillata</i>	E	12.00	0.00	12.00	0.00	12.00
1068	Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	T	0.00	3.20	3.20	0.20	3.40
1018	Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	E	0.00	5.70	5.70	0.20	5.90
1143	Cress, toad-flax	<i>Schoenocrambe suffrutescens</i>	E	0.00	1.00	1.00	0.20	1.20
1036	No common name	<i>Schoepfia arenaria</i>	T	5.00	0.00	5.00	0.00	5.00
195	Chaffseed, American	<i>Schwalbea americana</i>	E	9.50	113.00	122.50	3.05	125.55
1061	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	E	2.80	0.00	2.80	0.80	3.60
467	Cactus, Unita Basin hookless	<i>Sclerocactus glaucus</i>	T	20.00	12.00	32.00	0.20	32.20
1030	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	T	0.00	5.00	5.00	0.00	5.00
571	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	0.00	21.00	21.00	0.20	21.20
1154	Skullcap, Florida	<i>Scutellaria floridana</i>	T	0.00	1.00	1.00	0.00	1.00
529	Skullcap, large-flowered	<i>Scutellaria montana</i>	E	9.60	14.60	24.20	0.00	24.20
1229	Roseroot, Leedy's	<i>Sedum integrifolium leedyi</i>	T	0.00	0.00	0.00	0.00	0.00
1091	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	T	0.75	0.00	0.75	1.89	2.64
510	Butterweed, Layne's	<i>Senecio layneae</i>	T	24.50	1.20	25.70	0.00	25.70
911	Lagu, Hyan	<i>Serianthes nelsonii</i>	E	12.00	0.00	12.00	0.00	12.00
499	Ohai	<i>Sesbania tomentosa</i>	E	18.50	0.00	18.50	8.50	27.00
444	Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	E	22.00	15.83	37.83	0.00	37.83
799	`Anunu	<i>Sicyos alba</i>	E	13.00	0.00	13.00	0.13	13.13
261	Checker-mallow, Keck's	<i>Sidalcea keckii</i>	E	70.50	15.00	85.50	0.00	85.50
100	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	399.50	2.60	402.10	0.00	402.10
132	Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana calva</i>	E	235.00	9.00	244.00	0.00	244.00
758	Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana valida</i>	E	13.50	0.00	13.50	0.00	13.50
389	Checker-mallow, pedate	<i>Sidalcea pedata</i>	E	22.00	30.00	52.00	0.00	52.00
929	No common name	<i>Silene alexandri</i>	E	12.00	0.00	12.00	0.00	12.00
463	No common name	<i>Silene hawaiiensis</i>	T	33.00	0.00	33.00	0.30	33.30
304	No common name	<i>Silene lanceolata</i>	E	13.00	61.30	74.30	0.13	74.43
709	No common name	<i>Silene perlmanii</i>	E	14.00	0.00	14.00	0.50	14.50
615	Campion, fringed	<i>Silene polypetala</i>	E	18.00	0.00	18.00	0.00	18.00
1215	Irisette, white	<i>Sisyrinchium dichotomum</i>	E	0.00	0.00	0.00	0.00	0.00
1011	Erubia	<i>Solanum drymophilum</i>	E	6.00	0.00	6.00	0.00	6.00
578	Popolo ku mai	<i>Solanum incompletum</i>	E	13.00	7.26	20.26	0.30	20.56
710	Popolo `aiakeakua	<i>Solanum sandwicense</i>	E	14.00	0.00	14.00	0.50	14.50
722	Goldenrod, white-haired	<i>Solidago albopilosa</i>	T	9.50	4.50	14.00	0.00	14.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>FWS TOTAL</b>	<b>OTHER FED</b>	<b>FED TOTAL</b>	<b>STATES TOTAL</b>	<b>SPECIES TOTAL (\$000)</b>
1066	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	T	3.00	0.50	3.50	0.00	3.50
721	Goldenrod, Short's	<i>Solidago shortii</i>	E	14.00	0.00	14.00	0.00	14.00
1065	Goldenrod, Blue Ridge	<i>Solidago spithamea</i>	T	3.50	0.00	3.50	0.00	3.50
292	No common name	<i>Spermolepis hawaiiensis</i>	E	17.00	61.30	78.30	0.13	78.43
690	Pinkroot, gentian	<i>Spigelia gentianoides</i>	E	15.00	0.00	15.00	0.00	15.00
370	Spiraea, Virginia	<i>Spiraea virginiana</i>	T	19.00	37.31	56.31	0.51	56.82
470	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	E	6.50	23.50	30.00	1.89	31.89
124	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	48.00	200.62	248.62	12.63	261.25
464	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	E	20.00	13.00	33.00	0.00	33.00
1031	Cobana negra	<i>Stahlia monosperma</i>	T	5.00	0.00	5.00	0.00	5.00
789	No common name	<i>Stenogyne angustifolia angustifolia</i>	E	13.00	0.00	13.00	0.30	13.30
846	No common name	<i>Stenogyne bifida</i>	E	12.50	0.00	12.50	0.13	12.63
845	No common name	<i>Stenogyne campanulata</i>	E	12.50	0.00	12.50	0.13	12.63
843	No common name	<i>Stenogyne kanehoana</i>	E	12.50	0.00	12.50	0.13	12.63
455	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	E	33.00	2.00	35.00	0.00	35.00
765	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus albidus</i>	E	13.50	0.00	13.50	0.00	13.50
766	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	13.50	0.00	13.50	0.00	13.50
1024	Palo de jazmin	<i>Styrax portoricensis</i>	E	2.50	3.00	5.50	0.00	5.50
1232	Snowbells, Texas	<i>Styrax texanus</i>	E	0.00	0.00	0.00	0.00	0.00
340	Seablite, California	<i>Suaeda californica</i>	E	66.00	0.00	66.00	0.00	66.00
325	Grass, Eureka Dune	<i>Swallenia alexandrae</i>	E	65.00	2.50	67.50	0.00	67.50
355	Taraxacum, California	<i>Taraxacum californicum</i>	E	22.00	41.29	63.29	0.00	63.29
1119	Palo colorado	<i>Temstroemia luquillensis</i>	E	2.00	0.00	2.00	0.00	2.00
628	No common name	<i>Temstroemia subsessilis</i>	E	2.00	15.50	17.50	0.00	17.50
804	No common name	<i>Tetramolopium arenarium</i>	E	13.00	0.00	13.00	0.13	13.13
948	Pamakani	<i>Tetramolopium capillare</i>	E	12.00	0.00	12.00	0.00	12.00
308	No common name	<i>Tetramolopium filiforme</i>	E	12.00	61.30	73.30	0.00	73.30
733	No common name	<i>Tetramolopium lepidotum lepidotum</i>	E	13.50	0.00	13.50	0.38	13.88
850	No common name	<i>Tetramolopium remyi</i>	E	12.50	0.00	12.50	0.13	12.63
943	No common name	<i>Tetramolopium rockii</i>	T	12.00	0.00	12.00	0.00	12.00
475	`Ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	E	13.00	18.30	31.30	0.25	31.55
1013	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	E	5.00	1.00	6.00	0.00	6.00
314	Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>	T	71.50	0.00	71.50	0.00	71.50
358	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>	E	22.00	41.00	63.00	0.00	63.00
863	Penny-cress, Kneeland Prairie	<i>Thlaspi californicum</i>	E	12.50	0.00	12.50	0.00	12.50
1136	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	1.40	0.00	1.40	0.00	1.40
252	Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	E	87.50	0.50	88.00	0.00	88.00
673	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	0.00	15.50	15.50	0.20	15.70
795	No common name	<i>Trematolobelia singularis</i>	E	13.00	0.00	13.00	0.25	13.25

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
1079	Bariaco	<i>Trichilia triacantha</i>	E	3.00	0.00	3.00	0.00	3.00
551	Bluecurls, Hidden Lake	<i>Trichostema austromontanum compactum</i>	T	22.00	0.00	22.00	0.00	22.00
678	Clover, showy Indian	<i>Trifolium amoenum</i>	E	15.50	0.00	15.50	0.00	15.50
321	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	18.00	49.54	67.54	0.64	68.17
345	Clover, Monterey	<i>Trifolium trichocalyx</i>	E	65.00	0.00	65.00	0.00	65.00
1129	Trillium, persistent	<i>Trillium persistens</i>	E	0.00	0.00	0.00	1.80	1.80
994	Trillium, relict	<i>Trillium reliquum</i>	E	0.00	4.00	4.00	3.00	7.00
649	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	13.50	3.00	16.50	0.00	16.50
764	Grass, Solano	<i>Tuctoria mucronata</i>	E	13.50	0.00	13.50	0.00	13.50
613	Opuhe	<i>Urera kaalae</i>	E	12.00	6.10	18.10	0.00	18.10
786	Vervain, Red Hills	<i>Verbena californica</i>	T	13.50	0.00	13.50	0.00	13.50
521	Crownbeard, big-leaved	<i>Verbesina dissita</i>	T	22.00	0.00	22.00	2.85	24.85
1049	No common name	<i>Vernonia proctorii</i>	E	4.00	0.00	4.00	0.00	4.00
563	Vetch, Hawaiian	<i>Vicia menziesii</i>	E	19.50	0.00	19.50	2.08	21.58
537	No common name	<i>Vigna o-wahuensis</i>	E	23.50	0.00	23.50	0.13	23.63
949	Pamakani	<i>Viola chamissoniana chamissoniana</i>	E	12.00	0.00	12.00	0.00	12.00
942	No common name	<i>Viola helenae</i>	E	12.00	0.00	12.00	0.00	12.00
922	Nani wai`ale`ale	<i>Viola kauaiensis wahiawaensis</i>	E	12.00	0.00	12.00	0.00	12.00
941	No common name	<i>Viola lanaiensis</i>	E	12.00	0.00	12.00	0.00	12.00
516	No common name	<i>Viola oahuensis</i>	E	13.00	11.80	24.80	0.25	25.05
1193	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	0.00	0.04	0.04	0.00	0.04
1140	Mustard, Carter's	<i>Warea carteri</i>	E	1.00	0.29	1.29	0.00	1.29
634	Iliau, dwarf	<i>Wilkesia hobdyi</i>	E	16.00	0.00	16.00	1.30	17.30
840	Maua	<i>Xylosma crenatum</i>	E	12.50	0.00	12.50	0.13	12.63
581	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	E	19.00	1.30	20.30	0.00	20.30
751	A`e	<i>Zanthoxylum dipetalum tomentosum</i>	E	13.50	0.00	13.50	0.00	13.50
644	A`e	<i>Zanthoxylum hawaiiense</i>	E	17.00	0.00	17.00	0.13	17.13
1083	Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	E	3.00	0.00	3.00	0.00	3.00
151	Wild-rice, Texas	<i>Zizania texana</i>	E	173.00	1.40	174.40	18.75	193.15
361	Ziziphus, Florida	<i>Ziziphus celata</i>	E	17.50	45.04	62.54	0.00	62.54
	<b>FLOWERING PLANTS</b>							
	<b>PLANTS</b>							
	<b>FLOWERING PLANTS Subtotals</b>	<b># of Species</b>	<b>704</b>	<b>15,152.95</b>	<b>6,939.94</b>	<b>22,092.89</b>	<b>660.16</b>	<b>22,753.05</b>
	<b>CONIFERS</b>							
342	Cypress, Santa Cruz	<i>Cupressus abramsiana</i>	E	66.00	0.00	66.00	0.00	66.00
352	Cypress, Gowen	<i>Cupressus goveniana goveniana</i>	T	65.00	0.00	65.00	0.00	65.00
411	Torreya, Florida	<i>Torreya taxifolia</i>	E	0.00	45.00	45.00	0.00	45.00

**TABLE 1. FY 2000 REPORTED EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES, NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	OTHER FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)
	<b>CONIFERS Subtotals</b>	<b># of Species</b>	<b>3</b>	<b>131.00</b>	<b>45.00</b>	<b>176.00</b>	<b>0.00</b>	<b>176.00</b>
	<b>FERNS AND ALLIES</b>							
807	Fern, pendant kihi	<i>Adenophorus periens</i>	E	13.00	0.00	13.00	0.13	13.13
1124	No common name	<i>Adiantum vivesii</i>	E	2.00	0.00	2.00	0.00	2.00
288	No common name	<i>Asplenium fragile insulare</i>	E	12.00	0.00	12.00	0.18	12.18
989	Fern, American hart's-tongue	<i>Asplenium scolopendrium americanum</i>	T	3.00	0.00	3.00	5.00	8.00
309	Pauoa	<i>Ctenitis squamigera</i>	E	12.00	61.30	73.30	0.00	73.30
1121	Fern, Elfin tree	<i>Cyathea dryopteroides</i>	E	2.00	0.00	2.00	0.00	2.00
619	Diellia, asplenium-leaved	<i>Diellia erecta</i>	E	17.50	0.00	17.50	0.30	17.80
519	No common name	<i>Diellia falcata</i>	E	12.00	67.40	79.40	0.53	79.93
652	No common name	<i>Diellia pallida</i>	E	12.00	0.00	12.00	0.00	12.00
1123	No common name	<i>Diellia unisora</i>	E	12.00	0.00	12.00	0.00	12.00
1125	No common name	<i>Diplazium molokaiense</i>	E	16.00	0.00	16.00	0.25	16.25
1122	No common name	<i>Elaphoglossum serpens</i>	E	2.00	0.00	2.00	0.00	2.00
495	Wawae`iole	<i>Huperzia mannii</i>	E	21.00	5.70	26.70	0.75	27.45
162	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	E	5.00	163.73	168.73	0.50	169.23
1069	Quillwort, black spored	<i>Isoetes melanospora</i>	E	0.00	1.35	1.35	2.00	3.35
1127	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	E	0.00	0.00	0.00	2.00	2.00
735	Ihi`ihi	<i>Marsilea villosa</i>	E	13.50	0.00	13.50	0.38	13.88
687	Wawae`iole, (=ha`iwale)	<i>Phlegmariurus nutans</i>	E	15.00	0.00	15.00	0.13	15.13
1156	Fern, Aleutian shield	<i>Polystichum aleuticum</i>	E	1.00	0.00	1.00	0.00	1.00
1086	No common name	<i>Polystichum calderonense</i>	E	3.00	0.00	3.00	0.00	3.00
1126	No common name	<i>Pteris lidgatei</i>	E	13.00	11.80	24.80	0.25	25.05
1085	No common name	<i>Tectaria estremerana</i>	E	3.00	0.00	3.00	0.00	3.00
952	No common name	<i>Thelypteris inabonensis</i>	E	2.00	0.00	2.00	0.00	2.00
1235	Fern, Alabama streak-sorus	<i>Thelypteris pilosa alabamensis</i>	T	0.00	0.00	0.00	0.00	0.00
951	No common name	<i>Thelypteris verecunda</i>	E	2.00	0.00	2.00	0.00	2.00
870	No common name	<i>Thelypteris yaucoensis</i>	E	2.00	0.00	2.00	0.00	2.00
	<b>FERNS AND ALLIES Subtotals</b>	<b># of Species</b>	<b>26</b>	<b>196.00</b>	<b>311.28</b>	<b>507.28</b>	<b>12.38</b>	<b>519.66</b>
	<b>LICHENS</b>							
1146	Cladonia, Florida perforate	<i>Cladonia perforata</i>	E	0.00	1.04	1.04	0.00	1.04
978	Lichen, rock gnome	<i>Gymnoderma lineare</i>	E	0.00	9.05	9.05	0.00	9.05
	<b>LICHENS Subtotals</b>	<b># of Species</b>	<b>2</b>	<b>0.00</b>	<b>10.09</b>	<b>10.09</b>	<b>0.00</b>	<b>10.09</b>
	<b>PLANTS Subtotals</b>	<b># of Species</b>	<b>735</b>	<b>15,479.95</b>	<b>7,306.31</b>	<b>22,786.26</b>	<b>672.54</b>	<b>23,458.80</b>
	<b>TOTALS</b>	<b># of Species</b>	<b>1,235</b>	<b>66,535.65</b>	<b>357,329.85</b>	<b>423,865.50</b>	<b>100,311.13</b>	<b>524,176.63</b>

Table 2.

SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000  
REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS

Species are arranged in descending rank order by total identifiable expenditures (Table 1). Cumulative totals and percentages of the general expenditures total (\$524.18 million) are provided for comparison. None of these reported totals include known costs for land acquisition; see Table 3 for those costs reported to the Service.

For purposes of rank, each of the nine vertebrate species that have both an endangered and a threatened population on the list are ranked as one species. The nine are identifiable by the "E,T" in the STATUS column.

The cumulative total column is the sum of all higher ranked Species Totals (from Table 1) and the selected species entry; cumulative percent is based upon \$524.18 million. (Example: \$297.07 million or 56.67% of all reported expenditures are for the top 10 species; see species Rank No. 10.)

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1	Salmon, chinook	<i>Oncorhynchus tshawytscha</i>	E, T	87,644.16	87,644.16	16.72%
2	Steelhead	<i>Oncorhynchus mykiss</i>	E, T	61,319.32	148,963.48	28.42%
3	Salmon, coho	<i>Oncorhynchus kisutch</i>	T	50,324.37	199,287.85	38.02%
4	Salmon, sockeye	<i>Oncorhynchus nerka</i>	E, T	21,388.15	220,676.00	42.10%
5	Salmon, chum	<i>Oncorhynchus keta</i>	T	20,157.35	240,833.35	45.95%
6	Sea-lion, Steller	<i>Eumetopias jubatus</i>	E, T	13,112.70	253,946.05	48.45%
7	Woodpecker, red-cockaded	<i>Picoides borealis</i>	E	11,800.49	265,746.54	50.70%
8	Trout, bull	<i>Salvelinus confluentus</i>	T	11,419.35	277,165.89	52.88%
9	Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis</i>	E	10,161.50	287,327.39	54.81%
10	Manatee, West Indian	<i>Trichechus manatus</i>	E	9,743.37	297,070.77	56.67%
11	Crane, whooping	<i>Grus americana</i>	E	8,608.23	305,678.99	58.32%
12	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	E	8,064.64	313,743.63	59.85%
13	Eagle, bald	<i>Haliaeetus leucocephalus</i>	T	6,504.86	320,248.49	61.10%
14	Owl, northern spotted	<i>Strix occidentalis caurina</i>	T	6,380.74	326,629.24	62.31%
15	Panther, Florida	<i>Puma concolor coryi</i>	E	6,319.03	332,948.26	63.52%
16	Tortoise, desert	<i>Gopherus agassizii</i>	T	5,521.09	338,469.36	64.57%
17	Murrelet, marbled	<i>Brachyramphus marmoratus marmoratus</i>	T	5,461.52	343,930.88	65.61%
18	Sucker, razorback	<i>Xyrauchen texanus</i>	E	5,363.29	349,294.17	66.64%
19	Minnnow, Rio Grande silvery	<i>Hybognathus amarus</i>	E	5,113.92	354,408.09	67.61%
20	Sea turtle, loggerhead	<i>Caretta caretta</i>	T	4,980.61	359,388.70	68.56%
21	Whale, right	<i>Balaena glacialis</i>	E	4,871.83	364,260.53	69.49%
22	Sea turtle, green	<i>Chelonia mydas</i>	E, T	4,814.09	369,074.62	70.41%
23	Bear, grizzly	<i>Ursus arctos horribilis</i>	T	4,501.97	373,576.58	71.27%
24	Wolf, gray	<i>Canis lupus</i>	E, T	4,353.65	377,930.23	72.10%
25	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	E	3,884.93	381,815.16	72.84%
26	Smelt, delta	<i>Hypomesus transpacificus</i>	T	3,820.99	385,636.15	73.57%
27	Pikeminnow, Colorado	<i>Ptychocheilus lucius</i>	E	3,706.27	389,342.42	74.28%
28	Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	E	3,688.11	393,030.53	74.98%
29	Sea turtle, leatherback	<i>Dermochelys coriacea</i>	E	3,662.82	396,693.34	75.68%
30	Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	E, T	3,288.50	399,981.84	76.31%
31	Stork, wood	<i>Mycteria americana</i>	E	3,129.30	403,111.14	76.90%
32	Lynx, Canada	<i>Lynx canadensis</i>	T	3,067.89	406,179.03	77.49%
33	Plover, piping	<i>Charadrius melodus</i>	E, T	2,963.96	409,142.99	78.05%
34	Ferret, black-footed	<i>Mustela nigripes</i>	E	2,877.51	412,020.50	78.60%
35	Sturgeon, white	<i>Acipenser transmontanus</i>	E	2,830.77	414,851.27	79.14%
36	Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	T	2,759.32	417,610.60	79.67%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
37	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	E	2,507.43	420,118.02	80.15%
38	Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	T	2,369.83	422,487.85	80.60%
39	Bat, Indiana	<i>Myotis sodalis</i>	E	2,118.85	424,606.70	81.00%
40	Trout, Lahontan cutthroat	<i>Oncorhynchus clarki henshawi</i>	T	1,978.17	426,584.87	81.38%
41	Palila	<i>Loxioides bailleui</i>	E	1,894.66	428,479.53	81.74%
42	Vireo, black-capped	<i>Vireo atricapillus</i>	E	1,735.61	430,215.14	82.07%
43	Chub, humpback	<i>Gila cypha</i>	E	1,708.21	431,923.35	82.40%
44	Wolf, red	<i>Canis rufus</i>	E	1,705.90	433,629.25	82.73%
45	Tern, least	<i>Sterna antillarum</i>	E	1,659.71	435,288.96	83.04%
46	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	1,556.97	436,845.93	83.34%
47	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	1,498.45	438,344.38	83.63%
48	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	E	1,266.62	439,611.00	83.87%
49	Chub, bonytail	<i>Gila elegans</i>	E	1,253.11	440,864.11	84.11%
50	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	1,223.01	442,087.12	84.34%
51	Parrot, Puerto Rican	<i>Amazona vittata</i>	E	1,153.08	443,240.20	84.56%
52	Tern, California least	<i>Sterna antillarum browni</i>	E	1,147.64	444,387.84	84.78%
53	Toad, arroyo	<i>Bufo microscaphus californicus</i>	E	1,122.42	445,510.26	84.99%
54	Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	T	1,051.03	446,561.30	85.19%
55	Vireo, least Bell's	<i>Vireo bellii pusillus</i>	E	1,019.02	447,580.31	85.39%
56	Bat, gray	<i>Myotis grisescens</i>	E	972.88	448,553.19	85.57%
57	Albatross, short-tailed	<i>Phoebastria albatrus</i>	E	972.86	449,526.05	85.76%
58	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	E	970.18	450,496.22	85.94%
59	Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	E	958.20	451,454.42	86.13%
60	Eider, Steller's	<i>Polysticta stelleri</i>	T	950.28	452,404.70	86.31%
61	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	887.36	453,292.05	86.48%
62	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	817.28	454,109.33	86.63%
63	Sturgeon, pallid	<i>Scaphirhynchus albus</i>	E	797.06	454,906.39	86.78%
64	Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	T	787.50	455,693.89	86.94%
65	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	E	786.29	456,480.18	87.09%
66	Cui-ui	<i>Chasmistes cujus</i>	E	742.00	457,222.18	87.23%
67	Spikedace	<i>Meda fulgida</i>	T	737.97	457,960.15	87.37%
68	Butterfly, Karner blue	<i>Lycaeides melissa samuelis</i>	E	698.78	458,658.93	87.50%
69	Minnow, loach	<i>Tiaroga cobitis</i>	T	690.11	459,349.04	87.63%
70	Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	E	664.74	460,013.78	87.76%
71	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	E	659.66	460,673.44	87.89%
72	Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	E	650.97	461,324.41	88.01%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
73	Sucker, Lost River	<i>Deltistes luxatus</i>	E	649.18	461,973.58	88.13%
74	Sucker, shortnose	<i>Chasmistes brevirostris</i>	E	647.18	462,620.76	88.26%
75	Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	T	645.44	463,266.19	88.38%
76	Springsnail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	E	642.68	463,908.87	88.50%
77	Otter, southern sea	<i>Enhydra lutris nereis</i>	T	624.19	464,533.06	88.62%
78	Pygmy-owl, cactus ferruginous	<i>Glaucidium brasilianum cactorum</i>	E	618.16	465,151.22	88.74%
79	Eider, spectacled	<i>Somateria fischeri</i>	T	603.00	465,754.22	88.85%
80	Topminnow, Gila	<i>Poeciliopsis occidentalis</i>	E	592.73	466,346.95	88.97%
81	Condor, California	<i>Gymnogyps californianus</i>	E	591.29	466,938.24	89.08%
82	Whale, humpback	<i>Megaptera novaeangliae</i>	E	567.06	467,505.29	89.19%
83	Sheep, bighorn	<i>Ovis canadensis</i>	E	560.40	468,065.69	89.30%
84	Deer, Key	<i>Odocoileus virginianus clavium</i>	E	520.00	468,585.69	89.39%
85	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	E	503.31	469,089.00	89.49%
86	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	502.01	469,591.01	89.59%
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	502.01	470,093.02	89.68%
88	Crow, Mariana	<i>Corvus kubaryi</i>	E	477.30	470,570.32	89.77%
89	Rail, Guam	<i>Rallus owstoni</i>	E	472.50	471,042.82	89.86%
90	Snake, giant garter	<i>Thamnophis gigas</i>	T	466.20	471,509.02	89.95%
91	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	461.60	471,970.62	90.04%
92	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	459.00	472,429.62	90.13%
93	Higgins eye	<i>Lampsilis higginsii</i>	E	452.07	472,881.69	90.21%
94	Seagrass, Johnson's	<i>Halophila johnsonii</i>	T	448.86	473,330.55	90.30%
95	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	E	443.79	473,774.34	90.38%
96	Butterfly, Oregon silverspot	<i>Speyeria zerene hippolyta</i>	T	425.55	474,199.89	90.47%
97	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	T	418.55	474,618.44	90.55%
98	Chub, Virgin River	<i>Gila robusta seminuda</i>	E	418.50	475,036.94	90.63%
99	Lupine, Kincaid's	<i>Lupinus sulphureus kincaidii</i>	T	412.19	475,449.13	90.70%
100	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	402.10	475,851.23	90.78%
101	Woundfin	<i>Plagopterus argentissimus</i>	E	394.35	476,245.58	90.86%
102	Pelican, brown	<i>Pelecanus occidentalis</i>	E	392.80	476,638.38	90.93%
103	Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	E	383.00	477,021.38	91.00%
104	Sturgeon, Gulf	<i>Acipenser oxyrinchus desotoi</i>	T	380.17	477,401.54	91.08%
105	Snake, Concho water	<i>Nerodia paucimaculata</i>	T	372.60	477,774.14	91.15%
106	Warbler, Kirtland's	<i>Dendroica kirtlandii</i>	E	363.50	478,137.64	91.22%
107	Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i>	E	345.41	478,483.05	91.28%
108	Rock-cress, McDonald's	<i>Arabis mcdonaldiana</i>	E	338.50	478,821.55	91.35%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
109	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	336.08	479,157.63	91.41%
110	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	E	324.59	479,482.22	91.47%
111	Caribou, woodland	<i>Rangifer tarandus caribou</i>	E	316.62	479,798.84	91.53%
112	Goby, tidewater	<i>Eucyclogobius newberryi</i>	E	309.17	480,108.00	91.59%
113	Splittail, Sacramento	<i>Pogonichthys macrolepidotus</i>	T	307.02	480,415.02	91.65%
114	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	E	300.93	480,715.95	91.71%
115	Goose, Hawaiian	<i>Branta sandvicensis</i>	E	294.53	481,010.48	91.76%
116	Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	E	291.38	481,301.86	91.82%
117	Lily, Western	<i>Lilium occidentale</i>	E	287.40	481,589.26	91.88%
118	Darter, amber	<i>Percina antesella</i>	E	281.00	481,870.26	91.93%
119	Logperch, Conasauga	<i>Percina jenkinsi</i>	E	276.29	482,146.55	91.98%
120	Bat, Virginia big-eared	<i>Corynorhinus townsendii virginianus</i>	E	273.62	482,420.17	92.03%
121	Salamander, Barton Springs	<i>Eurycea sosorum</i>	E	269.04	482,689.21	92.09%
122	Salamander, flatwoods	<i>Ambystoma cingulatum</i>	T	267.77	482,956.97	92.14%
123	Bat, lesser long-nosed	<i>Leptonycteris curasoae yerbabuenae</i>	E	267.50	483,224.47	92.19%
124	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	261.25	483,485.72	92.24%
125	Duck, Hawaiian	<i>Anas wyvilliana</i>	E	257.51	483,743.23	92.29%
126	Trout, greenback cutthroat	<i>Oncorhynchus clarki stomias</i>	T	254.46	483,997.69	92.33%
127	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	253.92	484,251.62	92.38%
128	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	253.73	484,505.35	92.43%
129	Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	E	252.58	484,757.92	92.48%
130	Pondberry	<i>Lindera melissifolia</i>	E	249.80	485,007.72	92.53%
131	Elepaio, Oahu	<i>Chasiempis sandwichensis ibidus</i>	E	245.80	485,253.52	92.57%
132	Checkermallow, Wenatchee Mountains	<i>Sidalcea oregana calva</i>	E	244.00	485,497.52	92.62%
133	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	242.05	485,739.57	92.67%
134	Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	E	237.20	485,976.77	92.71%
135	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	E	236.60	486,213.37	92.76%
136	Sheep, bighorn	<i>Ovis canadensis californiana</i>	E	230.00	486,443.37	92.80%
137	Chub, Oregon	<i>Oregonichthys crameri</i>	E	228.10	486,671.47	92.84%
138	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	E	225.30	486,896.77	92.89%
139	Snails, Oahu tree	<i>Achatinella spp.</i>	E	224.60	487,121.37	92.93%
140	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	222.50	487,343.87	92.97%
141	Butterfly, Fender's blue	<i>Icaricia icarioides fenderi</i>	E	220.50	487,564.37	93.02%
142	Snail, Utah valvata	<i>Valvata utahensis</i>	E	220.21	487,784.58	93.06%
143	Turtle, bog	<i>Clemmys muhlenbergii</i>	T	209.05	487,993.63	93.10%
144	Toad, Houston	<i>Bufo houstonensis</i>	E	209.00	488,202.63	93.14%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
145	Crayfish, Shasta	<i>Pacifastacus fortis</i>	E	207.67	488,410.30	93.18%
146	Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>	E	203.70	488,614.00	93.22%
147	Chub, Owens tui	<i>Gila bicolor snyderi</i>	E	203.10	488,817.10	93.25%
148	Sunflower, Pecos	<i>Helianthus paradoxus</i>	T	201.92	489,019.02	93.29%
149	Stilt, Hawaiian	<i>Himantopus mexicanus knudseni</i>	E	201.82	489,220.83	93.33%
150	Sucker, Warner	<i>Catostomus warnerensis</i>	T	194.30	489,415.13	93.37%
151	Wild-rice, Texas	<i>Zizania texana</i>	E	193.15	489,608.28	93.41%
152	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	192.73	489,801.01	93.44%
153	Prairie dog, Utah	<i>Cynomys parvidens</i>	T	192.21	489,993.22	93.48%
154	Fritillary, Gentner's	<i>Fritillaria gentneri</i>	E	189.00	490,182.22	93.51%
155	Heelsplitter, Carolina	<i>Lasmigona decorata</i>	E	186.97	490,369.19	93.55%
156	Coot, Hawaiian	<i>Fulica americana alai</i>	E	185.77	490,554.96	93.59%
157	Shiner, Arkansas River	<i>Notropis girardi</i>	T	184.86	490,739.82	93.62%
158	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	E	176.56	490,916.38	93.65%
159	Squirrel, Virginia northern flying	<i>Glaucomys sabrinus fuscus</i>	E	175.36	491,091.74	93.69%
160	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	T	173.43	491,265.17	93.72%
161	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	173.37	491,438.54	93.75%
162	Quillwort, Louisiana	<i>Isoetes louisianensis</i>	E	169.23	491,607.77	93.79%
163	Clubshell	<i>Pleurobema clava</i>	E	168.20	491,775.97	93.82%
164	Shiner, Topeka	<i>Notropis topeka</i>	E	167.25	491,943.21	93.85%
165	Four-o'clock, MacFarlane's	<i>Mirabilis macfarlanei</i>	T	165.60	492,108.81	93.88%
166	Orchid, eastern prairie fringed	<i>Platanthera leucophaea</i>	T	164.99	492,273.80	93.91%
167	Mucket, pink	<i>Lampsilis abrupta</i>	E	164.59	492,438.39	93.95%
168	Milk-vetch, Applegate's	<i>Astragalus applegatei</i>	E	162.20	492,600.60	93.98%
169	Loosestrife, rough-leaved	<i>Lysimachia asperulaefolia</i>	E	160.88	492,761.48	94.01%
170	Woodrat, riparian	<i>Neotoma fuscipes riparia</i>	E	155.53	492,917.00	94.04%
171	Phlox, Yreka	<i>Phlox hirsuta</i>	E	154.50	493,071.50	94.07%
172	Daisy, Parish's	<i>Erigeron parishii</i>	T	154.00	493,225.50	94.10%
173	Logperch, Roanoke	<i>Percina rex</i>	E	153.25	493,378.75	94.12%
174	Sumac, Michaux's	<i>Rhus michauxii</i>	E	152.20	493,530.95	94.15%
175	Milk-vetch, Cushenbury	<i>Astragalus albens</i>	E	151.00	493,681.95	94.18%
176	Thistle, Pitcher's	<i>Cirsium pitcheri</i>	T	149.60	493,831.55	94.21%
177	Beetle, American burying	<i>Nicrophorus americanus</i>	E	148.67	493,980.22	94.24%
178	No common name	<i>Neraudia angulata</i>	E	146.80	494,127.02	94.27%
179	Swiftlet, Mariana gray	<i>Aerodramus vanikorensis bartschi</i>	E	142.00	494,269.02	94.29%
180	Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	T	141.70	494,410.72	94.32%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
181	Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	E	141.64	494,552.36	94.35%
182	Bladderpod, San Bernardino Mountains	<i>Lesquerella kingii bernardina</i>	E	141.00	494,693.36	94.38%
183	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	139.28	494,832.64	94.40%
184	Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>	E	137.15	494,969.79	94.43%
185	Buckwheat, cushenbury	<i>Eriogonum ovalifolium vineum</i>	E	137.00	495,106.79	94.45%
186	Dragonfly, Hine's emerald	<i>Somatochlora hineana</i>	E	136.96	495,243.75	94.48%
187	Howellia, water	<i>Howellia aquatilis</i>	T	135.03	495,378.78	94.51%
188	Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	E	134.43	495,513.21	94.53%
189	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	E	134.23	495,647.45	94.56%
190	Bat, Mariana fruit	<i>Pteropus mariannus mariannus</i>	E	131.23	495,778.67	94.58%
191	Squirrel, northern Idaho ground	<i>Spermophilus brunneus brunneus</i>	T	128.71	495,907.38	94.61%
192	Butterfly, Uncompahgre fritillary	<i>Boloria acrocneuma</i>	E	128.50	496,035.88	94.63%
193	Shiner, Cape Fear	<i>Notropis mekistocholas</i>	E	128.00	496,163.88	94.66%
194	Madtom, Neosho	<i>Noturus placidus</i>	T	127.23	496,291.11	94.68%
195	Chaffseed, American	<i>Schwalbea americana</i>	E	125.55	496,416.66	94.70%
196	Po`ouli	<i>Melamprosops phaeosoma</i>	E	125.00	496,541.66	94.73%
197	Butterfly, Palos Verdes blue	<i>Glaucopsyche lygdamus palosverdesensis</i>	E	124.10	496,665.76	94.75%
198	Salamander, California tiger	<i>Ambystoma californiense</i>	E	123.23	496,788.98	94.78%
199	Cactus, Tobusch fishhook	<i>Ancistrocactus tobuschii</i>	E	122.58	496,911.57	94.80%
200	Parrotbill, Maui	<i>Pseudonestor xanthophrys</i>	E	121.00	497,032.57	94.82%
201	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	T	120.80	497,153.37	94.84%
202	Piperia, Yadon's	<i>Piperia yadonii</i>	E	120.30	497,273.67	94.87%
203	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	E	114.00	497,387.67	94.89%
204	Spineflower, Monterey	<i>Chorizanthe pungens pungens</i>	T	114.00	497,501.67	94.91%
205	Riffleshell, northern	<i>Epioblasma torulosa rangiana</i>	E	113.41	497,615.08	94.93%
206	Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	E	113.35	497,728.43	94.95%
207	Crow, Hawaiian	<i>Corvus hawaiiensis</i>	E	111.00	497,839.43	94.98%
208	Nukupu`u	<i>Hemignathus lucidus</i>	E	111.00	497,950.43	95.00%
209	Mapleleaf, winged	<i>Quadrula fragosa</i>	E	110.48	498,060.91	95.02%
210	Paintbrush, golden	<i>Castilleja levisecta</i>	T	110.20	498,171.11	95.04%
211	Salamander, Cheat Mountain	<i>Plethodon nettingi</i>	T	108.88	498,279.99	95.06%
212	Snake, Lake Erie water	<i>Nerodia sipedon insularum</i>	T	108.83	498,388.82	95.08%
213	Paintbrush, ash-grey	<i>Castilleja cinerea</i>	T	108.29	498,497.11	95.10%
214	Butterfly, Smith's blue	<i>Euphilotes enoptes smithi</i>	E	107.50	498,604.61	95.12%
215	Fly, Delhi Sands flower-loving	<i>Rhaphiomidas terminatus abdominalis</i>	E	107.00	498,711.61	95.14%
216	Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	E	107.00	498,818.61	95.16%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
217	Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>	E	105.70	498,924.31	95.18%
218	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	105.45	499,029.76	95.20%
219	Chub, Mohave tui	<i>Gila bicolor mohavensis</i>	E	105.40	499,135.16	95.22%
220	Snail, Morro shoulderband	<i>Helminthoglypta walkeriana</i>	E	104.00	499,239.16	95.24%
221	Wallflower, Menzies'	<i>Erysimum menziesii</i>	E	103.00	499,342.16	95.26%
222	Kingfisher, Guam Micronesian	<i>Halcyon cinnamomina cinnamomina</i>	E	102.70	499,444.86	95.28%
223	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	101.50	499,546.36	95.30%
224	Spineflower, Robust	<i>Chorizanthe robusta</i>	E	100.50	499,646.86	95.32%
225	Cactus, Pima pineapple	<i>Coryphantha scheeri robustispina</i>	E	100.27	499,747.13	95.34%
226	Bat, Ozark big-eared	<i>Corynorhinus townsendii ingens</i>	E	100.10	499,847.23	95.36%
227	Trout, Apache	<i>Oncorhynchus apache</i>	T	99.20	499,946.43	95.38%
228	Amole, purple	<i>Chlorogalum purpureum</i>	T	99.00	500,045.43	95.40%
229	Monkshood, northern wild	<i>Aconitum noveboracense</i>	T	98.16	500,143.59	95.42%
230	Pupfish, desert	<i>Cyprinodon macularius</i>	E	97.98	500,241.58	95.43%
231	Sucker, Modoc	<i>Catostomus microps</i>	E	97.70	500,339.28	95.45%
232	Evening-primrose, Eureka Valley	<i>Oenothera avita eurekaensis</i>	E	97.50	500,436.78	95.47%
233	Paintbrush, soft-leaved	<i>Castilleja mollis</i>	E	97.00	500,533.78	95.49%
234	Pentachaeta, Lyon's	<i>Pentachaeta lyonii</i>	E	96.95	500,630.73	95.51%
235	Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	E	96.30	500,727.03	95.53%
236	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	E	96.20	500,823.23	95.54%
237	Jewelflower, California	<i>Caulanthus californicus</i>	E	95.19	500,918.43	95.56%
238	Sandwort, Marsh	<i>Arenaria paludicola</i>	E	94.50	501,012.93	95.58%
239	Mehamehame	<i>Flueggea neowawraea</i>	E	93.95	501,106.88	95.60%
240	No common name	<i>Bonamia menziesii</i>	E	92.83	501,199.70	95.62%
241	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	91.85	501,291.55	95.63%
242	Gilia, Hoffmann's slender-flowered	<i>Gilia tenuiflora hoffmannii</i>	E	91.30	501,382.85	95.65%
243	Rush-rose, island	<i>Helianthemum greenei</i>	T	90.50	501,473.35	95.67%
244	Pupfish, Owens	<i>Cyprinodon radiosus</i>	E	89.90	501,563.25	95.69%
245	Manzanita, Santa Rosa Island	<i>Arctostaphylos confertiflora</i>	E	89.20	501,652.45	95.70%
246	Bedstraw, island	<i>Galium buxifolium</i>	E	88.50	501,740.95	95.72%
247	Malacothrix, Santa Cruz Island	<i>Malacothrix indecora</i>	E	88.50	501,829.45	95.74%
248	Kuahiwi laukahi	<i>Plantago princeps</i>	E	88.38	501,917.83	95.75%
249	Barberry, island	<i>Berberis pinnata insularis</i>	E	88.00	502,005.83	95.77%
250	Bush-mallow, Santa Cruz Island	<i>Malacothamnus fasciculatus nesioticus</i>	E	88.00	502,093.83	95.79%
251	Dudleya, Santa Cruz Island	<i>Dudleya nesiotica</i>	T	88.00	502,181.83	95.80%
252	Fringepod, Santa Cruz Island	<i>Thysanocarpus conchuliferus</i>	E	88.00	502,269.83	95.82%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
253	Malacothrix, island	<i>Malacothrix squalida</i>	E	88.00	502,357.83	95.84%
254	Phacelia, island	<i>Phacelia insularis insularis</i>	E	88.00	502,445.83	95.85%
255	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	87.42	502,533.24	95.87%
256	Trout, Gila	<i>Oncorhynchus gilae</i>	E	86.50	502,619.74	95.89%
257	Rock-cress, Hoffmann's	<i>Arabis hoffmannii</i>	E	86.50	502,706.24	95.90%
258	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	E	86.25	502,792.49	95.92%
259	Kulu`i	<i>Nototrichium humile</i>	E	86.20	502,878.69	95.94%
260	Trout, coastal cutthroat	<i>Oncorhynchus clarki clarki</i>	E	86.10	502,964.79	95.95%
261	Checker-mallow, Keck's	<i>Sidalcea keckii</i>	E	85.50	503,050.29	95.97%
262	Mahoe	<i>Alectryon macrococcus</i>	E	84.25	503,134.54	95.99%
263	Bush-clover, prairie	<i>Lespedeza leptostachya</i>	T	83.70	503,218.24	96.00%
264	Flannelbush, Pine Hill	<i>Fremontodendron californicum decumbens</i>	E	83.50	503,301.74	96.02%
265	Goldfields, Contra Costa	<i>Lasthenia conjugens</i>	E	83.50	503,385.24	96.03%
266	Daisy, Willamette	<i>Erigeron decumbens decumbens</i>	E	83.10	503,468.34	96.05%
267	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	82.75	503,551.08	96.07%
268	No common name	<i>Lobelia oahuensis</i>	E	82.53	503,633.61	96.08%
269	Bedstraw, El Dorado	<i>Galium californicum sierrae</i>	E	82.50	503,716.11	96.10%
270	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	82.50	503,798.61	96.11%
271	Tarplant, Gaviota	<i>Hemizonia increscens villosa</i>	E	82.40	503,881.01	96.13%
272	Chub, Borax Lake	<i>Gila boraxobius</i>	E	82.30	503,963.31	96.14%
273	Springfish, White River	<i>Crenichthys baileyi baileyi</i>	E	81.70	504,045.01	96.16%
274	Pogonia, small whorled	<i>Isotria medeoloides</i>	T	81.66	504,126.67	96.17%
275	`anaunau	<i>Lepidium arbuscula</i>	E	81.53	504,208.20	96.19%
276	No common name	<i>Lobelia niihauensis</i>	E	81.53	504,289.72	96.21%
277	Morning-glory, Stebbins'	<i>Calystegia stebbinsii</i>	E	81.50	504,371.22	96.22%
278	Boa, Puerto Rican	<i>Epicrates inornatus</i>	E	81.00	504,452.22	96.24%
279	Sandwort, Bear Valley	<i>Arenaria ursina</i>	T	81.00	504,533.22	96.25%
280	Sandbur, agrimony or Kamanomano	<i>Cenchrus agrimonioides</i>	E	80.72	504,613.94	96.27%
281	Bladderpod, Missouri	<i>Lesquerella filiformis</i>	E	80.60	504,694.54	96.28%
282	Thrush, small Kauai	<i>Myadestes palmeri</i>	E	80.40	504,774.94	96.30%
283	Darter, leopard	<i>Percina pantherina</i>	T	80.30	504,855.24	96.31%
284	Trout, Paiute cutthroat	<i>Oncorhynchus clarki seleniris</i>	T	80.30	504,935.54	96.33%
285	Springsnail, Idaho	<i>Fontelicella idahoensis</i>	E	80.07	505,015.61	96.34%
286	Bird's-beak, salt marsh	<i>Cordylanthus maritimus maritimus</i>	E	80.00	505,095.61	96.36%
287	Tarplant, Santa Cruz	<i>Holocarpha macradenia</i>	T	80.00	505,175.61	96.38%
288	No common name	<i>Diellia falcata</i>	E	79.93	505,255.54	96.39%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
289	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	E	79.50	505,335.04	96.41%
290	No common name	<i>Schiedea hookeri</i>	E	79.40	505,414.44	96.42%
291	Wild-buckwheat, southern mountain	<i>Eriogonum kennedyi austromontanum</i>	T	79.00	505,493.44	96.44%
292	No common name	<i>Spermolepis hawaiiensis</i>	E	78.43	505,571.86	96.45%
293	No common name	<i>Schiedea nuttallii</i>	E	77.63	505,649.49	96.47%
294	Towhee, Inyo California	<i>Pipilo crissalis eremophilus</i>	T	77.10	505,726.59	96.48%
295	Haha	<i>Cyanea superba</i>	E	76.05	505,802.64	96.49%
296	Woodrat, Key Largo	<i>Neotoma floridana smalli</i>	E	76.00	505,878.64	96.51%
297	Thistle, La Graciosa	<i>Cirsium loncholepis</i>	E	76.00	505,954.64	96.52%
298	Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	T	75.60	506,030.24	96.54%
299	Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	T	75.57	506,105.81	96.55%
300	Lupine, Nipomo Mesa	<i>Lupinus nipomensis</i>	E	75.00	506,180.81	96.57%
301	Pocketbook, fat	<i>Potamilus capax</i>	E	74.98	506,255.79	96.58%
302	Snail, Snake River physa	<i>Physa natricina</i>	E	74.67	506,330.46	96.60%
303	Ha`iwale	<i>Cyrtandra dentata</i>	E	74.55	506,405.01	96.61%
304	No common name	<i>Silene lanceolata</i>	E	74.43	506,479.43	96.62%
305	No common name	<i>Alsinidendron obovatum</i>	E	74.25	506,553.68	96.64%
306	No common name	<i>Hedyotis parvula</i>	E	73.30	506,626.98	96.65%
307	No common name	<i>Sanicula mariversa</i>	E	73.30	506,700.28	96.67%
308	No common name	<i>Tetramolopium filiforme</i>	E	73.30	506,773.58	96.68%
309	Pauoa	<i>Ctenitis squamigera</i>	E	73.30	506,846.88	96.69%
310	Popcornflower, rough	<i>Plagiobothrys hirtus</i>	E	73.19	506,920.07	96.71%
311	Yerba santa, Lompoc	<i>Eriodictyon capitatum</i>	E	73.00	506,993.07	96.72%
312	Limpet, Banbury Springs	<i>Lanx sp.</i>	E	72.41	507,065.48	96.74%
313	Creeper, Oahu	<i>Paroreomyza maculata</i>	E	71.50	507,136.98	96.75%
314	Thelypody, Howell's spectacular	<i>Thelypodium howellii spectabilis</i>	T	71.50	507,208.48	96.76%
315	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	71.14	507,279.62	96.78%
316	Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>	E	70.44	507,350.05	96.79%
317	Megapode, Micronesian	<i>Megapodius laperouse</i>	E	70.32	507,420.37	96.80%
318	Watercress, Gambel's	<i>Rorippa gambellii</i>	E	69.00	507,489.37	96.82%
319	Broom, San Clemente Island	<i>Lotus dendroideus traskiae</i>	E	68.50	507,557.87	96.83%
320	Indian paintbrush, San Clemente Island	<i>Castilleja grisea</i>	E	68.50	507,626.37	96.84%
321	Clover, running buffalo	<i>Trifolium stoloniferum</i>	E	68.17	507,694.55	96.86%
322	Vole, Amargosa	<i>Microtus californicus scirpensis</i>	E	68.00	507,762.55	96.87%
323	Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	E	68.00	507,830.55	96.88%
324	Milk-vetch, Braunton's	<i>Astragalus brauntonii</i>	E	67.64	507,898.19	96.89%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
325	Grass, Eureka Dune	<i>Swallenia alexandrae</i>	E	67.50	507,965.69	96.91%
326	Manzanita, Morro	<i>Arctostaphylos morroensis</i>	T	67.50	508,033.19	96.92%
327	Spinedace, White River	<i>Lepidomeda albivallis</i>	E	67.20	508,100.39	96.93%
328	Shrimp, Alabama cave	<i>Palaemonias alabamae</i>	E	67.00	508,167.39	96.95%
329	Dudleyea, Santa Monica Mountains	<i>Dudleya cymosa ovatifolia</i>	T	67.00	508,234.39	96.96%
330	Milk-vetch, coastal dunes	<i>Astragalus tener titi</i>	E	67.00	508,301.39	96.97%
331	Potentilla, Hickman's	<i>Potentilla hickmanii</i>	E	67.00	508,368.39	96.98%
332	Liveforever, Santa Barbara Island	<i>Dudleya traskiae</i>	E	66.50	508,434.89	97.00%
333	Sucker, Santa Ana	<i>Catostomus santaanae</i>	T	66.04	508,500.93	97.01%
334	Akepa, Maui	<i>Loxops coccineus ochraceus</i>	E	66.00	508,566.93	97.02%
335	Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	E	66.00	508,632.93	97.03%
336	Clarkia, Pismo	<i>Clarkia speciosa immaculata</i>	E	66.00	508,698.93	97.05%
337	Evening-primrose, San Benito	<i>Camissonia benitensis</i>	T	66.00	508,764.93	97.06%
338	Milk-vetch, Fish Slough	<i>Astragalus lentiginosus piscinensis</i>	T	66.00	508,830.93	97.07%
339	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	66.00	508,896.93	97.09%
340	Seablite, California	<i>Suaeda californica</i>	E	66.00	508,962.93	97.10%
341	Thistle, Chorro Creek bog	<i>Cirsium fontinale obispoense</i>	E	66.00	509,028.93	97.11%
342	Cypress, Santa Cruz	<i>Cupressus abramsiana</i>	E	66.00	509,094.93	97.12%
343	Dudleya, Conejo	<i>Dudleya abramsii parva</i>	T	65.25	509,160.18	97.14%
344	Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	E	65.00	509,225.18	97.15%
345	Clover, Monterey	<i>Trifolium trichocalyx</i>	E	65.00	509,290.18	97.16%
346	Dudleya, marcescent	<i>Dudleya cymosa marcescens</i>	T	65.00	509,355.18	97.17%
347	Dudleya, Verity's	<i>Dudleya verityi</i>	T	65.00	509,420.18	97.18%
348	Gilia, Monterey	<i>Gilia tenuiflora arenaria</i>	E	65.00	509,485.18	97.20%
349	Milk-vetch, Lane Mountain	<i>Astragalus jaegerianus</i>	E	65.00	509,550.18	97.21%
350	Spineflower, Ben Lomond	<i>Chorizanthe pungens hartwegiana</i>	E	65.00	509,615.18	97.22%
351	Wallflower, Ben Lomond	<i>Erysimum teretifolium</i>	E	65.00	509,680.18	97.23%
352	Cypress, Gowen	<i>Cupressus goveniana goveniana</i>	T	65.00	509,745.18	97.25%
353	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	E	64.93	509,810.10	97.26%
354	Honeycreeper, crested	<i>Palmeria dolei</i>	E	63.30	509,873.40	97.27%
355	Taraxacum, California	<i>Taraxacum californicum</i>	E	63.29	509,936.69	97.28%
356	Button-celery, San Diego	<i>Eryngium aristulatum parishii</i>	E	63.18	509,999.87	97.30%
357	Navarretia, spreading	<i>Navarretia fossalis</i>	T	63.11	510,062.98	97.31%
358	Mustard, slender-petaled	<i>Thelypodium stenopetalum</i>	E	63.00	510,125.98	97.32%
359	Pentachaeta, white-rayed	<i>Pentachaeta bellidiflora</i>	E	63.00	510,188.98	97.33%
360	Gerardia, sandplain	<i>Agalinis acuta</i>	E	62.76	510,251.74	97.34%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
361	Ziziphus, Florida	<i>Ziziphus celata</i>	E	62.54	510,314.27	97.36%
362	Aster, decurrent false	<i>Boltonia decurrens</i>	T	60.53	510,374.81	97.37%
363	Bear-poppy, dwarf	<i>Arctomecon humilis</i>	E	60.20	510,435.01	97.38%
364	Dace, Moapa	<i>Moapa coriacea</i>	E	58.20	510,493.21	97.39%
365	Spider, spruce-fir moss	<i>Microhexura montivaga</i>	E	57.30	510,550.51	97.40%
366	Bluegrass, San Bernardino	<i>Poa atropurpurea</i>	E	57.29	510,607.80	97.41%
367	Springfish, Railroad Valley	<i>Crenichthys nevadae</i>	T	57.20	510,665.00	97.42%
368	Cactus, Chisos Mtn. hedgehog	<i>Echinocereus chisoensis chisoensis</i>	T	57.00	510,722.00	97.43%
369	Silversword, Mauna Loa	<i>Argyroxiphium kauense</i>	E	56.93	510,778.92	97.44%
370	Spiraea, Virginia	<i>Spiraea virginiana</i>	T	56.82	510,835.74	97.45%
371	Ambersnail, Kanab	<i>Oxyloma haydeni kanabensis</i>	E	56.65	510,892.39	97.47%
372	Gambusia, Pecos	<i>Gambusia nobilis</i>	E	55.39	510,947.78	97.48%
373	Coneflower, smooth	<i>Echinacea laevigata</i>	E	55.04	511,002.82	97.49%
374	Buckwheat, lone	<i>Eriogonum apricum</i>	E	54.90	511,057.72	97.50%
375	Chub, Pahrangat roundtail	<i>Gila robusta jordani</i>	E	54.70	511,112.42	97.51%
376	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	54.50	511,166.92	97.52%
377	Butterfly, bay checkerspot	<i>Euphydryas editha bayensis</i>	T	54.50	511,221.42	97.53%
378	Lupine, clover	<i>Lupinus tidestromii</i>	E	54.50	511,275.92	97.54%
379	Centaury, spring-loving	<i>Centaurium namophilum</i>	T	54.00	511,329.92	97.55%
380	Sunflower, Eggert's	<i>Helianthus eggertii</i>	T	53.80	511,383.72	97.56%
381	Pimpleback, orangefoot	<i>Plethobasus cooperianus</i>	E	53.72	511,437.44	97.57%
382	Akepa, Hawaii	<i>Loxops coccineus coccineus</i>	E	53.20	511,490.64	97.58%
383	Creepers, Hawaii	<i>Oreomystis mana</i>	E	53.20	511,543.84	97.59%
384	Dace, desert	<i>Eremichthys acros</i>	T	53.20	511,597.04	97.60%
385	Poolfish, Pahrump	<i>Empetrichthys latos</i>	E	53.20	511,650.24	97.61%
386	Moccasinshell, Alabama	<i>Medionidus acutissimus</i>	T	52.78	511,703.02	97.62%
387	Sucker, June	<i>Chasmistes liorus</i>	E	52.70	511,755.72	97.63%
388	Clubshell, southern	<i>Pleurobema decisum</i>	E	52.55	511,808.27	97.64%
389	Checker-mallow, pedate	<i>Sidalcea pedata</i>	E	52.00	511,860.27	97.65%
390	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	E	51.37	511,911.64	97.66%
391	Gumplant, Ash Meadows	<i>Grindelia fraxino-pratensis</i>	T	51.00	511,962.64	97.67%
392	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis corrugata</i>	T	51.00	512,013.64	97.68%
393	Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	E	50.70	512,064.34	97.69%
394	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	E	50.50	512,114.84	97.70%
395	Akiapola`au	<i>Hemignathus munroi</i>	E	49.20	512,164.04	97.71%
396	Salamander, Sonoran tiger	<i>Ambystoma tigrinum stebbinsi</i>	E	49.10	512,213.14	97.72%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
397	Milkweed, Welsh's	<i>Asclepias welshii</i>	T	48.09	512,261.23	97.73%
398	Turtle, flattened musk	<i>Sternotherus depressus</i>	T	48.00	512,309.23	97.74%
399	Manzanita, lone	<i>Arctostaphylos myrtifolia</i>	T	47.70	512,356.93	97.75%
400	Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	E	47.46	512,404.40	97.75%
401	Duck, Laysan	<i>Anas laysanensis</i>	E	47.00	512,451.40	97.76%
402	Water-umbel, Huachuca	<i>Lilaeopsis schaffneriana recurva</i>	E	46.39	512,497.78	97.77%
403	Pitcher-plant, green	<i>Sarracenia oreophila</i>	E	46.10	512,543.88	97.78%
404	Tiger beetle, northeastern beach	<i>Cicindela dorsalis dorsalis</i>	T	45.83	512,589.71	97.79%
405	Koki`o	<i>Kokia drynarioides</i>	E	45.75	512,635.46	97.80%
406	Rock-cress, shale barren	<i>Arabis serotina</i>	E	45.55	512,681.02	97.81%
407	Jaguar	<i>Panthera onca</i>	E	45.42	512,726.44	97.82%
408	Pocketbook, speckled	<i>Lampsilis streckeri</i>	E	45.30	512,771.74	97.82%
409	Chub, Hutton tui	<i>Gila bicolor ssp.</i>	T	45.10	512,816.84	97.83%
410	Darter, Niangua	<i>Etheostoma nianguae</i>	T	45.00	512,861.84	97.84%
411	Torreyia, Florida	<i>Torreyia taxifolia</i>	E	45.00	512,906.84	97.85%
412	Catspaw, white	<i>Epioblasma obliquata perobliqua</i>	E	44.00	512,950.84	97.86%
413	Bird's-beak, soft	<i>Cordylanthus mollis mollis</i>	E	44.00	512,994.84	97.87%
414	Uhiuhi	<i>Caesalpinia kawaiense</i>	E	43.98	513,038.82	97.88%
415	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	43.70	513,082.52	97.88%
416	Cactus, Sneed pincushion	<i>Coryphantha sneedii sneedii</i>	E	43.62	513,126.14	97.89%
417	Darter, boulder	<i>Etheostoma wapiti</i>	E	43.50	513,169.64	97.90%
418	Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	E	43.20	513,212.84	97.91%
419	Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	E	43.20	513,256.04	97.92%
420	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	43.20	513,299.24	97.92%
421	Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	E	43.00	513,342.24	97.93%
422	Ocelot	<i>Leopardus pardalis</i>	E	42.70	513,384.94	97.94%
423	Buckwheat, steamboat	<i>Eriogonum ovalifolium williamsiae</i>	E	42.00	513,426.94	97.95%
424	Mucket, orangenacre	<i>Lampsilis perovalis</i>	T	41.92	513,468.86	97.96%
425	Hawk, Hawaiian	<i>Buteo solitarius</i>	E	41.71	513,510.56	97.97%
426	Amphipod, Illinois cave	<i>Gammarus acherondytes</i>	E	41.68	513,552.24	97.97%
427	`aiea	<i>Nothocestrum breviflorum</i>	E	41.35	513,593.59	97.98%
428	Madtom, smoky	<i>Noturus baileyi</i>	E	41.20	513,634.79	97.99%
429	Sunflower, Schweinitz's	<i>Helianthus schweinitzii</i>	E	41.15	513,675.94	98.00%
430	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	41.00	513,716.94	98.00%
431	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	41.00	513,757.94	98.01%
432	Ivesia, Ash Meadows	<i>Ivesia kingii eremica</i>	T	41.00	513,798.94	98.02%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
433	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	41.00	513,839.94	98.03%
434	Shiner, Cahaba	<i>Notropis cahabae</i>	E	40.86	513,880.80	98.04%
435	Thistle, Suisun	<i>Cirsium hydrophilum hydrophilum</i>	E	40.50	513,921.30	98.04%
436	Clubshell, ovate	<i>Pleurobema perovatum</i>	E	39.75	513,961.06	98.05%
437	Shrimp, California freshwater	<i>Syncaris pacifica</i>	E	39.70	514,000.76	98.06%
438	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	39.29	514,040.05	98.07%
439	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	38.68	514,078.73	98.07%
440	Mouse, Key Largo cotton	<i>Peromyscus gossypinus allapaticola</i>	E	38.00	514,116.73	98.08%
441	Rabbit, Lower Keys marsh	<i>Sylvilagus palustris hefneri</i>	E	38.00	514,154.73	98.09%
442	Bush-mallow, San Clemente Island	<i>Malacothamnus clementinus</i>	E	37.83	514,192.56	98.10%
443	Larkspur, San Clemente Island	<i>Delphinium variegatum kinkiense</i>	E	37.83	514,230.40	98.10%
444	Rockcress, Santa Cruz Island	<i>Sibara filifolia</i>	E	37.83	514,268.23	98.11%
445	Woodland-star, San Clemente Island	<i>Lithophragma maximum</i>	E	37.83	514,306.06	98.12%
446	Milkweed, Mead's	<i>Asclepias meadii</i>	T	37.50	514,343.56	98.12%
447	Manzanita, Del Mar	<i>Arctostaphylos glandulosa crassifolia</i>	E	37.23	514,380.79	98.13%
448	Turtle, Alabama red-belly	<i>Pseudemys alabamensis</i>	E	36.71	514,417.49	98.14%
449	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	T	36.50	514,453.99	98.15%
450	Bladderpod, Zapata	<i>Lesquerella thamnophila</i>	E	36.00	514,489.99	98.15%
451	Crocodile, American	<i>Crocodylus acutus</i>	E	35.64	514,525.63	98.16%
452	Hala pepe	<i>Pleomele hawaiiensis</i>	E	35.63	514,561.25	98.17%
453	Darter, fountain	<i>Etheostoma fonticola</i>	E	35.40	514,596.65	98.17%
454	Frankenia, Johnston's	<i>Frankenia johnstonii</i>	E	35.00	514,631.65	98.18%
455	Wire-lettuce, Malheur	<i>Stephanomeria malheurensis</i>	E	35.00	514,666.65	98.19%
456	Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	E	34.55	514,701.20	98.19%
457	Cavefish, Ozark	<i>Amblyopsis rosae</i>	T	34.40	514,735.60	98.20%
458	Spinymussel, James	<i>Pleurobema collina</i>	E	33.79	514,769.39	98.21%
459	Dropwort, Canby's	<i>Oxypolis canbyi</i>	E	33.71	514,803.10	98.21%
460	Nanu	<i>Gardenia mannii</i>	E	33.68	514,836.78	98.22%
461	Sunburst, Hartweg's golden	<i>Pseudobahia bahiifolia</i>	E	33.50	514,870.28	98.22%
462	No common name	<i>Hesperomannia arborescens</i>	E	33.43	514,903.70	98.23%
463	No common name	<i>Silene hawaiiensis</i>	T	33.30	514,937.00	98.24%
464	Ladies'-tresses, Navasota	<i>Spiranthes parksii</i>	E	33.00	514,970.00	98.24%
465	Phlox, Texas trailing	<i>Phlox nivalis texensis</i>	E	32.90	515,002.90	98.25%
466	Thornmint, San Diego	<i>Acanthomintha ilicifolia</i>	T	32.38	515,035.28	98.26%
467	Cactus, Unita Basin hookless	<i>Sclerocactus glaucus</i>	T	32.20	515,067.48	98.26%
468	Butterfly, El Segundo blue	<i>Euphilotes battoides allyni</i>	E	32.10	515,099.58	98.27%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
469	Monarch, Tinian	<i>Monarcha takatsukasae</i>	T	32.00	515,131.58	98.27%
470	Ladies'-tresses, Canelo Hills	<i>Spiranthes delitescens</i>	E	31.89	515,163.46	98.28%
471	Grass, California Orcutt	<i>Orcuttia californica</i>	E	31.65	515,195.11	98.29%
472	Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	E	31.60	515,226.72	98.29%
473	Haha	<i>Cyanea koolauensis</i>	E	31.55	515,258.27	98.30%
474	No common name	<i>Phyllostegia hirsuta</i>	E	31.55	515,289.82	98.30%
475	`ohe`ohe	<i>Tetraplasandra gymnocarpa</i>	E	31.55	515,321.37	98.31%
476	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	T	31.54	515,352.91	98.32%
477	Lizard, Island night	<i>Xantusia riversiana</i>	T	31.00	515,383.91	98.32%
478	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	T	30.80	515,414.71	98.33%
479	Pearlymussel, littlewing	<i>Pegias fabula</i>	E	30.46	515,445.17	98.33%
480	Tarplant, Otay	<i>Hemizonia conjugens</i>	T	30.35	515,475.52	98.34%
481	Chub, spotfin	<i>Cyprinella monacha</i>	T	30.26	515,505.77	98.35%
482	Dawn-flower, Texas prairie	<i>Hymenoxys texana</i>	E	30.00	515,535.77	98.35%
483	Poppy, Sacramento prickly	<i>Argemone pleiacantha pinnatisecta</i>	E	30.00	515,565.77	98.36%
484	Alani	<i>Melicope reflexa</i>	E	29.88	515,595.65	98.36%
485	Harperella	<i>Ptilimnium nodosum</i>	E	29.85	515,625.50	98.37%
486	Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	E	29.61	515,655.10	98.37%
487	Madtom, yellowfin	<i>Noturus flavipinnis</i>	T	29.20	515,684.30	98.38%
488	Darter, snail	<i>Percina tanasi</i>	T	28.91	515,713.21	98.39%
489	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	E	28.50	515,741.71	98.39%
490	Salamander, desert slender	<i>Batrachoseps aridus</i>	E	28.20	515,769.91	98.40%
491	Orcutt grass, slender	<i>Orcuttia tenuis</i>	T	28.20	515,798.11	98.40%
492	Pennyroyal, Todsens's	<i>Hedeoma todsenii</i>	E	28.00	515,826.11	98.41%
493	Sand-verbena, large-fruited	<i>Abronia macrocarpa</i>	E	28.00	515,854.11	98.41%
494	Dace, blackside	<i>Phoxinus cumberlandensis</i>	T	27.95	515,882.06	98.42%
495	Wawae`iole	<i>Huperzia mannii</i>	E	27.45	515,909.51	98.42%
496	Bladderpod, white	<i>Lesquerella pallida</i>	E	27.20	515,936.71	98.43%
497	Joint-vetch, sensitive	<i>Aeschynomene virginica</i>	T	27.14	515,963.86	98.43%
498	Kauila	<i>Colubrina oppositifolia</i>	E	27.13	515,990.98	98.44%
499	Ohai	<i>Sesbania tomentosa</i>	E	27.00	516,017.98	98.44%
500	Barberry, Nevin's	<i>Berberis nevinii</i>	E	26.79	516,044.77	98.45%
501	Darter, duskytail	<i>Etheostoma percnurum</i>	E	26.50	516,071.27	98.45%
502	Spineflower, slender-horned	<i>Dodecahema leptoceras</i>	E	26.46	516,097.73	98.46%
503	Goldfields, Burke's	<i>Lasthenia burkei</i>	E	26.10	516,123.83	98.46%
504	Meadowfoam, Sebastopol	<i>Limnanthes vinculans</i>	E	26.10	516,149.93	98.47%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
505	Sunshine, Sonoma	<i>Blennosperma bakeri</i>	E	26.10	516,176.03	98.47%
506	Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	E	26.07	516,202.10	98.48%
507	Rosemary, Cumberland	<i>Conradina verticillata</i>	T	26.00	516,228.10	98.48%
508	Warbler, nightingale reed	<i>Acrocephalus luscini</i>	E	25.93	516,254.02	98.49%
509	Pocketbook, finelined	<i>Lampsilis altilis</i>	T	25.83	516,279.85	98.49%
510	Butterweed, Layne's	<i>Senecio layneae</i>	T	25.70	516,305.55	98.50%
511	Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	T	25.54	516,331.09	98.50%
512	Monkeyface, Cumberland	<i>Quadrula intermedia</i>	E	25.48	516,356.57	98.51%
513	Bladderpod, kodachrome	<i>Lesquerella tumulosa</i>	E	25.20	516,381.77	98.51%
514	Dace, Foskett speckled	<i>Rhinichthys osculus ssp.</i>	T	25.10	516,406.87	98.52%
515	Haha	<i>Cyanea acuminata</i>	E	25.05	516,431.92	98.52%
516	No common name	<i>Viola oahuensis</i>	E	25.05	516,456.97	98.53%
517	No common name	<i>Sanicula purpurea</i>	E	25.05	516,482.02	98.53%
518	Onion, Munz's	<i>Allium munzii</i>	E	25.05	516,507.07	98.54%
519	No common name	<i>Pteris lidgatei</i>	E	25.05	516,532.12	98.54%
520	Pearlymussel, birdwing	<i>Conradilla caelata</i>	E	25.00	516,557.12	98.55%
521	Crownbeard, big-leaved	<i>Verbesina dissita</i>	T	24.85	516,581.97	98.55%
522	Mussel, oyster	<i>Epioblasma capsaeformis</i>	E	24.85	516,606.81	98.56%
523	Fanshell	<i>Cyprogenia stegaria</i>	E	24.70	516,631.51	98.56%
524	Bankclimber, purple	<i>Elliptioideus sloatianus</i>	T	24.61	516,656.12	98.57%
525	Silversword, Mauna Kea	<i>Argyroxiphium sandwicense sandwicense</i>	E	24.58	516,680.69	98.57%
526	Whipsnake, Alameda	<i>Masticophis lateralis euryxanthus</i>	T	24.50	516,705.19	98.57%
527	Alopecurus, Sonoma	<i>Alopecurus aequalis sonomensis</i>	E	24.50	516,729.69	98.58%
528	Riffleshell, tan	<i>Epioblasma florentina walkeri</i>	E	24.29	516,753.99	98.58%
529	Skullcap, large-flowered	<i>Scutellaria montana</i>	E	24.20	516,778.19	98.59%
530	Milk-vetch, triple-ribbed	<i>Astragalus tricarinatus</i>	E	24.10	516,802.29	98.59%
531	Pigtoe, heavy	<i>Pleurobema taitianum</i>	E	24.07	516,826.36	98.60%
532	Pigtoe, southern	<i>Pleurobema georgianum</i>	E	24.00	516,850.36	98.60%
533	Milk-vetch, Peirson's	<i>Astragalus magdalenae peirsonii</i>	T	24.00	516,874.36	98.61%
534	Ma`o hau hele, (=native yellow hibiscus)	<i>Hibiscus brackenridgei</i>	E	23.88	516,898.24	98.61%
535	Heartleaf, dwarf-flowered	<i>Hexastylis naniflora</i>	T	23.87	516,922.11	98.62%
536	Woolly-star, Santa Ana River	<i>Eriastrum densifolium sanctorum</i>	E	23.79	516,945.90	98.62%
537	No common name	<i>Vigna o-wahuensis</i>	E	23.63	516,969.52	98.63%
538	`oha wai	<i>Clermontia lindseyana</i>	E	23.63	516,993.15	98.63%
539	Lily, Minnesota dwarf trout	<i>Erythronium propullans</i>	E	23.50	517,016.65	98.63%
540	Spineflower, Orcutt's	<i>Chorizanthe orcuttiana</i>	E	23.50	517,040.15	98.64%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
541	Monardella, willowy	<i>Monardella linoides viminea</i>	E	23.38	517,063.52	98.64%
542	Bean, Cumberland	<i>Villosa trabalis</i>	E	23.24	517,086.76	98.65%
543	Squirrel, Carolina northern flying	<i>Glaucomys sabrinus coloratus</i>	E	23.00	517,109.76	98.65%
544	Shiner, blue	<i>Cyprinella caerulea</i>	T	22.99	517,132.75	98.66%
545	Baccharis, Encinitas	<i>Baccharis vanessae</i>	T	22.60	517,155.35	98.66%
546	Penstemon, blowout	<i>Penstemon haydenii</i>	E	22.50	517,177.85	98.66%
547	Haha	<i>Cyanea hamatiflora carlsonii</i>	E	22.20	517,200.05	98.67%
548	Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus coachellae</i>	E	22.10	517,222.15	98.67%
549	Cactus, Siler pincushion	<i>Pediocactus sileri</i>	T	22.03	517,244.18	98.68%
550	Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	E	22.00	517,266.18	98.68%
551	Bluecurls, Hidden Lake	<i>Trichostema austromontanum compactum</i>	T	22.00	517,288.18	98.69%
552	Ceanothus, Vail Lake	<i>Ceanothus ophiochilus</i>	T	22.00	517,310.18	98.69%
553	Crownscale, San Jacinto Valley	<i>Atriplex coronata notatior</i>	E	22.00	517,332.18	98.69%
554	Flannelbush, Mexican	<i>Fremontodendron mexicanum</i>	E	22.00	517,354.18	98.70%
555	Liveforever, Laguna Beach	<i>Dudleya stolonifera</i>	T	22.00	517,376.18	98.70%
556	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	22.00	517,398.18	98.71%
557	Mountain-mahogany, Catalina Island	<i>Cercocarpus traskiae</i>	E	22.00	517,420.18	98.71%
558	Oxytheca, cushenbury	<i>Oxytheca parishii goodmaniana</i>	E	22.00	517,442.18	98.72%
559	Haha	<i>Cyanea shipmannii</i>	E	21.93	517,464.11	98.72%
560	`oha wai	<i>Clermontia pyrularia</i>	E	21.88	517,485.98	98.72%
561	Prairie-clover, leafy	<i>Dalea foliosa</i>	E	21.80	517,507.78	98.73%
562	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	21.69	517,529.47	98.73%
563	Vetch, Hawaiian	<i>Vicia menziesii</i>	E	21.58	517,551.05	98.74%
564	Pocketbook, Ouachita rock	<i>Arkansia wheeleri</i>	E	21.50	517,572.55	98.74%
565	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	E	21.50	517,594.05	98.74%
566	Clarkia, Springville	<i>Clarkia springvillensis</i>	T	21.50	517,615.55	98.75%
567	Mallow, Kern	<i>Eremalche kernensis</i>	E	21.50	517,637.05	98.75%
568	Wireweed	<i>Polygonella basiramia</i>	E	21.48	517,658.53	98.76%
569	Pearlymussel, dromedary	<i>Dromus dromas</i>	E	21.48	517,680.01	98.76%
570	Cactus, Winkler	<i>Pediocactus winkleri</i>	T	21.20	517,701.21	98.76%
571	Cactus, Wright fishhook	<i>Sclerocactus wrightiae</i>	E	21.20	517,722.41	98.77%
572	Wooly-threads, San Joaquin	<i>Lembertia congdonii</i>	E	21.19	517,743.60	98.77%
573	Cactus, Brady pincushion	<i>Pediocactus bradyi</i>	E	21.14	517,764.74	98.78%
574	Kiponapona	<i>Phyllostegia racemosa</i>	E	21.13	517,785.87	98.78%
575	Bladderpod, Spring Creek	<i>Lesquerella perforata</i>	E	21.00	517,806.87	98.78%
576	Woolly-star, Hoover's	<i>Eriastrum hooveri</i>	T	21.00	517,827.87	98.79%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
577	Plum, scrub	<i>Prunus geniculata</i>	E	20.68	517,848.55	98.79%
578	Popolo ku mai	<i>Solanum incompletum</i>	E	20.56	517,869.11	98.80%
579	No common name	<i>Geocarpon minimum</i>	T	20.40	517,889.51	98.80%
580	Nioi	<i>Eugenia koolauensis</i>	E	20.38	517,909.89	98.80%
581	Grass, Tennessee yellow-eyed	<i>Xyris tennesseensis</i>	E	20.30	517,930.19	98.81%
582	No common name	<i>Alsinidendron trinerve</i>	E	20.23	517,950.41	98.81%
583	Darter, bluemask	<i>Etheostoma sp.</i>	E	20.00	517,970.41	98.82%
584	Three-ridge, fat	<i>Amblema neislerii</i>	E	20.00	517,990.41	98.82%
585	Snail, armored	<i>Pyrgulopsis pachyta</i>	E	20.00	518,010.41	98.82%
586	Crayfish, Nashville	<i>Orconectes shoupi</i>	E	20.00	518,030.41	98.83%
587	Spurge, deltoid	<i>Chamaesyce deltoidea deltoidea</i>	E	20.00	518,050.41	98.83%
588	Haha	<i>Cyanea crispa</i>	E	19.58	518,069.99	98.84%
589	Ha`iwale	<i>Cyrtandra viridiflora</i>	E	19.58	518,089.56	98.84%
590	Pigtoe, Cumberland	<i>Pleurobema gibberum</i>	E	19.50	518,109.06	98.84%
591	Butterfly, Behren's silverspot	<i>Speyeria zerene behrensii</i>	E	19.50	518,128.56	98.85%
592	`akoko	<i>Euphorbia haeleeleana</i>	E	19.43	518,147.99	98.85%
593	Haha	<i>Cyanea grimesiana grimesiana</i>	E	19.35	518,167.34	98.85%
594	Ha`iwale	<i>Cyrtandra subumbellata</i>	E	19.35	518,186.69	98.86%
595	No common name	<i>Lobelia gaudichaudii koolauensis</i>	E	19.35	518,206.04	98.86%
596	No common name	<i>Phyllostegia kaalaensis</i>	E	19.35	518,225.39	98.86%
597	Aster, Florida golden	<i>Chrysopsis floridana</i>	E	19.19	518,244.58	98.87%
598	Turtle, ringed map	<i>Graptemys oculifera</i>	T	19.08	518,263.66	98.87%
599	Cactus, Kuenzler hedgehog	<i>Echinocereus fendleri kuenzleri</i>	E	19.06	518,282.71	98.88%
600	Haha	<i>Cyanea st-johnii</i>	E	18.95	518,301.66	98.88%
601	Pearlymussel, white wartyback	<i>Plethobasus cicatricosus</i>	E	18.92	518,320.58	98.88%
602	Gambusia, Big Bend	<i>Gambusia gaigei</i>	E	18.90	518,339.48	98.89%
603	Aupaka	<i>Isodendron laurifolium</i>	E	18.55	518,358.03	98.89%
604	Butterfly, lotis blue	<i>Lycaeides argyrognomon lotis</i>	E	18.50	518,376.53	98.89%
605	Evening-primrose, Antioch Dunes	<i>Oenothera deltoides howellii</i>	E	18.50	518,395.03	98.90%
606	No common name	<i>Neraudia sericea</i>	E	18.50	518,413.53	98.90%
607	Spineflower, Sonoma	<i>Chorizanthe valida</i>	E	18.50	518,432.03	98.90%
608	Spinymussel, Tar River	<i>Elliptio steinstansana</i>	E	18.30	518,450.33	98.91%
609	Ko`oloa`ula	<i>Abutilon menziesii</i>	E	18.23	518,468.56	98.91%
610	Daisy, Maguire	<i>Erigeron maguirei</i>	T	18.20	518,486.76	98.91%
611	No common name	<i>Abutilon sandwicense</i>	E	18.10	518,504.86	98.92%
612	No common name	<i>Phyllostegia mollis</i>	E	18.10	518,522.96	98.92%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
613	Opuhe	<i>Urera kaalae</i>	E	18.10	518,541.06	98.92%
614	Chub, Sonora	<i>Gila ditaenia</i>	T	18.00	518,559.06	98.93%
615	Campion, fringed	<i>Silene polypetala</i>	E	18.00	518,577.06	98.93%
616	Prickly-apple, fragrant	<i>Cereus eriophorus fragrans</i>	E	18.00	518,595.06	98.94%
617	Gardenia, Hawaiian	<i>Gardenia brighamii</i>	E	17.88	518,612.93	98.94%
618	Coneflower, Tennessee purple	<i>Echinacea tennesseensis</i>	E	17.80	518,630.73	98.94%
619	Diellia, asplenium-leaved	<i>Diellia erecta</i>	E	17.80	518,648.53	98.95%
620	Ma`oli`oli	<i>Schiedea apokremnos</i>	E	17.70	518,666.23	98.95%
621	Pink, swamp	<i>Helonias bullata</i>	T	17.65	518,683.88	98.95%
622	Ring pink	<i>Obovaria retusa</i>	E	17.62	518,701.51	98.96%
623	Butterfly, Schaus swallowtail	<i>Heraclides aristodemus ponceanus</i>	E	17.58	518,719.09	98.96%
624	Kauai hau kuahiwi	<i>Hibiscadelphus distans</i>	E	17.53	518,736.61	98.96%
625	Fiddleneck, large-flowered	<i>Amsinckia grandiflora</i>	E	17.50	518,754.11	98.97%
626	Layia, beach	<i>Layia carnosae</i>	E	17.50	518,771.61	98.97%
627	No common name	<i>Phyllostegia parviflora</i>	E	17.50	518,789.11	98.97%
628	No common name	<i>Temstroemia subsessilis</i>	E	17.50	518,806.61	98.98%
629	Snail, tulotoma	<i>Tulotoma magnifica</i>	E	17.39	518,824.00	98.98%
630	Alani	<i>Melicope pallida</i>	E	17.30	518,841.30	98.98%
631	Aupaka	<i>Isodendrion longifolium</i>	T	17.30	518,858.60	98.99%
632	Hau kuahiwi	<i>Hibiscadelphus hualalaiensis</i>	E	17.30	518,875.90	98.99%
633	Heau	<i>Exocarpos luteolus</i>	E	17.30	518,893.20	98.99%
634	Iliau, dwarf	<i>Wilkesia hobyi</i>	E	17.30	518,910.50	99.00%
635	Koki`o, (=Kaua`i koki`o)	<i>Kokia kauaiensis</i>	E	17.30	518,927.80	99.00%
636	Kolea	<i>Myrsine linearifolia</i>	T	17.30	518,945.10	99.00%
637	Kuawawaenohu	<i>Alsinidendron lychnoides</i>	E	17.30	518,962.40	99.01%
638	Nehe	<i>Lipochaeta fauriei</i>	E	17.30	518,979.70	99.01%
639	Nehe	<i>Lipochaeta waimeaensis</i>	E	17.30	518,997.00	99.01%
640	No common name	<i>Schiedea membranacea</i>	E	17.30	519,014.30	99.02%
641	No common name	<i>Remya kauaiensis</i>	E	17.30	519,031.60	99.02%
642	No common name	<i>Alsinidendron viscosum</i>	E	17.30	519,048.90	99.02%
643	Ischaemum, Hilo	<i>Ischaemum byrone</i>	E	17.23	519,066.13	99.03%
644	A`e	<i>Zanthoxylum hawaiiense</i>	E	17.13	519,083.25	99.03%
645	Chub, Chihuahua	<i>Gila nigrescens</i>	T	17.00	519,100.25	99.03%
646	Chub, slender	<i>Erimystax cahni</i>	T	16.80	519,117.05	99.03%
647	Alani	<i>Melicope adscendens</i>	E	16.63	519,133.68	99.04%
648	Alani	<i>Melicope mucronulata</i>	E	16.63	519,150.30	99.04%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
649	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	16.50	519,166.80	99.04%
650	Thornmint, San Mateo	<i>Acanthomintha obovata duttonii</i>	E	16.50	519,183.30	99.05%
651	Wallflower, Contra Costa	<i>Erysimum capitatum angustatum</i>	E	16.50	519,199.80	99.05%
652	No common name	<i>Diplazium molokaiense</i>	E	16.25	519,216.05	99.05%
653	Koki`o, (=Cooke's koki`o)	<i>Kokia cookei</i>	E	16.18	519,232.23	99.06%
654	Trout, Little Kern golden	<i>Oncorhynchus aguabonita whitei</i>	T	16.01	519,248.24	99.06%
655	`akoko	<i>Chamaesyce halemanui</i>	E	16.00	519,264.24	99.06%
656	Alani	<i>Melicope knudsenii</i>	E	16.00	519,280.24	99.07%
657	Aster, Ruth's golden	<i>Pityopsis ruthii</i>	E	16.00	519,296.24	99.07%
658	`awikiwiki	<i>Canavalia molokaiensis</i>	E	16.00	519,312.24	99.07%
659	Butterwort, Godfrey's	<i>Pinguicula ionantha</i>	T	16.00	519,328.24	99.08%
660	No common name	<i>Gouania meyenii</i>	E	16.00	519,344.24	99.08%
661	Sandalwood, Lanai or `iliahi	<i>Santalum freycinetianum lanaiense</i>	E	16.00	519,360.24	99.08%
662	Moccasinshell, Coosa	<i>Medionidus parvulus</i>	E	15.89	519,376.13	99.08%
663	Alani	<i>Melicope lydgatei</i>	E	15.75	519,391.88	99.09%
664	Hau kuahiwi	<i>Hibiscadelphus giffardianus</i>	E	15.75	519,407.63	99.09%
665	Lo`ulu	<i>Pritchardia schattaueri</i>	E	15.75	519,423.38	99.09%
666	No common name	<i>Neraudia ovata</i>	E	15.75	519,439.13	99.10%
667	No common name	<i>Gouania vitifolia</i>	E	15.75	519,454.88	99.10%
668	Amphianthus, little	<i>Amphianthus pusillus</i>	T	15.72	519,470.59	99.10%
669	Oha	<i>Delissea subcordata</i>	E	15.70	519,486.29	99.11%
670	Orcutt grass, hairy	<i>Orcuttia pilosa</i>	E	15.70	519,501.99	99.11%
671	Orcutt grass, Sacramento	<i>Orcuttia viscida</i>	E	15.70	519,517.69	99.11%
672	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	15.70	519,533.39	99.11%
673	Townsendia, Last Chance	<i>Townsendia aprica</i>	T	15.70	519,549.09	99.12%
674	Moccasinshell, Gulf	<i>Medionidus penicillatus</i>	E	15.68	519,564.77	99.12%
675	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	E	15.50	519,580.27	99.12%
676	Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	T	15.50	519,595.77	99.13%
677	Beetle, delta green ground	<i>Elaphrus viridis</i>	T	15.50	519,611.27	99.13%
678	Clover, showy Indian	<i>Trifolium amoenum</i>	E	15.50	519,626.77	99.13%
679	Larkspur, Baker's	<i>Delphinium bakeri</i>	E	15.50	519,642.27	99.13%
680	Paintbrush, Tiburon	<i>Castilleja affinis neglecta</i>	E	15.50	519,657.77	99.14%
681	Bean, purple	<i>Villosa perpurpurea</i>	E	15.48	519,673.24	99.14%
682	Lizard, St. Croix ground	<i>Ameiva polops</i>	E	15.30	519,688.54	99.14%
683	Kuahiwi laukahi	<i>Plantago hawaiiensis</i>	E	15.30	519,703.84	99.15%
684	Awiwi	<i>Centaurium sebaeoides</i>	E	15.23	519,719.07	99.15%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
685	Lo`ulu	<i>Pritchardia affinis</i>	E	15.13	519,734.19	99.15%
686	Po`e	<i>Portulaca sclerocarpa</i>	E	15.13	519,749.32	99.16%
687	Wawae`iole, (=ha`iwale)	<i>Phlegmariurus nutans</i>	E	15.13	519,764.44	99.16%
688	Pigtoe, shiny	<i>Fusconaia cor</i>	E	15.10	519,779.54	99.16%
689	No common name	<i>Poa siphonoglossa</i>	E	15.00	519,794.54	99.16%
690	Pinkroot, gentian	<i>Spigelia gentianoides</i>	E	15.00	519,809.54	99.17%
691	Rhododendron, Chapman	<i>Rhododendron chapmanii</i>	E	15.00	519,824.54	99.17%
692	Rosemary, Apalachicola	<i>Conradina glabra</i>	E	15.00	519,839.54	99.17%
693	Panicgrass, Carter's	<i>Panicum fauriei carteri</i>	E	14.98	519,854.52	99.18%
694	Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	E	14.90	519,869.42	99.18%
695	Potato-bean, Price's	<i>Apios priceana</i>	T	14.80	519,884.22	99.18%
696	Haha	<i>Cyanea grimesiana obatae</i>	E	14.75	519,898.97	99.18%
697	No common name	<i>Mariscus pennatifomis</i>	E	14.75	519,913.72	99.19%
698	Caracara, Audubon's crested	<i>Polyborus plancus audubonii</i>	T	14.64	519,928.36	99.19%
699	No common name	<i>Phyllostegia mannii</i>	E	14.60	519,942.96	99.19%
700	Pearlymussel, cracking	<i>Hemistena lata</i>	E	14.58	519,957.54	99.20%
701	Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	E	14.50	519,972.04	99.20%
702	Squirrel, Mount Graham red	<i>Tamiasciurus hudsonicus grahamensis</i>	E	14.50	519,986.54	99.20%
703	Butterfly, callippe silverspot	<i>Speyeria callippe callippe</i>	E	14.50	520,001.04	99.20%
704	Butterfly, Myrtle's silverspot	<i>Speyeria zerene myrtleae</i>	E	14.50	520,015.54	99.21%
705	Allocarya, Calistoga	<i>Plagiobothrys strictus</i>	E	14.50	520,030.04	99.21%
706	Haha	<i>Cyanea truncata</i>	E	14.50	520,044.54	99.21%
707	Ha`iwale	<i>Cyrtandra polyantha</i>	E	14.50	520,059.04	99.21%
708	Larkspur, yellow	<i>Delphinium luteum</i>	E	14.50	520,073.54	99.22%
709	No common name	<i>Silene perlmanii</i>	E	14.50	520,088.04	99.22%
710	Popolo `aiakeakua	<i>Solanum sandwicense</i>	E	14.50	520,102.54	99.22%
711	Crayfish, cave	<i>Cambarus zophonastes</i>	E	14.30	520,116.84	99.23%
712	`akoko	<i>Chamaesyce celastroides kaenana</i>	E	14.13	520,130.96	99.23%
713	Alani	<i>Melicope zahlbruckneri</i>	E	14.13	520,145.09	99.23%
714	Chaff-flower, round-leaved	<i>Achyranthes splendens rotundata</i>	E	14.13	520,159.21	99.23%
715	Ma`oli`oli	<i>Schiedea kealiae</i>	E	14.13	520,173.34	99.24%
716	No common name	<i>Schiedea kaalae</i>	E	14.13	520,187.46	99.24%
717	No common name	<i>Hesperomannia arbuscula</i>	E	14.13	520,201.59	99.24%
718	Turtle, yellow-blotched map	<i>Graptemys flavimaculata</i>	T	14.02	520,215.61	99.24%
719	Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	E	14.00	520,229.61	99.25%
720	Crayfish, cave	<i>Cambarus aculabrum</i>	E	14.00	520,243.61	99.25%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	SPECIES TOTAL (\$000)	CUMULATIVE TOTAL	CUMULATIVE PERCENT
721	Goldenrod, Short's	<i>Solidago shortii</i>	E	14.00	520,257.61	99.25%
722	Goldenrod, white-haired	<i>Solidago albopilosa</i>	T	14.00	520,271.61	99.26%
723	Oha	<i>Delissea undulata</i>	E	14.00	520,285.61	99.26%
724	Pau`ala, (=alulu)	<i>Brighamia rockii</i>	E	14.00	520,299.61	99.26%
725	Haha	<i>Cyanea stictophylla</i>	E	13.93	520,313.53	99.26%
726	Kio`ele	<i>Hedyotis coriacea</i>	E	13.93	520,327.46	99.27%
727	Cactus, Knowlton	<i>Pediocactus knowltonii</i>	E	13.92	520,341.38	99.27%
728	`akoko	<i>Chamaesyce deppeana</i>	E	13.88	520,355.25	99.27%
729	`akoko, Ewa Plains	<i>Chamaesyce skottsbergii kalaeloana</i>	E	13.88	520,369.13	99.27%
730	Ha`iwale	<i>Cyrtandra crenata</i>	E	13.88	520,383.00	99.28%
731	Kamakahala	<i>Labordia cyrtandrae</i>	E	13.88	520,396.88	99.28%
732	No common name	<i>Lobelia monostachya</i>	E	13.88	520,410.75	99.28%
733	No common name	<i>Tetramolopium lepidotum lepidotum</i>	E	13.88	520,424.63	99.28%
734	Schiedea, Diamond Head	<i>Schiedea adamantis</i>	E	13.88	520,438.50	99.29%
735	Ihi`ihi	<i>Marsilea villosa</i>	E	13.88	520,452.38	99.29%
736	Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	T	13.86	520,466.24	99.29%
737	Haha	<i>Cyanea copelandii copelandii</i>	E	13.75	520,479.99	99.29%
738	Haha	<i>Cyanea platyphylla</i>	E	13.75	520,493.74	99.30%
739	Ha`iwale	<i>Cyrtandra tintinnabula</i>	E	13.75	520,507.49	99.30%
740	Holei	<i>Ochrosia kilaueaensis</i>	E	13.75	520,521.24	99.30%
741	No common name	<i>Achyranthes mutica</i>	E	13.75	520,534.99	99.31%
742	No common name	<i>Phyllostegia warshaueri</i>	E	13.75	520,548.74	99.31%
743	No common name	<i>Phyllostegia velutina</i>	E	13.75	520,562.49	99.31%
744	`oha wai	<i>Clermontia peleana</i>	E	13.75	520,576.24	99.31%
745	Cactus, Bakersfield	<i>Opuntia treleasei</i>	E	13.69	520,589.93	99.32%
746	Haha	<i>Cyanea longiflora</i>	E	13.58	520,603.51	99.32%
747	Madtom, pygmy	<i>Noturus stanauli</i>	E	13.50	520,617.01	99.32%
748	Kidneyshell, triangular	<i>Ptychobranthus greeni</i>	E	13.50	520,630.51	99.32%
749	Pigtoe, finerayed	<i>Fusconaia cuneolus</i>	E	13.50	520,644.01	99.33%
750	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	E	13.50	520,657.51	99.33%
751	A`e	<i>Zanthoxylum dipetalum tomentosum</i>	E	13.50	520,671.01	99.33%
752	Barberry, Truckee	<i>Berberis sonnei</i>	E	13.50	520,684.51	99.33%
753	Bird's beak, palmate-bracted	<i>Cordylanthus palmatus</i>	E	13.50	520,698.01	99.34%
754	Bird's-beak, Pennell's	<i>Cordylanthus tenuis capillaris</i>	E	13.50	520,711.51	99.34%
755	Bluegrass, Napa	<i>Poa napensis</i>	E	13.50	520,725.01	99.34%
756	Brodiaea, Chinese Camp	<i>Brodiaea pallida</i>	T	13.50	520,738.51	99.34%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
757	Ceanothus, coyote	<i>Ceanothus ferrisae</i>	E	13.50	520,752.01	99.35%
758	Checker-mallow, Kenwood Marsh	<i>Sidalcea oregana valida</i>	E	13.50	520,765.51	99.35%
759	Clarkia, Presidio	<i>Clarkia franciscana</i>	E	13.50	520,779.01	99.35%
760	Clarkia, Vine Hill	<i>Clarkia imbricata</i>	E	13.50	520,792.51	99.35%
761	Dudleya, Santa Clara Valley	<i>Dudleya setchellii</i>	E	13.50	520,806.01	99.36%
762	Dwarf-flax, Marin	<i>Hesperolinon congestum</i>	T	13.50	520,819.51	99.36%
763	Grass, Colusa	<i>Neostapfia colusana</i>	T	13.50	520,833.01	99.36%
764	Grass, Solano	<i>Tuctoria mucronata</i>	E	13.50	520,846.51	99.36%
765	Jewelflower, Metcalf Canyon	<i>Streptanthus albidus albidus</i>	E	13.50	520,860.01	99.37%
766	Jewelflower, Tiburon	<i>Streptanthus niger</i>	E	13.50	520,873.51	99.37%
767	Lessingia, San Francisco	<i>Lessingia germanorum</i>	E	13.50	520,887.01	99.37%
768	Lily, Pitkin Marsh	<i>Lilium pardalinum pitkinense</i>	E	13.50	520,900.51	99.37%
769	Manzanita, pallid	<i>Arctostaphylos pallida</i>	T	13.50	520,914.01	99.38%
770	Manzanita, Presidio	<i>Arctostaphylos hookeri ravenii</i>	E	13.50	520,927.51	99.38%
771	Mariposa lily, Tiburon	<i>Calochortus tiburonensis</i>	T	13.50	520,941.01	99.38%
772	Meadowfoam, Butte County	<i>Limnanthes floccosa californica</i>	E	13.50	520,954.51	99.39%
773	Milk-vetch, Clara Hunt's	<i>Astragalus clarianus</i>	E	13.50	520,968.01	99.39%
774	Navarretia, few-flowered	<i>Navarretia leucocephala pauciflora</i>	E	13.50	520,981.51	99.39%
775	Navarretia, many-flowered	<i>Navarretia leucocephala plieantha</i>	E	13.50	520,995.01	99.39%
776	Owl's-clover, fleshy	<i>Castilleja campestris succulenta</i>	T	13.50	521,008.51	99.40%
777	Pussypaws, Mariposa	<i>Calyptridium pulchellum</i>	T	13.50	521,022.01	99.40%
778	Sedge, white	<i>Carex albida</i>	E	13.50	521,035.51	99.40%
779	Spineflower, Howell's	<i>Chorizanthe howellii</i>	E	13.50	521,049.01	99.40%
780	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	13.50	521,062.51	99.41%
781	Stonecrop, Lake County	<i>Parvisedum leiocarpum</i>	E	13.50	521,076.01	99.41%
782	Sunburst, San Joaquin adobe	<i>Pseudobahia peirsonii</i>	T	13.50	521,089.51	99.41%
783	Sunflower, San Mateo woolly	<i>Eriophyllum latilobum</i>	E	13.50	521,103.01	99.41%
784	Thistle, fountain	<i>Cirsium fontinale fontinale</i>	E	13.50	521,116.51	99.42%
785	Thistle, Loch Lomond coyote	<i>Eryngium constancei</i>	E	13.50	521,130.01	99.42%
786	Vervain, Red Hills	<i>Verbena californica</i>	T	13.50	521,143.51	99.42%
787	Darter, relict	<i>Etheostoma chienense</i>	E	13.49	521,157.00	99.42%
788	Honohono	<i>Haplostachys haplostachya</i>	E	13.30	521,170.30	99.43%
789	No common name	<i>Stenogyne angustifolia angustifolia</i>	E	13.30	521,183.60	99.43%
790	Rush-pea, slender	<i>Hoffmannseggia tenella</i>	E	13.30	521,196.90	99.43%
791	`akoko	<i>Chamaesyce rockii</i>	E	13.25	521,210.15	99.43%
792	Alani	<i>Melicope saint-johnii</i>	E	13.25	521,223.40	99.44%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
793	Haha	<i>Cyanea humboldtiana</i>	E	13.25	521,236.65	99.44%
794	Kolea	<i>Myrsine juddii</i>	E	13.25	521,249.90	99.44%
795	No common name	<i>Trematolobelia singularis</i>	E	13.25	521,263.15	99.44%
796	Pu`uka`a	<i>Cyperus trachysanthos</i>	E	13.25	521,276.40	99.45%
797	Toad, Wyoming	<i>Bufo hemiophrys baxteri</i>	E	13.18	521,289.57	99.45%
798	No common name	<i>Phyllostegia knudsenii</i>	E	13.18	521,302.75	99.45%
799	`anunu	<i>Sicyos alba</i>	E	13.13	521,315.87	99.45%
800	Aupaka	<i>Isodendrion hosakae</i>	E	13.13	521,329.00	99.46%
801	Awijiwi	<i>Hedyotis cookiana</i>	E	13.13	521,342.12	99.46%
802	Ha`iwale	<i>Cyrtandra giffardii</i>	E	13.13	521,355.25	99.46%
803	Nehe	<i>Lipochaeta venosa</i>	E	13.13	521,368.37	99.46%
804	No common name	<i>Tetramolopium arenarium</i>	E	13.13	521,381.50	99.47%
805	No common name	<i>Mariscus fauriei</i>	E	13.13	521,394.62	99.47%
806	`oha wai	<i>Clermontia drepanomorpha</i>	E	13.13	521,407.75	99.47%
807	Fern, pendant kihi	<i>Adenophorus periens</i>	E	13.13	521,420.87	99.47%
808	Makou	<i>Peucedanum sandwicense</i>	T	13.10	521,433.97	99.48%
809	Naupaka, dwarf	<i>Scaevola coriacea</i>	E	13.10	521,447.07	99.48%
810	No common name	<i>Gouania hillebrandii</i>	E	13.10	521,460.17	99.48%
811	Finch, Laysan	<i>Telespyza cantans</i>	E	13.00	521,473.17	99.48%
812	Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	E	13.00	521,486.17	99.49%
813	Beauty, Harper's	<i>Harperocallis flava</i>	E	13.00	521,499.17	99.49%
814	Birds-in-a-nest, white	<i>Macbridea alba</i>	T	13.00	521,512.17	99.49%
815	Spider, Kauai cave wolf or pe'e pe'e maka 'ole	<i>Adelocosa anops</i>	E	12.86	521,525.03	99.49%
816	Leather flower, Alabama	<i>Clematis socialis</i>	E	12.80	521,537.83	99.50%
817	Oha	<i>Delissea rhytidosperra</i>	E	12.75	521,550.58	99.50%
818	Alani	<i>Melicope quadrangularis</i>	E	12.63	521,563.21	99.50%
819	Alani	<i>Melicope haupuensis</i>	E	12.63	521,575.83	99.50%
820	Haha	<i>Cyanea undulata</i>	E	12.63	521,588.46	99.51%
821	Haha	<i>Cyanea procera</i>	E	12.63	521,601.08	99.51%
822	Haha	<i>Cyanea dunbarii</i>	E	12.63	521,613.71	99.51%
823	Haha	<i>Cyanea asarifolia</i>	E	12.63	521,626.33	99.51%
824	Haha	<i>Cyanea copelandii haleakalaensis</i>	E	12.63	521,638.96	99.52%
825	Haha	<i>Cyanea macrostegia gibsonii</i>	E	12.63	521,651.58	99.52%
826	Haha	<i>Cyanea pinnatifida</i>	E	12.63	521,664.21	99.52%
827	Ha`iwale	<i>Cyrtandra munroi</i>	E	12.63	521,676.83	99.52%
828	Hau kuahiwi	<i>Hibiscadelphus woodii</i>	E	12.63	521,689.46	99.53%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
829	Hibiscus, Clay's	<i>Hibiscus clayi</i>	E	12.63	521,702.08	99.53%
830	Kamakahala	<i>Labordia triflora</i>	E	12.63	521,714.71	99.53%
831	Kamakahala	<i>Labordia tinifolia wahiawaensis</i>	E	12.63	521,727.33	99.53%
832	Kamakahala	<i>Labordia lydgatei</i>	E	12.63	521,739.96	99.54%
833	Kohe malama malama o kanaloa	<i>Kanaloa kahoolawensis</i>	E	12.63	521,752.58	99.54%
834	Kopa	<i>Hedyotis schlechtendahliana remyi</i>	E	12.63	521,765.21	99.54%
835	Lau `ehu	<i>Panicum niihauense</i>	E	12.63	521,777.83	99.54%
836	Lo`ulu	<i>Pritchardia munroi</i>	E	12.63	521,790.46	99.54%
837	Lo`ulu	<i>Pritchardia viscosa</i>	E	12.63	521,803.08	99.55%
838	Lo`ulu, (=wahane)	<i>Pritchardia aylmer-robinsonii</i>	E	12.63	521,815.71	99.55%
839	Love grass, Fosberg's	<i>Eragrostis fosbergii</i>	E	12.63	521,828.33	99.55%
840	Maua	<i>Xylosma crenatum</i>	E	12.63	521,840.96	99.55%
841	No common name	<i>Amaranthus brownii</i>	E	12.63	521,853.58	99.56%
842	No common name	<i>Abutilon eremitopetalum</i>	E	12.63	521,866.21	99.56%
843	No common name	<i>Stenogyne kanehoana</i>	E	12.63	521,878.83	99.56%
844	No common name	<i>Phyllostegia glabra lanaiensis</i>	E	12.63	521,891.46	99.56%
845	No common name	<i>Stenogyne campanulata</i>	E	12.63	521,904.08	99.57%
846	No common name	<i>Stenogyne bifida</i>	E	12.63	521,916.71	99.57%
847	No common name	<i>Schiedea kauaiensis</i>	E	12.63	521,929.33	99.57%
848	No common name	<i>Phyllostegia waimeae</i>	E	12.63	521,941.96	99.57%
849	No common name	<i>Lysimachia maxima</i>	E	12.63	521,954.58	99.58%
850	No common name	<i>Tetramolopium remyi</i>	E	12.63	521,967.21	99.58%
851	No common name	<i>Gahnia lanaiensis</i>	E	12.63	521,979.83	99.58%
852	Oha	<i>Delissea rivularis</i>	E	12.63	521,992.46	99.58%
853	`oha wai	<i>Clermontia oblongifolia mauiensis</i>	E	12.63	522,005.08	99.59%
854	`oha wai	<i>Clermontia oblongifolia brevipes</i>	E	12.63	522,017.71	99.59%
855	Remya, Maui	<i>Remya mauiensis</i>	E	12.63	522,030.33	99.59%
856	Darter, slackwater	<i>Etheostoma boschungii</i>	T	12.59	522,042.93	99.59%
857	Pigtoe, rough	<i>Pleurobema plenum</i>	E	12.58	522,055.51	99.60%
858	Geranium, Hawaiian red-flowered	<i>Geranium arboreum</i>	E	12.55	522,068.06	99.60%
859	Minnow, Devils River	<i>Dionda diaboli</i>	T	12.50	522,080.56	99.60%
860	Combshell, southern	<i>Epioblasma penita</i>	E	12.50	522,093.06	99.60%
861	Avens, spreading	<i>Geum radiatum</i>	E	12.50	522,105.56	99.60%
862	No common name	<i>Hedyotis degeneri</i>	E	12.50	522,118.06	99.61%
863	Penny-cress, Kneeland Prairie	<i>Thlaspi californicum</i>	E	12.50	522,130.56	99.61%
864	Silversword, Haleakala	<i>Argyroxiphium sandwicense macrocephalum</i>	T	12.50	522,143.06	99.61%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
865	Darter, goldline	<i>Percina aurolineata</i>	T	12.49	522,155.55	99.61%
866	`akoko	<i>Chamaesyce herbstii</i>	E	12.33	522,167.88	99.62%
867	Blossom, tubercled	<i>Epioblasma torulosa torulosa</i>	E	12.28	522,180.16	99.62%
868	Rabbitsfoot, rough	<i>Quadrula cylindrica strigillata</i>	E	12.28	522,192.43	99.62%
869	Acornshell, southern	<i>Epioblasma othcaloogensis</i>	E	12.19	522,204.63	99.62%
870	No common name	<i>Asplenium fragile insulare</i>	E	12.18	522,216.80	99.63%
871	Kula wahine noho	<i>Isodendron pyrifolium</i>	E	12.13	522,228.93	99.63%
872	Bat, little Mariana fruit	<i>Pteropus tokudae</i>	E	12.00	522,240.93	99.63%
873	Akialoa, Kauai	<i>Hemignathus procerus</i>	E	12.00	522,252.93	99.63%
874	Broadbill, Guam	<i>Myiagra freycineti</i>	E	12.00	522,264.93	99.64%
875	Creeper, Molokai	<i>Paroreomyza flammea</i>	E	12.00	522,276.93	99.64%
876	Finch, Nihoa	<i>Telespyza ultima</i>	E	12.00	522,288.93	99.64%
877	Mallard, Mariana	<i>Anas oustaleti</i>	E	12.00	522,300.93	99.64%
878	Millerbird, Nihoa	<i>Acrocephalus familiaris kingi</i>	E	12.00	522,312.93	99.64%
879	`o`o, Kauai	<i>Moho braccatus</i>	E	12.00	522,324.93	99.65%
880	`o`u	<i>Psittirostra psittacea</i>	E	12.00	522,336.93	99.65%
881	Thrush, large Kauai	<i>Myadestes myadestinus</i>	E	12.00	522,348.93	99.65%
882	Thrush, Molokai	<i>Myadestes lanaiensis rutha</i>	E	12.00	522,360.93	99.65%
883	White-eye, bridled	<i>Zosterops conspicillatus conspicillatus</i>	E	12.00	522,372.93	99.66%
884	Snail, Newcomb's	<i>Erinna newcombi</i>	T	12.00	522,384.93	99.66%
885	Snail, Stock Island tree	<i>Orthalicus reses</i>	T	12.00	522,396.93	99.66%
886	Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	E	12.00	522,408.93	99.66%
887	Shrimp, Kentucky cave	<i>Palaemonias ganteri</i>	E	12.00	522,420.93	99.67%
888	`aiea	<i>Nothoestrum peltatum</i>	E	12.00	522,432.93	99.67%
889	`akoko	<i>Chamaesyce kuwaleana</i>	E	12.00	522,444.93	99.67%
890	Alani	<i>Melicope ovalis</i>	E	12.00	522,456.93	99.67%
891	Alani	<i>Melicope munroi</i>	E	12.00	522,468.93	99.67%
892	Alani	<i>Melicope balloui</i>	E	12.00	522,480.93	99.68%
893	Bluegrass, Hawaiian	<i>Poa sandvicensis</i>	E	12.00	522,492.93	99.68%
894	Bluegrass, Mann's	<i>Poa mannii</i>	E	12.00	522,504.93	99.68%
895	Haha	<i>Cyanea mceldowneyi</i>	E	12.00	522,516.93	99.68%
896	Haha	<i>Cyanea recta</i>	T	12.00	522,528.93	99.69%
897	Haha	<i>Cyanea mannii</i>	E	12.00	522,540.93	99.69%
898	Haha	<i>Cyanea glabra</i>	E	12.00	522,552.93	99.69%
899	Haha	<i>Cyanea hamatiflora hamatiflora</i>	E	12.00	522,564.93	99.69%
900	Haha	<i>Cyanea remyi</i>	E	12.00	522,576.93	99.69%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
901	Haha	<i>Cyanea lobata</i>	E	12.00	522,588.93	99.70%
902	Ha`iwale	<i>Cyrtandra limahuliensis</i>	T	12.00	522,600.93	99.70%
903	Hedyotis, Na Pali beach	<i>Hedyotis st.-johnii</i>	E	12.00	522,612.93	99.70%
904	Ipomopsis, Holy Ghost	<i>Ipomopsis sancti-spiritus</i>	E	12.00	522,624.93	99.70%
905	Kamakahala	<i>Labordia tinifolia lanaiensis</i>	E	12.00	522,636.93	99.71%
906	Kaulu	<i>Pteralyxia kauaiensis</i>	E	12.00	522,648.93	99.71%
907	Koki`o ke`oke`o	<i>Hibiscus waimeae hannerae</i>	E	12.00	522,660.93	99.71%
908	Koki`o ke`oke`o	<i>Hibiscus arnottianus immaculatus</i>	E	12.00	522,672.93	99.71%
909	Ko`oko`olau	<i>Bidens micrantha kalealaha</i>	E	12.00	522,684.93	99.72%
910	Ko`oko`olau	<i>Bidens wiebkei</i>	E	12.00	522,696.93	99.72%
911	Lagu, Hyan	<i>Serianthes nelsonii</i>	E	12.00	522,708.93	99.72%
912	Laulihilihi, (=Ma`oli`oli)	<i>Schiedea stellarioides</i>	E	12.00	522,720.93	99.72%
913	Liliwai	<i>Acaena exigua</i>	E	12.00	522,732.93	99.72%
914	Lo`ulu	<i>Pritchardia remota</i>	E	12.00	522,744.93	99.73%
915	Lo`ulu	<i>Pritchardia kaalae</i>	E	12.00	522,756.93	99.73%
916	Lo`ulu	<i>Pritchardia napaliensis</i>	E	12.00	522,768.93	99.73%
917	Mapele	<i>Cyrtandra cyaneoides</i>	E	12.00	522,780.93	99.73%
918	Na`ena`e	<i>Dubautia latifolia</i>	E	12.00	522,792.93	99.74%
919	Na`ena`e	<i>Dubautia plantaginea humilis</i>	E	12.00	522,804.93	99.74%
920	Na`ena`e	<i>Dubautia pauciflorula</i>	E	12.00	522,816.93	99.74%
921	Na`ena`e	<i>Dubautia herbstobatae</i>	E	12.00	522,828.93	99.74%
922	Nani wai`ale`ale	<i>Viola kauaiensis wahiawaensis</i>	E	12.00	522,840.93	99.75%
923	Nehe	<i>Lipochaeta lobata leptophylla</i>	E	12.00	522,852.93	99.75%
924	Nehe	<i>Lipochaeta kamolensis</i>	E	12.00	522,864.93	99.75%
925	Nehe	<i>Lipochaeta tenuifolia</i>	E	12.00	522,876.93	99.75%
926	Nehe	<i>Lipochaeta micrantha</i>	E	12.00	522,888.93	99.75%
927	No common name	<i>Schiedea verticillata</i>	E	12.00	522,900.93	99.76%
928	No common name	<i>Schiedea sarmentosa</i>	E	12.00	522,912.93	99.76%
929	No common name	<i>Silene alexandri</i>	E	12.00	522,924.93	99.76%
930	No common name	<i>Hesperomannia lydgatei</i>	E	12.00	522,936.93	99.76%
931	No common name	<i>Phyllostegia wawrana</i>	E	12.00	522,948.93	99.77%
932	No common name	<i>Lysimachia lydgatei</i>	E	12.00	522,960.93	99.77%
933	No common name	<i>Remya montgomeryi</i>	E	12.00	522,972.93	99.77%
934	No common name	<i>Schiedea spergulina spergulina</i>	T	12.00	522,984.93	99.77%
935	No common name	<i>Schiedea spergulina leiopoda</i>	E	12.00	522,996.93	99.77%
936	No common name	<i>Schiedea lydgatei</i>	E	12.00	523,008.93	99.78%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
937	No common name	<i>Schiedea helleri</i>	E	12.00	523,020.93	99.78%
938	No common name	<i>Schiedea haleakalensis</i>	E	12.00	523,032.93	99.78%
939	No common name	<i>Platanthera holochila</i>	E	12.00	523,044.93	99.78%
940	No common name	<i>Lysimachia filifolia</i>	E	12.00	523,056.93	99.79%
941	No common name	<i>Viola lanaiensis</i>	E	12.00	523,068.93	99.79%
942	No common name	<i>Viola helenae</i>	E	12.00	523,080.93	99.79%
943	No common name	<i>Tetramolopium rockii</i>	T	12.00	523,092.93	99.79%
944	No common name	<i>Munroidendron racemosum</i>	E	12.00	523,104.93	99.80%
945	Nohoanu	<i>Geranium multiflorum</i>	E	12.00	523,116.93	99.80%
946	`oha wai	<i>Clermontia samuelii</i>	E	12.00	523,128.93	99.80%
947	Olulu	<i>Brighamia insignis</i>	E	12.00	523,140.93	99.80%
948	Pamakani	<i>Tetramolopium capillare</i>	E	12.00	523,152.93	99.80%
949	Pamakani	<i>Viola chamissoniana chamissoniana</i>	E	12.00	523,164.93	99.81%
950	Pilo	<i>Hedyotis mannii</i>	E	12.00	523,176.93	99.81%
951	No common name	<i>Diellia pallida</i>	E	12.00	523,188.93	99.81%
952	No common name	<i>Diellia unisora</i>	E	12.00	523,200.93	99.81%
953	Monkeyface, Appalachian	<i>Quadrula sparsa</i>	E	11.80	523,212.73	99.82%
954	Cliff-rose, Arizona	<i>Purshia subintegra</i>	E	11.71	523,224.44	99.82%
955	Tiger beetle, Puritan	<i>Cicindela puritana</i>	T	11.61	523,236.05	99.82%
956	Mallow, Peter's Mountain	<i>Iliamna corei</i>	E	11.56	523,247.61	99.82%
957	Beetle, Tooth Cave ground	<i>Rhadine persephone</i>	E	11.40	523,259.01	99.82%
958	Harvestman, Bone Cave	<i>Texella reyesi</i>	E	11.40	523,270.41	99.83%
959	Salamander, San Marcos	<i>Eurycea nana</i>	T	11.35	523,281.76	99.83%
960	Pitcher-plant, mountain sweet	<i>Sarracenia rubra jonesii</i>	E	11.32	523,293.08	99.83%
961	Cactus, Peebles Navajo	<i>Pediocactus peeblesianus peeblesianus</i>	E	11.14	523,304.22	99.83%
962	Elktoe, Cumberland	<i>Alasmidonta atropurpurea</i>	E	11.06	523,315.27	99.84%
963	Shrew, Dismal Swamp southeastern	<i>Sorex longirostris fisheri</i>	T	11.03	523,326.30	99.84%
964	Toad, Puerto Rican crested	<i>Peltophryne lemur</i>	T	11.00	523,337.30	99.84%
965	Blossom, turgid	<i>Epioblasma turgidula</i>	E	11.00	523,348.30	99.84%
966	Blossom, yellow	<i>Epioblasma florentina florentina</i>	E	11.00	523,359.30	99.84%
967	Combshell, upland	<i>Epioblasma metastrata</i>	E	11.00	523,370.30	99.85%
968	Ground-plum, Pyne's	<i>Astragalus bibullatus</i>	E	11.00	523,381.30	99.85%
969	Pitcher-plant, Alabama canebrake	<i>Sarracenia rubra alabamensis</i>	E	11.00	523,392.30	99.85%
970	Lousewort, Furbish	<i>Pedicularis furbishiae</i>	E	10.76	523,403.07	99.85%
971	Pearlshell, Louisiana	<i>Margaritifera hembeli</i>	T	10.63	523,413.69	99.85%
972	Puma, eastern	<i>Puma concolor cougar</i>	E	10.30	523,423.99	99.86%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
973	Pigtoe, dark	<i>Pleurobema furvum</i>	E	10.28	523,434.27	99.86%
974	Darter, bayou	<i>Etheostoma rubrum</i>	T	10.20	523,444.47	99.86%
975	Milk-vetch, Jesup's	<i>Astragalus robbinsii jesupi</i>	E	9.60	523,454.07	99.86%
976	Snail, flat-spined three-toothed	<i>Triodopsis platysayoides</i>	T	9.40	523,463.47	99.86%
977	Milk-vetch, Sentry	<i>Astragalus cremnophylax cremnophylax</i>	E	9.39	523,472.86	99.87%
978	Lichen, rock gnome	<i>Gymnoderma lineare</i>	E	9.05	523,481.91	99.87%
979	Coqui, golden	<i>Eleutherodactylus jasperi</i>	T	9.00	523,490.91	99.87%
980	Fatmucket, Arkansas	<i>Lampsilis powelli</i>	T	9.00	523,499.91	99.87%
981	Sandwort, Cumberland	<i>Arenaria cumberlandensis</i>	E	9.00	523,508.91	99.87%
982	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	E	8.50	523,517.41	99.87%
983	Blossom, green	<i>Epioblasma torulosa gubernaculum</i>	E	8.50	523,525.91	99.88%
984	Rock-cress, Braun's	<i>Arabis perstellata</i>	E	8.30	523,534.21	99.88%
985	Cactus, San Rafael	<i>Pediocactus despainii</i>	E	8.20	523,542.41	99.88%
986	Cactus, Arizona hedgehog	<i>Echinocereus triglochidiatus arizonicus</i>	E	8.11	523,550.53	99.88%
987	Daisy, lakeside	<i>Hymenoxys herbacea</i>	T	8.07	523,558.60	99.88%
988	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	E	8.00	523,566.60	99.88%
989	Fern, American hart's-tongue	<i>Asplenium scolopendrium americanum</i>	T	8.00	523,574.60	99.89%
990	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	E	7.00	523,581.60	99.89%
991	Chub, Yaqui	<i>Gila purpurea</i>	E	7.00	523,588.60	99.89%
992	Bladderpod, Dudley Bluffs	<i>Lesquerella congesta</i>	T	7.00	523,595.60	99.89%
993	Palo de rosa	<i>Ottoschulzia rhodoxylon</i>	E	7.00	523,602.60	99.89%
994	Trillium, relict	<i>Trillium reliquum</i>	E	7.00	523,609.60	99.89%
995	Twinpod, Dudley Bluffs	<i>Physaria obcordata</i>	T	7.00	523,616.60	99.89%
996	Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	E	6.53	523,623.13	99.89%
997	Iris, dwarf lake	<i>Iris lacustris</i>	T	6.50	523,629.63	99.90%
998	Jaguarundi, Gulf Coast	<i>Herpailurus yagouaroundi cacomitti</i>	E	6.30	523,635.93	99.90%
999	Darter, Etowah	<i>Etheostoma etowahae</i>	E	6.19	523,642.12	99.90%
1000	Cycladenia, Jones	<i>Cycladenia humilis jonesii</i>	T	6.09	523,648.21	99.90%
1001	Heelsplitter, Alabama	<i>Potamilus inflatus</i>	T	6.03	523,654.24	99.90%
1002	Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	E	6.00	523,660.24	99.90%
1003	Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	E	6.00	523,666.24	99.90%
1004	Nightjar, Puerto Rican	<i>Caprimulgus noctitherus</i>	E	6.00	523,672.24	99.90%
1005	Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	E	6.00	523,678.24	99.90%
1006	Sculpin, pygmy	<i>Cottus pygmaeus</i>	T	6.00	523,684.24	99.91%
1007	Silverside, Waccamaw	<i>Menidia extensa</i>	T	6.00	523,690.24	99.91%
1008	Pigtoe, flat	<i>Pleurobema marshalli</i>	E	6.00	523,696.24	99.91%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1009	Riversnail, Anthony's	<i>Athearnia anthonyi</i>	E	6.00	523,702.24	99.91%
1010	Boxwood, Vahl's	<i>Buxus vahlII</i>	E	6.00	523,708.24	99.91%
1011	Erubia	<i>Solanum drymophilum</i>	E	6.00	523,714.24	99.91%
1012	Goetzea, beautiful	<i>Goetzea elegans</i>	E	6.00	523,720.24	99.91%
1013	Meadowrue, Cooley's	<i>Thalictrum cooleyi</i>	E	6.00	523,726.24	99.91%
1014	No common name	<i>Eugenia woodburyana</i>	E	6.00	523,732.24	99.92%
1015	No common name	<i>Aristida chaseae</i>	E	6.00	523,738.24	99.92%
1016	No common name	<i>Daphnopsis hellerana</i>	E	6.00	523,744.24	99.92%
1017	Pondweed, Little Aguja Creek	<i>Potamogeton clystocarpus</i>	E	6.00	523,750.24	99.92%
1018	Reed-mustard, Barneby	<i>Schoenocrambe barnebyi</i>	E	5.90	523,756.14	99.92%
1019	Cactus, Cochise pincushion	<i>Coryphantha robbinsorum</i>	T	5.89	523,762.03	99.92%
1020	Beaked-rush, Knieskern's	<i>Rhynchospora knieskernii</i>	T	5.60	523,767.63	99.92%
1021	Whale, blue	<i>Balaenoptera musculus</i>	E	5.59	523,773.22	99.92%
1022	Guajon	<i>Eleutherodactylus cooki</i>	T	5.50	523,778.72	99.92%
1023	Isopod, Madison Cave	<i>Antrolana lira</i>	T	5.50	523,784.22	99.93%
1024	Palo de jazmin	<i>Styrax portoricensis</i>	E	5.50	523,789.72	99.93%
1025	Ambrosia, south Texas	<i>Ambrosia cheiranthifolia</i>	E	5.40	523,795.12	99.93%
1026	Lampmussel, Alabama	<i>Lampsilis virescens</i>	E	5.20	523,800.32	99.93%
1027	Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	E	5.00	523,805.32	99.93%
1028	Stirrupshell	<i>Quadrula stapes</i>	E	5.00	523,810.32	99.93%
1029	Snail, painted snake coiled forest	<i>Anguispira picta</i>	T	5.00	523,815.32	99.93%
1030	Cactus, Mesa Verde	<i>Sclerocactus mesae-verdae</i>	T	5.00	523,820.32	99.93%
1031	Cobana negra	<i>Stahlia monosperma</i>	T	5.00	523,825.32	99.93%
1032	Heather, mountain golden	<i>Hudsonia montana</i>	T	5.00	523,830.32	99.93%
1033	Higo, chumbo	<i>Harrisia portoricensis</i>	T	5.00	523,835.32	99.93%
1034	Manaca, palma de	<i>Calyptronoma rivalis</i>	T	5.00	523,840.32	99.94%
1035	No common name	<i>Leptocereus grantianus</i>	E	5.00	523,845.32	99.94%
1036	No common name	<i>Schoepfia arenaria</i>	T	5.00	523,850.32	99.94%
1037	Palo de nigua	<i>Cornutia obovata</i>	E	5.00	523,855.32	99.94%
1038	Darter, Cherokee	<i>Etheostoma scotti</i>	T	4.99	523,860.31	99.94%
1039	Whale, finback	<i>Balaenoptera physalus</i>	E	4.86	523,865.17	99.94%
1040	Arrowhead, bunched	<i>Sagittaria fasciculata</i>	E	4.83	523,870.00	99.94%
1041	Catspaw	<i>Epioblasma obliquata obliquata</i>	E	4.78	523,874.78	99.94%
1042	Shiner, palezone	<i>Notropis albizonatus</i>	E	4.75	523,879.53	99.94%
1043	Pocketbook, shinyrayed	<i>Lampsilis subangulata</i>	E	4.69	523,884.22	99.94%
1044	Blue-star, Kearney's	<i>Amsonia kearneyana</i>	E	4.39	523,888.61	99.95%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1045	Sedge, Navajo	<i>Carex specuicola</i>	T	4.34	523,892.95	99.95%
1046	Skink, sand	<i>Neoseps reynoldsi</i>	T	4.10	523,897.04	99.95%
1047	Clubshell, black	<i>Pleurobema curtum</i>	E	4.00	523,901.04	99.95%
1048	Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	E	4.00	523,905.04	99.95%
1049	No common name	<i>Vernonia proctorii</i>	E	4.00	523,909.04	99.95%
1050	No common name	<i>Lyonia truncata proctorii</i>	E	4.00	523,913.04	99.95%
1051	No common name	<i>Mitracarpus polycladus</i>	E	4.00	523,917.04	99.95%
1052	No common name	<i>Mitracarpus maxwelliae</i>	E	4.00	523,921.04	99.95%
1053	No common name	<i>Lepanthes eltoroensis</i>	E	4.00	523,925.04	99.95%
1054	No common name	<i>Cordia bellonis</i>	E	4.00	523,929.04	99.95%
1055	Palo de ramon	<i>Banara vanderbiltii</i>	E	4.00	523,933.04	99.95%
1056	Pawpaw, Rugel's	<i>Deeringothamnus rugelii</i>	E	4.00	523,937.04	99.95%
1057	Wild-buckwheat, clay-loving	<i>Eriogonum pelinophilum</i>	E	4.00	523,941.04	99.96%
1058	Jaguarundi, Sinaloan	<i>Herpailurus yagouaroundi tolteca</i>	E	3.90	523,944.94	99.96%
1059	Pigtoe, oval	<i>Pleurobema pyriforme</i>	E	3.89	523,948.83	99.96%
1060	Whale, Sei	<i>Balaenoptera borealis</i>	E	3.72	523,952.55	99.96%
1061	Bulrush, Northeastern	<i>Scirpus ancistrochaetus</i>	E	3.60	523,956.16	99.96%
1062	Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	E	3.55	523,959.71	99.96%
1063	Blazingstar, Heller's	<i>Liatris helleri</i>	T	3.50	523,963.21	99.96%
1064	Bluet, Roan Mountain	<i>Hedyotis purpurea montana</i>	E	3.50	523,966.71	99.96%
1065	Goldenrod, Blue Ridge	<i>Solidago spithamaea</i>	T	3.50	523,970.21	99.96%
1066	Goldenrod, Houghton's	<i>Solidago houghtonii</i>	T	3.50	523,973.71	99.96%
1067	No common name	<i>Calyptanthus thomasiana</i>	E	3.50	523,977.21	99.96%
1068	Reed-mustard, clay	<i>Schoenocrambe argillacea</i>	T	3.40	523,980.61	99.96%
1069	Quillwort, black spored	<i>Isoetes melanospora</i>	E	3.35	523,983.96	99.96%
1070	Ayenia, Texas	<i>Ayenia limitaris</i>	E	3.30	523,987.26	99.96%
1071	Cactus, star	<i>Astrophytum asterias</i>	E	3.30	523,990.56	99.96%
1072	Fleabane, Zuni	<i>Erigeron rhizomatus</i>	T	3.20	523,993.76	99.97%
1073	Rattleweed, hairy	<i>Baptisia arachnifera</i>	E	3.20	523,996.96	99.97%
1074	Manioc, Walker's	<i>Manihot walkerae</i>	E	3.10	524,000.06	99.97%
1075	Bobwhite, masked	<i>Colinus virginianus ridgwayi</i>	E	3.00	524,003.06	99.97%
1076	Darter, Maryland	<i>Etheostoma sellare</i>	E	3.00	524,006.06	99.97%
1077	Marstonia, royal	<i>Pyrgulopsis ogmorhapse</i>	E	3.00	524,009.06	99.97%
1078	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	T	3.00	524,012.06	99.97%
1079	Bariaco	<i>Trichilia triacantha</i>	E	3.00	524,015.06	99.97%
1080	Locoweed, Fassett's	<i>Oxytropis campestris chartacea</i>	T	3.00	524,018.06	99.97%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1081	No common name	<i>Catesbaea melanocarpa</i>	E	3.00	524,021.06	99.97%
1082	No common name	<i>Chamaecrista glandulosa mirabilis</i>	E	3.00	524,024.06	99.97%
1083	Prickly-ash, St. Thomas	<i>Zanthoxylum thomasianum</i>	E	3.00	524,027.06	99.97%
1084	Walnut, West Indian or nogal	<i>Juglans jamaicensis</i>	E	3.00	524,030.06	99.97%
1085	No common name	<i>Tectaria estremezana</i>	E	3.00	524,033.06	99.97%
1086	No common name	<i>Polystichum calderonense</i>	E	3.00	524,036.06	99.97%
1087	Thistle, Sacramento Mountains	<i>Cirsium vinaceum</i>	T	2.92	524,038.98	99.97%
1088	Cinquefoil, Robbins'	<i>Potentilla robbinsiana</i>	E	2.90	524,041.88	99.97%
1089	Cactus, Nichol's Turk's head	<i>Echinocactus horizonthalonius nicholii</i>	E	2.89	524,044.77	99.97%
1090	Whale, sperm	<i>Physeter catodon</i>	E	2.69	524,047.46	99.98%
1091	Groundsel, San Francisco Peaks	<i>Senecio franciscanus</i>	T	2.64	524,050.09	99.98%
1092	Wild-buckwheat, gypsum	<i>Eriogonum gypsophilum</i>	T	2.55	524,052.65	99.98%
1093	Whale, bowhead	<i>Balaena mysticetus</i>	E	2.50	524,055.15	99.98%
1094	Boa, Mona	<i>Epicrates monensis monensis</i>	T	2.50	524,057.65	99.98%
1095	Bittercress, small-anthered	<i>Cardamine micranthera</i>	E	2.50	524,060.15	99.98%
1096	Button, Mohr's Barbara	<i>Marshallia mohrii</i>	T	2.50	524,062.65	99.98%
1097	Higuero de sierra	<i>Crescentia portoricensis</i>	E	2.50	524,065.15	99.98%
1098	No common name	<i>Ilex sintenisii</i>	E	2.50	524,067.65	99.98%
1099	No common name	<i>Auerodendron pauciflorum</i>	E	2.50	524,070.15	99.98%
1100	Uvillo	<i>Eugenia haematocarpa</i>	E	2.50	524,072.65	99.98%
1101	Pseudoscorpion, Tooth Cave	<i>Tartarocreagris texana</i>	E	2.40	524,075.05	99.98%
1102	Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	E	2.40	524,077.45	99.98%
1103	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	2.32	524,079.76	99.98%
1104	Cactus, black lace	<i>Echinocereus reichenbachii albertii</i>	E	2.30	524,082.06	99.98%
1105	Agave, Arizona	<i>Agave arizonica</i>	E	2.21	524,084.28	99.98%
1106	Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	T	2.20	524,086.48	99.98%
1107	Rice rat	<i>Oryzomys palustris natator</i>	E	2.00	524,088.48	99.98%
1108	Curlew, Eskimo	<i>Numenius borealis</i>	E	2.00	524,090.48	99.98%
1109	Gecko, Monito	<i>Sphaerodactylus micropithecus</i>	E	2.00	524,092.48	99.98%
1110	Slabshell, Chipola	<i>Elliptio chipolaensis</i>	T	2.00	524,094.48	99.98%
1111	Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	T	2.00	524,096.48	99.98%
1112	Capa rosa	<i>Callicarpa ampla</i>	E	2.00	524,098.48	99.99%
1113	Chupacallos	<i>Pleodendron macranthum</i>	E	2.00	524,100.48	99.99%
1114	Gooseberry, Miccosukee	<i>Ribes echinellum</i>	T	2.00	524,102.48	99.99%
1115	Holly, Cook's	<i>Ilex cookii</i>	E	2.00	524,104.48	99.99%
1116	No common name	<i>Cranichis ricartii</i>	E	2.00	524,106.48	99.99%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1117	No common name	<i>Gesneria pauciflora</i>	T	2.00	524,108.48	99.99%
1118	No common name	<i>Myrcia paganii</i>	E	2.00	524,110.48	99.99%
1119	Palo colorado	<i>Temstroemia luquillensis</i>	E	2.00	524,112.48	99.99%
1120	Peperomia, Wheeler's	<i>Peperomia wheeleri</i>	E	2.00	524,114.48	99.99%
1121	Fern, Elfin tree	<i>Cyathea dryopteroides</i>	E	2.00	524,116.48	99.99%
1122	No common name	<i>Thelypteris yaucoensis</i>	E	2.00	524,118.48	99.99%
1123	No common name	<i>Thelypteris verecunda</i>	E	2.00	524,120.48	99.99%
1124	No common name	<i>Thelypteris inabonensis</i>	E	2.00	524,122.48	99.99%
1125	No common name	<i>Elaphoglossum serpens</i>	E	2.00	524,124.48	99.99%
1126	No common name	<i>Adiantum vivesii</i>	E	2.00	524,126.48	99.99%
1127	Quillwort, mat-forming	<i>Isoetes tegetiformans</i>	E	2.00	524,128.48	99.99%
1128	Water-plantain, Kral's	<i>Sagittaria secundifolia</i>	T	1.91	524,130.38	99.99%
1129	Trillium, persistent	<i>Trillium persistens</i>	E	1.80	524,132.18	99.99%
1130	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	1.70	524,133.88	99.99%
1131	Anole, Culebra Island giant	<i>Anolis roosevelti</i>	E	1.50	524,135.38	99.99%
1132	Milk-vetch, heliotrope	<i>Astragalus montii</i>	T	1.50	524,136.88	99.99%
1133	Beetle, Kretschmarr Cave mold	<i>Texamaurops reddelli</i>	E	1.40	524,138.28	99.99%
1134	Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	E	1.40	524,139.68	99.99%
1135	Birch, Virginia round-leaf	<i>Betula uber</i>	T	1.40	524,141.08	99.99%
1136	Dogweed, ashy	<i>Thymophylla tephroleuca</i>	E	1.40	524,142.48	99.99%
1137	Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>	T	1.39	524,143.87	99.99%
1138	Warbler, Bachman's	<i>Vermivora bachmanii</i>	E	1.33	524,145.20	99.99%
1139	Lilliput, pale	<i>Toxolasma cylindrellus</i>	E	1.30	524,146.50	99.99%
1140	Mustard, Carter's	<i>Warea carteri</i>	E	1.29	524,147.79	99.99%
1141	Beargrass, Britton's	<i>Nolina brittoniana</i>	E	1.21	524,149.00	99.99%
1142	Catfish, Yaqui	<i>Ictalurus pricei</i>	T	1.20	524,150.20	99.99%
1143	Cress, toad-flax	<i>Schoenocrambe suffrutescens</i>	E	1.20	524,151.40	100.00%
1144	Pawpaw, four-petal	<i>Asimina tetramera</i>	E	1.04	524,152.44	100.00%
1145	Polygala, tiny	<i>Polygala smallii</i>	E	1.04	524,153.48	100.00%
1146	Cladonia, Florida perforate	<i>Cladonia perforata</i>	E	1.04	524,154.51	100.00%
1147	Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	E	1.00	524,155.51	100.00%
1148	Darter, watercress	<i>Etheostoma nuchale</i>	E	1.00	524,156.51	100.00%
1149	Springsnail, Alamosa	<i>Tryonia alamosae</i>	E	1.00	524,157.51	100.00%
1150	Butterfly, Saint Francis' satyr	<i>Neonympha mitchellii francisci</i>	E	1.00	524,158.51	100.00%
1151	Cactus, Lloyd's Mariposa	<i>Echinomastus mariposensis</i>	T	1.00	524,159.51	100.00%
1152	Cory cactus, bunched	<i>Coryphantha ramillosa</i>	T	1.00	524,160.51	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1153	Milk-vetch, Mancos	<i>Astragalus humillimus</i>	E	1.00	524,161.51	100.00%
1154	Skullcap, Florida	<i>Scutellaria floridana</i>	T	1.00	524,162.51	100.00%
1155	Spurge, Garber's	<i>Chamaesyce garberi</i>	T	1.00	524,163.51	100.00%
1156	Fern, Aleutian shield	<i>Polystichum aleuticum</i>	E	1.00	524,164.51	100.00%
1157	Snail, noonday	<i>Mesodon clarki nantahala</i>	T	0.95	524,165.46	100.00%
1158	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	E	0.90	524,166.36	100.00%
1159	Salamander, Shenandoah	<i>Plethodon shenandoah</i>	E	0.80	524,167.16	100.00%
1160	Pigeon wings	<i>Clitoria fragrans</i>	T	0.77	524,167.94	100.00%
1161	Shiner, beautiful	<i>Cyprinella formosa</i>	T	0.70	524,168.64	100.00%
1162	Elimia, lacy	<i>Elimia crenatella</i>	T	0.68	524,169.31	100.00%
1163	Lioplax, cylindrical	<i>Lioplax cyclostomaformis</i>	E	0.68	524,169.99	100.00%
1164	Blazingstar, scrub	<i>Liatris ohlingerae</i>	E	0.61	524,170.60	100.00%
1165	Isopod, Lee County cave	<i>Lirceus usdagalun</i>	E	0.50	524,171.10	100.00%
1166	Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>	E	0.40	524,171.50	100.00%
1167	Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>	E	0.40	524,171.90	100.00%
1168	Amphipod, Peck's cave	<i>Stygobromus pecki</i>	E	0.40	524,172.30	100.00%
1169	Buckwheat, scrub	<i>Eriogonum longifolium gnaphalifolium</i>	T	0.39	524,172.69	100.00%
1170	Rocksnailed, plicate	<i>Leptoxis plicata</i>	E	0.30	524,172.99	100.00%
1171	Rocksnailed, round	<i>Leptoxis ampla</i>	T	0.30	524,173.28	100.00%
1172	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	E	0.29	524,173.57	100.00%
1173	Rosemary, short-leaved	<i>Conradina brevifolia</i>	E	0.29	524,173.86	100.00%
1174	Sandlace	<i>Polygonella myriophylla</i>	E	0.29	524,174.15	100.00%
1175	Springsnailed, Socorro	<i>Pyrgulopsis neomexicana</i>	E	0.25	524,174.40	100.00%
1176	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	0.21	524,174.61	100.00%
1177	Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	T	0.20	524,174.81	100.00%
1178	Buttercup, autumn	<i>Ranunculus acriformis aestivalis</i>	E	0.20	524,175.01	100.00%
1179	Milk-vetch, Deseret	<i>Astragalus desereticus</i>	T	0.20	524,175.21	100.00%
1180	Phacelia, clay	<i>Phacelia argillacea</i>	E	0.20	524,175.41	100.00%
1181	Poppy-mallow, Texas	<i>Callirhoe scabriuscula</i>	E	0.20	524,175.61	100.00%
1182	Primrose, Maguire	<i>Primula maguirei</i>	T	0.20	524,175.81	100.00%
1183	Ridge-cress, Barneby	<i>Lepidium barnebyanum</i>	E	0.20	524,176.01	100.00%
1184	Rocksnailed, painted	<i>Leptoxis taeniata</i>	T	0.19	524,176.21	100.00%
1185	Polygala, Lewton's	<i>Polygala lewtonii</i>	E	0.13	524,176.34	100.00%
1186	Gourd, Okeechobee	<i>Cucurbita okeechobeensis okeechobeensis</i>	E	0.04	524,176.38	100.00%
1187	Harebells, Avon Park	<i>Crotalaria avonensis</i>	E	0.04	524,176.41	100.00%
1188	Jacquemontia, beach	<i>Jacquemontia reclinata</i>	E	0.04	524,176.45	100.00%

**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1189	Lupine, scrub	<i>Lupinus aridorum</i>	E	0.04	524,176.49	100.00%
1190	Mint, Garrett's	<i>Dicerandra christmanii</i>	E	0.04	524,176.52	100.00%
1191	Mint, Lakela's	<i>Dicerandra immaculata</i>	E	0.04	524,176.56	100.00%
1192	Mint, scrub	<i>Dicerandra frutescens</i>	E	0.04	524,176.59	100.00%
1193	Warea, wide-leaf	<i>Warea amplexifolia</i>	E	0.04	524,176.63	100.00%
1194	Seal, Caribbean monk	<i>Monachus tropicalis</i>	E	0.00	524,176.63	100.00%
1195	Cahow	<i>Pterodroma cahow</i>	E	0.00	524,176.63	100.00%
1196	Crow, white-necked	<i>Corvus leucognaphalus</i>	E	0.00	524,176.63	100.00%
1197	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	T	0.00	524,176.63	100.00%
1198	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	E	0.00	524,176.63	100.00%
1199	Gambusia, San Marcos	<i>Gambusia georgei</i>	E	0.00	524,176.63	100.00%
1200	Madtom, Scioto	<i>Noturus trautmani</i>	E	0.00	524,176.63	100.00%
1201	Moccasinshell, Ochlockonee	<i>Medionidus simpsonianus</i>	E	0.00	524,176.63	100.00%
1202	Campeloma, slender	<i>Campeloma decampi</i>	E	0.00	524,176.63	100.00%
1203	Pebblesnail, flat	<i>Lepyrium showalteri</i>	E	0.00	524,176.63	100.00%
1204	Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	E	0.00	524,176.63	100.00%
1205	Beetle, Coffin Cave mold	<i>Batrisodes texanus</i>	E	0.00	524,176.63	100.00%
1206	Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	E	0.00	524,176.63	100.00%
1207	Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingi</i>	T	0.00	524,176.63	100.00%
1208	Beardtongue, Penland	<i>Penstemon penlandii</i>	E	0.00	524,176.63	100.00%
1209	Bellflower, Brooksville	<i>Campanula robinsiae</i>	E	0.00	524,176.63	100.00%
1210	Bladderpod, lyrate	<i>Lesquerella lyrata</i>	T	0.00	524,176.63	100.00%
1211	Cactus, Key tree	<i>Pilosocereus robinii</i>	E	0.00	524,176.63	100.00%
1212	Cactus, Lee pincushion	<i>Coryphantha sneedii leei</i>	T	0.00	524,176.63	100.00%
1213	Cactus, Nellie cory	<i>Coryphantha minima</i>	E	0.00	524,176.63	100.00%
1214	Cat's-eye, Terlingua Creek	<i>Cryptantha crassipes</i>	E	0.00	524,176.63	100.00%
1215	Irisette, white	<i>Sisyrinchium dichotomum</i>	E	0.00	524,176.63	100.00%
1216	Lead-plant, Crenulate	<i>Amorpha crenulata</i>	E	0.00	524,176.63	100.00%
1217	Leather flower, Morefield's	<i>Clematis morefieldii</i>	E	0.00	524,176.63	100.00%
1218	Milk-vetch, Osterhout	<i>Astragalus osterhoutii</i>	E	0.00	524,176.63	100.00%
1219	Milkpea, Small's	<i>Galactia smallii</i>	E	0.00	524,176.63	100.00%
1220	Mint, longspurred	<i>Dicerandra cornutissima</i>	E	0.00	524,176.63	100.00%
1221	Monkey-flower, Michigan	<i>Mimulus glabratus michiganensis</i>	E	0.00	524,176.63	100.00%
1222	Mustard, Penland alpine fen	<i>Eutrema penlandii</i>	T	0.00	524,176.63	100.00%
1223	Oak, Hinckley	<i>Quercus hinckleyi</i>	T	0.00	524,176.63	100.00%
1224	Pawpaw, beautiful	<i>Deeringothamnus pulchellus</i>	E	0.00	524,176.63	100.00%



**TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 2000 REPORTED EXPENDITURES (\$000), NOT INCLUDING LAND ACQUISITION COSTS**

<b>RANK</b>	<b>SPECIES NAME (50 CFR PART 17)</b>	<b>SCIENTIFIC NAME</b>	<b>STATUS</b>	<b>SPECIES TOTAL (\$000)</b>	<b>CUMULATIVE TOTAL</b>	<b>CUMULATIVE PERCENT</b>
1225	Pelos del diablo	<i>Aristida portoricensis</i>	E	0.00	524,176.63	100.00%
1226	Phacelia, North Park	<i>Phacelia formosula</i>	E	0.00	524,176.63	100.00%
1227	Pitaya, Davis' green	<i>Echinocereus viridiflorus davisii</i>	E	0.00	524,176.63	100.00%
1228	Rosemary, Etonia	<i>Conradina etonia</i>	E	0.00	524,176.63	100.00%
1229	Roseroot, Leedy's	<i>Sedum integrifolium leedyi</i>	T	0.00	524,176.63	100.00%
1230	Snakeroot	<i>Eryngium cuneifolium</i>	E	0.00	524,176.63	100.00%
1231	Sneezeweed, Virginia	<i>Helenium virginicum</i>	T	0.00	524,176.63	100.00%
1232	Snowbells, Texas	<i>Styrax texanus</i>	E	0.00	524,176.63	100.00%
1233	Spurge, telephus	<i>Euphorbia telephoides</i>	T	0.00	524,176.63	100.00%
1234	Water-willow, Cooley's	<i>Justicia cooleyi</i>	E	0.00	524,176.63	100.00%
1235	Fern, Alabama streak-sorus	<i>Thelypteris pilosa alabamensis</i>	T	0.00	524,176.63	100.00%
				524,176.63		

Table 3.

FY 2000 REPORTED LAND ACQUISITION EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES

Species are arranged in the same sequence as Table 1. These costs are not included in the general expenditures of Tables 1 and 2. Only those species that had land acquisition costs reported for FY 2000 are included here. Land rank was included here to show the relative order of the species that had land expenditures. For example, the bald eagle was ranked as #1 because it had the highest land expenditures of all the species and the Florida ziziphus had the least (#122).

TABLE 3. FY 2000 REPORTED LAND ACQUISITION EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES

GENERAL RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	Other FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	LAND RANK
<b>MAMMALS</b>									
23	Bear, grizzly	<i>Ursus arctos horribilis</i>	T	0.00	0.00	0.00	380.80	380.80	50
87	Bear, Louisiana black	<i>Ursus americanus luteolus</i>	T	3,645.00	375.00	4,020.00	0.00	4,020.00	3
84	Deer, Key	<i>Odocoileus virginianus clavium</i>	E	2,548.00	0.00	2,548.00	0.00	2,548.00	8
61	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	E	749.50	16.70	766.20	0.00	766.20	33
134	Kangaroo rat, Fresno	<i>Dipodomys nitratoides exilis</i>	E	203.00	0.00	203.00	0.00	203.00	62
109	Kangaroo rat, giant	<i>Dipodomys ingens</i>	E	203.00	0.00	203.00	0.00	203.00	63
218	Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>	E	0.00	0.00	0.00	1,030.00	1,030.00	22
116	Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>	E	203.00	16.70	219.70	0.00	219.70	56
10	Manatee, West Indian	<i>Trichechus manatus</i>	E	4,856.00	0.00	4,856.00	0.00	4,856.00	2
92	Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	E	66.00	0.00	66.00	0.00	66.00	80
136	Sheep, bighorn	<i>Ovis canadensis californiana</i>	E	0.00	0.00	0.00	3,020.00	3,020.00	7
24	Wolf, gray	<i>Canis lupus</i>	E, T	0.00	0.00	0.00	380.80	380.80	51
44	Wolf, red	<i>Canis rufus</i>	E	0.00	837.75	837.75	0.00	837.75	28
<b>BIRDS</b>									
395	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	E	0.00	8.66	8.66	0.00	8.66	99
81	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	E	120.00	0.00	120.00	0.00	120.00	71
125	Eagle, bald	<i>Haliaeetus leucocephalus</i>	T	15,836.00	1,016.55	16,852.55	449.40	17,301.95	1
811	Flycatcher, southwestern willow	<i>Empidonax traillii extimus</i>	E	458.00	53.00	511.00	0.00	511.00	40
876	Gnatcatcher, coastal California	<i>Polioptila californica californica</i>	T	458.00	0.00	458.00	0.00	458.00	45
1003	Jay, Florida scrub	<i>Aphelocoma coerulescens</i>	T	0.53	0.00	0.53	0.00	0.53	113
181	Murrelet, marbled	<i>Brachyramphus marmoratus marmoratus</i>	T	965.00	0.00	965.00	0.00	965.00	25
102	Pelican, brown	<i>Pelecanus occidentalis</i>	E	960.00	0.00	960.00	0.00	960.00	26
33	Plover, piping	<i>Charadrius melodus</i>	E, T	791.00	0.00	791.00	0.00	791.00	32
46	Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	T	385.00	0.00	385.00	0.00	385.00	49
183	Prairie-chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	E	315.00	0.00	315.00	0.00	315.00	55
152	Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	E	0.00	0.00	0.00	2.41	2.41	107
31	Stork, wood	<i>Mycteria americana</i>	E	456.00	2,700.00	3,156.00	0.00	3,156.00	6
45	Tern, least	<i>Sterna antillarum</i>	E	0.00	30.40	30.40	0.00	30.40	96
161	Tern, roseate	<i>Sterna dougallii dougallii</i>	E, T	0.00	8.66	8.66	0.00	8.66	103
42	Vireo, black-capped	<i>Vireo atricapillus</i>	E	686.30	0.00	686.30	1,000.00	1,686.30	12
55	Vireo, least Bell's	<i>Vireo bellii pusillus</i>	E	458.00	53.00	511.00	0.00	511.00	41
47	Warbler, golden-cheeked	<i>Dendroica chrysoparia</i>	E	686.30	0.00	686.30	1,500.00	2,186.30	9
7	Woodpecker, red-cockaded	<i>Picoides borealis</i>	E	1,583.00	16.50	1,599.50	221.50	1,821.00	11

TABLE 3. FY 2000 REPORTED LAND ACQUISITION EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES

GENERAL RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	Other FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	LAND RANK
<b>REPTILES</b>									
451	Crocodile, American	<i>Crocodylus acutus</i>	E	435.00	0.00	435.00	0.00	435.00	48
133	Lizard, blunt-nosed leopard	<i>Gambelia silus</i>	E	193.00	16.70	209.70	0.00	209.70	61
267	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	T	0.00	0.00	0.00	35.00	35.00	94
22	Sea turtle, green	<i>Chelonia mydas</i>	E, T	87.00	0.00	87.00	0.00	87.00	76
25	Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	E	66.00	0.00	66.00	0.00	66.00	81
29	Sea turtle, leatherback	<i>Dermodochelys coriacea</i>	E	375.37	0.00	375.37	0.00	375.37	52
20	Sea turtle, loggerhead	<i>Caretta caretta</i>	T	1,268.00	0.00	1,268.00	0.00	1,268.00	15
1103	Skink, bluetail mole	<i>Eumeces egregius lividus</i>	T	6.53	0.00	6.53	0.00	6.53	104
1046	Skink, sand	<i>Neoseps reynoldsi</i>	T	6.53	0.00	6.53	0.00	6.53	105
128	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	T	435.53	0.00	435.53	0.00	435.53	47
90	Snake, giant garter	<i>Thamnophis gigas</i>	T	821.00	460.00	1,281.00	0.00	1,281.00	14
86	Tortoise, gopher	<i>Gopherus polyphemus</i>	T	1,562.00	0.00	1,562.00	0.00	1,562.00	13
1005	Turtle, Plymouth redbelly	<i>Pseudemys rubriventris bangsi</i>	E	0.00	0.00	0.00	80.00	80.00	77
<b>AMPHIBIANS</b>									
50	Frog, California red-legged	<i>Rana aurora draytonii</i>	T	458.00	0.00	458.00	0.00	458.00	44
53	Toad, arroyo	<i>Bufo microscaphus californicus</i>	E	458.00	0.00	458.00	0.00	458.00	46
<b>FISHES</b>									
137	Chub, Oregon	<i>Oregonichthys crameri</i>	E	212.00	0.00	212.00	0.00	212.00	58
415	Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>	E	54.58	0.00	54.58	0.00	54.58	84
241	Pupfish, Ash Meadows Amargosa	<i>Cyprinodon nevadensis mionectes</i>	E	54.58	0.00	54.58	0.00	54.58	90
255	Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	E	54.58	0.00	54.58	0.00	54.58	91
420	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	E	54.58	0.00	54.58	0.00	54.58	92
1	Salmon, chinook	<i>Oncorhynchus tshawytscha</i>	E, T	0.00	2,383.00	2,383.00	830.20	3,213.20	5
5	Salmon, chum	<i>Oncorhynchus keta</i>	T	0.00	78.50	78.50	449.40	527.90	39
4	Salmon, sockeye	<i>Oncorhynchus nerka</i>	E, T	0.00	78.50	78.50	0.00	78.50	78
439	Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	T	0.00	0.00	0.00	1,142.45	1,142.45	16
113	Splittail, Sacramento	<i>Pogonichthys macrolepidotus</i>	T	72.00	0.00	72.00	0.00	72.00	79
2	Steelhead	<i>Oncorhynchus mykiss</i>	E, T	0.00	3,522.00	3,522.00	380.80	3,902.80	4
73	Sucker, Lost River	<i>Deltistes luxatus</i>	E	823.00	0.00	823.00	0.00	823.00	29
18	Sucker, razorback	<i>Xyrauchen texanus</i>	E	0.00	332.90	332.90	0.00	332.90	54
74	Sucker, shortnose	<i>Chasmistes brevirostris</i>	E	823.00	0.00	823.00	0.00	823.00	30
8	Trout, bull	<i>Salvelinus confluentus</i>	T	459.00	243.50	702.50	0.00	702.50	35
<b>CLAMS</b>									
301	Pocketbook, fat	<i>Potamilus capax</i>	E	3.00	0.00	3.00	0.00	3.00	106

TABLE 3. FY 2000 REPORTED LAND ACQUISITION EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES

GENERAL RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	Other FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	LAND RANK
258	Wedgemussel, dwarf	<i>Alasmidonta heterodon</i>	E	0.00	0.00	0.00	12.00	12.00	98
<b>SNAILS</b>									
220	Snail, Morro shoulderband	<i>Helminthoglypta walkeriana</i>	E	0.00	0.00	0.00	1,030.00	1,030.00	24
<b>INSECTS</b>									
97	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	T	72.00	100.00	172.00	0.00	172.00	68
223	Butterfly, Mitchell's satyr	<i>Neonympha mitchellii mitchellii</i>	E	0.00	120.00	120.00	0.00	120.00	70
353	Butterfly, Quino checkerspot	<i>Euphydryas editha quino</i>	E	458.00	0.00	458.00	0.00	458.00	42
562	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	T	0.00	1.00	1.00	0.00	1.00	108
430	Naucorid, Ash Meadows	<i>Ambrysus amargosus</i>	T	54.58	0.00	54.58	0.00	54.58	88
<b>CRUSTACEANS</b>									
189	Fairy shrimp, Riverside	<i>Streptocephalus woottoni</i>	E	458.00	0.00	458.00	0.00	458.00	43
135	Fairy shrimp, San Diego	<i>Branchinecta sandiegonensis</i>	E	1,068.60	0.00	1,068.60	0.00	1,068.60	18
62	Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	T	72.00	737.50	809.50	0.00	809.50	31
72	Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	E	72.00	783.50	855.50	0.00	855.50	27
<b>FLOWERING PLANTS</b>									
127	Amaranth, seabeach	<i>Amaranthus pumilus</i>	T	716.00	0.00	716.00	0.00	716.00	34
1015	No common name	<i>Aristida chaseae</i>	E	0.00	8.66	8.66	0.00	8.66	102
548	Milk-vetch, Coachella Valley	<i>Astragalus lentiginosus coachellae</i>	E	0.00	0.00	0.00	35.00	35.00	95
433	Milk-vetch, Ash meadows	<i>Astragalus phoenix</i>	T	54.58	0.00	54.58	0.00	54.58	87
553	Crownscale, San Jacinto Valley	<i>Atriplex coronata notatior</i>	E	0.00	0.00	0.00	560.00	560.00	37
1176	Bonamia, Florida	<i>Bonamia grandiflora</i>	T	0.53	0.00	0.53	0.00	0.53	110
476	Brodiaea, thread-leaved	<i>Brodiaea filifolia</i>	T	0.00	0.00	0.00	560.00	560.00	36
776	Owl's-clover, fleshy	<i>Castilleja campestris succulenta</i>	T	0.00	87.50	87.50	0.00	87.50	75
270	Ceanothus, Pine Hill	<i>Ceanothus roderickii</i>	E	0.00	187.50	187.50	0.00	187.50	66
379	Centauray, spring-loving	<i>Centaurium namophilum</i>	T	54.58	0.00	54.58	0.00	54.58	83
780	Spurge, Hoover's	<i>Chamaesyce hooveri</i>	T	0.00	100.00	100.00	0.00	100.00	73
1172	Fringe-tree, pygmy	<i>Chionanthus pygmaeus</i>	E	0.53	0.00	0.53	0.00	0.53	111
1190	Mint, Garrett's	<i>Dicerandra christmanii</i>	E	0.53	0.00	0.53	0.00	0.53	115
1192	Mint, scrub	<i>Dicerandra frutescens</i>	E	0.53	0.00	0.53	0.00	0.53	116
392	Sunray, Ash Meadows	<i>Enceliopsis nudicaulis corrugata</i>	T	54.58	0.00	54.58	0.00	54.58	93
266	Daisy, Willamette	<i>Erigeron decumbens decumbens</i>	E	212.00	0.00	212.00	0.00	212.00	59
339	Mountain balm, Indian Knob	<i>Eriodictyon altissimum</i>	E	0.00	0.00	0.00	1,030.00	1,030.00	23
356	Button-celery, San Diego	<i>Eryngium aristulatum parishii</i>	E	1,068.60	0.00	1,068.60	0.00	1,068.60	17
1230	Snakeroot	<i>Eryngium cuneifolium</i>	E	0.53	0.00	0.53	0.00	0.53	119

TABLE 3. FY 2000 REPORTED LAND ACQUISITION EXPENDITURES (\$000) FOR ENDANGERED AND THREATENED SPECIES

GENERAL RANK	SPECIES NAME (50 CFR PART 17)	SCIENTIFIC NAME	STATUS	FWS TOTAL	Other FED	FED TOTAL	STATES TOTAL	SPECIES TOTAL (\$000)	LAND RANK
1014	No common name	<i>Eugenia woodburyana</i>	E	0.00	8.66	8.66	0.00	8.66	100
264	Flannelbush, Pine Hill	<i>Fremontodendron californicum decumbens</i>	E	0.00	187.50	187.50	0.00	187.50	67
269	Bedstraw, El Dorado	<i>Galium californicum sierrae</i>	E	0.00	187.50	187.50	0.00	187.50	64
579	No common name	<i>Geocarpon minimum</i>	T	0.00	0.00	0.00	15.10	15.10	97
391	Gumplant, Ash Meadows	<i>Grindelia fraxino-pratensis</i>	T	54.58	0.00	54.58	0.00	54.58	85
438	Hypericum, highlands scrub	<i>Hypericum cumulicola</i>	E	0.53	0.00	0.53	0.00	0.53	112
432	Ivesia, Ash Meadows	<i>Ivesia kingii eremica</i>	T	54.58	0.00	54.58	0.00	54.58	86
1035	No common name	<i>Leptocereus grantianus</i>	E	0.00	8.66	8.66	0.00	8.66	101
1164	Blazingstar, scrub	<i>Liatris ohlingerae</i>	E	0.53	0.00	0.53	0.00	0.53	109
91	Lomatium, Bradshaw's	<i>Lomatium bradshawii</i>	E	212.00	0.00	212.00	0.00	212.00	60
1189	Lupine, scrub	<i>Lupinus aridorum</i>	E	0.53	0.00	0.53	0.00	0.53	114
431	Blazingstar, Ash Meadows	<i>Mentzelia leucophylla</i>	T	54.58	0.00	54.58	0.00	54.58	82
357	Navarretia, spreading	<i>Navarretia fossalis</i>	T	0.00	0.00	0.00	560.00	560.00	38
421	Niterwort, Amargosa	<i>Nitrophila mohavensis</i>	E	54.58	0.00	54.58	0.00	54.58	89
471	Grass, California Orcutt	<i>Orcuttia californica</i>	E	1,068.60	0.00	1,068.60	0.00	1,068.60	19
672	Orcutt grass, San Joaquin	<i>Orcuttia inaequalis</i>	T	0.00	100.00	100.00	0.00	100.00	72
1130	Whitlow-wort, papery	<i>Paronychia chartacea</i>	T	0.53	0.00	0.53	0.00	0.53	120
201	Orchid, western prairie fringed	<i>Platanthera praeclara</i>	T	0.00	341.00	341.00	0.00	341.00	53
376	Mesa-mint, San Diego	<i>Pogogyne abramsii</i>	E	1,068.60	0.00	1,068.60	0.00	1,068.60	21
556	Mesa-mint, Otay	<i>Pogogyne nudiuscula</i>	E	1,068.60	0.00	1,068.60	0.00	1,068.60	20
568	Wireweed	<i>Polygonella basiramia</i>	E	0.53	0.00	0.53	0.00	0.53	121
577	Plum, scrub	<i>Prunus geniculata</i>	E	0.53	0.00	0.53	0.00	0.53	118
510	Butterweed, Layne's	<i>Senecio layneae</i>	T	0.00	187.50	187.50	0.00	187.50	65
261	Checker-mallow, Keck's	<i>Sidalcea keckii</i>	E	0.00	138.00	138.00	0.00	138.00	69
100	Checker-mallow, Nelson's	<i>Sidalcea nelsoniana</i>	T	212.00	0.00	212.00	0.00	212.00	57
124	Ladies'-tresses, Ute	<i>Spiranthes diluvialis</i>	T	0.00	2,100.00	2,100.00	0.00	2,100.00	10
649	Orcutt grass, Greene's	<i>Tuctoria greenei</i>	E	0.00	87.50	87.50	0.00	87.50	74
1140	Mustard, Carter's	<i>Warea carteri</i>	E	0.53	0.00	0.53	0.00	0.53	117
361	Ziziphus, Florida	<i>Ziziphus celata</i>	E	0.53	0.00	0.53	0.00	0.53	122
	TOTAL			53,684.42	17,720.01	71,404.43	14,704.86	86,109.29	

**Species on Cover (clockwise from top right corner):**

*Plymouth Redbelly Turtle (Pseudemys rubrivtrix bangsi)*, photo by T.E. Graham

*Jaquar (Panthera onca)*, photo by Corel Corp.

*Chapman Rhododendron (Rhododendron chapmanii)*, photo by USFWS/E. LaVerne Smith

*Spectacled Eider (Somateria fischeri)*, photo by USFWS/Glen Smart

*Borax Lake Chub (Gila boraxobius)*, photo by Jack Williams

*Lange's Metalmark Butterfly (Apodemia mormo langei)*, photo by Jerry Powell

**U.S. Fish & Wildlife Service  
Endangered Species Program  
1849 C Street, NW (MS-420 ARLSQ)  
Washington, DC 20240  
<http://www.fws.gov/endangered>**

**November 2003**

