

---


# REGIONAL QUARTERS RENTAL SURVEY



COVERING  
GOVERNMENT-FURNISHED QUARTERS  
LOCATED IN

## OREGON/WASHINGTON SURVEY REGION

(OREGON/WASHINGTON SURVEY DATE: FEBRUARY 2007)  
(EFFECTIVE DATE: MARCH 2, 2008)



**Prepared By:**

*U.S. Department of the Interior  
Office of the Secretary  
National Business Center  
Budget and Finance Directorate  
Finance and Procurement Systems Division  
Implementation & Production Support Branch  
Quarters Management Information System (QMIS) Office*

**Approved By:**

*Michael Keegan*  
*5/24/07*  
*U.S. Department of the Interior  
Office of the Secretary  
Office of Acquisition and Property Management  
Michael Keegan, Associate Director  
Facility & Property Management*

## TABLE OF CONTENTS

SUBJECT	PAGE
<b>I. SURVEY BACKGROUND .....</b>	<b>1</b>
<b>II. INVENTORY OF GOVERNMENT-FURNISHED QUARTERS.....</b>	<b>2</b>
<b>III. CONTRACTING FOR THE PRIVATE RENTAL SURVEY .....</b>	<b>2</b>
A. DETERMINATION OF THE COMMUNITIES TO BE SURVEYED.....	2
B. DETERMINATION OF THE HOUSING CLASSES TO BE SURVEYED .....	4
C. HEATING FUELS AND UTILITY CHARGE SURVEY .....	5
D. CONTRACTOR SELECTION.....	5
<b>IV. REGIONAL SURVEY PRINCIPLES AND PROCEDURES .....</b>	<b>6</b>
A. SURVEY PRINCIPLES .....	6
B. MULTIPLE REGRESSION PROCEDURES USED IN RENTAL RATE COMPUTATIONS.....	6
<b>V. ESTABLISHMENT OF MONTHLY BASE RENTAL RATES (MBRR).....</b>	<b>9</b>
A. USE OF BASE RENT CHARTS .....	9
B. SINGLE FAMILY HOUSING.....	11
C. APARTMENTS.....	17
D. MOBILE HOMES, TRAVEL TRAILERS, AND HOUSEBOATS .....	23
E. CABINS OR LOOKOUTS .....	28
F. BUNKHOUSE AND DORMITORIES .....	29
G. TRANSIENT QUARTERS .....	32
H. TRAILER PADS .....	33
I. OBSOLETE QUARTERS.....	35
<b>VI. CHARGES FOR UTILITIES, APPLIANCES AND RELATED SERVICES.....</b>	<b>36</b>
A. BACKGROUND .....	36
B. ENERGY CONSUMPTION STUDY .....	36
C. SPACE HEATING (FOSSIL FUEL) CONSUMPTION/COST CALCULATIONS.....	37
D. SPACE HEATING (ELECTRICITY) CONSUMPTION/COST CALCULATIONS.....	51
E. SPACE COOLING CONSUMPTION/COST CALCULATIONS .....	53
F. NON-SPACE HEATING/COOLING ENERGY CONSUMPTION/COST CALCULATIONS.....	64
G. WATER AND SEWER CONSUMPTION/COST CALCULATIONS.....	67
H. GOVERNMENT PROVIDED METERED UTILITIES.....	68
I. GARBAGE/TRASH REMOVAL SERVICE RATES .....	69
J. CHARGES FOR APPLIANCES AND RELATED SERVICES .....	69
<b>VII. ADMINISTRATIVE ADJUSTMENTS .....</b>	<b>71</b>
A. SITE AMENITY ADJUSTMENTS.....	71
B. ISOLATION ADJUSTMENT .....	73
C. LOSS OF PRIVACY .....	75
D. EXCESSIVE OR INADEQUATE SIZE.....	75
E. LIMITATIONS TO ADMINISTRATIVE ADJUSTMENTS .....	75
<b>VIII. CONSUMER PRICE INDEX (CPI) ADJUSTMENTS.....</b>	<b>75</b>

<b>IX. OTHER OMB CIRCULAR A-45 RENT CONSIDERATIONS .....</b>	<b>76</b>
A. EXCESSIVE HEATING OR COOLING COSTS .....	76
B. INCREMENTAL ADJUSTMENTS .....	76
C. ESTABLISHED COMMUNITY .....	76

## LISTING OF TABLES

TABLE	SUBJECT	PAGE
TABLE 1	COMMUNITIES SURVEYED .....	3
TABLE 2	GOVERNMENT-FURNISHED QUARTERS (BY HOUSING CLASS).....	4
TABLE 3A	MONTHLY BASE RENT CHART - GOOD CONDITION, 4 BEDROOM, 1 BATH HOUSES .....	13
TABLE 3B	MONTHLY BASE RENT CHART - GOOD CONDITION, 3 BEDROOM, 1 BATH HOUSES .....	14
TABLE 3C	MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH HOUSES .....	15
TABLE 3D	MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH HOUSES .....	16
TABLE 4A	MONTHLY BASE RENT CHART - GOOD CONDITION, 3 BEDROOM, 1 BATH APARTMENTS .....	19
TABLE 4B	MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH APARTMENTS .....	20
TABLE 4C	MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH APARTMENTS .....	21
TABLE 4D	MONTHLY BASE RENT CHART - GOOD CONDITION, 0 BEDROOM, 1 BATH APARTMENTS .....	22
TABLE 5A	MONTHLY BASE RENT CHART - GOOD CONDITION, 3 BEDROOM, 1 BATH MOBILE HOMES .....	25
TABLE 5B	MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH MOBILE HOMES .....	26
TABLE 5C	MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH MOBILE HOMES .....	27
TABLE 6	BUNKHOUSE/DORMITORY RENTS .....	31
TABLE 7	TRANSIENT QUARTERS RENTS .....	32
TABLE 8	TRAILER PADS - MONTHLY BASE RENTAL RATES .....	34
TABLE 9A	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE I .....	40
TABLE 9B	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE II.....	41
TABLE 9C	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE III.....	42
TABLE 9D	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE IV .....	43
TABLE 9E	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE V .....	44
TABLE 9F	ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE VI .....	45
TABLE 10	HEATING/COOLING DEGREE DAYS AND MPS ZONES .....	46
TABLE 11	FUEL REQUIRED TO PRODUCE 1 MBTU .....	49
TABLE 12	HEATING FUEL COST .....	49
TABLE 13	MPS HEATING ZONE CONVERSION FACTORS.....	50
TABLE 14A	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE I.....	57
TABLE 14B	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE II.....	58
TABLE 14C	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE III .....	59
TABLE 14D	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE IV .....	60
TABLE 14E	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE V .....	61
TABLE 14F	ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE VI.....	62
TABLE 15	MPS COOLING ZONE CONVERSION FACTORS .....	63
TABLE 16	MONTHLY Kwh USAGE: APPLIANCES AND EQUIPMENT .....	65
TABLE 16A	MONTHLY FOSSIL FUEL CONSUMPTION: APPLIANCES AND EQUIPMENT.....	66
TABLE 17	UTILITY CHARGES (COST PER UNIT).....	68
TABLE 18	MONTHLY CHARGES FOR APPLIANCES & RELATED SERVICES - ALL REGIONS .....	70

## I. SURVEY BACKGROUND

The Quarters Management Information System (QMIS) Office coordinated a contractor-conducted field survey of the private rental housing market in the states of Oregon and Washington, plus a community just across the state line of Idaho, from January 2007 through March 2007. This survey was undertaken as specified in the Office of Management and Budget (OMB) Circular No. A-45 and in the U.S. Department of the Interior Quarters Handbook (400 DM.) OMB Circular A-45 provides for reconfirmation of the market-based rental rates at least once every five years, or sooner, if conditions warrant. The last field survey of the Oregon/Washington region was conducted in February 2003.

The collection and analysis of rental housing data were accomplished employing methods similar to those used in previous surveys. Automated and manual analytical procedures were used to establish base rental rates for houses (including plexes), apartments, mobile homes, and trailer pads. Rental rates for cabins were based upon their comparability with 1-bedroom houses. Rental rates for temporary housing and travel trailers were based upon their comparability with mobile homes. Rental rates for dormitories, bunkhouses and transient quarters were established by extending the principle of comparability, as provided for in OMB Circular A-45.

The objective of regional surveys, as set forth in OMB Circular No. A-45, is to develop reasonable rental rates based upon the "...typical rental rates for comparable private housing in the general area in which the government quarters are located..." The policy set forth in OMB Circular A-45 is as follows:

Rental rates and charges for government quarters and related facilities will be based upon their "reasonable value...to the employee...in the circumstances under which the quarters and facilities are provided, occupied, or made available."...Reasonable value to the employee or other occupant is determined by the rule of equivalence; namely, that charges for rent and related facilities should be set at levels equal to those prevailing for comparable private housing located in the same area, when practicable...

The regional survey method uses regression analysis techniques to establish a base rental rate for a given type of quarters that reflects the typical rate for that type of housing in the survey area. Regression analysis allows the QMIS Office to establish adjustments that reflect: (1) the contributory value (+ or -) of housing features that the private rental market indicates are significant; and (2) relevant social and economic factors that are manifested in the rent levels of individual communities.

Because regression analysis permits assessment of (and adjustment for) different locations, as measured by market rents, several localities or states can be surveyed at a time to minimize data collection costs, and the rates can be individualized for communities that are significantly at variance with the regional rent pattern.

The resulting product (finalized rental rates), when derived from carefully applied automated statistical analysis, provides a logical and equitable base rental rate structure supported by the market rental rate pattern of the region and the community.

## II. INVENTORY OF GOVERNMENT-FURNISHED QUARTERS

This survey was initiated with an inventory of government-furnished quarters managed by the agencies and bureaus that participate in the Quarters Management Information System (QMIS) program.

Agencies and bureaus use the QMIS software to manage their inventories. The QMIS Office in Denver developed this software. QMIS allows an installation or region to maintain its own housing inventory. Rents can be calculated in just minutes, even for hundreds of quarters. This decentralized system provides local control of the housing inventory. As always, the key to accurate rents is accurate, up-to-date inventory information.

Software with the results of this survey and the updated Consumer Price Index (CPI) is distributed from Denver in January each year. If you do not receive new CPI software, or do not receive procedures for downloading the software by January each year, please contact the QMIS Office (Help Desk at 303-969-5696 or Rental Program Manager at 303-969-5050). This is important because, by regulation, new rents (based on the survey and CPI) must be implemented in early March, and tenants must be notified in writing 30 days prior, by early February.

It is also important that all agencies and bureaus submit a copy of their updated housing inventories by May 15 of each year (on CDs or via e-mail). This information is used to determine the communities and characteristics to be sampled in new Regional Surveys. The information is also used for various general management reports.

## III. CONTRACTING FOR THE PRIVATE RENTAL SURVEY

### A. DETERMINATION OF THE COMMUNITIES TO BE SURVEYED

Selection of the communities to be surveyed in this region was initiated with a review of the nearest established communities identified in the government quarters inventory. Their geographic locations and populations were determined to enable selection of established communities nearest to concentrations of government housing.

Inclusion of these communities enables a comparison of the community rental rate structure with that of the survey region. This permits a ready determination of whether the local or the regional rental rate structure should be utilized to establish the government-furnished quarters base rents. A complete discussion of this process is contained in Section IV of this report.

The communities surveyed represented broad geographic and population ranges. The largest community surveyed – Eugene, Oregon – had a 2000 population of 137,893. The smallest community –

Oroville, Washington – had a 2000 population of 1,653. A list of the surveyed communities appears as Table 1. In accordance with OMB Circular A-45, communities with 2000 census populations below 1,500 were not analyzed.

**TABLE 1 COMMUNITIES SURVEYED**

<u>STATE AND COMMUNITY</u>	<u>2000 CENSUS POPULATION</u>	<u>STATE AND COMMUNITY</u>	<u>POPULATION</u>
<b>IDAHO</b>		<b>WASHINGTON</b>	
Nampa, ID	51,867	Aberdeen, WA	16,461
<b>OREGON</b>		Arlington, WA	11,713
Baker City, OR	9,860	Battle Ground, WA	9,296
Bandon, OR	2,833	Bellingham, WA	67,171
Bend, OR	52,029	Chehalis, WA	7,057
Burns, OR	3,064	Chelan, WA	3,522
Corvallis, OR	49,322	Cheney, WA	8,832
Enterprise, OR	1,895	Cle Elum, WA	1,755
Estacada, OR	2,371	Colville, WA	4,988
Eugene, OR	137,893	Davenport, WA	1,730
Florence, OR	7,263	Eatonville, WA	2,012
Gold Beach, OR	1,897	Enumclaw, WA	11,116
Grants Pass, OR	23,003	Ephrata, WA	6,308
Hood River, OR	20,411	Forks, WA	3,120
John Day, OR	1,821	Hoquiam, WA	9,097
Klamath Falls, OR	19,462	Lakewood, WA	58,211
La Grande, OR	12,327	Leavenworth, WA	2,074
Lakeview, OR	2,474	Longview, WA	34,660
Madras, OR	5,078	Marysville, WA	25,315
Myrtle Creek, OR	3,419	Monroe, WA	13,795
Myrtle Point, OR	2,451	Newport, WA	1,921
Newport, OR	9,532	North Bend, WA	4,746
Oakridge, OR	3,148	Okanogan, WA	2,484
Pendleton, OR	16,354	Omak, WA	4,721
Prineville, OR	7,356	Oroville, WA	1,653
Redmond, OR	13,481	Othello, WA	5,847
Reedsport, OR	4,378	Pasco, WA	32,066
Roseburg, OR	20,017	Port Angeles, WA	18,397
Sandy, OR	5,385	Port Townsend, WA	8,334
Shady Cove, OR	2,307	Sedro-Woolley, WA	8,658
Springfield, OR	52,864	Shelton, WA	8,442
Stayton, OR	6,816	Toppenish, WA	8,946
Tillamook, OR	4,352	Walla Walla, WA	29,686
Umatilla, OR	4,978	Wenatchee, WA	27,856
White City, OR	5,466	White Salmon, WA	2,193
		Woodland, WA	3,780
		Yakima, WA	71,845

B. DETERMINATION OF THE HOUSING CLASSES TO BE SURVEYED

In order to determine which housing classes to survey, the inventory of the agencies participating in the QMIS system were separated into housing classes shown in Table 2, below. Analysis of the government-owned quarters data revealed the following information by housing class:

**TABLE 2 GOVERNMENT-FURNISHED QUARTERS (BY HOUSING CLASS)**

<b>Housing Class</b>	<b># of Units</b>	<b>Avg. Age</b>	<b>Age Range</b>	<b>Avg. Sq. Ft.</b>	<b>Sq. Ft. Range</b>
<b>Houses</b>					
4+ Bedrooms	43	55	2 to 99	2,463	1,344 to 12,000
3 Bedrooms	479	46	1 to 117	1,637	825 to 5,522
2 Bedrooms	222	51	1 to 117	1,306	490 to 2,853
1 Bedroom	56	64	1 to 97	940	384 to 2,478
<b>Apartments</b>					
3+ Bedrooms	12	63	50 to 67	1,828	1,240 to 2,498
2 Bedrooms	38	29	3 to 87	786	555 to 1,206
1 Bedroom	37	39	3 to 87	645	330 to 2,920
Efficiency	30	39	2 to 50	350	280 to 429
<b>Cabins</b>	60	62	12 to 89	522	180 to 522
<b>Mobile Homes</b>					
3 Bedrooms	67	24	3 to 42	1,266	655 to 2,944
2 Bedrooms	31	27	4 to 41	847	400 to 1,540
1 Bedroom	7	35	20 to 43	551	360 to 672
<b>Travel Trailers</b>	16	18	5 to 44	206	147 to 312
<b>Dormitories</b>	194	42	1 to 84	1,664	200 to 13,831
<b>Trailer Pads</b>	204	25	1 to 57	--	--
<b>TOTALS</b>	<b>1,496</b>	<b>42</b>	<b>1 to 117</b>	<b>1,386</b>	<b>147 to 13,831</b>

**NOTE:** The above data was extracted from the latest consolidated database stored by the QMIS Office. Since the program is decentralized, the data contained in this database is only what has been sent to our office by users in the field. The numbers above may not accurately reflect the actual number of quarters for this survey region.

As with other regional surveys, the contractor was directed to survey only those housing classes for which a representative sample could be readily obtained in the private rental market. Thus, comparables were not obtained for cabins or lookouts, temporary housing, travel trailers, bunkhouses/dormitories, transient quarters or tents.

Rental rates for cabins were established by using the average rental rate for one-bedroom, single-family houses as the basis of comparison. Additional adjustments that reflect the absence of certain standard housing features in some cabins have been included for use when appropriate.



Since temporary housing and travel trailers (mobile home-like structures containing less than 256 square feet of gross living area) are most structurally similar to mobile homes, the rental charges for these housing classes are based upon the analysis of mobile home market rental comparables.

Since comparable bunkhouse or dormitory housing does not exist in most communities, the QMIS Office is unable to obtain sufficient market data to provide a satisfactory statistical base. Consequently, rental rates for bunkhouses and dormitories have been established using an extension of the Principle of Comparability, as permitted in OMB Circular A-45. Similarly, the rental charge for transient quarters has been established in conjunction with the dormitory rate structure.

OMB Circular A-45, revised October 20, 1993, excludes tents from the definition of government-furnished quarters. Therefore, rental charges have not been established (and should not be assessed) for tents which are used as employee housing.

Four housing classes (houses/plexes, apartments, mobile homes and trailer pads) were ultimately selected for field survey and statistical analysis. The contractor was instructed to select comparables built to Housing and Urban Development (HUD) minimum housing standards wherever possible. The number of observations obtained for each housing class in each community surveyed varied, depending upon the number of nearby government quarters of that class. The government inventory data was used to create a "Sample Plan" to guide the contractor in the conduct of the survey.

#### C. HEATING FUELS AND UTILITY CHARGE SURVEY

To ensure reliability of the energy consumption estimates for housing where consumption is neither metered nor measured, this report uses a series of contractor-developed heating and cooling consumption tables for each general type of housing represented in the survey. The tables are based upon energy consumption studies that use a methodology meeting housing industry standards. The results reflect energy consumption for variously sized single-family houses (with and without basements), apartments, and mobile homes. A complete discussion of the energy consumption/cost methodology is contained in Section VI.

#### D. CONTRACTOR SELECTION

The National Business Center provided procurement support and project coordination for this Private Rental Survey. Reimbursement for survey expenses was underwritten by the agencies and bureaus that participate in the QMIS Program.

The private rental survey was completed by Delta-21 Resources Inc. of Knoxville, Tennessee, during the months of January 2007 through March 2007. A total of 1,313 private rental housing comparables were sampled. In addition, electrical, heating fuel, utility, appliance, and other related service charges were collected in each of the communities surveyed. The private rental housing costs that were obtained reflected rental rates at that time.

## IV. REGIONAL SURVEY PRINCIPLES AND PROCEDURES

### A. SURVEY PRINCIPLES

The purpose of a regional survey is to determine and establish reasonable quarters rents through an analysis of the market rents of comparable private housing in communities nearest to the concentrations of government housing. The process of arriving at the base rent of a structure is influenced by real estate appraisal principles, statistical limitations, and administrative considerations. Often there may be a conflict among these three interests, which necessitates a trade-off.

1. Real estate appraisal principles include matching comparables as closely as possible to the specific subject properties in physical characteristics and location, and adjusting in a logical direction for all significant differences.
2. Statistical principles involve: (a) trying to minimize the standard error of the estimate (unexplained variation); (b) getting a good match of characteristics between the properties analyzed and those the analysis is applied to; (c) obtaining a large and diverse sample; and (d) making adjustments for factors that are significant in explaining variation. Ideal samples may not always be available in the market; and the market search may be limited (like an appraisal) because of time and budget constraints.
3. Administrative considerations recognize that government housing is usually not located in established communities, and that physical characteristics (such as in historical houses, one-room cabins, lookouts or dormitories) are difficult to match in the market. Government quarters are often found in areas influenced by tourism or boom/bust natural resource development that may produce unreasonable rents. Consistency and relative reasonableness, as well as time and budget constraints, must also be taken into consideration.
4. While trade-offs among these three considerations may result in a less than ideal application of any one of the three principles, the goal is still to produce Monthly Base Rental Rates (MBRR) for quarters that are relatively consistent with the local market rents for similar housing, internally consistent and logical from one unit to another, and represent a reasonable value to the employee.

### B. MULTIPLE REGRESSION PROCEDURES USED IN RENTAL RATE COMPUTATIONS

There are several reasons for using the regional survey method to arrive at quarters rental rates. These include accuracy, consistency, fairness, cost effectiveness/economy, and the provision in OMB Circular A-45 that regional rental surveys are the preferred method.

Prior to the use of the regional survey method, quarters Monthly Base Rental Rates (MBRRs) were reset every five years by individually appraising each government unit. The appraisal process normally relied upon the use of a small number (2-4) of comparables for each subject quarters unit, and made logical or market-abstracted adjustments to each comparable. In many instances the same comparables were used to establish rental rates for several quarters. Thus the selection of comparables became critical. Individualized

appraisals often led to inconsistencies among units in the same area. Many times different agencies, managing similar or identical housing units in the same area, had substantially different rents after analyzing the same rental market. Appraisers valuing several different units by separate sets of comparables and adjustments sometimes arrived at rents not logically related to one another. Finally, the appraisal process required a considerable amount of travel, and individualized writing, typing and editing of appraisal reports, which was expensive and very time-consuming.

Alternatively, the regional survey method relies upon much larger samples of comparables. These are statistically analyzed to determine those factors that are significant in explaining variations in the adjusted rent of each class of housing comparables. Each class of comparables (houses, apartments and mobile homes) is analyzed separately to determine which locations and physical characteristics are important in explaining the differences in rents among individual rental units and communities. The computer program independently and objectively determines the best set of characteristics (formula) to explain the rental pattern. This formula varies for each survey region and housing class, but each is primarily based on square feet, bedrooms, bathrooms, amenities, and community market variances.

The rental rates are based upon an analysis of both regional data and local data. The rents in all surveyed communities for each housing class are tested for statistical significance. All significant negative location adjustments are applied to the quarters using that community as their nearest established community.

**Positive location (community) adjustments are not applied; so government housing units near high-rent communities are charged the typical rent for the region as a whole, rather than the typical rent for that high-cost location.**

The statistical process used is called forward in-and-out, step-wise multiple regression analysis. It takes all of the variables considered and forms a matrix or grid showing how every variable is related to every other variable (cross-correlation matrix). In this phase of the analysis, significant inventory items relating to the dwelling structure are coded into the computer as variables to be tested for their impact, if any, on rent. The variable to be explained (in this case, rent) is called the dependent variable, because its value is determined by that of the other (independent) variables.

In forward in-and-out step-wise multiple regression analysis, the independent variable that explains the most variation in the dependent variable (rent) is selected first by the computer and entered as Step 1. The remaining variation is then recomputed, and the independent variable that explains the largest portion of the remaining variation is selected by the computer and entered as Step 2. As each new variable is added, the coefficients of all the previously entered variables are recomputed to take into account relationships among the independent variables. If a previously entered variable no longer meets the test of significance, it is removed.

As this procedure uses the variation squared, it is highly sensitive to cases with extreme variations from the norm. Since the purpose of a regional survey is to find the typical rent for housing with certain characteristics, it is useful (and mandatory) to cull comparables with unusually high or low rents that are apparently unrelated to their characteristics. Such non-conforming rentals tend to obscure the typical pattern. To accomplish this culling, the following steps are normally taken.

**Step 1.** A listing of all the comparables is checked to see that the program has proper decodes, that no rental has been entered twice, and that the data is complete for each variable to be tested. The range for each rent class is also checked.

**Step 2.** Regression Run 1 (square foot base formula). The purified database is analyzed for the best fit of adjusted rent versus square feet and the logarithm of square feet. This comparison is undertaken because square footage in buildings is generally the variable that explains the most variation of adjusted rent. It is also a universal variable (one that applies to all cases) and a continuous variable (one that changes in many small increments).

**Step 3.** A listing is produced which shows by community the rent/predicted rent ratio of each private rental sample. The predicted rent is one computed using the square foot base formula derived in step 2. The purpose of this listing is to screen out individual rentals whose ratios are far out of line relative to other rental comparables in the same community.

**Step 4.** A scattergram of rentals for each class, showing adjusted rent by square feet, is produced to visually display the data. These scattergrams, and the listings produced in Step 3 above, are used to remove samples with unusually high or low rents in each size grouping. A separate variable for each of the remaining communities is then entered into the next step, the full regression analysis, to see if it has a statistically significant location adjustment after other adjustments have been made. This run and a crosstab run of physical features allows for selection of other variables that are significantly represented and widely (geographically) distributed. These variables are turned into dummy (yes/no) and combination variables. Continuous and discrete variables are entered as simple variables, logarithmic transformations, and in logical combinations.

**Step 5.** (First Full Regression Run). The screened samples for each housing class, along with the variables to be tested, are analyzed to find coefficients for the significant variables. The results are checked for logic and cross-correlation; normally only one form of a variable is allowed to stay in the equation. Variables with illogical results are checked to find reasons for such deviation from expected results. Such variables are normally dropped from subsequent regression runs. Sometimes the samples containing such variables are culled; however, culling samples is uncommon.

**Step 6.** (Other Full Regression Runs). The full regression analysis is rerun without the illogical variables and/or dropped cases. If the end results look reasonable, the coefficients determined by regression analysis are used to compute Monthly Base Rental Rates (MBRRs) for individual government-furnished quarters.

**Step 7.** (Predicted Rent Tables). The coefficients of each satisfactory regression run are put into a computer program which produces a table of predicted quarters MBRRs. The base values and all possible combinations of adjustments are reviewed to ensure the results are reliable for the full range of values. If not, the cause of the problem is diagnosed and corrected, and the regression analysis is re-run, producing a revised set of coefficients. Then Step 6 is repeated, and a new set of rent tables is produced.

## V. ESTABLISHMENT OF MONTHLY BASE RENTAL RATES (MBRR)

### A. USE OF BASE RENT CHARTS

Although rental computations have been automated to produce Monthly Base Rental Rates (MBRRs) and final Net Rents for most quarters, housing managers should understand the methodology used to determine rental rates. Therefore, a set of charts has been prepared to allow the manual computation of the MBRRs for each class of rental housing. The charts have been constructed as size/age tables for the three major categories of housing (houses, apartments and mobile homes). By knowing the gross square feet of the livable area (size), the age, and the housing class of a building being used as quarters, one can determine the base rent from the proper table. The charts also contain columns and/or footnotes of rent adjustments, which modify the rent from the size/age table to produce a MBRR for an individual unit.

**The value of one refrigerator and one stove is included in the rents listed in Tables 3, 4, and 5.**

Therefore, if the government does not provide a refrigerator or a range in the quarters, the value of each non-provided appliance should be subtracted from the monthly rent. The current values of a refrigerator and range are shown in Table 18 of this report, and may be adjusted annually by the QMIS Office to reflect changes in the Consumer Price Index (CPI) which occurs in November, following the issuance of this report.

In selecting the appropriate rent table, it is important to remember that the **design of the quarters, not its use, determines its category**. Thus, a house or an apartment unit **designed** to be occupied by an individual or a family, but which is actually used to house unrelated individuals, would be valued by the category for which it was designed to be used, rather than as a bunkhouse/dormitory. Where a structure is not designed for occupancy by an individual or family, or has been substantially modified to house individuals on a dormitory basis, it would be appropriate to apply bunkhouse/dormitory rates. Thus, an unmodified three-bedroom house with a **planned occupancy** of six unrelated individuals (normally two persons per bedroom) would have a rental rate determined by calculating the rental rate for a three-bedroom house and then dividing that rate by six. This rate would change if the number of **planned** occupants changed. If the house were later **structurally modified** to be used as a bunkhouse/dormitory, the rate then would be the dormitory rate.

Based upon information provided by the contractor, deductions from the monthly contract rental rate of each rental sample were made for the contributory costs of utilities, appliances, furnishings and services provided and included in the contract rent. No deductions were made for central air conditioners, refrigerators or ranges; however, if a refrigerator or range was missing, the value was added to the adjusted rent. Central air conditioners are valued at their contributory value, if any. The resulting adjusted monthly contract rental rate represents the contributory value of the dwelling structure equipped with a refrigerator and a range. The establishment of final monthly quarters rental charges for houses, apartments, mobile homes and cabins/lookouts requires the addition of charges for government-provided utilities, services, appliances and furnishings. Conversely, **deductions** are required for the values of ranges and refrigerators when they are not provided by the government.

There are a total of eleven rental rate charts: four charts for single-family housing, four charts for apartments, and three charts for mobile homes. Instructions for computing rental rates for cabins, bunkhouses and dormitories, transient quarters and trailer pads are found in Sections V.E, V.F, V.G and V.H, respectively. Because OMB Circular A-45 excludes tents from the definition of “rental quarters,” there is no charge for the provision of tents.

The use of the charts is fairly simple. First, find the chart for the rental class category of the government quarter. Next, round the finished square footage **down** to the nearest hundreds of square feet. Thus, if a unit has 980 square feet, the row labeled “900 Sq Ft” would be used. Then the age should be rounded **up** to the nearest age increment. (Always round to benefit the tenant.) If the dwelling at issue was built in 1982, its age would be computed as 2007 (the current year) minus 1983 (the year built). Thus, in this instance, the unit is  $2007 - 1983 = 24$  years old; and the column headed by “25 Yrs Old” should then be followed down to the “900 Sq Ft” row to obtain the size/age adjusted rent.

The rent charts also have various location adjustments, as well as adjustments for physical features such as the number of bathrooms, the type of garage facilities, the condition of the housing, etc. These should be subtracted from, or added to, the size/age adjusted rent, as specified, to determine the MBRR.

When computing the final rent (net rent) to be paid, the MBRR must be adjusted to include the value of government-provided related facilities (utilities, appliances, furnishings and services); and the administrative adjustments prescribed in OMB Circular A-45. Use Department of the Interior Form DI 1880, “Rent Computation Schedule,” for guidance. (Manual rent calculations also require information from the most recent Consumer Price Index (CPI) Memo published by the Quarters Program Office.)

Where a dwelling is larger than the highest square footage in the chart pertinent to that unit, use the size/age rent and adjustments from the bottom (largest “Sq Ft”) row. Rent is “capped” at the largest “Sq Ft” indicated on each chart. This may eliminate the need for some administrative adjustments due to excess size of the housing. If a dwelling is smaller than the smallest square footage, use the lowest square footage listed on the chart.

The rent for a dwelling with more than 4 bedrooms (3 bedrooms for apartments and mobile homes) is calculated as if the unit had 4 bedrooms (“capped” at 3 bedrooms for apartments and mobile homes). The carport charge is the same regardless of the size of the carport; and the fireplace charge is the same for one or more fireplaces. In addition, “cap” of 3 bathrooms applies.

To assist in the calculation of quarters MBRRs, examples are provided in the following pages. While the rates appearing in the following tables should allow users to establish MBRRs for essentially any property, not all situations and conditions can be anticipated. Therefore, housing managers should use professional discretion to set rates for truly unusual situations. In cases where housing managers must use some other method to establish rates, please contact the National Business Center QMIS Office, at **303-969-5696 or 303-969-5050**, or fax 303-969-6634. You should explain the conditions, the rate used, and the reasoning so that the QMIS Office may anticipate such circumstances in the future. Please retain the documentation for such actions in your housing management files.

## B. SINGLE FAMILY HOUSING

For single-family detached houses, including plexed dwellings and townhouses, use the rental chart which appropriately describes the housing class and the number of bedrooms of the subject quarters. The charts for houses are in Tables 3a through 3d.

For example, assume a 3-bedroom, 1½-bath house, that was built in 1974, and which has a 2-car garage, two fireplaces, a central refrigerated air conditioning system, and 1,276 gross square feet of living space. The house, located near Burns, Oregon, is fair in both exterior and interior condition.

First, the chart for 3-bedroom, good condition, 1 bathroom, houses (Table 3b) should be located and used. These charts are baseline charts, which assume that each house is in good condition inside and outside and has one full bathroom. Therefore, if the house is in good condition inside and outside and has one bathroom, no additional computations are needed. If there is a deviation from either good inside or outside condition, or there are less or more bathrooms than one, then the computations must be changed as discussed below. In the first step, Table 3b is selected as the proper chart for 3-bedroom houses. Next, the size (gross finished floor space) should be rounded **down** to the nearest 100 square feet (from 1,276 to 1,200 sq. ft.) Under the column headed “**Sq Ft**,” the figure 1,200 should be located. Further adjustments will be taken from this row.

Finally, the appropriate age column should be selected. The house in this example is  $2007 - 1974 = 33$  years old. The age should be rounded **up** to the next highest age column, which, in this case, is the column headed “**35 yrs old**.” Follow this column down to the 1,200 square feet row to obtain the size/age “Chart Rent” of \$775.

The first adjustment is the extra bathroom charge. Follow the column headed “**Per Extra Bath**” down to the 1,200 Sq Ft row to find a charge of \$86 for a full extra bathroom. As the house in this example has only ½ of an extra bathroom, the adjustment is  $\$86 \times .5$  (½ extra bathroom) = \$43. Add \$43 to the rent.

The second and third adjustments are made for a fair exterior and a fair interior condition. Follow the column headed “**Fair Exterior/Interior\***” down to the 1,200 Sq Ft row. The amount reflects a deduction of -\$10 for a house with a fair exterior **and** a deduction of -\$10 for a house with a fair interior. Since both the exterior and interior are in fair condition, the total adjustment is -\$20.

The fourth adjustment is for the central refrigerated air conditioning system. Follow the column headed “**Air Cond**” down to the 1,200 Sq Ft row. The amount reflects an addition of \$19 for central air conditioning.

The fifth adjustment is for a two-car garage. Follow the column headed “**Garage (Per Car)**” down to the 1,200 Sq Ft row. \$39 should be charged for each car the garage is designed to accommodate. Since the house in this example has a 2-car garage, multiply the amount shown for one car (\$39) times 2 to reflect the value of a 2-car garage ( $2 \times \$39 = \$78$ ). Add \$78 to the rent.

The sixth adjustment is made for the fireplace. Follow the column headed “**Fireplace**” down to the 1,200 Sq Ft row. The amount reflects an addition of \$50 for one or more fireplaces. Add \$50 to the rent for the fireplace.

The final adjustment is the community adjustment. The house in this example is located near Burns, OR. The notes beneath the table (see “**Community Adjustments**”) reflect that Burns, OR receives an adjustment of -\$341. As instructed, subtract \$341 from the rent. Community adjustments are given only to communities in which the market rents are **lower** than the regional average level of rents. Communities not listed in the tables have rents which are equal to or higher than the regional average rent, and do not receive community adjustments.

In summary, the adjustments that produce the Monthly Base Rental Rate for the house used in this example are shown below.

Chart Rent (1,200 Sq Ft/35 Yrs Old) .....	\$775.00
Extra Bath Adjustment (.5 X \$86).....	+ 43.00
Fair Exterior Condition Adjustment.....	- 10.00
Fair Interior Condition Adjustment.....	- 10.00
Central Air Conditioning Adjustment.....	+ 19.00
Garage Adjustment (2 Car X \$39).....	+ 78.00
Fireplace Adjustment .....	+ 50.00
Community Adjustment (Burns, OR).....	<u>- 341.00</u>
Monthly Base Rent.....	\$604.00
Monthly Base Rent (Rounded to nearest \$1) .....	\$604.00

The last step is to round the resulting MBRR (Monthly Base Rental Rate) to the nearest whole dollar. Any amount resulting in an amount of \$.50 or greater is rounded up; any amount resulting in an amount of \$.49 or less is rounded down. The decision to round is discretionary.







**TABLE 3C MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH HOUSES**  
OREGON/WASHINGTON REGION

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Air Cond	Garage (Per Car)	Fire-place	Plex
300	\$629	\$606	\$594	\$586	\$580	\$575	\$567	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
400	\$643	\$620	\$608	\$600	\$594	\$589	\$581	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
500	\$657	\$634	\$622	\$614	\$608	\$603	\$595	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
600	\$671	\$648	\$636	\$628	\$622	\$617	\$609	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
700	\$685	\$662	\$650	\$642	\$636	\$631	\$623	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
800	\$699	\$676	\$664	\$656	\$650	\$645	\$637	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
900	\$713	\$690	\$678	\$670	\$664	\$659	\$651	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1000	\$727	\$704	\$692	\$684	\$678	\$673	\$665	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1100	\$741	\$718	\$706	\$698	\$692	\$687	\$679	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1200	\$755	\$732	\$720	\$712	\$706	\$701	\$693	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1300	\$769	\$746	\$734	\$726	\$720	\$715	\$707	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1400	\$783	\$760	\$748	\$740	\$734	\$729	\$721	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1500	\$797	\$774	\$762	\$754	\$748	\$743	\$735	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1600	\$811	\$788	\$776	\$768	\$762	\$757	\$749	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1700	\$825	\$802	\$790	\$782	\$776	\$771	\$763	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1800	\$839	\$816	\$804	\$796	\$790	\$785	\$777	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1900	\$853	\$830	\$818	\$810	\$804	\$799	\$791	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106

**Additional Adjustments:**

Carpport (Any Size):                   +\$22   Central Evaporative Air:                   +\$10

**Community Adjustments:**

Baker City, OR	-\$232	Aberdeen, WA	-\$168
Burns, OR	-\$341	Chelan, WA	-\$159
Cottage Grove, OR	-\$31	Cheney, WA	-\$116
Enterprise, OR	-\$252	Colville, WA	-\$207
Hermiston, OR	-\$136	Davenport, WA	-\$210
John Day, OR	-\$270	Forks, WA	-\$115
Klamath Falls, OR	-\$120	Hoquiam, WA	-\$168
La Grande, OR	-\$124	Newport, WA	-\$152
Lakeview, OR	-\$221	Okanogan, WA	-\$273
Madras, OR	-\$207	Omak, WA	-\$273
Myrtle Creek, OR	-\$121	Oroville, WA	-\$300
Myrtle Point, OR	-\$255	Pasco, WA	-\$113
Oakridge, OR	-\$136	South Bend, WA	-\$168
Pendleton, OR	-\$148	Toppenish, WA	-\$128
Prineville, OR	-\$87	Walla Walla, WA	-\$92
Redmond, OR	-\$44	Wapato, WA	-\$128
Reedsport, OR	-\$174	Wenatchee, WA	-\$39
Roseburg, OR	-\$65	White Salmon, WA	-\$30
Springfield, OR	-\$31	Yakima, WA	-\$64
Stayton, OR	-\$108		
Tillamook, OR	-\$54		
Umatilla, OR	-\$136		

\*If both the Exterior and Interior are in this condition, apply this factor twice.  
Regardless of adjustments, the minimum base rent is \$245 per month.  
The appropriate CPI factor should be applied after completing the above adjustments.

**TABLE 3D MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH HOUSES  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Air Cond	Garage (Per Car)	Fire- place	Plex
100	\$519	\$497	\$485	\$477	\$471	\$466	\$458	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
200	\$533	\$511	\$499	\$491	\$485	\$480	\$472	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
300	\$547	\$525	\$513	\$505	\$499	\$494	\$486	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
400	\$561	\$539	\$527	\$519	\$513	\$508	\$500	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
500	\$575	\$553	\$541	\$533	\$527	\$522	\$514	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
600	\$589	\$567	\$555	\$547	\$541	\$536	\$528	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
700	\$603	\$581	\$569	\$561	\$555	\$550	\$542	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
800	\$617	\$595	\$583	\$575	\$569	\$564	\$556	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
900	\$631	\$609	\$597	\$589	\$583	\$578	\$570	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1000	\$645	\$623	\$611	\$603	\$597	\$592	\$584	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1100	\$659	\$637	\$625	\$617	\$611	\$606	\$598	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1200	\$673	\$651	\$639	\$631	\$625	\$620	\$612	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1300	\$687	\$665	\$653	\$645	\$639	\$634	\$626	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1400	\$701	\$679	\$667	\$659	\$653	\$648	\$640	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106
1500	\$715	\$693	\$681	\$673	\$667	\$662	\$654	+\$86	+\$15	-\$10	-\$15	+\$19	+\$39	+\$50	-\$106

**Additional Adjustments:**

Carport (Any Size):                      +\$22                                      Central Evaporative Air:                      +\$10

**Community Adjustments:**

Baker City, OR	-\$232	Aberdeen, WA	-\$168
Burns, OR	-\$341	Chelan, WA	-\$159
Cottage Grove, OR	-\$31	Cheney, WA	-\$116
Enterprise, OR	-\$252	Colville, WA	-\$207
Hermiston, OR	-\$136	Davenport, WA	-\$210
John Day, OR	-\$270	Forks, WA	-\$115
Klamath Falls, OR	-\$120	Hoquiam, WA	-\$168
La Grande, OR	-\$124	Newport, WA	-\$152
Lakeview, OR	-\$221	Okanogan, WA	-\$273
Madras, OR	-\$207	Omak, WA	-\$273
Myrtle Creek, OR	-\$121	Oroville, WA	-\$300
Myrtle Point, OR	-\$255	Pasco, WA	-\$113
Oakridge, OR	-\$136	South Bend, WA	-\$168
Pendleton, OR	-\$148	Toppenish, WA	-\$128
Prineville, OR	-\$87	Walla Walla, WA	-\$92
Redmond, OR	-\$44	Wapato, WA	-\$128
Reedsport, OR	-\$174	Wenatchee, WA	-\$39
Roseburg, OR	-\$65	White Salmon, WA	-\$30
Springfield, OR	-\$31	Yakima, WA	-\$64
Stayton, OR	-\$108		
Tillamook, OR	-\$54		
Umatilla, OR	-\$136		

\*If both the Exterior and Interior are in this condition, apply this factor twice.  
Regardless of adjustments, the minimum base rent is \$245 per month.  
The appropriate CPI factor should be applied after completing the above adjustments.

## C. APARTMENTS

For all apartment units, use the rental chart which appropriately describes the housing class and the number of bedrooms of the subject quarters. The charts for apartments are in Tables 4a through 4d.

Assume a 2-bedroom, 2-bathroom apartment, near Eugene, Oregon, with 760 square feet. The exterior is in poor condition; the interior is in fair condition. The apartment, which was built in 1963, is 44 years old (2007-1963), has a carport, and central air conditioning.

First, the two-bedroom chart for good condition apartments (Table 4b) should be located and used. These charts are baseline charts, which assume that each apartment is in good condition inside and outside, and has one full bathroom. Therefore, if the apartment is in good condition inside and outside and has one bathroom, no additional computations are needed. If there is a deviation from either good inside or outside condition, or there are less or more bathrooms than one, then the computations must be changed as discussed below. In the first step, Table 4b is selected as the proper chart for 2-bedroom apartments.

In the second step, the size (gross living area) is rounded **down** from 760 to 700 square feet. Under the column headed **“Sq Ft,”** the figure 700 should be located. All further adjustments will be taken from this row.

In the third step the appropriate age column is selected. A 44-year-old apartment is between 35 and 45 years old; therefore, the **“45 yrs old”** column should be used. A two-bedroom apartment, in good condition with 700 square feet of living space (gross), and which is 45 years of age, has a “Chart Rent” of \$462 per month.

The first adjustment is the extra bathroom adjustment charge. Following the 700 Sq Ft row along to the column headed **“Per Extra Bath”** you will find a charge of \$57. To compute the charge for the extra bathroom, multiply 1 (1 extra bath) times \$57 (the extra bath charge). Add \$57 to the rent.

The second and third adjustments are for a poor exterior and a fair interior condition. Follow the 700 Sq Ft row across the table to the column headed **“Poor Exterior/Interior\*”** a deduction of -\$15 is shown; and in the next column titled **“Fair Exterior/Interior\*”**, a deduction of -\$10 is shown. Subtract from the rent - \$15 for poor exterior condition, and -\$10 for fair interior condition.

The fourth adjustment is for a carport. Beneath the table, under **“Additional Adjustments”**, there is an instruction to add \$10 for a carport of any size. As instructed, add \$10 to the rent of this apartment.

The fifth adjustment is for the central evaporative cooling system. Beneath the table, under **“Additional Adjustments”**, there is an instruction to add \$10 for Central Evaporative Air.

The final adjustment is the community adjustment. The apartment in this example is located near Eugene, OR. The notes beneath the table (see **“Community Adjustments”**) show no adjustment for Eugene, OR. Therefore, rental values in Eugene for apartments are equal to or greater than the regional average. Since positive community adjustments are not applied, no community adjustment is shown for Eugene.

In summary, the Monthly Base Rental Rate for the apartment in this example is determined as follows:

Chart Rent (700 Sq Ft/45 yrs old) .....	\$462.00
Extra Bath Adjustment (1 X \$57).....	+ 57.00
Poor Exterior Adjustment .....	- 15.00
Fair Interior Adjustment .....	- 10.00
Carport Adjustment.....	+10.00
Central Evaporative Cooling Adjustment .....	+10.00
Location Adjustment (Eugene, OR) .....	<u>- 0.00</u>
Monthly Base Rental Rate.....	\$514.00
Monthly Base Rental Rate (Rounded to nearest \$1) .....	\$514.00

The last step is to round the resulting MBRR (Monthly Base Rental Rate) to the nearest whole dollar. Any amount resulting in an amount of \$.50 or greater is rounded up; any amount resulting in an amount of \$.49 or less is rounded down. The decision to round is discretionary.

**TABLE 4A MONTHLY BASE RENT CHART - GOOD CONDITION, 3 BEDROOM, 1 BATH APARTMENTS  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Garage	Air Cond
600	\$554	\$535	\$524	\$517	\$512	\$508	\$501	+\$49	+\$15	-\$10	-\$15	+\$20	+\$20
700	\$563	\$543	\$533	\$526	\$520	\$516	\$509	+\$57	+\$15	-\$10	-\$15	+\$20	+\$20
800	\$571	\$551	\$541	\$534	\$528	\$524	\$517	+\$66	+\$15	-\$10	-\$15	+\$20	+\$20
900	\$579	\$559	\$549	\$542	\$537	\$532	\$526	+\$74	+\$15	-\$10	-\$15	+\$20	+\$20
1000	\$587	\$567	\$557	\$550	\$545	\$541	\$534	+\$82	+\$15	-\$10	-\$15	+\$20	+\$20
1100	\$595	\$576	\$565	\$558	\$553	\$549	\$542	+\$90	+\$15	-\$10	-\$15	+\$20	+\$20
1200	\$604	\$584	\$574	\$567	\$561	\$557	\$550	+\$98	+\$15	-\$10	-\$15	+\$20	+\$20
1300	\$612	\$592	\$582	\$575	\$569	\$565	\$558	+\$107	+\$15	-\$10	-\$15	+\$20	+\$20
1400	\$620	\$600	\$590	\$583	\$578	\$573	\$567	+\$115	+\$15	-\$10	-\$15	+\$20	+\$20
1500	\$628	\$608	\$598	\$591	\$586	\$582	\$575	+\$123	+\$15	-\$10	-\$15	+\$20	+\$20
1600	\$636	\$617	\$606	\$599	\$594	\$590	\$583	+\$131	+\$15	-\$10	-\$15	+\$20	+\$20
1700	\$645	\$625	\$615	\$608	\$602	\$598	\$591	+\$139	+\$15	-\$10	-\$15	+\$20	+\$20
1800	\$653	\$633	\$623	\$616	\$610	\$606	\$599	+\$148	+\$15	-\$10	-\$15	+\$20	+\$20

**Additional Adjustments:**

Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10
Fireplace(s):	+\$20		

**Community Adjustments:**

Baker City, OR	-\$78	Longview, WA	-\$37
Harrisburg, OR	-\$18	Port Angeles, WA	-\$23
Myrtle Creek, OR	-\$103	Yakima, WA	-\$18
Roseburg, OR	-\$20		
Springfield, OR	-\$18		
Stayton, OR	-\$109		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

**TABLE 4B MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH APARTMENTS  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Garage	Air Cond
400	\$480	\$460	\$450	\$443	\$438	\$433	\$427	+\$33	+\$15	-\$10	-\$15	+\$20	+\$20
500	\$488	\$469	\$458	\$451	\$446	\$442	\$435	+\$41	+\$15	-\$10	-\$15	+\$20	+\$20
600	\$497	\$477	\$467	\$459	\$454	\$450	\$443	+\$49	+\$15	-\$10	-\$15	+\$20	+\$20
700	\$505	\$485	\$475	\$468	\$462	\$458	\$451	+\$57	+\$15	-\$10	-\$15	+\$20	+\$20
800	\$513	\$493	\$483	\$476	\$471	\$466	\$460	+\$66	+\$15	-\$10	-\$15	+\$20	+\$20
900	\$521	\$501	\$491	\$484	\$479	\$474	\$468	+\$74	+\$15	-\$10	-\$15	+\$20	+\$20
1000	\$529	\$510	\$499	\$492	\$487	\$483	\$476	+\$82	+\$15	-\$10	-\$15	+\$20	+\$20
1100	\$538	\$518	\$508	\$500	\$495	\$491	\$484	+\$90	+\$15	-\$10	-\$15	+\$20	+\$20
1200	\$546	\$526	\$516	\$509	\$503	\$499	\$492	+\$98	+\$15	-\$10	-\$15	+\$20	+\$20
1300	\$554	\$534	\$524	\$517	\$512	\$507	\$501	+\$107	+\$15	-\$10	-\$15	+\$20	+\$20
1400	\$562	\$542	\$532	\$525	\$520	\$515	\$509	+\$115	+\$15	-\$10	-\$15	+\$20	+\$20
1500	\$570	\$551	\$540	\$533	\$528	\$524	\$517	+\$123	+\$15	-\$10	-\$15	+\$20	+\$20
1600	\$579	\$559	\$549	\$541	\$536	\$532	\$525	+\$131	+\$15	-\$10	-\$15	+\$20	+\$20

**Additional Adjustments:**

Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10
Fireplace(s):	+\$20		

**Community Adjustments:**

Baker City, OR	-\$78	Longview, WA	-\$37
Harrisburg, OR	-\$18	Port Angeles, WA	-\$23
Myrtle Creek, OR	-\$103	Yakima, WA	-\$18
Roseburg, OR	-\$20		
Springfield, OR	-\$18		
Stayton, OR	-\$109		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.



**TABLE 4C MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH APARTMENTS  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Garage	Air Cond
300	\$414	\$394	\$384	\$377	\$372	\$367	\$361	+\$25	+\$15	-\$10	-\$15	+\$20	+\$20
400	\$422	\$403	\$392	\$385	\$380	\$376	\$369	+\$33	+\$15	-\$10	-\$15	+\$20	+\$20
500	\$431	\$411	\$400	\$393	\$388	\$384	\$377	+\$41	+\$15	-\$10	-\$15	+\$20	+\$20
600	\$439	\$419	\$409	\$402	\$396	\$392	\$385	+\$49	+\$15	-\$10	-\$15	+\$20	+\$20
700	\$447	\$427	\$417	\$410	\$405	\$400	\$394	+\$57	+\$15	-\$10	-\$15	+\$20	+\$20
800	\$455	\$435	\$425	\$418	\$413	\$408	\$402	+\$66	+\$15	-\$10	-\$15	+\$20	+\$20
900	\$463	\$444	\$433	\$426	\$421	\$417	\$410	+\$74	+\$15	-\$10	-\$15	+\$20	+\$20
1000	\$472	\$452	\$441	\$434	\$429	\$425	\$418	+\$82	+\$15	-\$10	-\$15	+\$20	+\$20
1100	\$480	\$460	\$450	\$443	\$437	\$433	\$426	+\$90	+\$15	-\$10	-\$15	+\$20	+\$20
1200	\$488	\$468	\$458	\$451	\$446	\$441	\$435	+\$98	+\$15	-\$10	-\$15	+\$20	+\$20
1300	\$496	\$476	\$466	\$459	\$454	\$449	\$443	+\$107	+\$15	-\$10	-\$15	+\$20	+\$20
1400	\$504	\$485	\$474	\$467	\$462	\$458	\$451	+\$115	+\$15	-\$10	-\$15	+\$20	+\$20
1500	\$513	\$493	\$482	\$475	\$470	\$466	\$459	+\$123	+\$15	-\$10	-\$15	+\$20	+\$20

**Additional Adjustments:**

Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10
Fireplace(s):	+\$20		

**Community Adjustments:**

Baker City, OR	-\$78	Longview, WA	-\$37
Harrisburg, OR	-\$18	Port Angeles, WA	-\$23
Myrtle Creek, OR	-\$103	Yakima, WA	-\$18
Roseburg, OR	-\$20		
Springfield, OR	-\$18		
Stayton, OR	-\$109		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

**TABLE 4D MONTHLY BASE RENT CHART - GOOD CONDITION, 0 BEDROOM, 1 BATH APARTMENTS  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	15 yrs old	25 yrs old	35 yrs old	45 yrs old	55 yrs old	75+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*	Garage	Air Cond
100	\$340	\$320	\$310	\$303	\$297	\$293	\$286	+\$8	+\$15	-\$10	-\$15	+\$20	+\$20
200	\$348	\$328	\$318	\$311	\$306	\$301	\$295	+\$16	+\$15	-\$10	-\$15	+\$20	+\$20
300	\$356	\$337	\$326	\$319	\$314	\$310	\$303	+\$25	+\$15	-\$10	-\$15	+\$20	+\$20
400	\$364	\$345	\$334	\$327	\$322	\$318	\$311	+\$33	+\$15	-\$10	-\$15	+\$20	+\$20
500	\$373	\$353	\$343	\$336	\$330	\$326	\$319	+\$41	+\$15	-\$10	-\$15	+\$20	+\$20
600	\$381	\$361	\$351	\$344	\$338	\$334	\$327	+\$49	+\$15	-\$10	-\$15	+\$20	+\$20
700	\$389	\$369	\$359	\$352	\$347	\$342	\$336	+\$57	+\$15	-\$10	-\$15	+\$20	+\$20
800	\$397	\$378	\$367	\$360	\$355	\$351	\$344	+\$66	+\$15	-\$10	-\$15	+\$20	+\$20
900	\$405	\$386	\$375	\$368	\$363	\$359	\$352	+\$74	+\$15	-\$10	-\$15	+\$20	+\$20
1000	\$414	\$394	\$384	\$377	\$371	\$367	\$360	+\$82	+\$15	-\$10	-\$15	+\$20	+\$20
1100	\$422	\$402	\$392	\$385	\$379	\$375	\$368	+\$90	+\$15	-\$10	-\$15	+\$20	+\$20

**Additional Adjustments:**

Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10
Fireplace(s):	+\$20		

**Community Adjustments:**

Baker City, OR	-\$78	Longview, WA	-\$37
Harrisburg, OR	-\$18	Port Angeles, WA	-\$23
Myrtle Creek, OR	-\$103	Yakima, WA	-\$18
Roseburg, OR	-\$20		
Springfield, OR	-\$18		
Stayton, OR	-\$109		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

D. MOBILE HOMES, TRAVEL TRAILERS, AND HOUSEBOATS

For these housing classes, use the mobile home base rental charts (Tables 5a-c). To familiarize the reader with these charts, assume a 490 square foot, 1-bedroom mobile home built in 1973 with a 3/4 bathroom. This mobile home is in poor interior and poor exterior condition and is located near Colville, Washington. The Monthly Base Rental Rate for the mobile home in this example is calculated from Table 5c as follows.

The 1-bedroom chart for good condition mobile homes (Table 5c) should be located and used. This chart is a baseline chart, which assumes that each mobile home is in good condition inside and outside and has one full bathroom. Therefore, if the mobile home is in good condition inside and outside and has one full bathroom, no additional computations are needed. If there is a deviation from either good inside or outside condition, or there are less or more bathrooms than one, then the computations must be changed accordingly.

First, locate Table 5c. Next, the gross **square feet** of living area should be rounded **down** to 400 square feet, and the **age** (2007-1973 = 34 years) is rounded **up** to 35+ years. The column headed **“Sq Ft”** is followed down to 400. All other adjustments are taken from this row. On this row, under the column headed **“35+ yrs old,”** the “Chart Rent” is \$241.

The base rental value of \$241 (“chart rent”) includes the value of one full bathroom. Since the unit in this example has only a 3/4 bathroom, an adjustment must be made for the missing 1/4 bathroom. At the top of the table is a column titled **“Per Extra Bath.”** Follow this column down to the 400 Sq Ft row. A value of \$14 is shown. Multiply this value times .25 (1/4 bathroom) to calculate the value of the missing 1/4 bathroom (\$14 X .25 = \$3.50). Subtract -\$4.00 (rounded) from the rent.

The second and third adjustments are for the condition of the unit. Follow the 400 Sq Ft row to the column headed **“Poor Exterior/Interior\*”**; subtract -\$15 for the poor exterior condition and another -\$15 for the poor interior condition.

The final adjustment is the community adjustment. The mobile home in this example is located near Colville, WA. The notes beneath the table (see **“Community Adjustments”**) show an adjustment of -\$122 for Colville, WA. The rental values for mobile homes in Colville, WA are much lower than the survey area average. The rent for mobile homes which use Colville as the nearest established community should be reduced by -\$122.

The Monthly Base Rental Rate for this mobile home is shown below.

Chart Rent (400 Sq Ft/35+ Yrs Old) .....	\$241.00
Bathroom Adjustment (.25 X \$14, rounded) .....	- 4.00
Poor Exterior .....	- 15.00
Poor Interior .....	- 15.00
Location Adjustment (Colville, WA).....	<u>-122.00</u>

Computed Monthly Base Rental Rate.....	\$ 85.00
Actual Monthly Base Rental Rate (Minimum Base applies) .....	\$245.00

Note: In this example, the Monthly Base Rental Rate computes to \$85.00, which is less than the \$245.00 minimum Monthly Base Rental Rate for the Oregon/Washington Survey Region (refer to the footnotes on each rent table for the minimum base rent). Therefore, the Monthly Base Rental Rate for the mobile home in this example will be set at \$245.00. Keep in mind that the *Monthly Base Rental Rate* is different from the minimum monthly *final rent*. Thus, \$245.00 is not the minimum final rent possible.

**TABLE 5A MONTHLY BASE RENT CHART - GOOD CONDITION, 3 BEDROOM, 1 BATH MOBILE HOMES  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	10 yrs old	15 yrs old	20 yrs old	25 yrs old	30 yrs old	35+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*
400	\$458	\$451	\$444	\$437	\$430	\$423	\$416	+\$14	+\$15	-\$10	-\$15
500	\$472	\$465	\$459	\$452	\$445	\$438	\$431	+\$18	+\$15	-\$10	-\$15
600	\$487	\$480	\$473	\$466	\$459	\$452	\$445	+\$21	+\$15	-\$10	-\$15
700	\$501	\$494	\$487	\$480	\$473	\$467	\$460	+\$25	+\$15	-\$10	-\$15
800	\$516	\$509	\$502	\$495	\$488	\$481	\$474	+\$28	+\$15	-\$10	-\$15
900	\$530	\$523	\$516	\$509	\$502	\$495	\$488	+\$32	+\$15	-\$10	-\$15
1000	\$544	\$537	\$531	\$524	\$517	\$510	\$503	+\$35	+\$15	-\$10	-\$15
1100	\$559	\$552	\$545	\$538	\$531	\$524	\$517	+\$39	+\$15	-\$10	-\$15
1200	\$573	\$566	\$559	\$552	\$545	\$539	\$532	+\$42	+\$15	-\$10	-\$15
1300	\$588	\$581	\$574	\$567	\$560	\$553	\$546	+\$46	+\$15	-\$10	-\$15
1400	\$602	\$595	\$588	\$581	\$574	\$567	\$560	+\$49	+\$15	-\$10	-\$15
1500	\$616	\$609	\$603	\$596	\$589	\$582	\$575	+\$53	+\$15	-\$10	-\$15
1600	\$631	\$624	\$617	\$610	\$603	\$596	\$589	+\$56	+\$15	-\$10	-\$15

**Additional Adjustments:**

Garage (Any Size):	+\$20	Central Air Conditioning:	+\$20
Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10

**Community Adjustments:**

Baker City, OR	-\$55	Colville, WA	-\$122
Burns, OR	-\$102	Ephrata, WA	-\$102
John Day, OR	-\$128	Okanagon, WA	-\$23
Klamath Falls, OR	-\$23	Omak, WA	-\$23
La Grande, OR	-\$17	Othello, WA	-\$79
Lakeview, OR	-\$118	Toppenish, WA	-\$29
Umatilla, OR	-\$29		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

**TABLE 5B      MONTHLY BASE RENT CHART - GOOD CONDITION, 2 BEDROOM, 1 BATH  
MOBILE HOMES  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	10 yrs old	15 yrs old	20 yrs old	25 yrs old	30 yrs old	35+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*
400	\$381	\$374	\$367	\$360	\$354	\$347	\$340	+\$14	+\$15	-\$10	-\$15
500	\$396	\$389	\$382	\$375	\$368	\$361	\$354	+\$18	+\$15	-\$10	-\$15
600	\$410	\$403	\$396	\$389	\$382	\$375	\$368	+\$21	+\$15	-\$10	-\$15
700	\$424	\$418	\$411	\$404	\$397	\$390	\$383	+\$25	+\$15	-\$10	-\$15
800	\$439	\$432	\$425	\$418	\$411	\$404	\$397	+\$28	+\$15	-\$10	-\$15
900	\$453	\$446	\$439	\$432	\$426	\$419	\$412	+\$32	+\$15	-\$10	-\$15
1000	\$468	\$461	\$454	\$447	\$440	\$433	\$426	+\$35	+\$15	-\$10	-\$15
1100	\$482	\$475	\$468	\$461	\$454	\$447	\$440	+\$39	+\$15	-\$10	-\$15
1200	\$496	\$490	\$483	\$476	\$469	\$462	\$455	+\$42	+\$15	-\$10	-\$15
1300	\$511	\$504	\$497	\$490	\$483	\$476	\$469	+\$46	+\$15	-\$10	-\$15
1400	\$525	\$518	\$511	\$504	\$498	\$491	\$484	+\$49	+\$15	-\$10	-\$15
1500	\$540	\$533	\$526	\$519	\$512	\$505	\$498	+\$53	+\$15	-\$10	-\$15

**Additional Adjustments:**

Garage (Any Size):	+\$20	Central Air Conditioning:	+\$20
Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10

**Community Adjustments:**

Baker City, OR	-\$55	Colville, WA	-\$122
Burns, OR	-\$102	Ephrata, WA	-\$102
John Day, OR	-\$128	Okanagon, WA	-\$23
Klamath Falls, OR	-\$23	Omak, WA	-\$23
La Grande, OR	-\$17	Othello, WA	-\$79
Lakeview, OR	-\$118	Toppenish, WA	-\$29
Umatilla, OR	-\$29		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

**TABLE 5C MONTHLY BASE RENT CHART - GOOD CONDITION, 1 BEDROOM, 1 BATH  
MOBILE HOMES  
OREGON/WASHINGTON REGION**

Sq Ft	5 yrs old	10 yrs old	15 yrs old	20 yrs old	25 yrs old	30 yrs old	35+ yrs old	Per Extra Bath	Excel Interior / Exterior*	Fair Interior / Exterior*	Poor Interior / Exterior*
100	\$239	\$232	\$225	\$218	\$211	\$205	\$198	+\$4	+\$15	-\$10	-\$15
200	\$254	\$247	\$240	\$233	\$226	\$219	\$212	+\$7	+\$15	-\$10	-\$15
300	\$268	\$261	\$254	\$247	\$240	\$233	\$226	+\$11	+\$15	-\$10	-\$15
400	\$282	\$275	\$269	\$262	\$255	\$248	\$241	+\$14	+\$15	-\$10	-\$15
500	\$297	\$290	\$283	\$276	\$269	\$262	\$255	+\$18	+\$15	-\$10	-\$15
600	\$311	\$304	\$297	\$290	\$283	\$277	\$270	+\$21	+\$15	-\$10	-\$15
700	\$326	\$319	\$312	\$305	\$298	\$291	\$284	+\$25	+\$15	-\$10	-\$15
800	\$340	\$333	\$326	\$319	\$312	\$305	\$298	+\$28	+\$15	-\$10	-\$15
900	\$354	\$347	\$341	\$334	\$327	\$320	\$313	+\$32	+\$15	-\$10	-\$15
1000	\$369	\$362	\$355	\$348	\$341	\$334	\$327	+\$35	+\$15	-\$10	-\$15
1100	\$383	\$376	\$369	\$362	\$355	\$349	\$342	+\$39	+\$15	-\$10	-\$15
1200	\$398	\$391	\$384	\$377	\$370	\$363	\$356	+\$42	+\$15	-\$10	-\$15

**Additional Adjustments:**

Garage (Any Size):	+\$20	Central Air Conditioning:	+\$20
Carport (Any Size):	+\$10	Central Evaporative Air:	+\$10

**Community Adjustments:**

Baker City, OR	-\$55	Colville, WA	-\$122
Burns, OR	-\$102	Ephrata, WA	-\$102
John Day, OR	-\$128	Okanagon, WA	-\$23
Klamath Falls, OR	-\$23	Omak, WA	-\$23
La Grande, OR	-\$17	Othello, WA	-\$79
Lakeview, OR	-\$118	Toppenish, WA	-\$29
Umatilla, OR	-\$29		

\*If both the Exterior and Interior are in this condition, apply this factor twice.

Regardless of adjustments, the minimum base rent is \$245 per month.

The appropriate CPI factor should be applied after completing the above adjustments.

## E. CABINS OR LOOKOUTS

For purposes of rental rate establishment, the rental housing class most comparable to cabins or lookouts would be 1-bedroom, single-family houses, regardless of the number of bedrooms in the cabin. One-bedroom, single-family rental houses generally consist of smaller and older housing units. Where the cabins or lookouts are outfitted for housekeeping, and contain an independent primary heating system, the rental rates (including all applicable adjustments) are determined by using the 1-bedroom house chart (Table 3d).

Where a cabin or lookout lacks full housekeeping facilities (including running water, an inside heated bathroom or a central heating system), additional adjustments (shown below) must be made to the Monthly Base Rental Rate. A free-standing stove without a fan or a fireplace does not qualify as a central primary heating system. These adjustments are designed to take into consideration the inconvenience resulting from the lack of full housekeeping facilities. However, the adjusted monthly base rental rate for cabins or lookouts may not be set below the minimum monthly base rent of \$245.

No Electricity = -20%

No Inside Bathroom = -20%

No Running Water = -20%

No Central Heating System = -15% (applied only if used during the heating season.)

Less Than Two Rooms (One-Room Cabin or Lookout) = -10%



## F. BUNKHOUSE AND DORMITORIES

Bunkhouses and dormitories should only include housing units that have been specifically constructed or modified for use as bunkhouses or dormitories. Single-family houses, apartments or mobile homes that are **used** as dormitories or bunkhouses, must be valued as what they are (houses, apartments or mobile homes), with the rent divided by the number of **planned** occupants.

Dormitory or bunkhouse units typically lack either a living room or kitchen, or have common baths and centralized kitchens (cafeterias, mess halls) serving many people. Many also have multiple bunk beds in large ward-like rooms. Such housing units pose a valuation problem, as they are normally found only in association with institutions such as the military or colleges, of which its occupants are members. Since these institutions do not typically rent to the public at large, one cannot obtain an arms-length “private market” rent.

Under circumstances where there is a lack of comparable rental data, OMB Circular A-45 provides that rental rates may be established using an extension of the Principle of Comparability. Under this procedure, rental rates are established using the most comparable rental housing available, and the rate is essentially 50 percent of the average house rent.

During their 1994 Conference, the National Housing Council decided that one aggregate monthly rate should be established for **all** dormitories in a survey region. This aggregate dormitory rate, which includes the value of government-provided utilities, furnishings and services, was determined as follows. An analysis of the comparables used in this Oregon/Washington survey found that the average single-family house had 1,235 square feet of finished floor space, 2.5 bedrooms and an average monthly-adjusted contract rent of \$787. By applying an extension of the Principle of Comparability, the Base Shelter Rental Rate (BSRR) for bunkhouses and dormitories is calculated as shown below.

During their 2002 Conference, the National Housing Council reviewed different dormitory costing methods for the newer types of dormitories being built by some agencies. In researching new and existing dormitory models, it was found the majority of the dormitories plan to house two occupants per room, which the current costing methodology is based upon. In addition, most occupants in dormitories share both a kitchen and bathroom. Based on these factors, the Council decided to continue using the current costing methodology.

$$\begin{aligned} &\text{Average adjusted contract rent} / 2 = \$787 / 2 = \$393 \\ &\$393 / (\text{average \# of bedrooms} \times 2 \text{ occupants per bedroom}) \\ &\$393 / (2.5 \text{ bedrooms} \times 2 \text{ occupants}) = \$393 / 5 = \$78.60 \text{ per month/per occupant} \end{aligned}$$

Charges were then added to this rate for utilities, services and furnishings that are provided by the government. The aggregate value of these items was based on a study of the rates prevailing in the Oregon/Washington regional survey area. These charges were prorated based upon a 1,235 square foot, 2.5 bedroom, single-family house occupied by 2 people per bedroom. The aggregate charge for these utilities, services and furnishings was \$54.21.

Monthly, weekly, and daily bunkhouse and dormitory rates are computed as follows.



**TABLE 6      BUNKHOUSE/DORMITORY RENTS**  
**OREGON/WASHINGTON REGION**

Monthly Charge

Dormitory Base Shelter Rent Rate (BSRR) .....	\$78.60
Related Facilities Charges .....	<u>\$54.21</u>
 Monthly Base Rental Rate (MBRR, rounded to nearest five cents) .....	 \$132.80

Bi-Weekly Charge

To convert to bi-weekly rate, multiply MBRR by .4615 and round to nearest five cents .....	\$61.30
---	---------

Weekly Charge

To convert to weekly rate, multiply MBRR by .2308 and round to nearest five cents .....	\$30.65
--	---------

Daily Charge

To convert to daily rate, multiply MBRR by .0333 and round to nearest five cents .....	\$4.40
---	--------

An administrative adjustment of –10% is permitted for dormitories if 3 or more people must share a bedroom or sleeping area. Also, an administrative adjustment of –10% is permitted for dormitories that lack a kitchen or cooking facilities.

NOTE: For current dormitory rates in this region, see the annual “CPI Memorandum,” issued each November by the QMIS Office.

## G. TRANSIENT QUARTERS

Transient quarters are those that are occupied on a transient basis, normally for a period of 90 days or less. Government-provided transient quarters offer a range of accommodations. At some locations, kitchen facilities, private telephones and private bathrooms may be available; at others, they are not provided. At some locations, maid service is provided (with varying degrees of frequency); at other locations, employees are “issued” bedding and other domestic items, and must take care of their own housekeeping arrangements.

Given the diversity of facilities and services associated with government-provided transient quarters, the National Housing Council determined that private housing comparable to government transient quarters generally does not exist. Accordingly, the rental charges for transient quarters have been established by extending the principle of comparability, as provided in OMB Circular A-45.

Essentially, the rental charge for transient quarters is the sum of the monthly dormitory rate plus related facilities, a monthly charge for maid service (Table 18), and a 20 percent administrative/service charge required by OMB Circular A-45 paragraph 7.c (4)(a). Monthly, weekly and daily charges for transient quarters are shown, below, in Table 7.

**TABLE 7      TRANSIENT QUARTERS RENTS**  
OREGON/WASHINGTON REGION

---

Dormitory BSRR .....	\$78.60
Related Facilities Charges .....	54.21
Maid Service (Table 18) .....	<u>78.05</u>
Subtotal .....	\$210.86
Administrative Charge +20% (OMB Cir. A-45) .....	<u>x 1.20</u>
 Transient MBRR (rounded to nearest five cents).....	 \$253.05
 Monthly Charge .....	 \$253.05
Bi-Weekly Charge (\$253.05 x .4615 Rounded) .....	\$116.80
Weekly Charge (\$253.05 x .2308 Rounded) .....	\$58.40
Daily Charge (\$253.05 x .0333 Rounded).....	\$8.45

NOTE: For current transient rates in this region, see the annual “CPI Memorandum,” issued each November by the Quarters Program Office.

## H. TRAILER PADS

During the Oregon/Washington survey, trailer pads were surveyed in a wide variety of mobile home parks. They differed in physical characteristics, utilities, rents, and geographical location.

A simplified analysis of this data was done. The value of related facilities in the contract rent was subtracted to arrive at an adjusted rent. After excluding extreme outliers, the average adjusted rent was determined for the remaining samples.

The average adjusted rent was then divided into the actual rent of each remaining sample. Those communities where the adjusted contract rents were significantly lower than the average rent for the region were adjusted to the community average trailer pad rents. As with houses, apartments and mobile homes, those trailer pads in high-cost areas are “capped” at the average trailer pad rent for the survey region.

During their 1993 Conference, the National Housing Council agreed to assess the monthly base rental rate for single-wide trailer pads for **all** government-furnished trailer pads. This is because most employees do not own/occupy doublewide mobile homes, and because the market differences are negligible.

To determine the trailer pad Monthly Base Rental Rate, use the applicable rate contained in Table 8. Do not use the rates in Table 8 if the trailer pad is occupied by a government-owned or -leased mobile home; this would be a “trailer” or “mobile home” rent class and the “space rent” is already included in the base rent calculation for these quarters. Rates in Table 8 are used if a tenant-owned trailer or recreational vehicle is parked on a government-owned trailer space.

For example, if a trailer pad were occupied by a tenant-owned mobile home located near Lakeview, Oregon, the base rent for this pad would be \$150 per month. If, for another example, the trailer space were located near Omak, Washington, the base rental rate for this pad would be \$235 (the “All Other Locations” charge). No other adjustments are made for physical characteristics, such as the date the trailer pad was installed, the front or square footage, or the total number of sites at that location.

However, all appropriate administrative adjustments (such as amenity and isolation adjustments), as well as all charges for government-provided related facilities (such as utilities and furnishings) should be applied to the Monthly Base Rental Rates in Table 8 to determine the monthly net rental charge.

**TABLE 8 TRAILER PADS - MONTHLY BASE RENTAL RATES  
OREGON/WASHINGTON REGION**

---

<u>COMMUNITIES</u>	<u>MONTHLY BASE RENTAL RATES</u>
IDAHO	
Nampa, ID	\$230
OREGON	
Florence, OR	\$186
Hermiston, OR	\$190
Klamath Falls, OR	\$218
La Grande, OR	\$143
Lakeview, OR	\$150
Madras, OR	\$225
Pendleton, OR	\$174
Reedsport, OR	\$190
Roseburg, OR	\$187
Shady Cove, OR	\$191
Umatilla, OR	\$190
White City, OR	\$206
WASHINGTON	
Aberdeen, WA	\$195
Cheney, WA	\$155
Colville, WA	\$131
Davenport, WA	\$126
Ephrata, WA	\$148
Forks, WA	\$142
Hoquiam, WA	\$195
Leavenworth, WA	\$183
Othello, WA	\$186
Port Angeles, WA	\$189
Port Townsend, WA	\$217
Toppenish, WA	\$153
<b>ALL OTHER LOCATIONS</b>	<b>\$235</b>

## I. OBSOLETE QUARTERS

OMB Circular A-45 (revised October 20, 1993) excludes from the term rental quarters "...housing which due to extreme deterioration is unsuitable for occupancy except in exigent circumstances. ..." The net effect of this change means there will be no base rental rate for obsolete quarters. However, assessments will be made for utilities, furnishings, appliances, and any other services that are provided by the government.

The Department of the Interior Quarters Handbook: Department Manual 400 (DM 400) and the regulations of other QMIS Program participants require that housing used as employee quarters must be safe, sanitary, and energy efficient. Where housing is in obsolete condition, it is by definition unfit for use as employee housing, and should be renovated, replaced, destroyed or used for non-residential purposes. Section 7.3A of DM 400 also provides that the appropriate Program Assistant Secretary, or his/her designee (Bureau Head), may authorize temporary occupancy, for a period not to exceed one year, pending a rehabilitation or replacement action where sufficient written justification is provided.

## VI. CHARGES FOR UTILITIES, APPLIANCES AND RELATED SERVICES

### A. BACKGROUND

OMB Circular A-45 requires that, whenever possible, utilities should be provided by a private company and billed directly to quarters occupants. Where government-furnished utilities are provided, they should be metered or measured. When government-furnished utilities are not metered or measured, consumption will be determined from an analysis of the average amounts of utilities used in comparable private housing in the nearest established community or survey area. **Where the government furnishes utilities, and where the quarters rental rates are established by the regional survey method, the utility rates shall be the regional average utility rates prescribed in this report – not the rates prevailing in the nearest established community.**

The regional average utility rates contained in this report include all applicable delivery charges, adjustments, taxes and surcharges. Charges for government-provided appliances, services and furnishings (those in Table 18) are based upon nationwide average costs.

The following sections of this report detail the consumption and cost data to be used in the circumstances described above. The cost data in this report will be updated by the QMIS Office each year and distributed with the Consumer Price Index (CPI) adjustment that takes effect each year. See the “CPI Memorandum” distributed annually in November for current utility rates in this region.

### B. ENERGY CONSUMPTION STUDY

1. **General.** Energy consumption estimates are required where the government furnishes the space heating or cooling fuel and the electricity, and where consumption is neither metered nor measured. In such instances, average energy consumption must be estimated and the government must assess a charge based on private sector energy costs in the survey area. No methodology for estimating energy consumption can exactly predict the amounts of energy needed to heat or cool specific dwellings. Precise consumption measurements are possible only when metering is used. However, the methodology used in this report will yield **reasonable** estimates of the heating and cooling energy consumption requirements of unmetered dwellings. The methodology employed in this section was developed by a contractor. For this report, however, the contractor-provided tables and conversion charts have been reformatted, and the methodology has been re-stated, to simplify the process of estimating energy consumption requirements. The unit costs for various fuel types and for electricity (e.g., the cost per gallon for fuel oil and propane; the cost per MCF (1,000 cubic feet) for natural gas; and the cost per Kwh for electricity) are regional averages of the unit fuel/electricity prices gathered in each community surveyed for rental comparables.
2. **Housing Prototypes.** For the Oregon/Washington energy study, estimates of the heating and cooling energy requirements were prepared for each of the following six prototypical housing units.

**Type I** – Single family, one story, no basement

**Type II** – Single family, one story, full basement

**Type III** – Single family, two story, no basement



**Type IV** – Single family, two story, full basement

**Type V** – Apartment unit

**Type VI** – Mobile Home

3. **Assumptions.** For each of the housing prototypes, the following assumptions were made:
- a. Location – The housing is located in Madras, Oregon (the Baseline City.)
  - b. R values – Each housing type has the R values of insulation in floors, walls, and ceilings recommended in the HUD Minimum Property Standards (HUD-MPS) for the Madras, OR area.
  - c. Occupants – The housing contains an average compliment of occupants who are energy conscious (one person per 500 feet of floor space was assumed).
  - d. All measurements are of finished living space only and are based upon exterior dimensions.
  - e. Condition – The housing is in good condition.
  - f. Building shape – A rectangular shape with a ratio of 2:1 was established. This provides more building skin than a square configuration therefore; the rectangular shape yields a conservative estimate of skin loads.
  - g. Window area – A window area of 10 percent of wall area was used to match UBC (Uniform Building Code) minimum window area standards.
  - h. Roof type – A flat or pitched roof with ceiling insulation was assumed in all cases.
  - i. Air changes – 1.5 air changes per hour were established as representing a conservative estimate of air changes in residential applications.
  - j. Perimeter loss – Approximately 10 percent of overall building load is attributed to the slab on grade floors with rigid insulation to a value of R-6.
4. Using the above assumptions, infiltration factors developed by the Department of Energy, R values, building dimensions, and cooling and heating degree days, a contractor has formulated methodologies for estimating British Thermal Unit (BTU) and kilowatt hour (KwH) consumption rates and costs for heating and cooling. The relevant portions of the methodology are explained below.

### C. SPACE HEATING (FOSSIL FUEL) CONSUMPTION/COST CALCULATIONS

To illustrate the procedure for calculating the cost of heating with fossil fuel, a single story 1,850 square foot house, with no basement, located near Baker City, Oregon will be used as an example.

1. The first step is to select from among Tables 9a through 9f the table that most closely describes the quarters unit at issue. In this case, Table 9a is for a 1-story single-family house with a partial (50

percent or less) or no basement (Prototype I). When determining the prototype, use the total basement (finished and unfinished) square footage. Unfinished space is only considered when determining the prototype. It is never used when using a rent setting or consumption chart. Table 9a should be selected in this example.

2. The second step is to determine the number of BTUs consumed **annually** for heating the house used in this example. Select from Table 9a the annual MBTU (million BTUs) consumption appropriate for the heating degree days (HDDs) and the gross **finished** square footage of the house in this example. Use the table as shown below.
  - a. Find the number of HDDs for the established community near which the quarters are located. Table 10 contains the HDDs for the nearest established communities in the Oregon/Washington survey region; this table shows that Baker City, OR has 7,186 HDDs. In Table 9a, 7,186 HDDs lies between the columns headed **“7,000”** and **“7,350.”** Round 7,186 HDDs down to 7,000 HDDs.
  - b. In Table 9a, 1,850 square feet (the size of the house used in the example) lies between 1,800 and 2,000 square feet; round 1,850 down to 1,800 square feet.
  - c. From Table 9a (1,800 square feet and 7,000 HDDs) the annual MBTU consumption rate is 82.9 MBTUs.
3. The third step is to calculate the amount of fossil fuel needed to produce 82.9 MBTUs. Table 11 shows the amount of fossil fuel needed to produce 1 MBTU. The total amount of heating fuel required to produce 82.9 MBTUs is computed by multiplying the appropriate fuel factor in Table 11 by the number of MBTUs. In this case the fuel required is:

<b>Natural gas:</b>	82.9 MBTUs x 1 MCF	=	82.9 MCF
<b>Propane:</b>	82.9 MBTUs x 10.2 gallons	=	845.58 gallons
<b>Fuel oil:</b>	82.9 MBTUs x 7.04 gallons	=	583.62 gallons

4. The fourth step is to calculate the annual cost of the fuel consumed. This can be done by multiplying the annual fuel consumption by the unit fuel charges shown in Table 12. Following this procedure, the charge for fuel consumed annually to produce 82.9 MBTUs is:

<b>Natural gas:</b>	82.9 MCF x \$13.34 (per MCF)	=	\$1,105.89 annually
<b>Propane:</b>	845.58 gallons x \$2.23 (per gallon)	=	\$1,885.64 annually
<b>Fuel oil:</b>	583.62 gallons x \$2.57(per gallon)	=	\$1,499.90 annually

5. The fifth step is to calculate the monthly charge for fossil heating fuel. This is done simply by dividing the annual charges (above) by 12 (months). In this manner the monthly charges are: natural gas = \$92.16 monthly; propane = \$157.14 monthly; and fuel oil = \$124.99 monthly.
6. The final step is to multiply the monthly charge (computed in step 5 above) by the appropriate HUD MPS Heating Zone conversion factor (Table 13). In order to use Table 13, it is first necessary to determine the HUD MPS Zone for the community at issue (Baker City, OR). Table 10 shows the HUD MPS Zones for the nearest established communities located within the Oregon/Washington survey region. From Table 10, it can be seen that Baker City, OR is in MPS Zone 7. The conversion factor can now be found in Table 13. The conversion factor for a single story dwelling with no

basement (Prototype I) in HUD MPS Zone 7 is 1.13. Multiply the monthly charges determined in step 5 above by 1.13 (the conversion factor). In this manner, the heating fuel charge can be computed for any quarters unit in any community or location. In this example, the final monthly fossil fuel heating costs are \$104.14 ( $\$92.16 \times 1.13$ ) for natural gas, \$177.57 ( $\$157.14 \times 1.13$ ) for propane; and \$141.24 ( $\$124.99 \times 1.13$ ) for fuel oil per month.

The above example pertained to a single story dwelling with a partial (50 percent or less) or no basement. When calculating the heating fuel charge for a different type of housing (including apartments and mobile homes), use the table (Tables 9a through 9f) which most closely describes the quarters unit to compute the annual MBTU consumption.

**TABLE 9A ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE I**  
 Single Family, One Story, Partial (Less Than 50%) or No Basement  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	2.3	2.5	2.8	3.0	3.2	3.5	3.7	3.9	4.1	4.4	4.6	4.8	5.1	5.3	5.5	5.8	6.0
<b>200</b>	4.6	5.1	5.5	6.0	6.4	6.9	7.4	7.8	8.3	8.7	9.2	9.7	10.1	10.6	11.0	11.5	12.0
<b>400</b>	9.2	10.1	11.0	12.0	12.9	13.8	14.7	15.7	16.6	17.5	18.4	19.3	20.3	21.2	22.1	23.0	23.9
<b>600</b>	13.8	15.2	16.6	18.0	19.3	20.7	22.1	23.5	24.9	26.2	27.6	29.0	30.4	31.8	33.1	34.5	35.9
<b>800</b>	18.4	20.3	22.1	23.9	25.8	27.6	29.5	31.3	33.1	35.0	36.8	38.7	40.5	42.4	44.2	46.0	47.9
<b>1,000</b>	23.0	25.3	27.6	29.9	32.2	34.5	36.8	39.1	41.4	43.7	46.0	48.3	50.6	52.9	55.2	57.5	59.8
<b>1,200</b>	27.6	30.4	33.1	35.9	38.7	41.4	44.2	47.0	49.7	52.5	55.2	58.0	60.8	63.5	66.3	69.1	71.8
<b>1,400</b>	32.2	35.4	38.7	41.9	45.1	48.3	51.6	54.8	58.0	61.2	64.4	67.7	70.9	74.1	77.3	80.6	83.8
<b>1,600</b>	36.8	40.5	44.2	47.9	51.6	55.2	58.9	62.6	66.3	70.0	73.7	77.3	81.0	84.7	88.4	92.1	95.8
<b>1,800</b>	41.4	45.6	49.7	53.9	58.0	62.1	66.3	70.4	74.6	78.7	82.9	87.0	91.1	95.3	99.4	103.6	107.7
<b>2,000</b>	46.0	50.6	55.2	59.8	64.4	69.1	73.7	78.3	82.9	87.5	92.1	96.7	101.3	105.9	110.5	115.1	119.7
<b>2,200</b>	50.6	55.7	60.8	65.8	70.9	76.0	81.0	86.1	91.1	96.2	101.3	106.3	111.4	116.5	121.5	126.6	131.7
<b>2,400</b>	55.2	60.8	66.3	71.8	77.3	82.9	88.4	93.9	99.4	105.0	110.5	116.0	121.5	127.1	132.6	138.1	143.6
<b>2,600</b>	59.8	65.8	71.8	77.8	83.8	89.8	95.8	101.7	107.7	113.7	119.7	125.7	131.7	137.6	143.6	149.6	155.6
<b>2,800</b>	64.4	70.9	77.3	83.8	90.2	96.7	103.1	109.6	116.0	122.5	128.9	135.3	141.8	148.2	154.7	161.1	167.6
<b>3,000</b>	69.1	76.0	82.9	89.8	96.7	103.6	110.5	117.4	124.3	131.2	138.1	145.0	151.9	158.8	165.7	172.6	179.5

**TABLE 9B ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE II**  
 Single Family, Single Story, Full Basement  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	1.7	1.8	2.0	2.2	2.3	2.5	2.7	2.8	3.0	3.2	3.3	3.5	3.6	3.8	4.0	4.1	4.3
<b>200</b>	3.3	3.6	4.0	4.3	4.6	5.0	5.3	5.6	6.0	6.3	6.6	7.0	7.3	7.6	8.0	8.3	8.6
<b>400</b>	6.6	7.3	8.0	8.6	9.3	10.0	10.6	11.3	11.9	12.6	13.3	13.9	14.6	15.3	15.9	16.6	17.3
<b>600</b>	10.0	10.9	11.9	12.9	13.9	14.9	15.9	16.9	17.9	18.9	19.9	20.9	21.9	22.9	23.9	24.9	25.9
<b>800</b>	13.3	14.6	15.9	17.3	18.6	19.9	21.2	22.6	23.9	25.2	26.5	27.9	29.2	30.5	31.8	33.2	34.5
<b>1,000</b>	16.6	18.2	19.9	21.6	23.2	24.9	26.5	28.2	29.9	31.5	33.2	34.8	36.5	38.2	39.8	41.5	43.1
<b>1,200</b>	19.9	21.9	23.9	25.9	27.9	29.9	31.8	33.8	35.8	37.8	39.8	41.8	43.8	45.8	47.8	49.8	51.8
<b>1,400</b>	23.2	25.5	27.9	30.2	32.5	34.8	37.2	39.5	41.8	44.1	46.4	48.8	51.1	53.4	55.7	58.1	60.4
<b>1,600</b>	26.5	29.2	31.8	34.5	37.2	39.8	42.5	45.1	47.8	50.4	53.1	55.7	58.4	61.0	63.7	66.3	69.0
<b>1,800</b>	29.9	32.8	35.8	38.8	41.8	44.8	47.8	50.8	53.7	56.7	59.7	62.7	65.7	68.7	71.7	74.6	77.6
<b>2,000</b>	33.2	36.5	39.8	43.1	46.4	49.8	53.1	56.4	59.7	63.0	66.3	69.7	73.0	76.3	79.6	82.9	86.3
<b>2,200</b>	36.5	40.1	43.8	47.4	51.1	54.7	58.4	62.0	65.7	69.3	73.0	76.6	80.3	83.9	87.6	91.2	94.9
<b>2,400</b>	39.8	43.8	47.8	51.8	55.7	59.7	63.7	67.7	71.7	75.6	79.6	83.6	87.6	91.6	95.5	99.5	103.5
<b>2,600</b>	43.1	47.4	51.8	56.1	60.4	64.7	69.0	73.3	77.6	81.9	86.3	90.6	94.9	99.2	103.5	107.8	112.1
<b>2,800</b>	46.4	51.1	55.7	60.4	65.0	69.7	74.3	79.0	83.6	88.2	92.9	97.5	102.2	106.8	111.5	116.1	120.8
<b>3,000</b>	49.8	54.7	59.7	64.7	69.7	74.6	79.6	84.6	89.6	94.5	99.5	104.5	109.5	114.5	119.4	124.4	129.4

**TABLE 9C ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE III**  
 Single Family, Two Story, Partial (Less Than 50%) or No Basement  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	1.9	2.1	2.3	2.5	2.7	2.9	3.1	3.3	3.5	3.7	3.9	4.1	4.3	4.5	4.7	4.8	5.0
<b>200</b>	3.9	4.3	4.7	5.0	5.4	5.8	6.2	6.6	7.0	7.4	7.8	8.1	8.5	8.9	9.3	9.7	10.1
<b>400</b>	7.8	8.5	9.3	10.1	10.9	11.6	12.4	13.2	14.0	14.7	15.5	16.3	17.1	17.8	18.6	19.4	20.2
<b>600</b>	11.6	12.8	14.0	15.1	16.3	17.4	18.6	19.8	20.9	22.1	23.3	24.4	25.6	26.7	27.9	29.1	30.2
<b>800</b>	15.5	17.1	18.6	20.2	21.7	23.3	24.8	26.4	27.9	29.5	31.0	32.6	34.1	35.7	37.2	38.8	40.3
<b>1,000</b>	19.4	21.3	23.3	25.2	27.1	29.1	31.0	33.0	34.9	36.8	38.8	40.7	42.6	44.6	46.5	48.5	50.4
<b>1,200</b>	23.3	25.6	27.9	30.2	32.6	34.9	37.2	39.5	41.9	44.2	46.5	48.8	51.2	53.5	55.8	58.1	60.5
<b>1,400</b>	27.1	29.8	32.6	35.3	38.0	40.7	43.4	46.1	48.8	51.6	54.3	57.0	59.7	62.4	65.1	67.8	70.6
<b>1,600</b>	31.0	34.1	37.2	40.3	43.4	46.5	49.6	52.7	55.8	58.9	62.0	65.1	68.2	71.3	74.4	77.5	80.6
<b>1,800</b>	34.9	38.4	41.9	45.4	48.8	52.3	55.8	59.3	62.8	66.3	69.8	73.3	76.8	80.2	83.7	87.2	90.7
<b>2,000</b>	38.8	42.6	46.5	50.4	54.3	58.1	62.0	65.9	69.8	73.7	77.5	81.4	85.3	89.2	93.0	96.9	100.8
<b>2,200</b>	42.6	46.9	51.2	55.4	59.7	64.0	68.2	72.5	76.8	81.0	85.3	89.5	93.8	98.1	102.3	106.6	110.9
<b>2,400</b>	46.5	51.2	55.8	60.5	65.1	69.8	74.4	79.1	83.7	88.4	93.0	97.7	102.3	107.0	111.6	116.3	120.9
<b>2,600</b>	50.4	55.4	60.5	65.5	70.6	75.6	80.6	85.7	90.7	95.8	100.8	105.8	110.9	115.9	120.9	126.0	131.0
<b>2,800</b>	54.3	59.7	65.1	70.6	76.0	81.4	86.8	92.3	97.7	103.1	108.5	114.0	119.4	124.8	130.3	135.7	141.1
<b>3,000</b>	58.1	64.0	69.8	75.6	81.4	87.2	93.0	98.9	104.7	110.5	116.3	122.1	127.9	133.7	139.6	145.4	151.2

**TABLE 9D ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE IV**  
 Single Family, Two Story, Full Basement  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	2.2	2.4	2.6	2.8	3.1	3.3	3.5	3.7	3.9	4.1	4.4	4.6	4.8	5.0	5.2	5.5	5.7
<b>200</b>	4.4	4.8	5.2	5.7	6.1	6.5	7.0	7.4	7.9	8.3	8.7	9.2	9.6	10.0	10.5	10.9	11.3
<b>400</b>	8.7	9.6	10.5	11.3	12.2	13.1	14.0	14.8	15.7	16.6	17.4	18.3	19.2	20.1	20.9	21.8	22.7
<b>600</b>	13.1	14.4	15.7	17.0	18.3	19.6	20.9	22.2	23.6	24.9	26.2	27.5	28.8	30.1	31.4	32.7	34.0
<b>800</b>	17.4	19.2	20.9	22.7	24.4	26.2	27.9	29.7	31.4	33.1	34.9	36.6	38.4	40.1	41.9	43.6	45.4
<b>1,000</b>	21.8	24.0	26.2	28.3	30.5	32.7	34.9	37.1	39.3	41.4	43.6	45.8	48.0	50.2	52.3	54.5	56.7
<b>1,200</b>	26.2	28.8	31.4	34.0	36.6	39.3	41.9	44.5	47.1	49.7	52.3	55.0	57.6	60.2	62.8	65.4	68.0
<b>1,400</b>	30.5	33.6	36.6	39.7	42.7	45.8	48.8	51.9	55.0	58.0	61.1	64.1	67.2	70.2	73.3	76.3	79.4
<b>1,600</b>	34.9	38.4	41.9	45.4	48.8	52.3	55.8	59.3	62.8	66.3	69.8	73.3	76.8	80.2	83.7	87.2	90.7
<b>1,800</b>	39.3	43.2	47.1	51.0	55.0	58.9	62.8	66.7	70.7	74.6	78.5	82.4	86.4	90.3	94.2	98.1	102.1
<b>2,000</b>	43.6	48.0	52.3	56.7	61.1	65.4	69.8	74.1	78.5	82.9	87.2	91.6	95.9	100.3	104.7	109.0	113.4
<b>2,200</b>	48.0	52.8	57.6	62.4	67.2	72.0	76.8	81.6	86.4	91.1	95.9	100.7	105.5	110.3	115.1	119.9	124.7
<b>2,400</b>	52.3	57.6	62.8	68.0	73.3	78.5	83.7	89.0	94.2	99.4	104.7	109.9	115.1	120.4	125.6	130.8	136.1
<b>2,600</b>	56.7	62.4	68.0	73.7	79.4	85.0	90.7	96.4	102.1	107.7	113.4	119.1	124.7	130.4	136.1	141.7	147.4
<b>2,800</b>	61.1	67.2	73.3	79.4	85.5	91.6	97.7	103.8	109.9	116.0	122.1	128.2	134.3	140.4	146.5	152.6	158.7
<b>3,000</b>	65.4	72.0	78.5	85.0	91.6	98.1	104.7	111.2	117.8	124.3	130.8	137.4	143.9	150.5	157.0	163.5	170.1

**TABLE 9E ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE V**  
 Apartments  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	1.3	1.4	1.5	1.6	1.8	1.9	2.0	2.1	2.3	2.4	2.5	2.6	2.8	2.9	3.0	3.2	3.3
<b>200</b>	2.5	2.8	3.0	3.3	3.5	3.8	4.0	4.3	4.5	4.8	5.0	5.3	5.5	5.8	6.1	6.3	6.6
<b>400</b>	5.0	5.5	6.1	6.6	7.1	7.6	8.1	8.6	9.1	9.6	10.1	10.6	11.1	11.6	12.1	12.6	13.1
<b>600</b>	7.6	8.3	9.1	9.8	10.6	11.4	12.1	12.9	13.6	14.4	15.1	15.9	16.6	17.4	18.2	18.9	19.7
<b>800</b>	10.1	11.1	12.1	13.1	14.1	15.1	16.1	17.2	18.2	19.2	20.2	21.2	22.2	23.2	24.2	25.2	26.2
<b>1,000</b>	12.6	13.9	15.1	16.4	17.7	18.9	20.2	21.4	22.7	24.0	25.2	26.5	27.7	29.0	30.3	31.5	32.8
<b>1,200</b>	15.1	16.6	18.2	19.7	21.2	22.7	24.2	25.7	27.2	28.8	30.3	31.8	33.3	34.8	36.3	37.8	39.3
<b>1,400</b>	17.7	19.4	21.2	23.0	24.7	26.5	28.2	30.0	31.8	33.5	35.3	37.1	38.8	40.6	42.4	44.1	45.9
<b>1,600</b>	20.2	22.2	24.2	26.2	28.2	30.3	32.3	34.3	36.3	38.3	40.4	42.4	44.4	46.4	48.4	50.4	52.5
<b>1,800</b>	22.7	25.0	27.2	29.5	31.8	34.1	36.3	38.6	40.9	43.1	45.4	47.7	49.9	52.2	54.5	56.8	59.0
<b>2,000</b>	25.2	27.7	30.3	32.8	35.3	37.8	40.4	42.9	45.4	47.9	50.4	53.0	55.5	58.0	60.5	63.1	65.6
<b>2,200</b>	27.7	30.5	33.3	36.1	38.8	41.6	44.4	47.2	49.9	52.7	55.5	58.3	61.0	63.8	66.6	69.4	72.1
<b>2,400</b>	30.3	33.3	36.3	39.3	42.4	45.4	48.4	51.5	54.5	57.5	60.5	63.6	66.6	69.6	72.6	75.7	78.7
<b>2,600</b>	32.8	36.1	39.3	42.6	45.9	49.2	52.5	55.7	59.0	62.3	65.6	68.9	72.1	75.4	78.7	82.0	85.3
<b>2,800</b>	35.3	38.8	42.4	45.9	49.4	53.0	56.5	60.0	63.6	67.1	70.6	74.2	77.7	81.2	84.7	88.3	91.8
<b>3,000</b>	37.8	41.6	45.4	49.2	53.0	56.8	60.5	64.3	68.1	71.9	75.7	79.5	83.2	87.0	90.8	94.6	98.4



**TABLE 9F ANNUAL MBTU USAGE (MILLIONS BTUS) - PROTOTYPE VI**  
 Mobile Homes  
 OREGON/WASHINGTON REGION

**Baseline City: Madras, Oregon**

**Heating Degree Days**

<b>Gross Sq Ft</b>	<b>3,500</b>	<b>3,850</b>	<b>4,200</b>	<b>4,550</b>	<b>4,900</b>	<b>5,250</b>	<b>5,600</b>	<b>5,950</b>	<b>6,300</b>	<b>6,650</b>	<b>7,000</b>	<b>7,350</b>	<b>7,700</b>	<b>8,050</b>	<b>8,400</b>	<b>8,750</b>	<b>9,100</b>
<b>100</b>	3.7	4.0	4.4	4.8	5.1	5.5	5.9	6.2	6.6	7.0	7.3	7.7	8.1	8.4	8.8	9.2	9.5
<b>200</b>	7.3	8.1	8.8	9.5	10.3	11.0	11.7	12.5	13.2	13.9	14.7	15.4	16.1	16.9	17.6	18.3	19.1
<b>400</b>	14.7	16.1	17.6	19.1	20.5	22.0	23.5	24.9	26.4	27.9	29.3	30.8	32.3	33.8	35.2	36.7	38.2
<b>600</b>	22.0	24.2	26.4	28.6	30.8	33.0	35.2	37.4	39.6	41.8	44.0	46.2	48.4	50.6	52.8	55.0	57.2
<b>800</b>	29.3	32.3	35.2	38.2	41.1	44.0	47.0	49.9	52.8	55.8	58.7	61.6	64.6	67.5	70.4	73.4	76.3
<b>1,000</b>	36.7	40.4	44.0	47.7	51.4	55.0	58.7	62.4	66.0	69.7	73.4	77.0	80.7	84.4	88.0	91.7	95.4
<b>1,200</b>	44.0	48.4	52.8	57.2	61.6	66.0	70.4	74.8	79.2	83.6	88.0	92.4	96.8	101.3	105.7	110.1	114.5
<b>1,400</b>	51.4	56.5	61.6	66.8	71.9	77.0	82.2	87.3	92.4	97.6	102.7	107.9	113.0	118.1	123.3	128.4	133.5
<b>1,600</b>	58.7	64.6	70.4	76.3	82.2	88.0	93.9	99.8	105.7	111.5	117.4	123.3	129.1	135.0	140.9	146.7	152.6
<b>1,800</b>	66.0	72.6	79.2	85.8	92.4	99.0	105.7	112.3	118.9	125.5	132.1	138.7	145.3	151.9	158.5	165.1	171.7
<b>2,000</b>	73.4	80.7	88.0	95.4	102.7	110.1	117.4	124.7	132.1	139.4	146.7	154.1	161.4	168.8	176.1	183.4	190.8
<b>2,200</b>	80.7	88.8	96.8	104.9	113.0	121.1	129.1	137.2	145.3	153.3	161.4	169.5	177.6	185.6	193.7	201.8	209.8
<b>2,400</b>	88.0	96.8	105.7	114.5	123.3	132.1	140.9	149.7	158.5	167.3	176.1	184.9	193.7	202.5	211.3	220.1	228.9
<b>2,600</b>	95.4	104.9	114.5	124.0	133.5	143.1	152.6	162.1	171.7	181.2	190.8	200.3	209.8	219.4	228.9	238.5	248.0
<b>2,800</b>	102.7	113.0	123.3	133.5	143.8	154.1	164.3	174.6	184.9	195.2	205.4	215.7	226.0	236.3	246.5	256.8	267.1
<b>3,000</b>	110.1	121.1	132.1	143.1	154.1	165.1	176.1	187.1	198.1	209.1	220.1	231.1	242.1	253.1	264.1	275.1	286.1

**TABLE 10 HEATING/COOLING DEGREE DAYS AND MPS ZONES**

<u>Community</u>	<u>Heating Degree Days</u>	<u>Cooling Degree Days</u>	<u>HUD MPS Zone</u>
IDAHO			
Caldwell, ID	5,606	911	7
Nampa, ID	5,873	692	7
NEVADA			
Winnemucca, NV	6,271	526	7
OREGON			
Albany, OR	4,715	247	5
Baker City, OR	7,186	267	7
Bandon, OR	4,666	5	4
Bend, OR	7,042	147	8
Brookings, OR	3,978	17	4
Burns, OR	7,785	218	8
Corvallis, OR	4,715	247	5
Cottage Grove, OR	4,938	161	5
Dallas, OR	5,018	222	5
Enterprise, OR	7,364	180	7
Estacada, OR	4,856	205	6
Eugene, OR	4,786	242	5
Florence, OR	4,809	20	5
Gold Beach, OR	4,191	11	4
Grants Pass, OR	4,735	418	4
Harrisburg, OR	5,501	139	6
Hermiston, OR	5,045	727	6
Hood River, OR	5,533	298	7
Jacksonville, OR	4,539	711	6
John Day, OR	6,377	349	6
Klamath Falls, OR	6,388	413	7
La Grande, OR	6,416	419	7
Lakeview, OR	7,021	313	8
Lincoln City, OR	5,007	11	5
Madras, OR	6,019	314	8
Myrtle Creek, OR	4,392	344	5
Myrtle Point, OR	4,709	8	4
Newport, OR	4,996	8	5
Nyssa, OR	5,733	862	7

Oakridge, OR 5,142 214 2  
**TABLE 10 HEATING/COOLING DEGREE DAYS AND MPS ZONES (Continued)**

<u>Community</u>	<u>Heating Degree Days</u>	<u>Cooling Degree Days</u>	<u>HUD MPS Zone</u>
OREGON (Cont.)			
Ontario, OR	6,078	823	5
Pendleton, OR	5,406	529	6
Prineville, OR	6,782	154	8
Redmond, OR	6,274	297	8
Reedsport, OR	4,544	14	5
Roseburg, OR	4,018	516	5
Sandy, OR	4,132	475	6
Shady Cove, OR	5,034	446	6
Sheridan, OR	4,815	288	5
Sherwood, OR	4,132	475	6
Springfield, OR	4,786	242	6
Stayton, OR	4,778	247	6
The Dalles, OR	4,788	794	7
Tillamook, OR	5,271	8	5
Tualatin, OR	4,132	475	6
Umatilla, OR	5,508	489	6
White City, OR	5,034	446	6
WASHINGTON			
Aberdeen, WA	5,161	34	6
Arlington, WA	5,199	121	6
Battle Ground, WA	5,165	160	6
Bellingham, WA	5,400	67	6
Castle Rock, WA	5,082	164	6
Chehalis, WA	4,500	255	8
Chelan, WA	5,997	693	8
Cheney, WA	6,820	394	7
Clarkston, WA	6,017	432	7
Cle Elum, WA	6,810	275	8
Colville, WA	6,965	360	6
Davenport, WA	7,450	293	7
Eatonville, WA	5,626	93	6
Enumclaw, WA	5,626	93	6
Ephrata, WA	5,836	900	7
Forks, WA	5,707	32	7
Hoquiam, WA	5,106	30	6
Lakewood, WA	4,650	167	6
Leavenworth, WA	6,717	421	6

Longview, WA 4,900 148 6  
**TABLE 10 HEATING/COOLING DEGREE DAYS AND MPS ZONES (Continued)**

<u>Community</u>	<u>Heating Degree Days</u>	<u>Cooling Degree Days</u>	<u>HUD MPS Zone</u>
WASHINGTON (Cont.)			
Marysville, WA	5,199	121	7
Monroe, WA	5,195	143	6
Montesano, WA	5,222	127	6
Newport, WA	7,189	240	8
North Bend, WA	5,393	101	6
Okanogan, WA	6,737	564	8
Omak, WA	6,737	564	8
Oroville, WA	6,226	471	8
Othello, WA	6,236	400	7
Pasco, WA	4,731	909	7
Port Angeles, WA	5,586	42	6
Port Townsend, WA	5,124	40	6
Sedro Woolley, WA	5,213	65	6
Sequim, WA	6,305	9	6
Shelton, WA	5,227	147	6
South Bend, WA	5,768	24	6
Spokane, WA	6,820	394	8
Toppenish, WA	5,553	779	7
Tumwater, WA	5,531	97	6
Vancouver, WA	4,990	197	6
Walla Walla, WA	4,882	957	7
Wapato, WA	5,553	779	7
Washougal, WA	5,725	104	6
Wenatchee, WA	5,533	832	7
White Salmon, WA	7,176	201	7
Woodland, WA	5,165	160	6
Yakima, WA	6,104	431	7

**TABLE 11 FUEL REQUIRED TO PRODUCE 1 MBTU**

Type of Fuel	Amount Needed to Produce 1 MBTU
Natural Gas	1 MCF (1,000 cu. ft.)
Propane	10.2 Gallons
Fuel Oil #2	7.04 Gallons

**TABLE 12 HEATING FUEL COST**

OREGON/WASHINGTON REGION

Type of Fuel	Charge per unit
Natural Gas	\$13.34
Propane	\$2.23
Fuel Oil #2	\$2.57

**TABLE 13 MPS HEATING ZONE CONVERSION FACTORS**

OREGON/WASHINGTON REGION

HUD MPS Heating Zone	Dwelling Prototypes					
	I	II	III	IV	V	VI
	Single Story No Basement	Single Story Full Basement	Double Story No Basement	Double Story Full Basement	Apartments	Mobile Homes
1						
2						
3						
4	1.04	1.05	1.04	1.04	1.04	1.04
5	1.06	1.08	1.07	1.06	1.10	1.06
6	1.14	1.20	1.17	1.15	1.27	1.16
7	1.13	1.18	1.16	1.14	1.24	1.15
8	1.00	1.00	1.00	1.00	1.00	1.00

#### D. SPACE HEATING (ELECTRICITY) CONSUMPTION/COST CALCULATIONS

The procedure for calculating electrical consumption and costs for space heating (where electricity is unmetered or otherwise unmeasured) is similar to the procedure used for fossil fuels. Tables 14a through 14f are used.

1. Select from these tables the dwelling prototype most similar to the quarters at issue.
2. Determine the annual kilowatt hour (KwH) consumption by finding the appropriate columns for square feet and HDD (heating degree days). Note: HDDs for the nearest established communities may be found in Table 10.
3. Divide the annual KwH by 12 to determine the monthly average electrical consumption.
4. Adjust for HUD MPS Heating Zone, using the conversion factors in Table 13.
5. Adjust for heat pump (if applicable).
6. Determine the appropriate charge per KwH from the table below. **Do not calculate the total cost of electricity in steps – such as the first 500 KwH costs so much, then the second 500 KwH costs so much, etc.**

<u>KwH Consumed</u> <u>Per Month</u>	<u>Oregon/Washington Region</u> <u>Charge per KwH</u>
1 – 500	\$.083
501 – 1,000	\$.076
1,001 – 1,500	\$.075
Over 1,500	\$.074

7. Compute the monthly charge for space heating by multiplying the appropriate charge per KwH times the number of KwH consumed per month.
8. Example: The average monthly electric heating charge for a single family, 2,100 square foot, two story, no basement home located near Bend, Oregon is computed as follows:
  - a. Step 1. Select the table (table 14a through f) that most closely describes the quarters unit at issue. In this case, table 14c (single family, two story, no basement - prototype III) should be selected.
  - b. Step 2. Determine from table 14c the annual KwH consumption appropriate for the heating degree days (HDD) and the gross square footage of the house in this example. Use the table as follows:
    - 1) Find the number of heating degree days for the established community in which the quarters is located. Table 10 (which contains the HDD for established communities in the Oregon/Washington survey region) shows that Bend, OR has 7,042 HDD. In table 14c, the

number of HDDs in Bend, OR (7,042) lies between the column headed 7,000 and the column headed 7,500. Round down to 7,000 HDD.

- 2) In table 14c, 2,100 square feet (the size of the house used in this example) lies between 2,000 and 2,200 square feet. Round 2,100 down to 2,000 square feet.
  - 3) From table 14c (2,000 square feet and 7,000 HDD) the annual Kwh consumption rate is 18,173 Kwh.
- c. Step 3. Calculate the monthly Kwh consumption by dividing the annual Kwh by 12 (months). In this instance, the monthly consumption is 1,514.42 Kwh ( $18,173 / 12 = 1,514.42$  Kwh per month).
- d. Step 4, HUD MPS Zone adjustment. The HUD MPS Zone adjustment is made as follows:
- 1) Use Table 10 to find the HUD MPS zone for the community at issue. In this manner, Bend OR is found to be in HUD MPS Zone 8.
  - 2) In Table 13, determine the adjustment factor for the appropriate dwelling type and MPS zone. The factor for housing prototype III in HUD MPS Zone 8 is 1.00.
  - 3) Multiply the monthly electric consumption (as computed in paragraph 8c, above) times the HUD MPS adjustment factor ( $1,514 \times 1.00 = 1,514$  Kwh per month).
- e. Step 5, **Adjustment for heat pump.** The process described above is used for computing the electrical consumption for heating with a straight resistance heating system. Where a dwelling is heated with an electric heat pump, the straight resistance heating consumption (1,514 Kwh in this example) should be multiplied by a factor of .75, which represents the greater efficiency of the heat pump. In this example, the monthly electric consumption for a heat pump as the heating source would be 1,135.5 Kwh ( $1,514 \times .75 = 1,135.5$ ).
- f. Step 6. The final step is to compute the monthly charge for the electricity consumed. This is done by multiplying the charge per Kwh times the Kwh consumed per month. The appropriate charge per Kwh may be found in the table below.

<u>Kwh Consumed</u> <u>Per Month</u>	<u>Oregon/Washington Region</u> <u>Charge per Kwh</u>
1 – 500	\$.083
501 – 1,000	\$.076
1,001 – 1,500	\$.075
Over 1,500	\$.074

In this example, the average monthly consumption (1,514 Kwh) for resistance heat falls in the “Over 1,500” Kwh per month consumption category; the appropriate charge is \$0.074 per Kwh. The average monthly consumption (1,136 Kwh) for a heat pump falls in the “1,001 – 1,500” Kwh per month consumption category; and the appropriate unit charge is \$0.075 per Kwh.



Therefore, the monthly electric heating charge for the house used in this example is computed as follows:

$$\text{Resistance heat: } 1,514 \text{ Kwh} \times \$0.074 = \$112.04 \text{ monthly}$$

$$\text{Heat pump: } 1,136 \text{ Kwh} \times \$0.075 = \$85.20 \text{ monthly}$$

#### E. SPACE COOLING CONSUMPTION/COST CALCULATIONS

Space cooling costs are calculated in the same manner as for electric space heating except that Cooling Degree Days (CDD) are used in lieu of HDD values. CDD values for the Nearest Established Communities are found in Table 10. Additionally, only Tables 14a through 14f are used in calculating cooling energy consumption. Briefly, the steps are as follows.

1. Select from Tables 14a through 14f the table that most closely describes the quarters unit at issue.
2. Based on the size of the dwelling (square feet) and the number of CDD (from Table 10), use the appropriate Table (14a-f) to determine the annual Kwh consumption.
3. Divide the annual Kwh consumption by 12 (months) to determine the average number of Kwh consumed per month.
4. Apply the HUD MPS Zone adjustment factor.
5. Apply the Coefficient of Performance (COP) adjustment.
6. Determine the appropriate charge per Kwh from the table below.

<u>Kwh Consumed Per Month</u>	<u>Oregon/Washington Region Charge per Kwh</u>
1 – 500	\$.083
501 – 1,000	\$.076
1,001 – 1,500	\$.075
Over 1,500	\$.074

7. Compute the monthly charge for space cooling by multiplying the appropriate charge per Kwh times the number of Kwh consumed per month.
8. Example: Compute the average monthly electric cooling charge for a 1,275 square foot mobile home near Yakima, Washington.
  - a. Step 1: Table Selection. Select the table (table 14a through 14f), which most closely describes the quarters unit at issue. Table 14f (Mobile Homes - Prototype VI) should be selected.

- b. Step 2: Annual Kwh Consumption. Determine from table 14f the annual Kwh consumption appropriate for the cooling degree days (CDD) and the gross square footage of the mobile home in this example. Use the table as follows:
- 1) Find the number of cooling degree days for the established community closest to the quarters. Table 10 (which contains the CDD for established communities in the Oregon/Washington survey region) shows that Yakima, WA has 431 CDD. In table 14f, 431 CDD lies between the columns headed 400 and 500. Round down to 400 CDD.
  - 2) In table 14f, 1,275 square feet (the size of the mobile home used in this example) lies between 1,200 and 1,400 square feet. Round down to 1,200 square feet.
  - 3) From table 14f (1,200 square feet and 400 CDD) the annual Kwh consumption rate is 1,179 Kwh.
- c. Step 3: Monthly Consumption. Calculate the monthly Kwh consumption by dividing the annual Kwh consumption by 12 (months). In this instance, the monthly consumption is 98.25 Kwh rounded ( $1,179 / 12 = 98.25$ ).
- d. Step 4: HUD MPS Zone Adjustment. The HUD MPS Zone adjustment is made as follows:
- 1) Use Table 10 to find the HUD MPS Zone for the community at issue. In this manner, Yakima, WA is found to be in HUD MPS Zone 7.
  - 2) In Table 15, determine the adjustment factor for the appropriate dwelling unit type and MPS Zone. The factor for housing prototype VI in HUD MPS Zone 7 is 2.98.
  - 3) Multiply the monthly electric consumption (as computed in paragraph 8c, above) times the HUD MPS Zone adjustment factor:  $98.25 \times 2.98 = 292.78$  Kwh per month.
- e. Step 5: Adjustment for Coefficient of Performance (COP). This adjustment accounts for the differences in the efficiencies of evaporative (swamp) and refrigerated air central cooling systems.
- 1) Evaporative (swamp) cooling. For a central evaporative cooling system, the adjusted Kwh (computed in Step 4, above) is divided by a factor of 6.66. In this example, the monthly Kwh requirement for central evaporative cooling is computed as  $292.78 / 6.66 = 43.96$  Kwh per month.
  - 2) Refrigerated air cooling. For a central refrigerated air cooling system, the adjusted Kwh (computed in step 4, above) is divided by a factor of 2. In this example, the monthly Kwh requirement for central refrigerated air cooling is computed as  $292.78 / 2 = 146.39$  Kwh per month.
- f. Step 6: Monthly Charge. The final step is to compute the monthly charge for the electricity consumed. This is done by multiplying the electricity rate times the Kwh consumed per month. The appropriate charge per Kwh may be found in the table below.

<u>KwH Consumed</u> <u>Per Month</u>	Oregon/Washington Region <u>Charge per KwH</u>
1 – 500	\$.083
501 – 1,000	\$.076
1,001 – 1,500	\$.075
Over 1,500	\$.074

In this example, the average monthly consumption (43.96 KwH) for evaporative cooling falls in the “1 – 500” KwH consumption range. And 146.39 KwH for refrigerated cooling also falls in the “1 – 500” KwH consumption range. The appropriate charge will be \$0.083 per KwH for evaporative cooling and \$.083 for refrigerated cooling.

Therefore, the monthly charges for cooling the mobile home used in this example would be computed as follows.

Evaporative cooling:  $43.96 \text{ KwH} \times \$0.083 = \$3.65$  monthly

Refrigerated cooling:  $146.39 \text{ KwH} \times \$0.083 = \$12.15$  monthly

9. Gas-powered Central Air Conditioning Units. If the central air conditioning unit is gas operated (natural gas or propane), the charge is computed as follows:
  - a. Compute the KwH consumption in same manner as shown in steps 1 through 4 above (Note: the calculations through step 4 produce 292.78 KwH per month).
  - b. Calculate the Coefficient of Performance (COP) adjustment in step 5 above for refrigerated air conditioning; that is, divide the number of KwH in paragraph 9a, above (292.78 KwH) by the COP (2); for example  $292.78 / 2 = 146.39 \text{ KwH}$ .
  - c. Convert the monthly KwH to MBTUs by dividing the KwH calculated in paragraph 9b above by 234.4. Thus,  $146.39 \text{ KwH} / 234.4 \text{ (KwH per MBTU)} = 0.62 \text{ MBTUs}$ . [It takes 234.4 Kilowatts to generate 1 MBTU.]
  - d. Calculate the volumes of natural gas and propane needed to produce 0.62 MBTUs. This is done as follows.
    - 1) Natural Gas. For central air conditioning units that operate on natural gas, multiply the MBTUs calculated in paragraph 9c above by 1 MCF ( $0.62 \text{ MBTUs} \times 1 \text{ MCF} = 0.62 \text{ MCF}$ ). Thus, 0.62 MCF of natural gas would be required per month (annual average) to cool the unit in this example.
    - 2) Propane. For central air conditioning units that operate on propane gas, multiply the MBTUs calculated in paragraph 9c above by 10.2 gallons ( $0.62 \text{ MBTUs} \times 10.2 \text{ gallons} = 6.32 \text{ gallons}$ ).

Thus, 6.32 gallons of propane would be required per month (annual average) to cool the unit in this example.

- e. Calculate the monthly charge for natural gas or propane consumed. This is done by multiplying the volume of fuel consumed by the unit cost of the fuel. These calculations are shown below.

Natural gas:  $0.62 \text{ MCF} \times \$13.34 \text{ per MCF} = \$8.27$  (rounded) per month.

Propane gas:  $6.32 \text{ gallons} \times \$2.23 \text{ per gallon} = \$14.09$  (rounded) per month.

**TABLE 14A ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE I**  
 Single Family, One Story, Partial (Less Than 50%) or No Basement  
 OREGON/WASHINGTON REGION

Baseline City: Madras, Oregon																	
Heating or Cooling Degree Days																	
Gross Sq Ft	100	200	300	400	500	600	3,500	4,000	4,500	5,000	5,500	6,000	6,500	7,000	7,500	8,000	8,500
100	15	31	46	62	77	92	540	617	694	771	848	925	1,002	1,079	1,156	1,233	1,310
200	31	62	92	123	154	185	1,079	1,233	1,387	1,541	1,696	1,850	2,004	2,158	2,312	2,466	2,621
400	62	123	185	247	308	370	2,158	2,466	2,775	3,083	3,391	3,700	4,008	4,316	4,624	4,933	5,241
600	92	185	277	370	462	555	3,237	3,700	4,162	4,624	5,087	5,549	6,012	6,474	6,937	7,399	7,862
800	123	247	370	493	617	740	4,316	4,933	5,549	6,166	6,783	7,399	8,016	8,632	9,249	9,866	10,482
1,000	154	308	462	617	771	925	5,395	6,166	6,937	7,707	8,478	9,249	10,020	10,790	11,561	12,332	13,103
1,200	185	370	555	740	925	1,110	6,474	7,399	8,324	9,249	10,174	11,099	12,024	12,949	13,873	14,798	15,723
1,400	216	432	647	863	1,079	1,295	7,553	8,632	9,711	10,790	11,869	12,949	14,028	15,107	16,186	17,265	18,344
1,600	247	493	740	987	1,233	1,480	8,632	9,866	11,099	12,332	13,565	14,798	16,031	17,265	18,498	19,731	20,964
1,800	277	555	832	1,110	1,387	1,665	9,711	11,099	12,486	13,873	15,261	16,648	18,035	19,423	20,810	22,197	23,585
2,000	308	617	925	1,233	1,541	1,850	10,790	12,332	13,873	15,415	16,956	18,498	20,039	21,581	23,122	24,664	26,205
2,200	339	678	1,017	1,357	1,696	2,035	11,869	13,565	15,261	16,956	18,652	20,348	22,043	23,739	25,435	27,130	28,826
2,400	370	740	1,110	1,480	1,850	2,220	12,949	14,798	16,648	18,498	20,348	22,197	24,047	25,897	27,747	29,597	31,446
2,600	401	802	1,202	1,603	2,004	2,405	14,028	16,031	18,035	20,039	22,043	24,047	26,051	28,055	30,059	32,063	34,067
2,800	432	863	1,295	1,726	2,158	2,590	15,107	17,265	19,423	21,581	23,739	25,897	28,055	30,213	32,371	34,529	36,687
3,000	462	925	1,387	1,850	2,312	2,775	16,186	18,498	20,810	23,122	25,435	27,747	30,059	32,371	34,683	36,996	39,308

**TABLE 14B ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE II**  
 Single Family, Single Story, Full Basement  
 OREGON/WASHINGTON REGION

Baseline City: Madras, Oregon																	
Heating or Cooling Degree Days																	
Gross Sq Ft	100	200	300	400	500	600	3,500	4,000	4,500	5,000	5,500	6,000	6,500	7,000	7,500	8,000	8,500
100	11	22	33	44	56	67	389	444	500	555	611	667	722	778	833	889	944
200	22	44	67	89	111	133	778	889	1,000	1,111	1,222	1,333	1,444	1,555	1,666	1,777	1,888
400	44	89	133	178	222	267	1,555	1,777	2,000	2,222	2,444	2,666	2,888	3,110	3,333	3,555	3,777
600	67	133	200	267	333	400	2,333	2,666	2,999	3,333	3,666	3,999	4,332	4,666	4,999	5,332	5,665
800	89	178	267	355	444	533	3,110	3,555	3,999	4,443	4,888	5,332	5,777	6,221	6,665	7,110	7,554
1,000	111	222	333	444	555	667	3,888	4,443	4,999	5,554	6,110	6,665	7,221	7,776	8,332	8,887	9,442
1,200	133	267	400	533	667	800	4,666	5,332	5,999	6,665	7,332	7,998	8,665	9,331	9,998	10,664	11,331
1,400	156	311	467	622	778	933	5,443	6,221	6,998	7,776	8,554	9,331	10,109	10,887	11,664	12,442	13,219
1,600	178	355	533	711	889	1,066	6,221	7,110	7,998	8,887	9,776	10,664	11,553	12,442	13,330	14,219	15,108
1,800	200	400	600	800	1,000	1,200	6,998	7,998	8,998	9,998	10,998	11,997	12,997	13,997	14,997	15,997	16,996
2,000	222	444	667	889	1,111	1,333	7,776	8,887	9,998	11,109	12,220	13,330	14,441	15,552	16,663	17,774	18,885
2,200	244	489	733	978	1,222	1,466	8,554	9,776	10,998	12,220	13,442	14,663	15,885	17,107	18,329	19,551	20,773
2,400	267	533	800	1,066	1,333	1,600	9,331	10,664	11,997	13,330	14,663	15,997	17,330	18,663	19,996	21,329	22,662
2,600	289	578	866	1,155	1,444	1,733	10,109	11,553	12,997	14,441	15,885	17,330	18,774	20,218	21,662	23,106	24,550
2,800	311	622	933	1,244	1,555	1,866	10,887	12,442	13,997	15,552	17,107	18,663	20,218	21,773	23,328	24,883	26,439
3,000	333	667	1,000	1,333	1,666	2,000	11,664	13,330	14,997	16,663	18,329	19,996	21,662	23,328	24,995	26,661	28,327

**TABLE 14C ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE III**  
 Single Family, Two Story, Partial (Less Than 50%) or No Basement  
 OREGON/WASHINGTON REGION

Baseline City: Madras, Oregon																	
Heating or Cooling Degree Days																	
Gross Sq Ft	100	200	300	400	500	600	3,500	4,000	4,500	5,000	5,500	6,000	6,500	7,000	7,500	8,000	8,500
100	13	26	39	52	65	78	454	519	584	649	714	779	844	909	974	1,038	1,103
200	26	52	78	104	130	156	909	1,038	1,168	1,298	1,428	1,558	1,688	1,817	1,947	2,077	2,207
400	52	104	156	208	260	312	1,817	2,077	2,337	2,596	2,856	3,115	3,375	3,635	3,894	4,154	4,414
600	78	156	234	312	389	467	2,726	3,115	3,505	3,894	4,284	4,673	5,063	5,452	5,841	6,231	6,620
800	104	208	312	415	519	623	3,635	4,154	4,673	5,192	5,712	6,231	6,750	7,269	7,789	8,308	8,827
1,000	130	260	389	519	649	779	4,543	5,192	5,841	6,490	7,140	7,789	8,438	9,087	9,736	10,385	11,034
1,200	156	312	467	623	779	935	5,452	6,231	7,010	7,789	8,567	9,346	10,125	10,904	11,683	12,462	13,241
1,400	182	363	545	727	909	1,090	6,361	7,269	8,178	9,087	9,995	10,904	11,813	12,721	13,630	14,539	15,447
1,600	208	415	623	831	1,038	1,246	7,269	8,308	9,346	10,385	11,423	12,462	13,500	14,539	15,577	16,616	17,654
1,800	234	467	701	935	1,168	1,402	8,178	9,346	10,515	11,683	12,851	14,019	15,188	16,356	17,524	18,693	19,861
2,000	260	519	779	1,038	1,298	1,558	9,087	10,385	11,683	12,981	14,279	15,577	16,875	18,173	19,471	20,770	22,068
2,200	286	571	857	1,142	1,428	1,713	9,995	11,423	12,851	14,279	15,707	17,135	18,563	19,991	21,419	22,846	24,274
2,400	312	623	935	1,246	1,558	1,869	10,904	12,462	14,019	15,577	17,135	18,693	20,250	21,808	23,366	24,923	26,481
2,600	338	675	1,013	1,350	1,688	2,025	11,813	13,500	15,188	16,875	18,563	20,250	21,938	23,625	25,313	27,000	28,688
2,800	363	727	1,090	1,454	1,817	2,181	12,721	14,539	16,356	18,173	19,991	21,808	23,625	25,443	27,260	29,077	30,895
3,000	389	779	1,168	1,558	1,947	2,337	13,630	15,577	17,524	19,471	21,419	23,366	25,313	27,260	29,207	31,154	33,101

**TABLE 14D ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE IV**  
 Single Family, Two Story, Full Basement  
 OREGON/WASHINGTON REGION

<b>Baseline City: Madras, Oregon</b>																	
<b>Heating or Cooling Degree Days</b>																	
<b>Gross Sq Ft</b>	<b>100</b>	<b>200</b>	<b>300</b>	<b>400</b>	<b>500</b>	<b>600</b>	<b>3,500</b>	<b>4,000</b>	<b>4,500</b>	<b>5,000</b>	<b>5,500</b>	<b>6,000</b>	<b>6,500</b>	<b>7,000</b>	<b>7,500</b>	<b>8,000</b>	<b>8,500</b>
<b>100</b>	15	29	44	58	73	88	511	584	657	730	803	876	949	1,022	1,095	1,168	1,241
<b>200</b>	29	58	88	117	146	175	1,022	1,168	1,314	1,460	1,606	1,752	1,898	2,045	2,191	2,337	2,483
<b>400</b>	58	117	175	234	292	350	2,045	2,337	2,629	2,921	3,213	3,505	3,797	4,089	4,381	4,673	4,965
<b>600</b>	88	175	263	350	438	526	3,067	3,505	3,943	4,381	4,819	5,257	5,695	6,134	6,572	7,010	7,448
<b>800</b>	117	234	350	467	584	701	4,089	4,673	5,257	5,841	6,426	7,010	7,594	8,178	8,762	9,346	9,930
<b>1,000</b>	146	292	438	584	730	876	5,111	5,841	6,572	7,302	8,032	8,762	9,492	10,223	10,953	11,683	12,413
<b>1,200</b>	175	350	526	701	876	1,051	6,134	7,010	7,886	8,762	9,638	10,515	11,391	12,267	13,143	14,019	14,896
<b>1,400</b>	204	409	613	818	1,022	1,227	7,156	8,178	9,200	10,223	11,245	12,267	13,289	14,312	15,334	16,356	17,378
<b>1,600</b>	234	467	701	935	1,168	1,402	8,178	9,346	10,515	11,683	12,851	14,019	15,188	16,356	17,524	18,693	19,861
<b>1,800</b>	263	526	789	1,051	1,314	1,577	9,200	10,515	11,829	13,143	14,458	15,772	17,086	18,401	19,715	21,029	22,343
<b>2,000</b>	292	584	876	1,168	1,460	1,752	10,223	11,683	13,143	14,604	16,064	17,524	18,985	20,445	21,905	23,366	24,826
<b>2,200</b>	321	643	964	1,285	1,606	1,928	11,245	12,851	14,458	16,064	17,670	19,277	20,883	22,490	24,096	25,702	27,309
<b>2,400</b>	350	701	1,051	1,402	1,752	2,103	12,267	14,019	15,772	17,524	19,277	21,029	22,782	24,534	26,286	28,039	29,791
<b>2,600</b>	380	759	1,139	1,519	1,898	2,278	13,289	15,188	17,086	18,985	20,883	22,782	24,680	26,579	28,477	30,375	32,274
<b>2,800</b>	409	818	1,227	1,636	2,045	2,453	14,312	16,356	18,401	20,445	22,490	24,534	26,579	28,623	30,668	32,712	34,757
<b>3,000</b>	438	876	1,314	1,752	2,191	2,629	15,334	17,524	19,715	21,905	24,096	26,286	28,477	30,668	32,858	35,049	37,239



**TABLE 14E ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE V**  
 Apartments  
 OREGON/WASHINGTON REGION

<b>Baseline City: Madras, Oregon</b>																	
<b>Heating or Cooling Degree Days</b>																	
<b>Gross Sq Ft</b>	<b>100</b>	<b>200</b>	<b>300</b>	<b>400</b>	<b>500</b>	<b>600</b>	<b>3,500</b>	<b>4,000</b>	<b>4,500</b>	<b>5,000</b>	<b>5,500</b>	<b>6,000</b>	<b>6,500</b>	<b>7,000</b>	<b>7,500</b>	<b>8,000</b>	<b>8,500</b>
<b>100</b>	8	17	25	34	42	51	296	338	380	422	465	507	549	591	633	676	718
<b>200</b>	17	34	51	68	84	101	591	676	760	845	929	1,014	1,098	1,182	1,267	1,351	1,436
<b>400</b>	34	68	101	135	169	203	1,182	1,351	1,520	1,689	1,858	2,027	2,196	2,365	2,534	2,703	2,872
<b>600</b>	51	101	152	203	253	304	1,774	2,027	2,280	2,534	2,787	3,041	3,294	3,547	3,801	4,054	4,307
<b>800</b>	68	135	203	270	338	405	2,365	2,703	3,041	3,378	3,716	4,054	4,392	4,730	5,068	5,405	5,743
<b>1,000</b>	84	169	253	338	422	507	2,956	3,378	3,801	4,223	4,645	5,068	5,490	5,912	6,334	6,757	7,179
<b>1,200</b>	101	203	304	405	507	608	3,547	4,054	4,561	5,068	5,574	6,081	6,588	7,095	7,601	8,108	8,615
<b>1,400</b>	118	236	355	473	591	709	4,139	4,730	5,321	5,912	6,503	7,095	7,686	8,277	8,868	9,459	10,051
<b>1,600</b>	135	270	405	541	676	811	4,730	5,405	6,081	6,757	7,432	8,108	8,784	9,459	10,135	10,811	11,486
<b>1,800</b>	152	304	456	608	760	912	5,321	6,081	6,841	7,601	8,361	9,122	9,882	10,642	11,402	12,162	12,922
<b>2,000</b>	169	338	507	676	845	1,014	5,912	6,757	7,601	8,446	9,291	10,135	10,980	11,824	12,669	13,514	14,358
<b>2,200</b>	186	372	557	743	929	1,115	6,503	7,432	8,361	9,291	10,220	11,149	12,078	13,007	13,936	14,865	15,794
<b>2,400</b>	203	405	608	811	1,014	1,216	7,095	8,108	9,122	10,135	11,149	12,162	13,176	14,189	15,203	16,216	17,230
<b>2,600</b>	220	439	659	878	1,098	1,318	7,686	8,784	9,882	10,980	12,078	13,176	14,274	15,372	16,470	17,568	18,666
<b>2,800</b>	236	473	709	946	1,182	1,419	8,277	9,459	10,642	11,824	13,007	14,189	15,372	16,554	17,736	18,919	20,101
<b>3,000</b>	253	507	760	1,014	1,267	1,520	8,868	10,135	11,402	12,669	13,936	15,203	16,470	17,736	19,003	20,270	21,537

**TABLE 14F ANNUAL KWH USAGE (ELECTRIC HEATING/COOLING) - PROTOTYPE VI**  
**Mobile Homes**  
**OREGON/WASHINGTON REGION**

<b>Baseline City: Madras, Oregon</b>																	
<b>Heating or Cooling Degree Days</b>																	
<b>Gross Sq Ft</b>	<b>100</b>	<b>200</b>	<b>300</b>	<b>400</b>	<b>500</b>	<b>600</b>	<b>3,500</b>	<b>4,000</b>	<b>4,500</b>	<b>5,000</b>	<b>5,500</b>	<b>6,000</b>	<b>6,500</b>	<b>7,000</b>	<b>7,500</b>	<b>8,000</b>	<b>8,500</b>
<b>100</b>	25	49	74	98	123	147	860	983	1,106	1,228	1,351	1,474	1,597	1,720	1,843	1,965	2,088
<b>200</b>	49	98	147	197	246	295	1,720	1,965	2,211	2,457	2,702	2,948	3,194	3,440	3,685	3,931	4,177
<b>400</b>	98	197	295	393	491	590	3,440	3,931	4,422	4,914	5,405	5,896	6,388	6,879	7,370	7,862	8,353
<b>600</b>	147	295	442	590	737	884	5,159	5,896	6,633	7,370	8,107	8,845	9,582	10,319	11,056	11,793	12,530
<b>800</b>	197	393	590	786	983	1,179	6,879	7,862	8,845	9,827	10,810	11,793	12,775	13,758	14,741	15,724	16,706
<b>1,000</b>	246	491	737	983	1,228	1,474	8,599	9,827	11,056	12,284	13,512	14,741	15,969	17,198	18,426	19,654	20,883
<b>1,200</b>	295	590	884	1,179	1,474	1,769	10,319	11,793	13,267	14,741	16,215	17,689	19,163	20,637	22,111	23,585	25,059
<b>1,400</b>	344	688	1,032	1,376	1,720	2,064	12,038	13,758	15,478	17,198	18,917	20,637	22,357	24,077	25,797	27,516	29,236
<b>1,600</b>	393	786	1,179	1,572	1,965	2,359	13,758	15,724	17,689	19,654	21,620	23,585	25,551	27,516	29,482	31,447	33,413
<b>1,800</b>	442	884	1,327	1,769	2,211	2,653	15,478	17,689	19,900	22,111	24,322	26,534	28,745	30,956	33,167	35,378	37,589
<b>2,000</b>	491	983	1,474	1,965	2,457	2,948	17,198	19,654	22,111	24,568	27,025	29,482	31,939	34,395	36,852	39,309	41,766
<b>2,200</b>	540	1,081	1,621	2,162	2,702	3,243	18,917	21,620	24,322	27,025	29,727	32,430	35,132	37,835	40,537	43,240	45,942
<b>2,400</b>	590	1,179	1,769	2,359	2,948	3,538	20,637	23,585	26,534	29,482	32,430	35,378	38,326	41,274	44,223	47,171	50,119
<b>2,600</b>	639	1,278	1,916	2,555	3,194	3,833	22,357	25,551	28,745	31,939	35,132	38,326	41,520	44,714	47,908	51,102	54,296
<b>2,800</b>	688	1,376	2,064	2,752	3,440	4,127	24,077	27,516	30,956	34,395	37,835	41,274	44,714	48,154	51,593	55,033	58,472
<b>3,000</b>	737	1,474	2,211	2,948	3,685	4,422	25,797	29,482	33,167	36,852	40,537	44,223	47,908	51,593	55,278	58,963	62,649

**TABLE 15 MPS COOLING ZONE CONVERSION FACTORS**

OREGON/WASHINGTON REGION

		Dwelling Prototypes					
		I	II	III	IV	V	VI
HUD MPS Heating Zone		Single Story No Basement	Single Story Full Basement	Double Story No Basement	Double Story Full Basement	Apartments	Mobile Homes
1							
2							
3							
4		1.72	1.42	1.60	1.64	1.27	3.12
5		1.10	0.80	0.98	1.02	0.65	2.01
6		1.85	1.56	1.73	1.78	1.41	3.36
7		1.48	1.18	1.36	1.40	1.03	2.98
8		1.57	1.27	1.45	1.49	1.12	2.85

## F. NON-SPACE HEATING/COOLING ENERGY CONSUMPTION/COST CALCULATIONS

The examples in the preceding sections (VI.C, VI.D and VI.E) dealt with the charges for space heating and cooling. However, to compute **total energy consumption** charges, the costs for energy consumed by lights, equipment, and appliances (government **and** tenant-owned) must be determined and added to the heating and cooling charges.

1. **Consumption.** Electric non-space heating/cooling consumption and cost estimates include electricity used by small appliances, lights, radios, television, refrigerators, ranges, washers, dryers, etc. These items, and their associated consumption levels, are shown in Table 16. It is assumed that every government quarter uses a furnace fan, television/radio, lights, and miscellaneous small appliances. Be sure to add these items from Table 16 in addition to any other applicable items in determining the total consumption.

To use Table 16, first determine the finished floor space square footage range within which a specific quarters unit falls. Then, using the values in Table 16, add the Kwh consumed by each appliance or equipment item which is present in the quarters unit. If a housing unit has more than one (1) refrigerator, freezer, room (window) air conditioner or space heater, multiply the Kwh shown in the table times the number of refrigerators, freezers, room air conditioners or space heaters that are present in the quarters unit to determine the total monthly Kwh consumption for these appliances.

There may be instances where appliances are fueled by fossil fuels rather than by electricity. Table 16a provides monthly consumption (in MCF or gallons of fuel) for the most common of these.

If an appliance listed in Table 16 or Table 16a is not present in the quarters unit at issue, do not include its monthly energy use when computing the total energy consumed by equipment and appliances.

2. **Cost.** The cost of electricity or fossil fuel consumed by appliances and equipment is easily computed by multiplying the total monthly consumption (as determined in the preceding paragraphs) times the appropriate charge per Kwh, MCF or gallon. These unit charges are shown in Table 17.

**TABLE 16 MONTHLY KWH USAGE: APPLIANCES AND EQUIPMENT**  
ALL REGIONS

Appliance/ Equipment	Gross Square Feet of Living Space									
	Under 301	301- 500	501- 700	701- 1,100	1,101- 1,300	1,301- 1,500	1,501- 1,900	1,901- 2,100	2,101- 2,500	Over 2,500
Hot water heater	130	130	245	245	370	370	480	480	600	705
Stove / Microwave	45	45	50	50	55	55	60	60	65	70
Refrigerator 1/	45	50	50	50	85	85	85	85	85	85
Clothes washer	20	35	35	35	45	45	45	55	55	65
Clothes dryer	15	15	25	25	35	35	35	35	40	50
Dishwasher	35	35	45	45	60	60	70	70	80	95
Freezer 1/	70	70	70	70	70	70	70	70	70	70
Furnace fan	15	15	20	20	20	25	25	30	30	35
Room air conditioner	65	65	65	65	65	65	65	65	65	65
Television / radio	5	5	10	10	20	20	20	20	25	25
Lights	50	55	75	80	90	90	95	100	120	120
Space heater (portable) 1/	130	130	130	130	130	130	130	130	130	130
Misc. small appliances	30	30	45	45	65	65	75	80	95	105
Engine Heaters	195	195	195	195	195	195	195	195	195	195
Hot Tub	360	360	360	360	360	360	360	360	360	360

1/ If more than one of these appliances are present in a quarters unit, multiply the kWh consumption times the number of appliances to determine the total kWh consumed for each appliance category.

**NOTE:** FOR APPLIANCES OPERATED BY FOSSIL FUELS, SEE TABLE 16A.

**TABLE 16A MONTHLY FOSSIL FUEL CONSUMPTION: APPLIANCES AND EQUIPMENT**  
ALL REGIONS

Appliance/ Equipment	Gross Square Feet of Living Space									
	Under 301	301- 500	501- 700	701- 1,100	1,101- 1,300	1,301- 1,500	1,501- 1,900	1,901- 2,100	2,101- 2,500	Over 2,500
Hot water heater										
Natural Gas MCF	.55	.55	1.05	1.05	1.58	1.58	2.05	2.05	2.56	3.01
Propane Gallons	5.61	5.61	10.71	10.71	16.12	16.12	20.91	20.91	26.11	30.70
Fuel Oil Gallons	3.87	3.87	7.39	7.39	11.12	11.12	14.43	14.43	18.02	21.19
Kitchen Range										
Natural Gas MCF	.19	.21	.21	.21	.36	.36	.36	.36	.36	.36
Propane Gallons	1.94	1.94	2.14	2.14	2.35	2.35	2.65	2.65	2.86	3.06
Fuel Oil Gallons	1.34	1.34	1.48	1.49	1.62	1.62	1.83	1.83	1.97	2.11
Refrigerator 1/										
Natural Gas MCF	.19	.21	.21	.21	.36	.36	.36	.36	.36	.36
Propane Gallons	1.94	2.14	2.14	2.14	3.67	3.67	3.67	3.67	3.67	3.67
Clothes dryer										
Natural Gas MCF	.06	.06	.11	.11	.15	.15	.15	.15	.17	.21
Propane Gallons	.61	.61	1.12	1.12	1.53	1.53	1.53	1.53	1.73	2.14
Freezer 1/										
Natural Gas MCF	.30	.30	.30	.30	.30	.30	.30	.30	.30	.30
Propane Gallons	3.06	3.06	3.06	3.06	3.06	3.06	3.06	3.06	3.06	3.06
Space heater (portable) 1/										
Natural Gas MCF	.55	.55	.55	.55	.55	.55	.55	.55	.55	.55
Propane Gallons	5.61	5.61	5.61	5.61	5.61	5.61	5.61	5.61	5.61	5.61
Fuel oil Gallons	3.87	3.87	3.87	3.87	3.87	3.87	3.87	3.87	3.87	3.87

1/ If more than one of these appliances are present in a quarters unit, multiply the consumption times the number of appliances to determine the total consumed for each appliance category.

**NOTE:** To compute the cost per month for an appliance that is fueled by a fossil fuel, multiply the consumption listed by the unit cost found in Table 17 of this report.

## G. WATER AND SEWER CONSUMPTION/COST CALCULATIONS

In accordance with OMB Circular No. A-45 and Departmental policies and guidelines, when utilities are furnished by the government, charges shall be based upon regional average residential rates and consumption levels applicable to private rental housing in the survey region.

Where regional survey procedures are used to establish base rental rates, the charges for government-furnished water and sewer services must be based upon *regional average* water and sewer rates, and not the rates prevailing in the nearest established community. In determining the regional average rates, the water and sewer rates for each survey community were obtained and averaged.

Thus, where the water service is unmetered, and where the government furnishes water and sewer services, *including well water and septic waste disposal systems*, the regional average flat rate charges, shown below, shall be used. These charges are based upon (1) the average of the monthly service costs (including taxes, service charges, etc.) in all surveyed communities; and (2) consumption levels (based on numbers of bedrooms) contained in planning guides published by the Department of Housing and Urban Development (HUD). The rates below are based upon the number of bedrooms contained in a dwelling.

### **Flat Rate Water and Sewer Charges** OREGON/WASHINGTON REGION

<u>Number of Bedrooms</u>	<u>Monthly Charges</u>	<u>Total</u>
1 (or less)	\$19.20 water + \$31.20 sewer	= \$50.40
2	\$21.50 water + \$33.00 sewer	= \$54.50
3	\$24.75 water + \$35.25 sewer	= \$60.00
4	\$28.00 water + \$38.00 sewer	= \$66.00

H. GOVERNMENT PROVIDED METERED UTILITIES

Where the government provides the utilities, and the consumption is metered *at the quarters unit level*, the following unit charges will apply.

**TABLE 17 UTILITY CHARGES (COST PER UNIT)**

OREGON/WASHINGTON REGION

**Do not calculate the total cost of electricity in steps, such as the first 500 Kwh costs so much, then the second 500 Kwh costs so much, etc.**

a. <u>Electricity</u>	Kwh Consumed	
	Per Month	Charge Per Kwh
	0 – 500	\$.083
	501 – 1,000	\$.076
	1,001 – 1,500	\$.075
	Over 1,500	\$.074
b. <u>Fuel Oil #2</u>	\$2.57 Per Gallon.	
c. <u>Propane</u>	\$2.23 Per Gallon.	
d. <u>Natural Gas</u>	\$13.34 Per MCF (1,000 cubic feet).	
e. <u>Water</u>	<u>Water Consumed Per Month</u>	Cost Per <u>Gallon</u>
	1 – 3,000 Gallons	\$0.0064
	3,001 – 5,000 Gallons	\$0.0043
	5,001 – 7,500 Gallons	\$0.0033
	Over 7,500 Gallons	\$0.0028
f. <u>Sewer</u>	<u>Sewer Consumed Per Month</u>	Cost Per <u>Gallon</u>
	1 – 3,000 Gallons	\$0.0104
	3,001 – 5,000 Gallons	\$0.0066
	5,001 – 7,500 Gallons	\$0.0047
	Over 7,500 Gallons	\$0.0038



## I. GARBAGE/TRASH REMOVAL SERVICE RATES

In the case of garbage and trash hauling, as with other government-provided services, OMB Circular No. A-45 requires the charges to be based upon the domestic rates for comparable services provided to occupants of private rental units in the survey area (region).

The garbage and trash services provided to quarters occupants vary from weekly to daily service. Establishment of a service charge based upon the service in the nearest established community may or may not reflect a similar level of service. Therefore, the charge for garbage and trash collection, when conducted by the government, will, regardless of quarters type, be **\$19.00 per unit per month** in the Oregon/Washington region.

## J. CHARGES FOR APPLIANCES AND RELATED SERVICES

OMB Circular No. A-45 requires agencies to charge occupants of government quarters for appliances, furnishings and services that the government provides with the quarters. The charges for appliances, furnishings and services most typically provided by federal agencies are found in Table 18. The monthly recapture cost of the items in Table 18 were determined from information gathered by contractors in the survey communities of all QMIS regions, and from special studies conducted by the QMIS Office.

Agencies providing appliances, furnishings or services that are not included in Table 18 are responsible for establishing an appropriate monthly charge that reflects the private market value of the item(s) provided. In such cases, the agency or bureau should advise the QMIS Office to ensure that subsequent regional survey reports include charges for all government-provided appliances, furnishings and services.

**TABLE 18 MONTHLY CHARGES FOR APPLIANCES & RELATED SERVICES - ALL REGIONS  
(EFFECTIVE MARCH 4, 2007)**

APPLIANCES		SERVICES AND FURNISHINGS	
Range (Gas / Electric) *	(+/-) \$3.65	Storage Shed (Per Unit)	\$2.50
Refrigerator *	(+/-) 3.30	Furniture (Per Room)	11.10
Clothes Washer	3.85	Swimming Pool	
Clothes Dryer	3.20	Private Pool	60.00
Dishwasher	3.15	Community Pool	20.00
Microwave Oven	1.20	Satellite Dish	22.00
Trash Compactor	3.65	Cable Television	28.50
Freezer	1.90	Premium Channel (Each)	19.15
Freezer (Community)	1.00	Maid Service	78.05
Window Air Conditioner		Lawncare (Per Mowing)	
Refrigerated Unit	4.05	Houses (Excluding Plexes)	24.55
Evaporative (Swamp) Unit	3.05	All Other Classes	12.35
Free Standing Stove	3.70	Snow Removal (Per Removal)	14.20
Fireplace Insert	4.40	Firewood (Per Cord)	146.05
Lawn Mower	3.75		
Hot Tub	33.40	<u>ELECTRIC CREDITS</u>	
		Well pump (0-1 Bedroom)	-1.35
Community Laundry		Well pump (2 Bedrooms)	-2.15
(Non-Coin Operated)		Well pump (3 Bedrooms)	-3.10
Washer Only	1.90	Well pump (4+ Bedrooms)	-4.25
Dryer Only	1.60		
Washer and Dryer	3.50	Sewer Lift Pump (0-1 Bedroom)	-1.35
		Sewer Lift Pump (2 Bedrooms)	-1.35
		Sewer Lift Pump (3 Bedrooms)	-1.60
		Sewer Lift Pump (4+ Bedrooms)	-2.15
ISOLATION ADJUSTMENT FACTOR	3.60	Base Radio	-1.35
		Remote Control Relay	-1.35
		Sump Pump	-1.35
		Radon Mitigation Fan	-12.60

*\*If the government provides one range and refrigerator, no additions or deductions are made.*

*\*If the government does not provide a range or a refrigerator, deduct the amount shown above.*

*\*If the government provides 2 or more ranges or refrigerators, add the amounts shown above for each appliance furnished in excess of one range and one refrigerator.*

## VII. ADMINISTRATIVE ADJUSTMENTS

Once the MBRR is established, certain adjustments (e.g. for isolation and amenity deficiencies) are authorized by OMB Circular A-45. These administrative adjustments are established by OMB and are not derived from regional surveys conducted by the QMIS Office.

The administrative adjustments contained in OMB Circular A-45, and described below, are not authorized for dormitories/bunkhouses or transient quarters. This is because the rental rates for those housing classes are administratively established, through extensions of the principle of comparability, and are not based directly upon market comparability.

### A. SITE AMENITY ADJUSTMENTS

Living conditions at some government housing sites are not always the same as those found in the survey communities. In the communities surveyed, the amenities discussed below (and in OMB Circular A-45) are generally present and their contributory value is included in the contract rent and in the quarters MBRRs determined from the tables in this report. Thus, if any amenity listed below is present at the quarters site, no positive adjustment is made for that amenity because its presence has already accounted for in the MBRR. However, the lack of an amenity discussed below represents a less desirable condition that should be reflected as a **negative** percentage adjustment to the quarters MBRR or CPI-adjusted MBRR (CPI-MBRR), whichever is applicable.

1. **Reliability and adequacy of water supply.** The water delivery system at the quarters site should provide potable water (free of significant discoloration or odor) and adequate pressure at usual outlets. If the water delivery system at the quarters site does not meet these conditions, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.
2. **Reliability and adequacy of electric service.** Electric service at the quarters site must equal or exceed a 100-ampere power system, and should provide 24-hour service under **normal** conditions. When evaluating the electric service, housing managers are reminded that OMB Circular A-45 recognizes that occasional temporary power outages are considered to be “normal” conditions. Furthermore, if an adequate back-up generator is available, then the electric service amenity will be considered to be reliable and adequate – regardless of the reliability of the primary power source. When electric service is inadequate and unreliable, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.
3. **Reliability and adequacy of fuel for heating, cooling and cooking.** There should be sufficient fuel storage capacity to meet prevailing weather conditions and needs. Where electricity is used as the heating, cooling or cooking “fuel,” an adjustment can only be made when a deduction has been made for deficient electric service (see paragraph VII.A.2, above). If the fuel delivery/storage system is inadequate, 3 percent should be deducted from the MBRR or the CPI-MBRR, whichever is applicable.
4. **Reliability and adequacy of police protection.** Law enforcement personnel, including government employees with law enforcement authority, should be available on a 24-hour basis. OMB Circular A-45 defines “availability” as the ability of law enforcement officers to respond to emergencies at the

quarters site as quickly as a law enforcement officer in the nearest established community could respond to an emergency in the nearest established community.

OMB Circular A-45 further provides that where part-time officers serve the quarters site, the fact that the officers are part-time does not necessarily mean that they are less available than officers in the nearest established community. The important point is that the availability determination must be based on comparative response times (quarters site vs. the nearest established community) – not the employment conditions of the officers serving the quarters site.

Finally, OMB Circular A-45 provides that gaps in availability due to temporary illness or injury, use of annual leave, temporary duties, training, or other short absences, do not render law enforcement personnel “unavailable” at the quarters site.

If, after applying these guidelines, it is determined that the law enforcement protection at the quarters site is unreliable and inadequate in comparison to the reliability and adequacy of law enforcement protection in the nearest established community, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.

5. **Fire insurance availability or reliability and adequacy of fire protection.** Fire insurance should be available (for the quarters) with the premium charge based upon a rating equal to the rating available to comparable housing located in the nearest established community. Alternatively, adequate equipment, an adequate supply of water (or fire retardant chemical), and trained personnel should be available on a 24-hour basis to meet foreseeable emergencies. OMB Circular A-45 provides that **if** either element is present (adequate insurance or an adequate fire fighting capability), no adjustment is authorized. If both elements are missing, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.
6. **Reliability and adequacy of sanitation service.** An adequately functioning sewage disposal system and a solid waste/refuse disposal system should be available. OMB Circular A-45 considers septic, cesspool or other systems adequate, even though they may require periodic maintenance, as long as they are usable during periods of occupancy. If the sanitation service at the quarters site is unreliable or inadequate, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.
7. **Reliability and adequacy of telephone service.** Access to commercial telephone facilities should be available on a 24-hour basis. Deductions (except as provided below) are not allowed for occasional temporary interruptions of telephone service. OMB Circular A-45 allows specific deductions for various levels of service and privacy. These are explained below.
  - a. The MBRR or CPI-MBRR (whichever is applicable) should be reduced by 3 percent if telephone service is not available within the quarters or within 100 yards of the quarters.
  - b. The MBRR or CPI-MBRR (whichever is applicable) should be reduced by 2 percent if there is no telephone service within the quarters, but telephone service (either private or party line) is available within 100 yards of the quarters.

- c. The MBRR or CPI-MBRR (whichever is applicable) should be reduced by 1 percent if telephone service is available in the employee's quarters, but the service is not a private line and/or the service is not accessible on a 24-hour per day basis.
8. **Noise and odors.** If there are frequent disturbing or offensive noises and/or odors at the quarters site, 3 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.
9. **Miscellaneous improvements.** One or more of the following improvements should be available at the quarters site: paved roads/streets, sidewalks or street lights. If any one of these improvements is present, no deduction is authorized. If all three of these improvements are missing (i.e., there are no paved roads/streets and there are no sidewalks and there are no street lights), 1 percent should be deducted from the MBRR or CPI-MBRR, whichever is applicable.

## B. ISOLATION ADJUSTMENT

In some cases, government quarters are located far from the nearest established community (see paragraph IX.C for the OMB's definition of "established community"). In addition, different modes of transportation (travel categories) may serve to further isolate the quarters from the nearest established community. In situations where the quarters location and the travel categories meet the requirements contained in OMB Circular A-45, an isolation adjustment should be applied. To determine whether an isolation adjustment applies, and the amount of the adjustment, if applicable, you should follow the steps in the Isolation Adjustment Computation Schedule, shown on the following page. This schedule is a (modified) reproduction of the appendix to OMB Circular A-45, and is included in this report for illustrative purposes only. Therefore, you should use the form prescribed by your agency or bureau when documenting the isolation adjustment.

### Isolation Adjustment Computation

- Step 1. Determine the one-way distance in miles (from the quarters to the nearest established community) for each category of transportation listed in Figure 1. Enter mileage(s) in the appropriated block(s) under Column B.
- Step 2. Multiply mileage figures entered in Column B by point values listed in Column A for each affected category of transportation to produce one-way points for each category. Add 29 points to the category 4 subtotal and 27 points to the category 5 subtotal to reflect relative differences in cost or time by use of these modes of travel.
- Step 3. Add all categories of one-way points in Column C to produce one-way points. (If the total does not exceed 30 points, there is no adjustment for isolation.)

**Figure 1**

<u>Category of Travel</u>	Column A <u>Point Value</u>	X	Column B <u>One-way Miles</u>	=	Column C <u>One-way Points</u>
(1) Paved road or rail	1.0	X	_____	=	_____
(2) Unpaved but improved road	1.5	X	_____	=	_____
(3) Unimproved road	2.0	X	_____	=	_____
(4) Water, snowmobile, pack animal, foot or other special purpose conveyance	2.5	X	_____	=	_____+29
(5) Air	4.0	X	_____	=	_____+27
TOTAL ONE-WAY POINTS			=		_____

- Step 4. Calculate the Isolation Adjustment Factor (IAF) using the following OMB formula: Multiply 2 (to reflect round-trip points) by 4 (to reflect number of trips per month) and then multiply by GSA's current automobile allowance per mile as of the last day of September of each year. For example, the GSA mileage allowance, as of September 30, 2006, was \$0.445 per mile, resulting in an IAF of \$3.60 per point.

ISOLATION ADJUSTMENT FACTOR = \$3.60 per point

- Step 5. Multiply total adjusted points by the Isolation Adjustment Factor to produce the monthly adjustment for isolation (rounded to the nearest whole dollar).

MONTHLY ADJUSTMENT = \_\_\_\_\_

### C. LOSS OF PRIVACY

Some quarters occupants are subject to a loss of privacy during non-duty hours by virtue of public visits which occur several times daily. In other cases, quarters occupants may be inhibited from enjoying the full range of activities normally associated with living in private rental housing (such as where restrictions are imposed on activities in quarters at national cemeteries, or where quarters are in view of prison inmates). In such cases, OMB Circular A-45 allows a deduction from the MBRR or CPI-MBRR (whichever is applicable) of up to 10 percent. OMB Circular A-45 instructs housing managers to establish proportional adjustments to reflect situations of less frequency or seriousness in their impact upon privacy or usage, or to reflect seasonal variations.

### D. EXCESSIVE OR INADEQUATE SIZE

Quarters occupants are sometimes provided dwellings that are excessively large or small for their needs. This may be because the range and variety of quarters available at an installation may be much less than that which is available in private rental markets. In such cases, OMB Circular A-45 allows a deduction from the MBRR or the CPI-MBRR (whichever is applicable) of up to 10 percent. The Circular instructs that the deduction should be in direct proportion to the degree of excess or inadequacy, and that the deduction must not continue beyond one month after suitable quarters are made available. Before this adjustment is applied, local housing managers should consult with managers within their agencies or bureaus to determine whether other alternatives (such as closing off rooms and other excess space) would offer a more suitable means of adjustment.

### E. LIMITATIONS TO ADMINISTRATIVE ADJUSTMENTS

Administrative adjustments cannot be applied without limit. OMB Circular A-45 provides that the MBRR or CPI-MBRR cannot be reduced by more than 50 percent unless an isolation is authorized and applied. For quarters which receive an isolation adjustment, the MBRR or CPI-MBRR may not be reduced by more than 60 percent. These limitations do not apply to excessive heating or cooling adjustments, which are described in paragraph IX.A of this report.

## VIII. CONSUMER PRICE INDEX (CPI) ADJUSTMENTS

OMB Circular A-45 requires annual verification and adjustment (when necessary) of the following rental components that are presented in this report: (1) the Monthly Base Rental Rates (MBRRs); (2) the charges for related facilities (utilities, appliances, furnishings and services); and (3) the Isolation Adjustment Factor (IAF). These verifications and adjustments are to be made in each interim year between regional surveys.

Generally, OMB Circular A-45 specifies that these changes are to be based upon September index levels of specified components of the Consumer Price Index (CPI) and the GSA temporary duty mileage allowance in effect as of September 30 of each year. These changes must be implemented at the beginning of the first pay period in March of each following year.

The QMIS Office is responsible for determining the amounts of these changes, and for providing QMIS Rental Program participants with the information, the software, and the instructions needed to implement the required changes. This information is usually provided to each National Quarters Officer in November of each year, and new CPI- and Regional Survey-adjusted rental formulas are distributed with the updated QMIS software in December each year. National, regional or installation quarters managers (as required by your agency or bureau) are responsible for implementing these annual rental adjustments.

## IX. OTHER OMB CIRCULAR A-45 RENT CONSIDERATIONS

### A. EXCESSIVE HEATING OR COOLING COSTS

OMB Circular A-45 authorizes a deduction from the Monthly Base Rental Rate (MBRR) or the Consumer Price Index-adjusted Monthly Base Rental Rate (CPI-MBRR), whichever is applicable, when quarters are unusually costly to heat or cool. This adjustment is allowed only when: (1) the excessive heating or cooling costs are due to the poor design of the quarters or the lack of adequate insulation/weather-proofing; and (2) when the energy/fuel used for heating and/or cooling is metered. This adjustment will vary from quarter to quarter, but is the difference between the actual heating and/or cooling costs paid by the occupant and 125 percent of the cost of heating and/or cooling a comparable (but adequately constructed and insulated) dwelling located in the same climate zone. For more information on this adjustment, you should consult your agency/bureau policies, or the QMIS Office.

### B. INCREMENTAL ADJUSTMENTS

New baseline regional surveys or annual CPI adjustments may occasionally increase quarters rents by more than 25 percent. When this occurs, OMB Circular A-45 allows housing managers to impose the increase incrementally over a period of not more than one year. The Circular also requires that such increases must be applied in equal increments on at least a quarterly basis. In effect, 25 percent of the increase is implemented during the first pay period in March; 50 percent of the increase is implemented three months later; 75 percent of the increase is implemented six months later; and 100 percent of the increase is implemented nine months later. Incremental adjustments apply only to existing tenants, and do not apply to non-federal tenants.

### C. ESTABLISHED COMMUNITY

OMB Circular A-45 has established the following minimum standards for use in determining which population centers (cities, towns, etc.) may be used as “established communities” when determining quarters rents.

1. An established community must have a year-round population of 1,500 or more (5,000 or more in Alaska). The population determinations must be based upon the most recently conducted decennial census.
2. An established community must have at least one doctor and one dentist, who are available to all quarters occupants on a non-emergency basis.



3. An established community must have a private rental market with housing available to the general public. This requirement excludes communities on military posts, Indian reservations and other government installations which may meet the other criteria contained in paragraphs IX.C.1 and C.2 above.