



HARMONIZED SYSTEM
COMMITTEE

-
26th Session

NC0280E1

O. Eng.

Brussels, 18 September 2000.

AMENDMENTS TO THE COMPENDIUM OF CLASSIFICATION OPINIONS
ARISING FROM THE CLASSIFICATION OF TYRE INFLATION VALVES

IN SUBHEADING 8481.80

(Item VI.9 on Agenda)

Reference documents :

NC0232E1 (HSC/25)
NC0250E2, Annex IJ/19 (HSC/25 – Report)

I. BACKGROUND

1. At its 25th Session (March 2000), the Committee unanimously classified tyre inflation valves in subheading 8481.80.
2. At the request of one delegate, the Committee instructed the Secretariat to draft a Classification Opinion for review in the first instance by the next preessional Working Party.

II. SECRETARIAT COMMENTS

3. The draft amendments to the Compendium of Classification Opinions prepared in accordance with the Committee's instructions are set out in the Annex to this document.

III. CONCLUSION

4. The Committee is invited to approve the proposed amendments to the Compendium of Classification Opinions set out in the Annex once they have been finalized by the preessional Working Party.

* * *

File No. 2687

Annexe au Doc. NC0280B1
Annex to

(CSH/26/nov. 2000)
(HSC/26/Nov. 2000)

ANNEXE

MODIFICATION DU RECUEIL DES AVIS DE CLASSEMENT
DECOULANT DU CLASSEMENT DES VALVES POUR PNEUMATIQUES

DANS LE N° 8481.80

(Point VI.9 de l'ordre du jour)

ANNEX

AMENDMENTS TO THE COMPENDIUM OF CLASSIFICATION OPINIONS
ARISING FROM THE CLASSIFICATION OF TYRE INFLATION VALVES

IN SUBHEADING 8481.80

(Item VI.9 on Agenda)

MODIFICATION DU RECUEIL DES AVIS DE CLASSEMENT

Page 36.

Insérer l'Avis de classement suivant :

"8481.80 4. **Valve pour pneumatiques** constituée :

- 1) d'un dispositif de forme cylindrique en caoutchouc,
- 2) d'un bouchon muni d'un pas de vis,
- 3) d'une pièce insérable en laiton, comprenant un orifice, une tige et un piston muni d'un ressort.

L'ensemble est inséré dans la jante sur laquelle le pneumatique est monté. Lorsque l'on appuie manuellement sur l'extrémité de la tige, la valve s'ouvre, ce qui permet à l'air de pénétrer dans le pneumatique ou de s'en échapper, selon la différence de pression."

Page 65.

Insérer les références suivantes :

Colonne 1 Colonne 2 Colonne 3

"8481.80 4 (*)"

(*) Insérer le numéro de document du rapport correspondant.

AMENDMENTS TO THE COMPENDIUM OF CLASSIFICATION OPINIONS

Page 36.

Insert the following Classification Opinion :

- "8481.80** 4. **Tyre inflation valve**, comprising the following components :
- (i) a rubber stem;
 - (ii) a screw-on cap;
 - (iii) a brass insert consisting of an opening, a pin, and a spring-loaded plunger mechanism;

the whole of which is inserted into a wheel on which a tire is mounted. When the pin head is manually depressed, the valve opens, thereby allowing the flow of air into or out of the tire, depending upon the pressure differential."

Page 65.

Insert the following references :

Column 1	Column 2	Column 3
"8481.80	4	(*)"



(*) Insert the appropriate Report reference.