

February 7, 2007



U.S. Department
of Transportation

400 Seventh Street, S.W.
Washington, D.C. 20590

**Pipeline and Hazardous
Materials Safety Administration**

DOT-SP 12007
(SEVENTH REVISION)

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: (See individual authorization letter)
2. PURPOSE AND LIMITATION:
 - a. This special permit authorizes the transportation in commerce of DOT Specification cylinders authorized for Chloropicrin, for use by licensed fumigators, with closures that deviate from that required by the regulations. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
 - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
 - c. Unless otherwise stated herein, this special permit consists of the special permit authorization letter issued to the grantee together with this document.
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.226(a), § 173.227(a), and § 173.40(c)(1) in that the cylinder is closed with a "system plug" rather than a plug threaded directly into the cylinder.
5. BASIS: This special permit is based on the application of Cardinal Professional Products dated April 6, 2005, submitted in accordance with § 107.109.

February 7, 2007

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Hazardous Materials Description			
Proper Shipping Name	Hazard Class/ Division	Identification Number	Packing Group
Chloropicrin	6.1	UN1580	I

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Prescribed packaging is a DOT Specification cylinder equipped with the SCC brass "system plug". The "system plug" must be capable of withstanding the test pressure of the cylinder. The "system plug" assembly is as follows: a 3/4 inch NPT x 1/2 inch NPT reducing bushing attached to a 1/2 inch hex nipple, capped by a threaded 1/2 inch cap with a gasket. All threads of the reducing bushing must be wrapped with teflon tape. The reducing bushing must be torqued into the cylinder and the hex nipple so that no threads are exposed. The assembly must be made gas tight by means of the gasketed cap.

b. TESTING - Each cylinder, equipped with "system plug", must be leak tested at the time of each filling.

c. OPERATIONAL CONTROLS -

(1) The shipper must ensure that the "system plug" cap is securely tightened prior to shipping.

(2) Each cylinder must be shipped in the upright position.

(3) Each cylinder must have protection for the "system plug" against damage in accordance with the § 173.40(d) requirements for valves.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this special permit and the HMR.

February 7, 2007

- b. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.
- c. MARKING - Each cylinder must be marked "DOT-SP 12007" in accordance with the requirements specified in § 172.301(c).
- d. Packages permanently marked 'DOT-E 12007', prior to October 1, 2007 may continue to be used under this special permit for the remaining service life of the packaging or until the special permit is no longer valid. Packages marked on or after October 1, 2007 must be marked 'DOT-SP 12007'.
- e. Shipping papers displaying 'DOT-E 12007' may continue to be used until October 1, 2007, provided the special permit remains valid.
9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
10. MODAL REQUIREMENTS: There are no modal-specific requirements associated with this special permit.
11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
 - o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
 - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

February 7, 2007

No person may use or apply this special permit, including display of its number, when the special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)—"The Hazardous Materials Safety and Security Reauthorization Act of 2005" (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term "exemption" to "special permit" and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:



for Bob Richard
Deputy Associate Administrator
for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, Department of Transportation, Washington, D.C. 20590. Attention: PHH-31.

Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: AM