

March 22, 2006



U.S. Department  
of Transportation

400 Seventh Street, S.W.  
Washington, D.C. 20590

**Pipeline and  
Hazardous Materials  
Safety Administration**

DOT-SP 11055  
(EIGHTH REVISION)

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. GRANTEE: (See individual authorization letter)
2. PURPOSE AND LIMITATION:
  - a. This special permit authorizes the transportation in commerce of certain hazardous materials listed in paragraph 6 below and meet the criteria for Division 6.1, PG I, Hazard Zone A in combination packages and provides relief from the segregation requirements. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
  - b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.
  - c. Unless otherwise stated herein, this special permit consists of the special permit authorization letter issued to the grantee together with this document
3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR Part 172, Subpart E; § 173.226(c) in that an alternative packaging is authorized and §§ 174.81; 176.83, and 177.848 for materials authorized by and packaged in accordance with the special permit.

**March 22, 2006**

5. BASIS: This special permit is based on the application of Safety-Kleen Services, Inc. dated September 7, 2004 submitted in accordance with § 107.109.

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

| <b>Proper Shipping Name*/<br/>Hazardous Materials Description</b>                                  | <b>Hazard<br/>Class/<br/>Division</b> | <b>Identi-<br/>fication<br/>Number</b> | <b>Packing<br/>Group</b> |
|--|---------------------------------------|--|--------------------------|
| All toxic liquids (inhalation hazard Zone A) listed in the hazardous materials table of § 172.101. | As appropriate                        | As appropriate                         | I                        |

\* May include waste materials

7. SAFETY CONTROL MEASURES:

a. PACKAGING - Materials listed in paragraph 6 above must be packed in a combination packaging as follows:

(1) Inner packaging system. The inner packaging system must consist of three packagings: A glass, plastic or metal receptacle, with a capacity of not more than 1 liter (1 quart), securely cushioned with a non-reactive, absorbent material and packed within a leak-tight packaging of metal, with a capacity of not less than 4 liters (1 gallon); furthermore, this packaging must be securely cushioned with a non-reactive absorbent material and packed in a leak-tight UN 1A2 steel drum or UN 1H2 plastic drum, with a capacity of not less than 19 liters (5 gallons). The innermost receptacle must have a closure which is held in place by any means capable of preventing back-off or loosening of the closure by impact or vibration during transportation.

(2) Outer packaging. The inner packaging system must be placed in a UN 1A2 steel drum or UN 1H2 plastic drum, with a capacity of not less than 114 liters (30 gallons). The inner packaging system must be securely cushioned with a non-reactive, absorbent material. The total amount of liquid contained in the outer packaging may not exceed 1 liter (1 quart).

b. TESTING - Both the inner packaging system and the outer packaging must conform to the performance test requirements

**March 22, 2006**

of 49 CFR Part 178, Subpart M at the Packing Group I performance level. The inner packaging system must meet these tests without benefit of the outer packaging.

c. SHIPPING PAPERS - Shipping papers must bear the notation "TOXIC - INHALATION HAZARD" in addition to the shipping paper requirements contained in 49 CFR Part 172, Subpart C.

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modifications or changes are made to the package and it is reoffered for transportation in conformance with this special permit and the HMR.

b. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

c. MARKING - Packages shipped under this special permit must be marked "DOT-SP 11055" and "INHALATION HAZARD", in association with each other, in letters at least 12.7 mm (0.50 inch) high on a contrasting background.

d. Packages permanently marked 'DOT-E 11055', prior to October 1, 2007 may continue to be used under this special permit for the remaining service life the package or until the special permit is no longer valid. Packages marked after October 1, 2007 must be marked 'DOT-SP 11055'.

e. Shipping papers displaying 'DOT-E 11055' may continue to be used until October 1, 2007, provided the special permit remains valid.

9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle, rail freight, cargo vessel.

10. MODAL REQUIREMENTS: A current copy of this special permit must be carried aboard each cargo vessel or motor vehicle used to transport packages covered by this special permit.

**March 22, 2006**

11. COMPLIANCE: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:

- o All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when this special permit has expired or is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)- 'The Hazardous Materials Safety and Security Reauthorization Act of 2005' (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term 'exemption' to 'special permit' and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. REPORTING REQUIREMENTS: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

A handwritten signature in blue ink, appearing to read "R. Ryan Tarr". The signature is stylized with a large, sweeping initial "R" and a long horizontal stroke extending to the right.

for Robert A. McGuire  
Associate Administrator  
for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous  
Materials Safety, Pipeline and Hazardous Materials Safety  
Administration, Department of Transportation, Washington, D.C.  
20590. Attention: PHH-31.

Copies of this special permit may be obtained by accessing the  
Hazardous Materials Safety Homepage at  
[http://hazmat.dot.gov/sp\\_app/special\\_permits/spec\\_perm\\_index.htm](http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm)  
Photo reproductions and legible reductions of this special permit  
are permitted. Any alteration of this special permit is  
prohibited.

PO: Tarr/sdc/kah