
EC02TCF-KY





U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU



ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Division Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of **John L. Fowler**, Chief, Commodity Flow Survey Branch, assisted by **Bruce Dembroski**, **Marilyn Quiles Amaya**, **Debra Corbett**, **Shirley Gray**, **Stephanie Groth**, **Michael Jones**, **Mabel Ocasio**, **Bonnie Opalko**, **Joyce Price**, and **Barbara Selinske**.

Sample design and statistical methodology were developed under the direction of **Ruth E. Detlefsen**, Assistant Division Chief, Research and Methodology. Sample design and estimation were developed under the supervision of **Jock Black**, Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., Jacklyn R. Jonas, Brett Moore, M. Cristina Cruz,** and **Michael Beaghen.** Frame construction, status change, editing, and imputation procedures were developed under the supervision of **Carol King**, Chief, Statistical Methods Branch, assisted by **David Kinyon, Anthony Myers**, and **Quatracia Williams**.

The processing system and computer programs were developed and implemented by the Economic Statistical Methods and Programming Division, under the direction of **Barry F. Sessamen**, Assistant Division Chief for Post Collection, assisted by **Steven G. McCraith**, Chief, Census Related Surveys Branch, **Joy McLaughlin**, **John Nelson**, **Duc-Mong Nguyen**, and **Edna Vega**.

The Systems Support Division provided the table composition system. **Robert Joseph Brown**, Table Image Processing System (TIPS) Senior Software Engineer, was responsible for the design and development of the TIPS, under the supervision of **Robert J. Bateman**, Assistant Division Chief, Information Systems.

Coordination of data collection efforts was under the direction of National Processing Center, **Judith N. Petty,** Chief, assisted by **Carlene Bottorff, Linda Broadus, Sandra Hurst, Debbie Woods, Debbie Hamilton,** and **Michael Lutz.**

Margaret A. Smith and **Michael T. Browne** of the Administrative and Customer Services Division, **Walter C. Odom,** Chief, provided publications and printing management, graphics design and composition, and editorial review for print and electronic media. General direction and production management were provided by **James R. Clark,** Assistant Division Chief, and **Susan L. Rappa,** Chief, Publications Services Branch.

The Bureau of Transportation Statistics (BTS) of the Department of Transportation played a major role in all aspects of the Commodity Flow Survey. **Jack Wells**, Chief Economist, assisted with program planning and oversight. Survey methodology, design, and implementation were conducted under the direction of **Michael P. Cohen**, Assistant Director for Survey Programs assisted by BTS staff: **Mike Margreta**, **Ronald J. Duych**, **Joy Sharp**, **Julie Smith**, **Irwin Silberman**, **Promod Chandhok**, **Hossain Sanjani**, and **Scott Dennis**. **Felix Ammah-Tagoe** and **Adhi Dipo** of MacroSys Research and Technology assisted BTS in various aspects of the survey. **Frank Southworth**, **Shih-Miao Chin**, and **Bruce Peterson** of Oak Ridge National Laboratory, provided support to BTS staff in performing the mileage calculations for the survey.

Special acknowledgment is also due to the many businesses whose cooperation has contributed to the publication of these data.

EC02TCF-KY

2002 Economic Census

Transportation
2002 Commodity Flow Survey





U.S. Department of Transportation Norman Y. Mineta, Secretary

> Kirk K. Van Tine, Deputy Secretary

BUREAU OF TRANSPORTATION STATISTICS Rick Kowalewski, Deputy Director



U.S. Department of Commerce Donald L. Evans,

Secretary

Theodore W. Kassinger,Deputy Secretary

Economics and Statistics Administration Kathleen B. Cooper,

Under Secretary for Economic Affairs

U.S. CENSUS BUREAU Charles Louis Kincannon, Director



Economics and Statistics Administration Kathleen B. Cooper, **Under Secretary** for Economic Affairs



U.S. CENSUS BUREAU Charles Louis Kincannon,

Director

Hermann Habermann, Deputy Director and Chief Operating Officer

Vacant,

Principal Associate Director for Programs

Frederick T. Knickerbocker,

Associate Director for Economic Programs

Thomas L. Mesenbourg, **Assistant Director** for Economic Programs

Mark E. Wallace, Chief, Service Sector Statistics Division



BUREAU OF TRANSPORTATION STATISTICS

Rick Kowalewski,

Deputy Director

Mary J. Hutzler,

Associate Director for Statistical Programs

William J. Chang,

Associate Director for Information Systems

CONTENTS

	duction to the Economic Census	v ki
Tabl	es	
1a.	Shipment Characteristics by Mode of Transportation for State of Origin: 2002	1
1b.	Origin: 2002Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997	1
2.	Shipment Characteristics by Total Modal Activity for State of Origin: 2002	2
3.	Origin: 2002Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002	3
4.	Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002	6
5a.	Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002	9
5b.	Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997	10
6.	Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002	11
7.	Outbound Shipment Characteristics by State of Destination for State of Origin: 2002	26
8.	Inbound Shipment Characteristics by State of Origin for State of Destination: 2002	27
9.	Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997	30
10.	Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997	30
Appe	endixes	
A. B. C. D.	Comparability With the 1997 Commodity Flow Survey	A-1 B-1 C-1
υ.	Standard Classification of Transported Goods Code Information	D-1

Introduction to the Economic Census

PURPOSES AND USES OF THE ECONOMIC CENSUS

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in "2" and "7".

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the federal government use the data to monitor economic activity and to assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

BASIS OF REPORTING

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

AVAILABILITY OF ADDITIONAL DATA

All results of the 2002 Economic Census are available on the Census Bureau Internet site (www.census.gov) and on compact discs and digital versatile discs (CD-ROMs and DVD-ROMs) for sale by the Census Bureau. The American FactFinder system at the Web site allows selective retrieval and downloading of the data. For more information, including a description of reports being issued, see the Web site, write to the U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-763-4636.

HISTORICAL INFORMATION

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some service trades in 1933.

Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated, providing comparable census data across economic sectors and using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census report forms.

The range of industries covered in the economic censuses expanded between 1967 and 2002. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity. New for 2002 is coverage of four industries classified in the Agriculture, Forestry, and Fishing sector under the SIC system: landscape agricultural services, landscaping services, veterinary services, and pet care services.

Printed statistical reports from the 1997 and earlier censuses provide historical figures for the study of long-term time series and are available in some large libraries. CD-ROMs issued from the 1987, 1992, and 1997 Economic Censuses contain databases including all or nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

SOURCES FOR MORE INFORMATION

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the Guide to the 2002 Economic Census at www.census.gov/epcd/ec02/guide.html. More information on the methodology, procedures, and history of the censuses will be published in the History of the 2002 Economic Census at www.census.gov/econ/www/history.html.

2002 Commodity Flow Survey

GENERAL

The 2002 Commodity Flow Survey (CFS) is undertaken through a partnership between the U.S. Census Bureau, U.S. Department of Commerce, and the Bureau of Transportation Statistics (BTS), U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and select retail establishments. The data from the CFS are used by public policy analysts and for transportation planning and decision making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns. The CFS was last conducted in 1997.

This report contains background information on the 2002 Commodity Flow Survey and then presents detailed tabular results on shipment characteristics by mode of transportation, commodity, distance shipped, and shipment weight. In Appendix A, key characteristics of the 2002 CFS are compared to those of the 1993 and 1997 surveys. Appendix B focuses on the reliability of the estimates and discusses sampling and nonsampling errors. Tables containing estimates of sampling variability corresponding to each table on shipment characteristics are also included in Appendix B.

This report presents data at the state level. Additional reports will include data for the United States, census regions, divisions, and selected metropolitan areas, as well as selected data on exports and hazardous material shipments.

INDUSTRY COVERAGE

The 2002 CFS covers business establishments with paid employees that are located in the United States and are classified using the 1997 North American Industry Classification System (NAICS) in mining, manufacturing, wholesale trade, and select retail trade industries, namely, electronic shopping and mail-order houses. Establishments classified in services, transportation, construction, and most retail industries are excluded from the survey. Farms, fisheries, foreign establishments, and most government-owned establishments are also excluded.

The survey also covers auxiliary establishments (i.e., warehouses and managing offices) of multi-establishment companies, which have nonauxiliary establishments that are in-scope to the CFS or are classified in retail trade. The coverage of managing offices has been expanded in the 2002 CFS, compared to the 1997 CFS. For the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. A managing office was considered in-scope to the 1997 CFS only if it had sales or end-of-year inventories in the 1992 Census. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used in the determination of scope for managing offices in the 2002 CFS.

For the 1993 CFS and the 1997 CFS, establishments were classified based on the 1987 Standard Industrial Classification System (SIC). Though an attempt was made to maintain similar coverage between the 1997 CFS and the 2002 CFS, there were some changes in industry coverage due to the conversion from SIC to NAICS. Most notably, coverage of the logging industry changed from an in-scope Manufacturing SIC code (SIC 2411) to an out-of-scope Agriculture, Forestry, Fishing, and Hunting NAICS code (NAICS 1133). Also, coverage of the publishing industry changed from in-scope Manufacturing SIC codes (SIC 2711, 2721, 2731, 2741, and part of 2771) to out-of-scope Information NAICS codes (NAICS 5111 and 51223).

See Appendix A for a comparison between the 2002, 1997, and 1993 surveys. Also see Appendix C for a more detailed discussion on industry coverage and the sample design.

The NAICS industries covered in the 2002 CFS are listed in the following table:

NAICS code	Description
212	Mining (Except Oil and Gas)
311 312 313 314 315 316	Food Manufacturing Beverage and Tobacco Product Manufacturing Textile Mills Textile Product Mills Apparel Manufacturing Leather and Allied Product Manufacturing
321 322 323 324 325 326 327	Wood Product Manufacturing Paper Manufacturing Printing and Related Support Activities Petroleum and Coal Products Manufacturing Chemical Manufacturing Plastics and Rubber Products Manufacturing Nonmetallic Mineral Product Manufacturing
331 332 333 334 335 336 337 339	Primary Metal Manufacturing Fabricated Metal Product Manufacturing Machinery Manufacturing Computer and Electronic Product Manufacturing Electrical Equipment, Appliance, and Component Manufacturing Transportation Equipment Manufacturing Furniture and Related Product Manufacturing Miscellaneous Manufacturing
421 422	Wholesale Trade, Durable Goods Wholesale Trade, Nondurable Goods
4541	Electronic Shopping and Mail-Order Houses
49310	Warehousing and Storage
551114	Corporate, Subsidiary, and Regional Managing Offices

SHIPMENT COVERAGE

The CFS captures data on shipments originating from select types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the U.S. port, airport, or border crossing of exit from the U.S.

The "Industry Coverage" section of the text lists the NAICS groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture and government. For agriculture, specifically, this means that the CFS does not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators onward.

MILEAGE CALCULATIONS

To estimate the distance traveled by each freight shipment sampled for the 2002 Commodity Flow Survey, the BTS Mileage Calculation Team used routing algorithms and an integrated, intermodal transportation network developed and updated expressly for this purpose by the Oak Ridge

National Laboratory (ORNL). The BTS Team worked at a secure data site within the Census Bureau. Each record contained the ZIP Code shipment origin and destination, and the mode or modal sequence required by the routing algorithm for distance estimation. Each record also contained information on type of commodity moved, its weight, dollar value, and hazardous materials status. For export shipments, data on the U.S. port of exit were also identified, along with foreign destination city and country. Processing of shipment records began in the fall of 2002, with completion in October 2003.

One essential exercise was editing and imputing both absent and invalid geographic data elements, specifically origin and destination ZIP Codes, prior to estimating the distance traveled for each freight shipment. For this purpose, the BTS Mileage Calculation Team developed and maintained databases of domestic city/state names and foreign city/country names. The missing data elements, along with other related data problems found by the BTS Team, were either: (1) imputed because of high probability of accurate correction by the BTS Team, such as imputing a missing destination ZIP Code, given a destination city and state; or (2) reported back to the Census Bureau, allowing for call-backs to shippers for clarification/correction.

For a domestic shipment, the mileage is calculated between the center of the geographic area (centroid) of the U.S. origin ZIP Code and the centroid of the destination ZIP Code. The mileage for the shipments within a ZIP Code is calculated by means of a formula that approximates the longest distance within the boundaries of that ZIP Code. The mileage for an export shipment is calculated between a shipments centroid of U.S. origin ZIP Code and its foreign destination country (city in the case of Canada and Mexico), via a U.S. port of exit (POE), be it seaport, airport, or border crossing. However, only the portion of mileage that falls within the U.S. is included in the CFS estimates. That is to say, once the export reaches the POE, the POE is considered the final domestic destination, the domestic route is finished, and any following mileage is not counted from the POE. These mileages are computed using routing algorithms that find the minimum impedance path over mathematical representations of the U.S. and North American highway, railway and waterway networks, and a transglobal representation of U.S. originating air freight and deep-sea transport networks. Shipment mileages were estimated for each record by summing over the distances of links contained within each minimum impedance path. Impedance was computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of mode-specific subnetworks representing each of the major transportation modes, such as highway, railway, waterway, and airway (pipeline network was not available due to security reasons). The links of these networks represent linehaul transportation facilities. Network nodes represent intersections and interchanges, along with the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database to connect the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of links characterizing the highway network included speed impacting factors, such as the presence of a divided or undivided roadway, the degree of access control, the rural or urban setting, the number of lanes, the degree of urban congestion, and the length of the link. Link impedance measures were also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through a transfer facility. In the case of rail and air freight, intercarrier transfer penalties were also considered to obtain proper route selections. A shortest path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of

the local access plus line-haul links on this path provides the estimated distances used in CFS mileage computations. When rail and air freight were involved, these shipment distances were often averaged over more than one path between an origin-destination pair.

Mileage Data for Pipeline Shipments

For pipeline shipments, ton-miles and average miles per shipment are not shown in the tables. For most of these shipments, the respondents reported the shipment destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

For security purposes, there is no pipeline network available in the public domain with which to route petroleum-based products. Hence, any modal distance, either single or multi, involving pipeline was considered as solely pipeline mileage from origin ZIP to destination ZIP and calculated to equal great circle distance (GCD). Note: Great circle distance is defined as the shortest distance between two points on the earth's surface, taking into account the earth's curvature.

EXPLANATION OF TERMS

Value of shipments. The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

The total value of shipments, as measured by the CFS, and the U.S. gross domestic product (GDP) while similar in size provide different measures of economic activity in the United States and are not directly comparable. GDP is the value of all goods produced and services performed by labor and capital located in the United States. In 2002, the U.S. GDP was estimated at \$10.4 trillion (measured in current U.S. dollars). The value of shipments, as measured by the CFS, is the market value of goods shipped from manufacturing, mining, wholesale, and mail order retail establishments, as well as warehouses and managing offices of multiunit establishments.

Three important differences can be identified between GDP and value of shipments:

- 1. GDP captures goods produced by all establishments located in the United States, while the CFS measures goods shipped from a subset of all goods-producing establishments.
- 2. GDP measures the value of goods produced and of services performed. CFS measures the value of goods shipped.
- 3. GDP counts only the value-added at each step in the production of a product. CFS captures the value of shipments of materials used to produce or manufacture a product, as well as the value of shipments of the finished product itself. This means that the value of the materials used to produce a particular product contributes multiple times to the value.

Commodity. Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment's operation. Respondents reported the description and the five-digit Standard Classification of Transported Goods (SCTG) code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

Average miles per shipment. For the 1993 CFS, we excluded shipments of Standard Transportation Commodity Classification (STCC) 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term "shipment."

For the 1997 and 2002 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment estimates for 1997 and 2002.

Distance shipped. In Table 3, shipment data are presented for various "distance shipped" intervals. Shipments were categorized into these "distance shipped" intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., ton-miles and average miles per shipment) are based on the mileage calculations. (See the "Mileage Calculations" section for more details.)

Great circle distance. The shortest distance between two points on the surface of a sphere over the surface of that sphere.

Mode of transportation. The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

Mode Definitions

In the instructions to the respondent, we defined the possible modes as follows:

- 1. **Parcel delivery/courier/U.S. Postal Service.** Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
- 2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
- 3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
- 4. **Railroad.** Any common carrier or private railroad.
- 5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intra-coastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
- 6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
- 7. Pipeline. Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.
- 8. Air. Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
- 9. Other mode. Any mode not listed above.
- 10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

- 1. Air (includes truck and air). Shipments that used air or a combination of truck and air.
- 2. Single modes. Shipments using only one of the above-listed modes, except parcel or other and unknown.
- 3. **Multiple modes.** Shipments for which two or more of the following modes of transportation were used:

Private truck For-hire truck Rail Shallow draft vessel Deep draft vessel **Pipeline**

In addition, Parcel, U.S. Postal Service, or Courier shipments are considered multiple modes because this category includes all parcel shipments whether on the ground or via air tendered to a parcel or express carrier. In defining this mode, we did not combine these shipments with any other reported mode because by their nature, Parcel, U.S. Postal Service or Courier are already multimodal. For example, if the respondent reported a shipment's mode of transportation as "parcel" and "air," we treated the shipment as parcel only. Also in the CFS reports, the "Truck and Rail" and "Rail and Water" combinations included under "Multiple Modes" may not reflect all the movement of trailers or containers by rail and at least one other mode of transportation. Since the shipper may not always know the modal combinations used to transport the goods, some shipments moving by more than one mode may be reported as a single mode shipment. This may result in underestimation of multimodal shipments in the CFS.

- 4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
- 5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as "Other" or "Unknown."
- 6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
- 7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as "Other multiple modes." (Note: By definition, "shallow draft," "Great Lakes," and "deep draft" are mutually exclusive.)
- 8. **Great Lakes.** In the tables in this publication, "Great Lakes" appears as a single mode. ORNL's transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes.

Other Definitions and Terms

Shipment. A shipment is a single movement of goods, commodities, or products from an establishment to a single customer or to another establishment owned or operated by the same company as the originating establishment (e.g., a warehouse, distribution center, or retail or wholesale outlet). Full or partial truckloads are counted as a single shipment only if all commodities on the truck are destined for the same location. If a truck makes multiple deliveries on a route, the goods delivered at each stop are counted as one shipment. Interoffice memos, payroll checks, or business correspondence are not considered shipments. Shipments such as refuse, scrap paper, waste, or recyclable materials are not considered shipments unless the establishment is in the business of selling or providing these materials.

Standard Classification of Transported Goods (SCTG). The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized Commodity Description and Coding System (Harmonized System) to address statistical needs in regard to products transported. See Appendix D for more details.

Ton-miles. The shipment weight multiplied by the mileage traveled by the shipment. The respondents reported shipment weight in pounds. Aggregated pound-miles were converted to ton-miles. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States exclude any mileages through Canada (see the "Mileage Calculations" section for more details). For trucks making multiple stops, the ton-miles are calculated for each delivery, and each drop-off point is treated as a final destination. Ton-miles estimates are displayed in millions.

Tons shipped. The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). For freight shipped to distribution centers for subsequent reshipment, the tonnage is counted each time the goods are transported.

Total modal activity (Table 2 only). The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in the tables for this publication:

- Represents an estimate equal to zero or less than 1 unit of measure.
- D Denotes estimates withheld to avoid disclosing data of individual companies.
- S Estimate does not meet publication standards because of high sampling variability or poor response quality.
- CFS Commodity Flow Survey.
- lb Pounds.
- n.e.c. Not elsewhere classified.
- NA Not applicable.

OTHER TRANSPORTATION DATA

Users of transportation data may be especially interested in the following reports:

Vehicle Inventory and Use Survey covers state and U.S. level statistics on the physical and operational characteristics of the nation's truck, van, minivan, and sport utility vehicle population. Some of the types of data collected include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 2002 and 1997 for most characteristics.

Service Annual Survey covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected include operating revenue and operating revenue by source, percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the Web site or call Customer Services at 301-763-INFO (4636).

Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Value		Tons		Ton-miles ¹		
Mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Total	189 390	100.0	336 341	100.0	99 630	100.0	437
Single modes	169 254	89.4	300 080	89.2	95 842	96.2	214
Truck ² For-hire truck Private truck	157 473 106 083 51 199	83.1 56.0 27.0	159 849 88 049 71 721	47.5 26.2 21.3	28 648 23 055 5 585	28.8 23.1 5.6	189 482 88
Rail	6 955	3.7	106 722	31.7	55 166	55.4	521
Water Shallow draft Great Lakes Deep draft	S S -	88 -	32 887 32 887 - -	9.8 9.8 - -	11 999 11 999 —	12.0 12.0 - -	379 379 - -
Air (includes truck and air)	1 100 201	.6 .1	23 599	.2	26 S	s	1 189 S
Multiple modes	18 021	9.5	3 099	.9	3 234	3.2	700
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	16 979 465 S S S	9.0 .2 .5 .5 .5	443 1 329 S S S	.1 .4 S S	287 1 830 S S	.3 1.8 S S	699 1 798 2 338 706 S
Other and unknown modes	2 115	1.1	s	s	s	s	S

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 1b. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

Mode of transportation	Value (p	percent)	Tons (p	percent)	Ton-miles1 (percent)		
Mode of transportation	2002	1997	2002	1997	2002	1997	
Total	100.0	100.0	100.0	100.0	100.0	100.0	
Single modes	89.4	78.8	89.2	85.8	96.2	81.2	
Truck ² For-hire truck Private truck	83.1 56.0 27.0	71.3 47.7 23.4	47.5 26.2 21.3	47.5 29.9 17.5	28.8 23.1 5.6	16.9 13.5 3.3	
Rail	3.7	4.5	31.7	25.1	55.4	43.5	
Water Shallow draft Great Lakes Deep draft	S S - -	2.6 2.6 - -	9.8 9.8 – –	13.3 13.3 - -	12.0 12.0 —	20.7 20.7 – –	
Air (includes truck and air) Pipeline ³ .	.6 .1	.5 S	.2	- S	- S	- S	
Multiple modes	9.5	12.4	.9	5.2	3.2	17.2	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	9.0 .2 S S	4.1 7.8 .2 S S	.1 .4 S S S	\$.5 2.4 \$ \$.3 1.8 S S S	- 1.8 4.6 S S	
Other and unknown modes	1.1	8.7	s	9.0	s	1.7	

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Shipment Characteristics by Total Modal Activity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Ton-r		
Mode of transportation ¹	2002 (millions)	Percent	Average miles per shipment
Total	99 630	100.0	437
Truck Rail Shallow draft Great Lakes Deep draft	28 648 55 166 11 999 - -	28.8 55.4 12.0 –	189 521 379 – –
Air Parcel, U.S. Postal Service or courier Pipeline ³ Other and unknown modes	26 2 S S	- - S S	1 189 113 S S

¹Estimates represent activity for a given mode across single and multiple mode shipments. For example, "Truck" ton-miles includes total ton-miles for shipments moving only by truck plus ton-miles for truck segments of multiple mode shipments.
²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

³Estimates exclude shipments of crude petroleum (SCTG 16).

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Surve	Value			ons	Ton-miles ²		
Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	189 390	100.0	336 341	100.0	99 630	100.0	
Less than 50 miles	31 786 15 652 34 023 50 049 34 338	16.8 8.3 18.0 26.4 18.1	127 603 22 475 79 440 69 493 26 769	37.9 6.7 23.6 20.7 8.0	2 008 2 319 20 802 35 587 22 595	2.0 2.3 20.9 35.7 22.7	
750 to 999 miles . 1,000 to 1,499 miles . 1,500 to 1,999 miles . 2,000 miles or more .	10 673 3 479 8 003 1 386	5.6 1.8 4.2 .7	6 400 1 244 2 682 236	1.9 .4 .8 -	7 560 1 870 6 314 575	7.6 1.9 6.3 .6	
Single modes	169 254	100.0	300 080	100.0	95 842	100.0	
Less than 50 miles	29 888 13 707 30 810 44 837 30 438	17.7 8.1 18.2 26.5 18.0	94 991 22 208 78 993 69 071 25 543	31.7 7.4 26.3 23.0 8.5	1 719 2 294 20 668 35 346 21 478	1.8 2.4 21.6 36.9 22.4	
750 to 999 miles	8 670 2 834 6 893 1 178	5.1 1.7 4.1 .7	5 303 1 211 2 532 229	1.8 .4 .8 -	6 001 1 826 5 956 553	6.3 1.9 6.2 .6	
Truck ³	157 473	100.0	159 849	100.0	28 648	100.0	
Less than 50 miles	28 986 13 405 26 813 42 103 28 115	18.4 8.5 17.0 26.7 17.9	89 964 15 756 20 252 22 044 7 125	56.3 9.9 12.7 13.8 4.5	1 620 1 466 4 062 9 424 5 172	5.7 5.1 14.2 32.9 18.1	
750 to 999 miles . 1,000 to 1,499 miles . 1,500 to 1,999 miles . 2,000 miles or more .	7 882 2 664 6 372 1 133	5.0 1.7 4.0 .7	2 281 784 1 416 227	1.4 .5 .9	2 236 1 093 3 028 548	7.8 3.8 10.6 1.9	
For-hire truck	106 083	100.0	88 049	100.0	23 055	100.0	
Less than 50 miles	11 947 4 885 17 027 31 919 24 832	11.3 4.6 16.1 30.1 23.4	38 278 8 831 11 306 18 723 6 531	43.5 10.0 12.8 21.3 7.4	691 813 2 282 8 114 4 719	3.0 3.5 9.9 35.2 20.5	
750 to 999 miles	S 2 382 4 876 690	\$ 2.2 4.6 .7	2 129 697 1 351 202	2.4 .8 1.5 .2	2 082 975 2 893 487	9.0 4.2 12.5 2.1	
Private truck	51 199	100.0	71 721	100.0	5 585	100.0	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	17 037 8 494 9 681 S S	33.3 16.6 18.9 S	51 629 6 917 8 937 3 319 592	72.0 9.6 12.5 4.6 .8	929 652 1 779 1 309 452	16.6 11.7 31.8 23.4 8.1	
750 to 999 miles . 1,000 to 1,499 miles . 1,500 to 1,999 miles . 2,000 miles or more .	355 257 S S	.7 .5 S S	152 85 65 S	.2 .1 - S	153 114 135 S	2.7 2.0 2.4 S	
Rail	6 955	100.0	106 722	100.0	55 166	100.0	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	121 241 1 826 2 468 1 544	1.7 3.5 26.3 35.5 22.2	S S 37 559 45 492 12 922	\$ \$ 35.2 42.6 12.1	\$ 8 11 831 24 819 11 016	\$ \$ 21.4 45.0 20.0	
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	295 S 407 S	4.2 S 5.9 S	5555	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$	9999	
Water	S	S	32 887	100.0	11 999	100.0	
Less than 50 miles	S S S S 627	\$ \$ \$ \$ 17.8	S S 21 182 S 5 491	\$ 64.4 \$ 16.7	76 S 4 775 S 5 286	.6 S 39.8 S 44.0	
750 to 999 miles	\$ \$ - -	\$ \$ -	S S -	S S -	S S	S S	
Shallow draft	s	s	32 887	100.0	11 999	100.0	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	\$ \$ \$ \$ 627	\$ \$ \$ \$ 17.8	S S 21 182 S 5 491	\$ 64.4 \$ 16.7	76 S 4 775 S 5 286	.6 S 39.8 S 44.0	
750 to 999 miles . 1,000 to 1,499 miles . 1,500 to 1,999 miles . 2,000 miles or more .	S S -	\$ \$ - -	S S -	S S	\$ \$ -	S S - -	

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commodity flow ourve	Value		To	ons	Ton-miles ²		
Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Single modes—Con.							
Great Lakes	_	_	_	_	_	_	
Less than 50 miles	-	-	-	_	-	-	
50 to 99 miles	-	-	_ _		_		
250 to 499 miles	-	-	_	_		_ _	
750 to 999 miles	_	_	_	_	_	=	
1,000 to 1,499 miles 1,500 to 1,999 miles	-	-	_ _	_	_	-	
2,000 miles or more	=	=	=	=	_	Ξ	
Deep draft	-	-	_	_	_	-	
Less than 50 miles	-	-	-	_	-	-	
50 to 99 miles	-	-	_ _		_		
250 to 499 miles						_ _	
750 to 999 miles	_	_	_	_	_	_	
1,000 to 1,499 miles 1,500 to 1,999 miles				_		_ _	
2,000 miles or more	-	-	-	-	-	-	
Air (includes truck and air)	1 100	100.0	23	100.0	26	100.0	
Less than 50 miles	- S	- S	_ S	_ S	_ S	- S	
100 to 249 miles	8	.7	-	.8	- 4	.3	
250 to 499 miles	254 152	23.1 13.8	9 5	39.1 22.4	4	14.8 16.6	
750 to 999 miles	S	S	S	S	S	S	
1,000 to 1,499 miles 1,500 to 1,999 miles	S 113	S 10.3	S 3	S 14.2	S 7	S 28.2	
2,000 miles or more	S	S	1	4.8	4	16.7	
Pipeline ⁴	201	100.0	599	100.0	S	s	
Less than 50 miles	198	98.7	599	100.0	S	S	
100 to 249 miles	S	S	S S	S S	SS	\$ \$ \$ \$	
250 to 499 miles	-	-	-	-	S	S	
750 to 999 miles	-	-	-	_	S	S	
1,000 to 1,499 miles					S	S S S	
2,000 miles or more	18 021	100.0	3 099	100.0	S 3 234	S 100.0	
Multiple modes	1 042	5.8	3 099 S	S S	3 234	100.0	
50 to 99 miles	1 610	8.9	42	1.4	110	.1	
100 to 249 miles	2 975 4 950	16.5 27.5	324 361	10.5 11.6	216	3.4 6.7	
500 to 749 miles	3 659	20.3	S	S	S	S	
750 to 999 miles	1 862 631	10.3 3.5	S 19	S .6	S 26	S .8	
1,500 to 1,999 miles	1 086 205	6.0 1.1	129 7	4.2	315 19	9.7 .6	
Parcel, U.S. Postal Service or courier	16 979	100.0	443	100.0	287	100.0	
Less than 50 miles	1 042	6.1	29	6.5	1	.2	
50 to 99 miles	1 610	9.5	42	9.5	4	1.4	
100 to 249 miles	2 833 4 915	16.7 28.9	64 113	14.5 25.5	14 50	4.7 17.5	
500 to 749 miles	3 493	20.6	104	23.6	78	27.0	
750 to 999 miles	1 370 618	8.1 3.6	37 17	8.3 3.7	37 22	12.8 7.8	
1,500 to 1,999 miles	897 202	5.3 1.2	31 7	6.9 1.5	66 16	23.0 5.5	
Truck and rail	465	100.0	1 329	100.0	1 830	100.0	
Less than 50 miles	400	100.0	1 023	-	1 000	100.0	
50 to 99 miles	_	- 07.1	-	_	_	-	
100 to 249 miles	126 S	27.1 S	S S S	S S S	S	S S S	
500 to 749 miles	81	17.4			S		
750 to 999 miles	S	S	S S	S	S	S S	
1,500 to 1,999 miles 2,000 miles or more	189	40.8	98	7.4	249	13.6	
Truck and water	s	s	s	s	s	s	
Less than 50 miles	-	-	_	_	_	-	
50 to 99 miles	S	S	_ S	S	S	S	
250 to 499 miles	S	S	S S	S	S	S S S	
750 to 999 miles	S	S	S	s	S	S	
1,000 to 1,499 miles 1,500 to 1,999 miles	-					-	
2,000 miles or more	S	S	s	S		S	

Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and distance shipped ¹	Value		To	ns	Ton-miles ²		
(based on Great Circle Distance)	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Multiple modes—Con.							
Rail and water	s	s	s	s	s	s	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	ssss	ssss	888	888	ssss	- - - - - - - - - - - - - - - -	
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	- - -	- - -	- -	- - -	- - -	- - - -	
Other multiple modes	s	s	s	s	s	s	
Less than 50 miles	\$ - \$ -	\$ - \$ -	\$ - \$ -	\$ - \$ -	\$ - \$ -	\$ - \$ -	
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	- - -	- - -	- - -	- - -	- - -	- - - -	
Other and unknown modes	2 115	100.0	s	s	s	s	
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	856 S 238 262 241	40.5 S 11.3 12.4 11.4	S 225 122 61 S	S .7 .4 .2 S	S 21 24 25 S	S 3.8 4.4 4.5 S	
750 to 999 miles	\$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$	9999	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$	S S S S	

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Shipments are grouped into distance categories based on Great Circle Distance (GCD). GCD is the shortest distance between 2 points on the surface of a sphere over the surface of that

²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ⁴Estimates for pipeline exclude shipments of crude petroleum.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey. Because of	Value			Tons		Ton-miles ¹	
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Total	189 390	100.0	336 341	100.0	99 630	100.0	437
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	16 018 4 315 16 132 4 508 2 499	8.5 2.3 8.5 2.4 1.3	325 236 1 284 597 603	.1 - .4 .2 .2	162 56 330 128 123	.2 - .3 .1 .1	562 251 252 220 199
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	41 152 80 781 S 11 168	21.7 42.7 S 5.9	14 097 86 585 40 523 192 090	4.2 25.7 12.0 57.1	3 528 19 236 S 71 047	3.5 19.3 S 71.3	244 246 105 327
Single modes	169 254	100.0	300 080	100.0	95 842	100.0	214
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	4 132 2 500 13 055 3 978 2 454	2.4 1.5 7.7 2.4 1.4	108 164 1 114 571 595	- .4 .2 .2	25 14 234 114 120	- .2 .1 .1	249 90 193 204 196
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	40 166 79 459 S 10 738	23.7 46.9 S 6.3	13 806 85 604 40 176 157 941	4.6 28.5 13.4 52.6	3 395 18 702 S 68 233	3.5 19.5 S 71.2	238 240 106 326
Truck ² Less than 50 lb	157 473 3 745	100.0 2.4	159 849	100.0	28 648	100.0	189 185
50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	2 366 12 965 3 942 2 435	1.5 8.2 2.5 1.5	162 1 110 569 594	.1 .7 .4 .4	13 228 112 118	.8 .4 .4	83 186 203 194
1,000 to 9,999 lb. 10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	39 477 77 863 S 2 053	25.1 49.4 S 1.3	13 758 85 101 39 492 18 960	8.6 53.2 24.7 11.9	3 354 18 256 S 1 830	11.7 63.7 S 6.4	235 237 102 125
For-hire truck	106 083	100.0	88 049	100.0	23 055	100.0	482
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	518 568 3 922 1 714 1 533	.5 .5 3.7 1.6 1.4	10 16 293 175 160	- .3 .2 .2	5 9 173 86 84	- .8 .4 .4	675 516 594 492 521
1,000 to 9,999 lb. 10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	29 030 63 386 3 606 S	27.4 59.8 3.4 S	5 545 47 302 26 028 8 519	6.3 53.7 29.6 9.7	2 762 14 913 S 1 290	12.0 64.7 S 5.6	512 353 124 172
Private truck	51 199	100.0	71 721	100.0	5 585	100.0	88
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	3 224 S S S 901	6.3 S S S 1.8	93 146 812 393 434	.1 .2 1.1 .5 .6	\$ 4 50 27 34	S - .9 .5 .6	129 30 59 69 78
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	10 437 14 372 S 247	20.4 28.1 S .5	8 211 37 750 13 441 10 441	11.4 52.6 18.7 14.6	593 3 341 985 539	10.6 59.8 17.6 9.7	75 93 68 S
Rail	6 955	100.0	106 722	100.0	55 166	100.0	521
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	50000	S S S S S	\$ \$ \$ \$ \$	S S S S S	\$ \$ \$ \$	S S S S S S	22 432 419 294 1 423
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	237 1 591 145 4 962	3.4 22.9 2.1 71.3	42 S 684 105 496	- S .6 98.9	33 444 S 54 402	- .8 S 98.6	760 921 406 442
Water Less than 50 lb	S	S	32 887	100.0	11 999	100.0	379
Less trait 30 lb. 50 to 99 lb. 100 to 499 lb. 500 to 749 lb. 750 to 999 lb.	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S - S	- S - S	- S - 32 886	- S - 100.0	- S - 11 999	- S - 100.0	1 539 - 378
Shallow draft	s	s	32 887	100.0	11 999	100.0	379
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb	_ _ _ _	- - -	_ _ _	- - - -	- - -	- - - -	_ _ _
750 to 999 lb 1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S - S	- S - S	- S - 32 886	- S - 100.0	- S - 11 999	- S - 100.0	1 539 378

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey. Because of	Valu		To	ons	Ton-r	miles ¹	
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Single modes—Con.							
Great Lakes	_	-	-	_	-	_	-
Less than 50 lb	-	-	<u> </u>	_	-	_	-
100 to 499 lb		_	_	_	_	_	_
500 to 749 lb		_ _	_		_		_ _
1,000 to 9,999 lb	_	_	_	_	_	_	_
10,000 to 49,999 lb		_	_ _	_	_		_ _
100,000 lb or more	-	-	_	-	_	_	-
Deep draft	-	-	_	_	_	_	_
Less than 50 lb		_	_ _	_	_	_	_
100 to 499 lb	-		<u> </u>	=	_	_	_
500 to 749 lb		_				_	
1,000 to 9,999 lb	_	-	-	_	-	_	-
10,000 to 49,999 lb		-	_ _	_ _	_	_	_
100,000 lb or more	-	-	_	_	_	_	_
Air (includes truck and air)	1 100	100.0	23	100.0	26	100.0	1 189
Less than 50 lb	385 133	35.0 12.1	6 2	25.2 8.9	8	31.5 4.9	1 213 613
100 to 499 lb	89 S	8.1 S	4	18.8	6 S	23.2 S	1 476 686
750 to 999 lb	Š	Š	S S	S S	Š	Š	2 543
1,000 to 9,999 lb	S S	S	5 S	23.7 S	S S	S S	1 480 328
50,000 to 99,999 lb	_	-	-	-	_	_	-
100,000 lb or more	201				- s	s	s
Pipeline ³	S S	100.0 S	599 S	100.0 S	s	S	
50 to 99 lb	-	3 -	-	-	S	S	S
100 to 499 lb		_	_	_	S S S	S S	S S S S S
750 to 999 lb	-	-	-	_		S	
1,000 to 9,999 lb		_			S S S	S S	S S
50,000 to 99,999 lb	198	98.7	_ 599	100.0	S S	S S	\$ \$ \$ \$
Multiple modes	18 021	100.0	3 099	100.0	3 234	100.0	700
Less than 50 lb	11 748	65.2	210	6.8	137	4.2	704
50 to 99 lb	1 778 2 968	9.9 16.5	65 143	2.1 4.6	42 94	1.3 2.9	644 652
500 to 749 lb	457 33	2.5 .2	20	.6 .2	14	.4	715 587
1,000 to 9,999 lb	S	S	s	S	S	s	1 628
10,000 to 49,999 lb	S	S	272	8.8	443	13.7	1 684
50,000 to 99,999 lb	130	S .7	2 380	76.8	S 2 494	77.1	2 636 738
Parcel, U.S. Postal Service or courier	16 979	100.0	443	100.0	287	100.0	699
Less than 50 lb	11 748	69.2	210	47.4	137	47.8	704
50 to 99 lb	1 778 2 965	10.5 17.5	65 143	14.7 32.3	41 92	14.4 31.9	644 643
500 to 749 lb	456 32	2.7 .2	20 6	4.4 1.3	14 3	4.9 1.0	714 523
1,000 to 9,999 lb	_		_	_	_	1.0	-
10,000 to 49,999 lb	_	=	_ _ _	_	_	=	_
50,000 to 99,999 lb		_	=	_	_	=	=
Truck and rail	465	100.0	1 329	100.0	1 830	100.0	1 798
Less than 50 lb	_	_	-	_	_	_	_
50 to 99 lb		_ _			_	_	_
500 to 749 lb	_ S	_ S	- S	_ S	- S	_ S	2 626
1,000 to 9,999 lb	s	S	S	S	S	S	1 551
10,000 to 49,999 lb	350 S	75.3 S	127 S	9.6 S	263 S	14.4 S	2 054 2 636
100,000 lb or more	80	17.3	1 198	90.2	S	S	780
Truck and water	s	s	s	s	s	s	2 338
Less than 50 lb	- S	- S	S	_ S	- S	- S	4 671
100 to 499 lb	S	S	S S S	S	S	S	7 644 1 944
750 to 999 lb	-	-	-	-	-	_	-
1,000 to 9,999 lb	S	S	S S	S	S	S	3 706
10,000 to 49,999 lb. 50,000 to 99,999 lb.	S -	S -	_	_	S -	S -	1 657
100,000 lb or more	l s	S	S	S	S	l s	340

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Valu	ie	То	ns	Ton-r	niles ¹	
Mode of transportation and shipment weight	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
Multiple modes — Con.							
Rail and water	s	s	s	s	s	s	706
Less than 50 lb		<u> </u>	<u> </u>	<u>-</u>	_ _	_ _	<u> </u>
100 to 499 lb 500 to 749 lb 750 to 999 lb	- - -	- - -	- - -	- - -	- - -	- - -	- - -
1,000 to 9,999 lb	-	-	-	-	-	-	_
50,000 to 99,999 lb. 100,000 lb or more	- S	- S	- S	s	- S	- S	706
Other multiple modes	s	s	s	s	s	s	s
Less than 50 lb		- 88 - -	- 88 - -	- 88 - -	- S S - -	- 8 8 - -	- 1 1 - -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	\$ \$ - \$	S S - S	S S - S	S S - S	S S - S	S S - S	8 5 — 1 082
Other and unknown modes	2 115	100.0	s	s	s	s	s
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	138 37 109 S 12	6.5 1.8 5.2 S .6	7 7 26 6 2	- - - -	- 1 - -	- - .2 - -	S S 41 29 S
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	953 S S S	45.0 S S S	288 709 347 S	.9 2.1 1.0 S	S 92 S S	S 16.5 S S	502 S S S

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG		Valu	ıe	То	ns	Ton-r	niles ¹	
code	Commodity description	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
	Total ²	189 390	100.0	336 341	100.0	99 630	100.0	437
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	S S 1 024 82 1 662	S S 5 - 9	\$ \$ 1 109 \$ 743	8 8 3 8 2 2	\$ \$ \$ \$ 220	S S S S 2	323 596 316 S S
06 07 08 09 10	Milled grain products and preparations, and bakery products Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	3 025 4 110 1 197 S S	1.6 2.2 .6 S	\$ 5 747 408 28 \$	S 1.7 .1 - S	607 2 214 231 10 S	.6 2.2 .2 - S	216 179 S 338 47
11 12 13 14 15	Natural sands Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	28 266 S S 3 419	- .1 S S 1.8	5 615 47 667 S S 148 013	1.7 14.2 S S 44.0	132 4 775 S S 52 095	.1 4.8 S S 52.3	22 31 120 457 200
17 18 19 20 21	Gasoline and aviation turbine fuel. Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	4 418 1 980 3 920 3 314 7 498	2.3 1.0 2.1 1.7 4.0	S 8 514 23 345 4 070 S	S 2.5 6.9 1.2 S	S 187 S 1 160 S	\$.2 \$ 1.2 \$	13 S S S S 359
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	S 5 767 6 711 S 1 944	\$ 3.0 3.5 \$ 1.0	\$ 2 900 3 625 122 5 227	S .9 1.1 - 1.6	S 1 511 1 803 18 1 363	S 1.5 1.8 - 1.4	119 584 519 80 131
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	2 432 1 708 2 529 10 758 S	1.3 .9 1.3 5.7 S	3 821 1 114 676 558 13 530	1.1 .3 .2 .2 4.0	2 143 879 351 354 S	2.2 .9 .4 .4 .5	592 522 900 764 399
32 33 34 35	Base metal in primary or semifinished forms and in finished basic shapes. Articles of base metal Machinery Electronic and other electrical equipment and components and office equipment	8 134 3 415 S	4.3 1.8 S	7 287 1 450 S	2.2 .4 S	3 149 664 S	3.2 .7 S	317 S 481 475
36	Motorized and other vehicles (including parts)	27 238	14.4	6 044	1.8	2 053	2.1	599
37 38 39	Transportation equipment, n.e.c. Precision instruments and apparatus	SS	S S	SS	SS	SS	S	626 783
40 41 43 	illuminated signs Miscellaneous manufactured products Waste and scrap Mixed freight Commodity unknown	695 3 531 S 13 929 261	.4 1.9 S 7.4 .1	368 857 877 5 671 S	.1 .3 .3 1.7 S	160 S 334 1 025 23	.2 S .3 1.0	287 599 545 525 S

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of **Total for 2002 and 1997**

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

SCTG		Value (p	percent)	Tons (p	ercent)	Ton-miles ¹ (percent)		
code	Commodity description	2002	1997	2002	1997	2002	1997	
	Total ²	100.0	100.0	100.0	100.0	100.0	100.0	
01 02 03 04 05	Live animals and live fish. Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	\$.5 - .9	- .5 .9 S 1.2	\$ \$.3 \$.2	1.6 .7 .6	9999 999	S 3.4 S .1 .2	
06 07 08 09 10	Milled grain products and preparations, and bakery products. Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	1.6 2.2 .6 S	1.0 4.7 1.3 4.3 S	S 1.7 .1 - S	.3 1.8 .3 – S	.6 2.2 .2 - S	.4 2.6 .3 .1 S	
11 12 13 14 15	Natural sands. Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	- .1 S S 1.8	- .3 - S 3.6	1.7 14.2 S S 44.0	3.3 15.3 S S 52.9	.1 4.8 S S 52.3	2.3 5.1 S S 58.4	
17 18 19 20 21	Gasoline and aviation turbine fuel Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	2.3 1.0 2.1 1.7 4.0	2.9 1.6 .8 1.9 1.9	S 2.5 6.9 1.2 S	4.1 2.7 .8 .9	\$.2 \$ 1.2 \$	1.8 S .5 1.5	
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	\$ 3.0 3.5 \$ 1.0	.1 2.2 3.5 — 1.4	\$.9 1.1 - 1.6	.2 .4 .5 S 1.2	S 1.5 1.8 - 1.4	- .6 .7 - .8	
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	1.3 .9 1.3 5.7 S	1.0 1.0 1.6 3.4 1.6	1.1 .3 .2 .2 4.0	.5 .2 .3 .1 4.4	2.2 .9 .4 .4	1.0 .4 .5 .2 1.4	
32 33 34 35 36	Base metal in primary or semifinished forms and in finished basic shapes Articles of base metal Machinery. Electronic and other electrical equipment and components and office equipment. Motorized and other vehicles (including parts)	4.3 1.8 S 6.2 14.4	5.3 2.3 5.4 6.4 30.0	2.2 .4 \$.3 1.8	1.6 .4 .2 .3 1.3	3.2 .7 S .9 2.1	2.7 1.1 .5 .6 2.6	
37 38 39 40 41 43	Transportation equipment, n.e.c Precision instruments and apparatus Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs Miscellaneous manufactured products Waste and scrap Mixed freight	S S .4 1.9 S 7.4	.5 .3 .6 3.5 .4 1.1	.1 .3 .3	- S - .5 .8 .3	\$\$.2 \$3 1.0	- - .7 S .1 S	

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	I	,, ,					
	Valu	ue	То	ns	Ton-r	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
ALL COMMODITIES	, ,				. ,		
Total ²	189 390	100.0	336 341	100.0	99 630	100.0	437
Single modes	169 254	89.4	300 080	89.2	95 842	96.2	214
Truck ³	157 473	83.1	159 849	47.5	28 648	28.8	189
For-hire truck Private truck	106 083 51 199	56.0 27.0	88 049 71 721	26.2 21.3	23 055 5 585	23.1 5.6	482 88
Rail	6 955	3.7	106 722	31.7	55 166	55.4	521
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	S S - -	32 887 32 887 - -	9.8 9.8 —	11 999 11 999 — —	12.0 12.0 - -	379 379 — —
Air (includes truck and air)	1 100 201	.6 .1	23 599		26 S	_ S	1 189 S
Multiple modes	18 021	9.5	3 099	.9	3 234	3.2	700
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	16 979 465 S S S	9.0 .2 S S	443 1 329 S S S	.1 .4 S S	287 1 830 S S S	.3 1.8 S S	699 1 798 2 338 706 S
Other and unknown modes	2 115	1.1	s	s	s	s	s
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	s	s	s	s	s	s	323
Single modes	s	s	s	s	s	s	323
Truck ³ For-hire truck Private truck	S - S	\$ - \$	S - S	S - S	S - S	S - S	323 - 323
Rail	_	-	-	_	-	-	_
Water		_	_ _	_ _	_ _	_ _	_ _
Great Lakes Deep draft		_ _	- -		- -	- -	_ _
Air (includes truck and air)Pipeline ⁴		_ _	_ _	_ _	- S	- S	_ S
Multiple modes	-	-	-	_	-	-	_
Parcel, U.S. Postal Service or courier	_	-	-	_ _	-	_	_
Truck and rail	_	-	-	_ _ _	-		=
Other multiple modes	_	-	_	_	-	_	Ξ.
Other and unknown modes	-	-	-	_	-	-	_
SCTG 02, CEREAL GRAINS							
Total	s	s	s	s	s	s	596
Single modes	s	s	S	s	s	s	596
Truck ³	\$ - \$	\$ - \$	S - S	\$ - \$	S - S	S - S	24 - 24
Rail	-	-	-	-	-	-	_
Water Shallow draft	S	S	S	S S	S	S	967 967
Great Lakes Deep draft		- -	- -	- -	- -	- -	_ _ _
Air (includes truck and air)Pipeline ⁴		_		_ _	- S	- S	- S
Multiple modes	-	-	-	_	-	-	_
Parcel, U.S. Postal Service or courier	_	_ _	<u>-</u>	_ 	-	_ 	<u>-</u>
Truck and water Rail and water Other multiple modes	- - - -	- - -	- - - -	_ _ _ _	_ _ _ _	- - - -	- - -
Other and unknown modes	_	_	_	_	_	_	_

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commodity flow ourvey.	Value		Tons		Ton-miles ¹		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 03, OTHER AGRICULTURAL PRODUCTS							
Total	1 024	100.0	1 109	100.0	s	s	316
Single modes	875	85.5	1 044	94.1	s	s	135
Truck ³	S S S	\$ \$ \$	307 S S	27.6 S S	S S S	S S S	99 750 42
Rail	-	-	-	-	-	-	-
Water	S S - -	S S - -	S S -	S S - -	S S -	S S -	284 284 - -
Air (includes truck and air)	S _	S -	S -	S -	S S	SS	2 418 S
Multiple modes	s	s	s	s	s	s	935
Parcel, U.S. Postal Service or courier	S	S - - -	S	S - - - -	S - - -	S - - - -	935 - - - -
Other and unknown modes	s	s	s	s	s	s	587
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.							
Total	82	100.0	s	s	s	s	s
Single modes	82	100.0	s	s	s	s	s
Truck ³ For-hire truck Private truck	\$ \$ \$	S S S	S S S	S S S	S S S	\$ \$ \$	S S 66
Rail	20	23.7	9	1.3	9	6.5	959
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - -	_ _ _ _	- - -	- - - -	- - - -
Air (includes truck and air)	-	-	-	_ 	_ S	_ _ S	_ S
Multiple modes	_	_	_	_	-	_	_
Parcel, U.S. Postal Service or courier	- - - - -	- - -	- - - -	- - - - -	- - - -	- - - -	- - - -
Other and unknown modes	-	-	-	-	-	_	-
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS							
Total	1 662	100.0	743	100.0	220	100.0	s
Single modes	1 636	98.4	739	99.5	218	99.0	s
Truck ³ For-hire truck Private truck	1 636 648 988	98.4 39.0 59.4	739 291 448	99.5 39.1 60.3	218 152 67	99.0 68.8 30.2	S 576 S
Rail	_	-	=	_	=	=	=
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -		- - - -	- - - -
Air (includes truck and air)	S -	S -	S -	S -	SS	S	983 S
Multiple modes	s	s	s	s	s	s	768
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	S	S - - -	S - -	S - - -	S - -	S	768 - - -
Other and unknown modes	_	-	-	-	-	-	-
Other and unknown modes	l sl	s l	S	l s	S	S	S

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commonly Flow Survey.	Value		To	ns	Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	3 025	100.0	s	s	607	100.0	216
Single modes	3 025	100.0	s	s	607	100.0	216
Truck ³	3 025 1 416 S	100.0 46.8 S	S 650 S	S 35.8 S	607 410 S	100.0 67.6 S	216 648 152
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - -	- - -	- - -	- - -
Air (includes truck and air)		-	_	_	_ S	_ S	_ S
Multiple modes	_	_	-	_	-	-	-
Parcel, U.S. Postal Service or courier	_	_	_	_ _	_	_	_
Truck and water Rail and water		=	=	=	_ 	_	=
Other multiple modes	-	-	-	-	_	-	_
Other and unknown modes	s	s	s	s	S	s	6
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	4 110	100.0	5 747	100.0	2 214	100.0	179
Single modes	4 041	98.3	5 685	98.9	2 178	98.4	152
Truck ³ For-hire truck Private truck	3 796 2 105 1 690	92.3 51.2 41.1	4 731 2 187 2 543	82.3 38.1 44.3	1 318 1 029 289	59.5 46.5 13.0	149 522 S
Rail	s	s	s	S	S	s	689
Water Shallow draft Great Lakes Deep draft	S S -	\$ \$ - -	S S -	S S -	S S -	S S -	976 976 –
Air (includes truck and air)	S _	S -	S -	S -	S S	SSS	911 S
Multiple modes	s	s	s	s	s	s	992
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	\$ \$ \$ -	\$ \$ \$ -	S S S	S S S	S S S	S S S	504 569 7 562
Other multiple modes	s	s	s	s	s	s	617
SCTG 08, ALCOHOLIC BEVERAGES							
Total	1 197	100.0	408	100.0	231	100.0	s
Single modes	1 138	95.0	388	95.1	200	86.6	s
Truck ³	1 079 935 S	90.1 78.1 S	374 237 S	91.8 58.3 S	170 165 S	73.3 71.4 S	\$ 753 \$
Rail	S	s	s	S	S	s	2 086
Water	_ _ _	- - -	- - -	- - - -	- - -	- - -	- - -
Deep draft Air (includes truck and air)	S	S	- S -	S	S S	S	709 S
Multiple modes	s	s	s	s	s	s	1 297
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	S S S	\$ \$ \$ -	S S S	S S S	S S S	9 9 9 9	732 1 497 4 750
Other multiple modes	-	-	-	_	_	_	_ _
Other and unknown modes	s	s	s	S	s	s	2 313

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

		3,,					
	Va	lue	То	ns	Ton-r	miles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 09, TOBACCO PRODUCTS							
Total	s	s	28	100.0	10	100.0	338
Single modes	s	s	28	99.9	10	100.0	339
Truck ³ For-hire truck Private truck	S 324 S	S 46.5 S	28 25 S	99.9 88.9 S	10 9 S	100.0 95.3 S	339 455 113
Rail	_	_	_	_	-	_	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)		_	_	_	_ S	_ _ s	_ _ s
Multiple modes	s	s	s	s	s	s	27
Parcel, U.S. Postal Service or courier	S	S - -	S	S - -	S - -	S - -	27 - -
Rail and water Other multiple modes			=				
Other and unknown modes	_	_	_	_	-	_	_
SCTG 10, MONUMENTAL OR BUILDING STONE							
Total	s	S	S	S	S	S	47
Single modes	S	s	S	S	s	S	47
Truck ³ . For-hire truck. Private truck.	S S S	S S S	S S S	S S S	S S S	S S S	47 55 27
Rail	-	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	_ _ _ _	_ _ _ _	_ _ _ _	- - -	_ _ _ _	- - - -
Air (includes truck and air)	_ _	_ _	_ _ _	_ _	_ S	_ S	_ S
Multiple modes	-	-	_	_	-	_	_
Parcel, U.S. Postal Service or courier	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - -
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	_	_	_	_	-	_	_
SCTG 11, NATURAL SANDS Total	28	100.0	5 615	100.0	132	100.0	22
Single modes	27	95.2	5 371	95.7	131	99.3	23
Truck ³ For-hire truck	27 4 22	95.2 16.0 78.3	5 371 854 4 464	95.7 15.2 79.5	131 S 111	99.3 S 84.2	23 23 24
Rail	_	_	_	_	-	_	_
Water	_	-	_	_	-	_	_
Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - -	- -	- - -	_ _ _
Air (includes truck and air)	=		_		- S	- S	s
Multiple modes	-	-	-	-	-	-	_
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Other and unknown modes	s	s	s	s	s	s	4

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

, , , , , , , , , , , , , , , , ,		3,					
	Va	lue	То	ins	Ton-r	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	266	100.0	47 667	100.0	4 775	100.0	31
Single modes	263	98.9	47 154	98.9	4 735	99.2	31
Truck ³ For-hire truck Private truck	214 75 139	80.4 28.2 52.1	37 292 12 392 24 897	78.2 26.0 52.2	1 092 355 736	22.9 7.4 15.4	29 25 30
Rail	7	2.6	S	s	S	S	419
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	S S	\$ \$ -	\$ \$ - -	\$ \$ - -	8 8 1	362 362 - -
Air (includes truck and air)Pipeline ⁴	_ _		- -	_ _	- S	- S	- S
Multiple modes	s	s	s	s	s	s	140
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- S - - S	- S - S	- S - S	- S - - S	- S - - S	- s s	466 - - 5
Other and unknown modes	3	1.0	423	.9	s	s	20
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	s	s	s	s	s	s	120
Single modes	s	s	s	s	s	s	s
Truck ³ For-hire truck Private truck	S S S	\$ \$ \$	S S S	S S S	S S S	\$ \$ \$	S S 72
Rail	s	s	s	s	S	s	645
Water Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - - -	- - -	- - -	- - -
Air (includes truck and air)Pipeline ⁴	S -	S -	S -	S -	S S	S	813 S
Multiple modes	s	s	s	s	s	s	751
Parcel, U.S. Postal Service or courier	S - - - -	S - - -	S - - -	S - - - -	S - - - -	S - - -	751 - - - -
Other and unknown modes	s	s	s	s	s	s	s
SCTG 14, METALLIC ORES AND CONCENTRATES							
Total	s	s	s	s	s	s	457
Single modes	s	s	s	s	s	s	457
Truck ³ For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	457 740 313
Rail	-	-	-	_	-	-	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	_ _	_ _	Ξ	_ _	_ S	- S	_ S
Multiple modes	_	-	_	_	_	-	-
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Other and unknown modes	_	_	_	_	_	_	_

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commodity from oursey.	Val		To	ins	Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 15, COAL							
Total	3 419	100.0	148 013	100.0	52 095	100.0	200
Single modes	3 115	91.1	114 446	77.3	49 621	95.2	200
Truck ³ For-hire truck Private truck	522 458 64	15.3 13.4 1.9	22 645 19 913 2 732	15.3 13.5 1.8	S S S	s s s	164 163 186
Rail	2 500	73.1	87 229	58.9	45 141	86.6	335
Water	\$ \$ - -	\$ \$ -	\$ \$ - -	S S - -	\$ \$ - -	\$ \$ -	225 225 – –
Air (includes truck and air)Pipeline ⁴		_ _	- -	_ _	- S	- S	- S
Multiple modes	49	1.4	1 917	1.3	2 192	4.2	830
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- 8 8 8 -	- sss	- 888 -	- S S S -	- S S S -	- 8 8 8	1 100 278 639
Other and unknown modes	s	s	s	s	s	s	9
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL							
Total	4 418	100.0	s	s	s	s	13
Single modes	4 417	100.0	s	s	s	s	13
Truck ³ For-hire truck Private truck	2 477 979 1 498	56.1 22.2 33.9	8 943 4 151 4 792	48.0 22.3 25.7	S 97 S	S 5.9 S	13 25 12
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	\$ \$ -	\$ \$ - -	S S - -	\$ \$ - -	\$ \$ -	150 150 — —
Air (includes truck and air)Pipeline ⁴	_ S	- S	- S	- S	- S	_ S	- S
Multiple modes	_	-	-	_	_	-	-
Parcel, U.S. Postal Service or courier		_	_ _	_ _	-	_	_ _
Truck and water		_ _	- -	_ _	- -	- -	- -
Other multiple modes	s	s	- s	s	s	s	- a
		J	J				J
SCTG 18, FUEL OILS	4 000	100.0	0.544	400.0	407	400.0	•
Total	1 980 1 978	100.0	8 514 8 506	100.0	187	100.0	s s
Truck ³	1 563 267 1 296	78.9 13.5 65.5	6 839 1 370 5 468	80.3 16.1 64.2	182 S S	97.5 S S	S 30 11
Rail	_	-	-	-	_	_	_
Water	S	S	S	S S	S	S	3
Shallow draft Great Lakes Deep draft	S - -	S - -	S - -	S - -	S - -	S - -	3 - -
Air (includes truck and air)	_		=	_ _	Š	s	- S
Multiple modes	-	-	-	_	_	-	-
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	- - -	- - -	_ _ _ _	- - - -	- - -	- - -	- - -
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	l sl	S	S	l s	S	l s	9

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based of data from the 2002 commodity flow oursely.	Value		To	ns	Ton-miles ¹		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.							
Total	3 920	100.0	23 345	100.0	s	s	s
Single modes	3 900	99.5	23 340	100.0	s	s	s
Truck ³	3 327 S S	84.9 S S	S S S	S S S	S S S	\$ \$ \$	S 91 41
Rail	s	s	S	s	S	s	666
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	= =	= = =	=	- - -	=======================================
Air (includes truck and air)	S _	S -	S -	S -	S S	S S	551 S
Multiple modes	s	s	s	s	s	s	77
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	S - - - -	S - - - -	S - - -	S - - - -	S - - -	S - - - -	77 - - - -
Other and unknown modes	s	s	s	s	s	s	s
SCTG 20, BASIC CHEMICALS							
Total	3 314	100.0	4 070	100.0	1 160	100.0	s
Single modes	3 177	95.9	4 051	99.5	1 153	99.4	s
Truck ³ For-hire truck Private truck	2 600 2 332 S	78.5 70.4 S	S 971 S	S 23.9 S	433 383 S	37.3 33.0 S	S 393 S
Rail	384	11.6	905	22.2	459	39.5	474
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	\$ \$ - -	S S	\$ \$ - -	S S	\$ \$ - -	889 889 —
Air (includes truck and air)Pipeline ⁴	S 169	S 5.1	S 451	S 11.1	SS	S S	810 S
Multiple modes	126	3.8	17	.4	s	s	287
Parcel, U.S. Postal Service or courier	8 S	.3 S	S S	S S	S S	S S	288 262
Truck and water Rail and water Other multiple modes	- - -	- - -	- - -	- - -	_ _ _	- - -	- - -
Other and unknown modes	s	s	s	s	s	s	1 326
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	7 498	100.0	s	s	s	s	359
Single modes	4 551	60.7	s	s	s	s	s
Truck ³ For-hire truck Private truck	4 477 S 2 808	59.7 S 37.4	S S 54	S S 35.0	S S 9	S S 16.4	183 427 128
Rail	-	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	S -	s -	S -	S -	SS	S	1 802 S
Multiple modes	2 923	39.0	s	s	s	s	386
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	2 923 - - -	39.0 - - -	S - -	S - - -	S - -	S - - -	386 - - -
Other multiple modes	s	- s	s	s	s	s l	- 76

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based of data from the 2002 commonly flow ourvey.	Valu		Tons		Ton-miles ¹			
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment	
SCTG 22, FERTILIZERS								
Total	s	s	s	s	s	s	119	
Single modes	s	s	s	s	s	s	118	
Truck ³ For-hire truck Private truck	S S S	SSS	S S S	S S S	S S S	S S S	118 261 61	
Rail	_	=	-	-	-	_	-	
Water Shallow draft Great Lakes	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
Deep draft Air (includes truck and air)	- - -	- - -	_ _ _	_ _ _	- - S	_ _ S	- - S	
Multiple modes	_	_	_	_	_	_	_	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	
Other and unknown modes	S	S	S	s	S	s	209	
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.								
Total	5 767	100.0	2 900	100.0	1 511	100.0	584	
Single modes	5 209	90.3	2 834	97.7	1 487	98.4	502	
Truck ³	5 134 S 406	89.0 S 7.0	2 824 2 377 447	97.4 82.0 15.4	1 472 S 74	97.4 S 4.9	491 687 114	
Rail	s	S	s	s	S	s	1 242	
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - - -	
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	881 S	
Multiple modes	s	s	16	.6	18	1.2	801	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	\$ \$ - -	\$ \$ - -	9 S - -	.3 S - -	S S - -	\$ \$ - -	801 2 198 - - -	
Other and unknown modes	s	s	s	s	s	s	s	
SCTG 24, PLASTICS AND RUBBER								
Total	6 711	100.0	3 625	100.0	1 803	100.0	519	
Single modes	6 408	95.5	3 590	99.0	1 787	99.2	321	
Truck ³	5 919 4 105 1 812	88.2 61.2 27.0	2 937 2 198 739	81.0 60.6 20.4	1 356 1 103 253	75.3 61.2 14.1	311 490 126	
Rail	s	S	s	s	S	s	675	
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - -	- - - -	- - -	
Air (includes truck and air)	S _	S -	S -	S -	SS	SS	785 S	
Multiple modes	269	4.0	s	s	s	s	744	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	267 S S -	4.0 S S - -	\$ \$ -	\$ \$ 5 -	888 - -	8 8 8	743 2 626 1 594 -	
Other and unknown modes	s	s	s	s	s	s	s	

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Listinates are based on data from the 2002 dominoutly 1 low ourvey.	Value		Tons		Ton-miles ¹			
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment	
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH			, ,		. ,			
Total	s	s	122	100.0	18	100.0	80	
Single modes	s	s	120	98.7	17	97.1	s	
Truck ³ For-hire truck Private truck	S S S	S S S	120 S S	98.7 S S	17 S 6	97.1 S 34.5	S 169 S	
Rail	_	-	-	_	-	-	_	
Water Shallow draft	_	_	_	_ _ _	-	_	_	
Great Lakes		- -	- -	- -	- -	- -	- -	
Air (includes truck and air)		- -	<u>-</u>	_ _	- S	- S	- S	
Multiple modes	-	-	-	_	-	-	-	
Parcel, U.S. Postal Service or courier	_	-	<u>-</u>	_ _	-	-	<u>-</u>	
Truck and water Rail and water	_	_	_ _			_	_ _	
Other multiple modes	-	-	-	_	-	-	_	
Other and unknown modes	s	s	s	s	s	s	300	
SCTG 26, WOOD PRODUCTS								
Total	1 944	100.0	5 227	100.0	1 363	100.0	131	
Single modes	1 902	97.8	5 109	97.8	1 289	94.6	133	
Truck ³ For-hire truck Private truck	1 745 942 802	89.8 48.5 41.2	3 940 1 524 S	75.4 29.2 S	842 580 S	61.8 42.5 S	121 318 66	
Rail	s	s	s	s	S	s	384	
Water	-	-	-	_	-	-	=	
Shallow draft Great Lakes Deep draft		- - -	_ _ _	- - -	_ _ _	_ _ _	_ _ _	
Air (includes truck and air)		- -	<u>-</u>	=	- S	- S	s	
Multiple modes	s	s	S	s	s	s	242	
Parcel, U.S. Postal Service or courier	S S	S S	S	S S	S	S S	S 1 094	
Truck and water Rail and water		_						
Other multiple modes	S	S	S	S	S	S	1	
Other and unknown modes	s	s	s	s	s	s	s	
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD								
Total	2 432	100.0	3 821	100.0	2 143	100.0	592	
Single modes	2 374	97.6	3 802	99.5	2 124	99.1	353	
Truck ³ For-hire truck Private truck	1 852 1 712 S	76.2 70.4 S	2 491 2 399 92	65.2 62.8 2.4	1 213 1 195 18	56.6 55.8 .8	331 436 S	
Rail	523	21.5	1 311	34.3	S	s	607	
Water Shallow draft	_	-	_ _	_ _ _	- -	-		
Great Lakes		_ _	_ _	_ _	_ _	_	_	
Air (includes truck and air)	S _	S -	S -	S -	s s	s s	993 S	
Multiple modes	s	s	s	s	s	s	741	
Parcel, U.S. Postal Service or courier	S S	S S	S S	S S	S S	S S	740 1 251	
Truck and water Rail and water Other multiple modes		- - -	_	- - -	-	-	_	
Other multiple modes	s	s	s	s	s	s	s	
Other and unknown modes	. 31	3	3	. 3		. 3	3	

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commonly flow ourvey.	Value		Tons		Ton-miles ¹		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 28, PAPER OR PAPERBOARD ARTICLES			, ,				
Total	1 708	100.0	1 114	100.0	879	100.0	522
Single modes	1 649	96.5	1 091	98.0	843	95.9	425
Truck ³ . For-hire truck . Private truck .	1 626 1 433 S	95.2 83.9 S	1 078 904 S	96.8 81.2 S	831 741 S	94.5 84.2 S	400 565 127
Rail	s	s	S	S	S	s	752
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - -	- - -		- - - -	- - - -
Air (includes truck and air)	S _	\$ -	S -	S -	S S	S	982 S
Multiple modes	42	2.4	s	s	s	s	660
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	30 S - - -	1.8 S - - -	2 S - -	.2 S - - -	1 S - -	- S - -	650 2 477 - - -
Other and unknown modes	s	s	s	s	s	s	159
SCTG 29, PRINTED PRODUCTS							
Total	2 529	100.0	676	100.0	351	100.0	900
Single modes	1 810	71.6	635	93.8	311	88.5	443
Truck ³ For-hire truck Private truck	1 776 1 508 263	70.2 59.6 10.4	631 521 110	93.2 77.0 16.2	307 283 24	87.4 80.6 6.8	391 494 S
Rail	s	s	S	S	S	s	1 114
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - -	- - -	- - -	- - -	- - - -
Air (includes truck and air)	29	1.1	4 -	.6 _	4 S	1.0 S	932 S
Multiple modes	692	27.4	31	4.6	27	7.6	926
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	692 - - - - -	27.4 - - - -	31 - - - -	4.6 - - - -	27 - - - -	7.6 - - - -	926 - - - - -
Other and unknown modes	S	s	S	S	S	s	137
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER							
Total	10 758	100.0	558	100.0	354	100.0	764
Single modes	9 651	89.7	523	93.7	325	91.9	746
Truck ³ For-hire truck Private truck	S S 859	S S 8.0	520 395 117	93.2 70.8 21.1	321 S 15	90.8 S 4.3	565 783 S
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes	_ _ _	- - -	- - -	- - -	- - -	- - -	- - -
Deep draft Air (includes truck and air)	- S	- s	S	- S	- 90	- S	1 424
Pipeline ⁴	961	- 8.9	30	5.4	S 25	7.2	S 782
Parcel, U.S. Postal Service or courier	961	8.9	30	5.4	25	7.2	782
Truck and rail . Truck and water Rail and water		- - -	_ 	- - -	-	- - -	_ _
Other multiple modes		-	_	=	_	_	_ =
Other and unknown modes	146	1.4	5	.9	s	s	s

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 Commodity Flow Survey.	Value		Tor	าร	Ton-n	niles ¹	
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 31, NONMETALLIC MINERAL PRODUCTS			, ,		, ,		
Total	s	s	13 530	100.0	s	s	399
Single modes	s	s	13 468	99.5	s	s	336
Truck ³ For-hire truck Private truck	S S S	S S S	11 857 7 252 4 605	87.6 53.6 34.0	s s s	s s s	330 367 289
Rail	s	s	s	s	s	S	1 160
Water Shallow draft Great Lakes Deep draft	S S - -	S S - -	S S - -	S S - -	S S - -	S S - -	214 214 - -
Air (includes truck and air)	S -	S -	S -	S -	S	S	787 S
Multiple modes	s	s	s	s	s	s	579
Parcel, U.S. Postal Service or courier	44	.8	s -	S	S	S	576 —
Truck and water Rail and water Other multiple modes	S	S - -	S - -	S - -	S - -	S - -	1 207 - -
Other and unknown modes	s	s	s	s	s	s	81
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	8 134	100.0	7 287	100.0	3 149	100.0	317
Single modes	7 957	97.8	7 136	97.9	3 027	96.1	322
Truck ³ For-hire truck Private truck	7 640 6 497 1 141	93.9 79.9 14.0	6 243 4 716 1 526	85.7 64.7 20.9	2 132 1 790 S	67.7 56.8 S	320 448 81
Rail	174	2.1	412	5.6	246	7.8	598
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	S S - -	\$ \$ - -	\$ \$ - -	\$ \$ - -	S S -	1 398 1 398 - -
Air (includes truck and air)Pipeline ⁴	S _	S -	S -	S -	S	SS	684 S
Multiple modes	s	s	s	s	s	s	s
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	S S - -	S S - -	S S - -	S S - -	1 S - -	- S - -	280 2 316 - -
Other multiple modes	76	- 9	90	1.2	- s	- s	- s
SCTG 33, ARTICLES OF BASE METAL							
Total	3 415	100.0	1 450	100.0	664	100.0	s
Single modes	3 064	89.7	1 425	98.3	655	98.7	s
Truck ³ For-hire truck Private truck	2 959 1 556 1 403	86.6 45.6 41.1	1 193 775 418	82.3 53.5 28.9	501 389 112	75.5 58.7 16.8	\$ 428 \$
Rail	S	s	15	1.0	s	s	753
Water Shallow draft Great Lakes Deep draft	S S - -	S S -	S S -	\$ \$ -	S S -	S S -	1 160 1 160 - -
Air (includes truck and air)	4	.1	S -	s -	_ S	_ S	788 S
Multiple modes	265	7.8	14	1.0	7	1.0	378
Parcel, U.S. Postal Service or courier Truck and rail Truck and water	265 - -	7.8 - -	14 - - -	1.0 - -	7 - -	1.0 - -	378 - -
Rail and water Other multiple modes	_	-	-	_	-	_	_
Other and unknown modes	s	s	11	.7	2	.4	s

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Value		Tons		Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 34, MACHINERY							
Total	s	s	s	s	s	s	481
Single modes	s	s	s	s	s	s	429
Truck ³ . For-hire truck . Private truck .	S S 1 124	S S 3.3	S S 295	S S 5.3	S S 160	S S 4.6	402 588 S
Rail	S	s	S	s	394	11.3	831
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	- - -	- - -	- - -	=	=	_ _ _
Air (includes truck and air)	S -	s -	S -	S -	S S	S S	1 163 S
Multiple modes	3 119	9.1	s	s	s	s	537
Parcel, U.S. Postal Service or courier	2 620 S	7.6 S	62 S	1.1 S	38 S	1.1 S	533 1 239
Truck and water	S -	S -	S -	S S -	S -	S -	1 723 -
Other multiple modes	126	- .4	s	- S	- S	- S	s
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	11 662	100.0	1 176	100.0	907	100.0	475
Single modes	6 263	53.7	1 093	92.9	855	94.3	355
Truck ³ For-hire truck Private truck	6 074 5 506 560	52.1 47.2 4.8	1 090 817 S	92.7 69.5 S	850 734 S	93.8 81.0 S	268 603 55
Rail	s	s	S	s	S	s	2 468
Water Shallow draft	_	_	=	_ _	- -		_
Great Lakes Deep draft		-	_	_ _	_ _		_ _
Air (includes truck and air)	164 S	1.4 S	2 S	.1 S	S	S S	934 S
Multiple modes	s	s	s	s	51	5.6	514
Parcel, U.S. Postal Service or courier	S	s s	S	S S	S S	S S	514 2 527
Truck and water Rail and water Otherwitiste made	-	-		_ _	_ _		_ _
Other multiple modes	s	- s	s	- S	s	s s	s
SCTG 36, MOTORIZED AND OTHER VEHICLES							
(INCLUDING PARTS) Total	27 238	100.0	6 044	100.0	2 053	100.0	599
Single modes	25 814	94.8	5 846	96.7	1 976	96.2	242
Truck ³ . For-hire truck . Private truck .	25 382 16 662 S	93.2 61.2 S	5 740 4 346 S	95.0 71.9 S	1 925 1 518 S	93.7 73.9 S	206 393 75
Rail	404	1.5	S	s	48	2.4	680
Water Shallow draft	_	_		_ _	_ _		_ _
Great Lakes		-	_ _				_ _
Air (includes truck and air)	S _	s -	S -	S -	3 S	.1 S	1 461 S
Multiple modes	695	2.6	56	.9	60	2.9	847
Parcel, U.S. Postal Service or courier	S S	s s	SS	S S	S S	S S	847 2 518
Truck and water Rail and water Other multiple modes	S	S - -	S - -	S -	S - -	S -	4 671 - -
Other and unknown modes	s	s	s	s	s	s	82

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 commodity flow ourvey.		Value		Tons		Ton-miles ¹		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment	
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.								
Total	s	s	s	s	s	s	626	
Single modes	s	s	s	s	s	s	625	
Truck ³ . For-hire truck . Private truck .	S S S	S S S	S S S	S S S	S S S	S S S	625 996 622	
Rail	_	-	_	_	-	-	_	
Water Shallow draft Great Lakes	- - -	_ _ _	- - -	- - -	- - -	- - -	- - -	
Deep draft Air (includes truck and air)	- - -	- - -	_ _ _	_ _ _	_ _ S	_ _ S	- - S	
Multiple modes	s	s	s	s	s	s	663	
Parcel, U.S. Postal Service or courier	S - - -	S - - -	S	S - - - -	S - - -	S - - -	663 - - - -	
Other and unknown modes	s	s	s	s	s	s	631	
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS								
Total	s	s	s	s	s	s	783	
Single modes	s	s	3	18.6	s	s	s	
Truck ³ For-hire truck Private truck	\$ \$ \$	S S S	3 S S	18.6 S S	\$ \$ \$	\$ \$ \$	S 670 39	
Rail	-	-	-	-	-	-	_	
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -	
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	634 S	
Multiple modes	s	S	s	s	s	s	891	
Parcel, U.S. Postal Service or courier	S - - -	S - - -	S - - -	S - - -	S - - -	S	891 - - -	
Other multiple modes	s	s	s	s s	s	s	s	
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS								
Total	695	100.0	368	100.0	160	100.0	287	
Single modes	657	94.4	349	94.9	112	70.3	229	
Truck ³ For-hire truck Private truck	656 487 S	94.3 70.0 S	349 255 S	94.8 69.2 S	112 93 S	70.2 58.4 S	220 504 100	
Rail	-	-	-	-	-	-	_	
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -	
Air (includes truck and air)	S _	S -	S -	S -	SS	S	1 126 S	
Multiple modes	s	s	s	s	s	s	921	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water	\$ \$ - -	\$ \$ -	S S - -	\$ \$ - -	S S -	S S -	652 2 527 - -	
Other multiple modes	-	_	_	_	-	-	-	
Other and unknown modes	- 1	-	-	-	_	- 1	-	

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Estimates are based on data from the 2002 dominoutly frow durvey.	Value		To	ins	Ton-r		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS							
Total	3 531	100.0	857	100.0	s	s	599
Single modes	3 059	86.6	819	95.6	s	s	315
Truck ³ . For-hire truck . Private truck .	3 038 2 631 381	86.0 74.5 10.8	818 652 164	95.5 76.0 19.2	S S 29	S S 5.6	278 422 S
Rail	-	-	-	_	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	S _	S -	S -	S -	SS	SS	1 128 S
Multiple modes	385	10.9	14	1.6	10	1.9	763
Parcel, U.S. Postal Service or courier	385	10.9	14	1.6	10	1.9	763
Truck and vater Rail and water		-	_ _ _		-	_ _ _	_ _ _
Other multiple modes	_	-	-	_	_	-	-
Other and unknown modes	s	s	s	s	s	s	s
SCTG 41, WASTE AND SCRAP							
Total	s	s	877	100.0	334	100.0	545
Single modes	s	S	580	66.1	S	s	544
Truck ³ For-hire truck Private truck	\$ \$ \$	S S S	S S 8	S S 1.0	S S -	S S -	553 563 32
Rail	4	1.3	41	4.7	S	s	214
Water Shallow draft Great Lakes Deep draft	S S - -	S S - -	S S -	S S - -	S S -	S S -	127 127 - -
Air (includes truck and air)		_	_ _		- S	_ S	- S
Multiple modes	27	8.3	298	33.9	181	54.2	618
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	S S S S	- - S S S	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -		- - - - - - - - - - - - - - - - - - -	- 379 836 1 082
Other and unknown modes	-	-	-	_	-	-	-
SCTG 43, MIXED FREIGHT							
Total	13 929	100.0	5 671	100.0	1 025	100.0	525
Single modes	12 233	87.8	5 505	97.1	880	85.9	395
Truck ³ For-hire truck Private truck	12 167 3 941 8 226	87.4 28.3 59.1	5 502 1 969 3 534	97.0 34.7 62.3	877 425 452	85.6 41.5 44.2	360 776 284
Rail	s	s	S	s	S	s	432
Water Shallow draft Great Lakes Deep draft	_ _ _	- - -	- - -	- - - -	-	- - -	- - -
Deep draft Air (includes truck and air)	S	S	S	S	S	S	1 146 S
Multiple modes	1 463	10.5	- 59	1.0	53	5.1	727
Parcel, U.S. Postal Service or courier	1 454 9	10.4	S S -	S S	S S	\$ \$ \$ -	727 2 543 -
Rail and water Other multiple modes	_	_	_		-	=	=
Other and unknown modes	s	s	s	s	s	s	s

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Va	lue	To	ons	Ton-n		
SCTG code, description, and mode of transportation	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	Average miles per shipment
COMMODITY UNKNOWN							
Total	261	100.0	s	s	23	100.0	s
Single modes	223	85.4	s	s	21	89.8	s
Truck ³ For-hire truck Private truck	223 174 S	85.4 66.4 S	S S S	S S S	21 19 2	89.7 79.9 9.9	S S S
Rail	s	S	s	s	S	S	30
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)	_ _	_ _	_ _		Š	- S	- S
Multiple modes	s	s	-	_	_	.2	260
Parcel, U.S. Postal Service or courier Truck and rail. Truck and water Rail and water Other multiple modes	S - - - -	\$ - - -	- - - -	- - - -	- - - -	.2 - - -	260 - - - -
Other and unknown modes	s	s	s	s	s	s	259

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.
²Estimates exclude shipments of crude petroleum (SCTG 16),
³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.
⁴Estimates for pipeline exclude shipments of crude petroleum.

Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Valu	ıe	To	ons	Ton-miles ¹		
State of destination	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	189 390	100.0	336 341	100.0	99 630	100.0	
NEW ENGLAND STATES							
Connecticut Maine Massachusetts Mes Hampshire Rhode Island Vermont	642 151 S S S 71	.3 9 8 9 -	S 54 457 58 25 10	.1 -	S 62 443 59 23 9	S - - 4 - - -	
MIDDLE ATLANTIC STATES							
New Jersey New York Pennsylvania	4 306 8 165 5 748	2.3 4.3 3.0	1 992 S 2 862	.6 S .9	1 561 S 1 581	1.6 S 1.6	
EAST NORTH CENTRAL STATES							
Illinois . Indiana . Michigan . Ohio . Wisconsin	8 062 9 807 10 996 14 419 2 080	4.3 5.2 5.8 7.6 1.1	5 482 7 840 11 445 31 304 S	1.6 2.3 3.4 9.3 S	1 367 1 449 5 381 7 100 S	1.4 1.5 5.4 7.1 S	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota	723 S 2 083 4 557 344 125 110	.4 S 1.1 2.4 .2 - -	223 S 741 2 020 111 71 S	- S .2 .6 S	125 S 610 819 82 82 S	.1 S .6 .8 - - S	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	85 S 198 6 865 1 691 3 876 3 029 3 623 2 097	- S 2.7 3.6 9 2.0 1.6 1.9	25 S 12 743 22 578 S 20 781 12 965 5 641 6 485	- S 3.8 6.7 6.2 3.9 1.7 1.9	16 S 11 031 9 037 S 8 925 6 950 2 942 1 115	- S 11.1 9.1 9.0 7.0 3.0 1.1	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	2 468 41 730 1 549 11 178	1.3 22.0 .8 5.9	\$ 142 574 701 14 415	\$ 42.4 .2 4.3	S 5 397 286 3 469	\$ 5.4 .3 3.5	
WEST SOUTH CENTRAL STATES							
Arkansas Louisiana Oklahoma Texas	S 2 145 2 267 8 628	S 1.1 1.2 4.6	\$ 7 509 435 6 351	S 2.2 .1 1.9	1 300 6 851 343 7 748	1.3 6.9 .3 7.8	
MOUNTAIN STATES							
Arizona Colorado Idaho Idaho Montana Nevada New Mexico Utah Wyoming	625 983 35 109 291 85 473 S	.3 .5 - 2 - 2 - 2 - 2	174 149 S S 55 29 133 7	- 8 8 - -	298 173 \$ \$ \$ 112 39 214 9	.3 .2 .5 .5 .1 .2	
PACIFIC STATES							
Alaska California Hawaii Oregon Washington	\$ 7 006 53 653 1 038	\$ 3.7 - .3 .5	\$ 1 862 \$ \$ 177	\$.6 \$ \$ 5	\$ 4 321 \$ \$ 430	\$ 4.3 \$ \$.4	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

	Val	lue	То	ns	Ton-miles ¹		
State of origin	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	159 694	100.0	266 383	100.0	63 269	100.0	
NEW ENGLAND STATES							
Connecticut Maine Massachusetts New Hampshire Rhode Island Vermont	432 398 863 205 S 60	.3 .2 .5 .1 8	58 431 107 19 S 9		50 500 97 20 S	.8 .2 - S	
MIDDLE ATLANTIC STATES							
New Jersey New York Pennsylvania.	1 279 3 811 3 024	.8 2.4 1.9	250 892 1 269	- .3 .5	187 648 656	.3 1.0 1.0	
EAST NORTH CENTRAL STATES							
Illinois	7 571 16 924 7 643 17 598 2 101	4.7 10.6 4.8 11.0 1.3	20 269 12 461 3 590 20 888 1 152	7.6 4.7 1.3 7.8 .4	4 884 1 856 1 729 S 556	7.7 2.9 2.7 S .9	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	945 702 1 535 S 445 33 168	.6 .4 1.0 S .3 -	731 216 2 587 S 105 28 56	.3 1.0 S - -	471 161 2 320 1 500 88 29 57	.7 .3 3.7 2.4 .1	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	31 S 1 458 3 915 S 2 676 1 217 2 698 2 645	- 9.9 2.5 1.7 .8 1.7 1.7	\$ 636 2 115 430 893 780 1 511 13 583	S S 2 .2 .3 .3 .3 .6 5.1	S S 556 1 054 258 392 414 594 S	S S 9 1.7 .4 .6 .7 .9 S	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	1 795 41 730 935 10 295	1.1 26.1 .6 6.4	1 659 142 574 668 12 116	.6 53.5 .3 4.5	645 5 397 310 S	1.0 8.5 .5 S	
WEST SOUTH CENTRAL STATES							
Arkansas Louisiana Oklahoma Texas	1 239 1 672 353 3 641	.8 1.0 .2 2.3	770 7 253 240 2 510	.3 2.7 - .9	403 7 035 174 2 596	.6 11.1 .3 4.1	
MOUNTAIN STATES							
Arizona . Colorado	\$ 338 \$ \$ \$ \$ \$ \$ \$ \$ 55	0 3 0 0 0 0 1 0 1	21 2 641 173 \$ 12 42 \$ 4 005	1.0 - S - - S S 1.5	38 4 175 339 S 25 60 S 5 586	6.6 .5 .5 8.8	
PACIFIC STATES							
Alaska California Hawaii Oregon Washington	S 5 669 S 254 827	\$ 3.6 \$.2 .5	S S S 64 104	\$ \$ - -	S S S 153 239	S S S .2	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Discussion of Survey Changes and Comparing Estimates

The following tables provide comparisons of the 2002 and 1997 Commodity Flow Survey (CFS) estimates.

Data users are urged to use caution in comparing estimates from different survey years due to the changes that have occurred in sample design, industry coverage, methodology, commodity classification coding systems, geography, and sample sizes. Appendix A presents change in these areas by survey year.

INDUSTRY COVERAGE CHANGES

Changes to the 2002 CFS include moving the industry coverage from a Standard Industrial Classification (SIC) based definition in the 1997 CFS to a North American Industry Classification System (NAICS) based definition for the 2002 survey. For the 2002 CFS, this meant that selected industries previously covered in the 1997 CFS using the SIC definitions, were now out-of-scope to the 2002 CFS industry coverage based on the NAICS definitions. The major industries not covered by the 2002 CFS that were included in the 1997 CFS are Logging (NAICS 11331); Newspaper Periodical, Book, and Database Publishers (NAICS 5111); and Music Publishers (NAICS 51223).

To make the 1997 CFS estimates comparable with the 2002 CFS, the 1997 CFS estimates have been revised by removing shipments from establishments in the following industries:

- SIC 2411 Logging
- SIC 2711 Newspapers: Publishing, or Publishing and Printing
- SIC 2721 Periodicals: Publishing, or Publishing and Printing
- SIC 2731 Books: Publishing, or Publishing and Printing
- SIC 2741 Miscellaneous Publishing
- SIC 2771 Greeting Cards

We were not able to adjust the 1997 CFS estimates to account the NAICS coverage changes when only part of a SIC moved out-of-scope. For example, a wholesale industry in-scope to the 1997 CFS—SIC 5171 (Petroleum Bulk Stations and Terminals)—included Heating Oil Sold Via Retail Method, which is now classified as Retail (NAICS 454311) and is out-of-scope of the 2002 CFS. The majority of the industry remains in-scope to the 2002 CFS industry coverage, therefore we made no adjustment to the 1997 CFS estimates.

No adjustments have been made to the 1993 CFS estimates.

Detailed information about NAICS can be found at www.census.gov/epcd/www/naics.html.

AUXILIARY ESTABLISHMENT COVERAGE CHANGES

The 2002 CFS improved the coverage of auxiliary establishments. Auxiliary establishments are defined as warehouses and managing offices of multiestablishment companies, which have non-auxiliary establishments that are in-scope to CFS or are classified in retail trade. For the 1997 CFS sampling, managing offices had to have sales or inventory levels of greater than zero in order to be considered for selection. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, to provide a more comprehensive coverage of auxiliaries, for the 2002 CFS managing offices were subjected to sampling, regardless of sales or inventories.

COMPARISON DATA AND STATISTICAL VALIDITY

Changes from the 1997 to 2002 CFS include a decrease in sample size, from approximately 100,000 establishments for the 1997 CFS to about 50,000 establishments for the 2002 survey.

One consequence of the decreased sample size was a substantial increase in the sampling variability for estimates of period-to-period change produced at full detail levels for mode and commodity. Because of the increased variability in many of these categories, one cannot conclude with a high degree of confidence that changes were significant. For a more detailed discussion of sampling variability, see Appendix B. We have provided period-to-period comparisons at the following, higher levels of aggregation for mode of transportation and commodity since the impact of increased sampling variability is less at those levels. For consistency, these aggregation levels are also now used in our Metropolitan Area and Export tables, where appropriate.

Table 9. Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

		Value			Tons Ton-miles ¹			Average miles per shipment				
Mode of transportation	2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
Total	189 390	125 885	50.4	336 341	361 179	-6.9	99 630	101 285	-1.6	437	196	122.9
Single modes	169 254	99 218	70.6	300 080	309 908	-3.2	95 842	82 207	16.6	214	113	88.4
Truck ²	157 473 6 955 S 1 100 201	89 694 5 629 3 283 613 S	75.6 23.6 S 79.6 S	159 849 106 722 32 887 23 599	171 441 90 552 47 887 28 S	-6.8 17.9 -31.3 -16.8 S	28 648 55 166 11 999 26 S	17 145 44 098 20 935 29 S	67.1 25.1 –42.7 –10.5 S	189 521 379 1 189 S	105 579 456 959 S	80.2 -9.9 -16.9 24.1 S
Multiple modes	18 021	15 659	15.1	3 099	18 911	-83.6	3 234	17 378	-81.4	700	497	40.9
Parcel, U.S. Postal Service or courier . Truck and rail	16 979 465 S	5 219 9 763 677	225.3 -95.2 S	443 1 329 S	S 1 779 16 833	S -25.3 S	287 1 830 S	86 1 798 15 494	234.4 1.8 S	699 1 798 2 069	483 1 060 S	44.9 69.6 S
Other and unknown modes	2 115	11 009	-80.8	s	32 360	s	s	1 700	s	s	58	s

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

			Value			Tons			Ton-miles ¹		Average	miles per ship	ment
SCTG code	Commodity description	2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
	Total ²	189 390	125 885	50.4	336 341	361 179	-6.9	99 630	101 285	-1.6	437	196	122.9
01-05	Agricultural products and fish	3 825	4 857	-21.2	7 618	11 092	-31.3	5 072	5 265	-3.7	204	s	s
06-09	Grains, alcohol, and tobacco products	9 030	14 109	-36.0	7 999	8 608	-7.1	3 062	3 462	-11.6	169	68	149.3
10-14	Stones, nonmetallic minerals,									_			
15-19	and metallic ores Coal and petroleum	375	515	-27.2	56 231	71 772	-21.7	5 255	8 127	-35.3	39	27	45.0
20-24	products	13 736	11 362	20.9	198 519	218 602	-9.2	60 909	67 838	-10.2	30	64	-53.0
25-30	products	23 399	12 037	94.4	11 460	6 908	65.9	4 611	2 893	59.4	411	233	76.9
25-50	textile and leather	19 425	10 902	78.2	11 517	8 710	32.2	5 108	2 967	72.2	814	353	130.4
31-34 35-38	Base metal and machinery Electronic, motorized vehicles, and precision	51 288	18 300	180.3	27 838	24 058	15.7	10 585	5 740	84.4	336	244	38.0
00.40	instruments	49 563	46 713	6.1	7 242	5 738	26.2	2 974	3 308	-10.1	550	274	100.3
39-43	Furniture, mixed freight and misc. manufactured prod Commodity unknown	18 487 261	6 963 128	165.5 104.6	7 773 S	5 641 51	37.8 S	2 032 23	1 658 S	22.5 S	536 S	347 273	54.4 S

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck. ³Estimates for pipeline exclude shipments of crude petroleum.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information. ²Estimates exclude shipments of crude petroleum (SCTG 16).

Appendix A. Comparability With the 1993 and 1997 Commodity Flow Surveys

The following tables show a comparison of the key characteristics among the 1993, 1997, and 2002 Commodity Flow Surveys.

Industry Coverage

1993	1997	2002
Based on 1987 SIC	Based on 1987 SIC	Based on 1997 NAICS ¹
Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Prepress Services (NAICS 323122))
Mining (except mining services (SICs 108, 124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except mining services (SICs 108,124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except support activities (NAICS 213) and oil and gas extraction (NAICS 211))
Wholesale (merchants and manufacturers' sales branches and governmentowned liquor stores)	Wholesale (merchants and manufacturers' sales branches and government-owned liquor stores)	
Retail catalog and mail order houses	Retail catalog and mail order houses	Retail electronic shopping and mail order houses
Auxiliaries (e.g., warehouses)	Auxiliaries (e.g., warehouses)	Auxiliaries ² (e.g., warehouses)

¹Because of changes in the classification of establishments between SIC and NAICS, establishments classified in the following industries were covered in the 1993 and 1997 surveys, but not in the 2002 survey: NAICS 11331, Logging; NAICS 5111, Newspaper, Periodical, Book, and Database Publishers; and NAICS 51223, Music Publishers. Detailed information about NAICS can be found on the Census Bureau Web site at:

Commodity Classification System

1993	1997	2002
Standard Transportation Commodity Classification (STCC), developed by the Association of American Railroads (AAR)	Standard Classification of Transported Goods (SCTG)	Standard Classification of Transported Goods (SCTG)

http://www.census.gov/epcd/www/naics.html.

²Coverage of auxiliaries has been expanded for the 2002 CFS. In comparison, for the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. For the 1997 CFS, a managing office was considered in-scope only if it had sales or end-of-year inventories in the 1992 Census. Research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used to determine scope for managing offices in the 2002 CFS. For the 2002 survey, the inclusion of an increased number of auxiliaries (intermediary distribution centers) which support the operations of retail stores (most of which are, themselves out-of-scope) has more of an impact on the estimates of value and tonnage and less on ton-miles.

Sample Size

1993	1997	2002		
Approximately 200,000 establishments selected from a universe of about 790,000 in-scope establishments.	Approximately 100,000 establishments selected from a universe of about 770,000 in-scope establishments.	Approximately 50,000 establishments selected from a universe of about 760,000 in-scope establishments.		

Survey Methodology

1993	1997	2002
Respondents reported for a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of the reference year.	Respondents reported for a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of the reference year.	of their individual outbound shipments for a 1-week period
Respondents reported key characteristics for each sampled shipment	Respondents reported key characteristics for each sampled shipment.	Respondents reported key characteristics for each sampled shipment.

Reported Mode of Transportation

1993	1997	2002
For-hire truck Private truck Rail Air Inland Water Deep Sea Water Pipeline Parcel, U.S. Postal Service, or courier Other Unknown	For-hire truck Private truck Rail Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown	For-hire truck Private truck Rail Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown

Data Items Requested

1993	1997	2002
For each shipment:	For each shipment:	For each shipment:
Total value Total weight Commodity that contributes the most to the shipment's weight (STCC)	Total value Total weight Commodity that contributes the most to the shipment's weight (SCTG)	Total value Total weight Commodity that contributes the most to the shipment's weight (SCTG)
All known modes of transportation	All known modes of transportation	All known modes of transportation
Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)
Destination Containerized (Y/N) Hazardous material (Y/N)	Destination Containerized (Y/N) Hazardous material (UN/NA) code	Destination Hazardous material (UN/NA) code
Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	Export (Y/N) If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.

Appendix B. Reliability of the Estimates

The estimates in this publication may differ from the actual, unknown population values. Statisticians define this difference as the total error of the estimate. When describing the accuracy of survey results, it is convenient to discuss total error as the sum of sampling error and nonsampling error. Sampling error is the average difference between the estimate and the result that would be obtained from a complete enumeration of the sampling frame conducted under the same survey conditions. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate.

The sampling error of the estimates in this publication can be estimated from the selected sample because the sample was selected using probability sampling. Common measures related to sampling error are the sampling variance, the standard error, and the coefficient of variation (CV). The sampling variance is the squared difference, averaged over all possible samples of the same size and design, between the estimator and its average value. The standard error is the square root of the sampling variance. The CV expresses the standard error as a percentage of the estimate to which it refers. This publication presents these measures in Appendix B.

Nonsampling errors are difficult to measure and can be introduced through inadequacies in the questionnaire, nonresponse, inaccurate reporting by respondents, errors in the application of survey procedures, incorrect recording of answers, and errors in data entry and processing. No measures of nonsampling error are presented in this publication, however, every effort is made to minimize their effect on the estimates. Data users should take into account both the measures of sampling error and the potential effects of nonsampling error when using these estimates.

More detailed descriptions of sampling and nonsampling errors for the 2002 CFS are provided in the following sections.

Sampling Error

Because the estimates are based on a sample, exact agreement with results that would be obtained from a complete enumeration of all shipments made in 2002 from all establishments included on the sampling frame using the same enumeration procedures is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size that could have been selected using the same design. If all possible samples had been surveyed under the same conditions, an estimate of a population parameter of interest could have been obtained from each sample. These samples give rise to a distribution of estimates for the population parameter. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The *standard error* is defined as the square root of the variance. The *coefficient of variation* (or relative standard error) of an estimator is the standard error of the estimator divided by the estimator. Note that measures of sampling variability, such as the standard error and coefficient of variation, are estimated from the sample and are also subject to sampling variability. (Technically, we should refer to the *estimated* standard error or the *estimated* coefficient of variation of an estimator. However, for the sake of brevity, we have omitted this detail.) It is important to note that the standard error only measures sampling variability. It does not measure systematic biases of the sample. The Census Bureau recommends that individuals using estimates contained in this report incorporate this information into their analyses, as sampling error could affect the conclusions drawn from these estimates.

An estimate from a particular sample and the standard error associated with the estimate can be used to construct a confidence interval. A *confidence interval* is a range about a given estimator that has a specified probability of containing the result of a complete enumeration of the sampling frame conducted under the same survey conditions. Associated with each interval is a percentage of confidence, which is interpreted as follows. If, for each possible sample, an estimate of a population parameter and its approximate standard error were obtained, then:

- 1. For approximately 90 percent of the possible samples, the interval from 1.645 standard errors below to 1.645 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.
- 2. For approximately 95 percent of the possible samples, the interval from 1.96 standard errors below to 1.96 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.

To illustrate the computation of a confidence interval for an estimate of total value of shipments, assume that an estimate of total value is \$10,750 million and the coefficient of variation for this estimate is 1.8 percent, or 0.018. First obtain the standard error of the estimate by multiplying the value of shipments estimate by its coefficient of variation. For this example, multiply \$10,750 million by 0.018. This yields a standard error of \$193.5 million. The upper and lower bounds of the 90-percent confidence interval are computed as \$10,750 million plus or minus 1.645 times \$193.5 million. Consequently, the 90-percent confidence interval is \$10,432 million to \$11,068 million. If corresponding confidence intervals were constructed for all possible samples of the same size and design, approximately 9 out of 10 (90 percent) of these intervals would contain the result obtained from a complete enumeration.

Nonsampling Error

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: inability to obtain information about all units in the sample; response errors; differences in the interpretation of the questions; mistakes in coding or keying the data obtained; and other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases due to nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize their influence. The Census Bureau recommends that individuals using estimates in this report incorporate this information into their analyses, as nonsampling error could affect the conclusions drawn from these estimates.

A potential source of bias in the estimates is nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all units in the sample. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Nonresponse to the shipment value or weight items is corrected by imputation, which is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model. (See Appendix C for a description of the imputation procedure.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain any of the substantive measurements about a sampled shipment, quarter, or establishment, respectively. Shipment and quarter nonresponse are corrected by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the industrylevel adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been returned to the Census Bureau, after several attempts to elicit a response. Approximately 63 percent of the establishments provided at least one quarter of data that contributed to tabulation.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contact respondents who reported shipments having an untypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire quarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

DEFINITION OF TERMS

Confidentiality

Title 13 of the United States Code authorizes the Census Bureau to conduct censuses and surveys. Section 9 of the same Title requires that any information collected from the public under the authority of Title 13 be maintained as confidential. Section 214 of Title 13 and Sections 3559 and 3571 of Title 18 of the United States Code provide for the imposition of penalties of up to 5 years in prison and up to \$250,000 in fines for wrongful disclosure of confidential census information. In accordance with Title 13, no estimates are published that would disclose the operations of an individual firm.

The Census Bureau's internal Disclosure Review Board sets the confidentiality rules for all data releases. A checklist approach is used to ensure that all potential risks to the confidentiality of the data are considered and addressed.

Disclosure Limitation

Disclosure is the release of data that have been deemed confidential. It generally reveals information about a specific individual or establishment or permits deduction of sensitive information about a particular individual or establishment. Disclosure limitation is the process used to protect the confidentiality of the survey data provided by an individual or firm. Using disclosure limitation procedures, the Census Bureau modifies or removes the characteristics that put confidential information at risk for disclosure. Although it may appear that a table shows information about a specific individual or business, the Census Bureau has taken steps to disguise or suppress the original data while making sure the results are still useful. The techniques used by the Census Bureau to protect confidentiality in tabulations vary, depending on the type of data.

Unpublished Estimates

Some unpublished estimates can be derived directly from this report by subtracting published estimates from their respective totals. However, the estimates obtained by such subtraction would be subject to poor response, high sampling variability, or other factors that may make them potentially misleading.

Individuals who use estimates in this report to create new estimates should cite the Census Bureau as the source of only the original estimates.

Table B-1a. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ıe	To	ons	Ton-	miles	
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Total	16.2	_	9.4	-	14.7	_	9.0
Single modes	18.6	3.0	9.4	6.0	15.5	1.5	13.8
Truck	20.5 27.6 26.1	3.9 4.5 4.2	6.2 12.2 6.1	6.3 4.2 3.3	17.8 20.6 13.9	5.7 5.0 1.6	16.2 9.8 26.5
Rail	14.8	.8	23.1	5.7	23.6	6.4	14.9
Water Shallow draft Great Lakes Deep draft	S S - -	S S -	30.3 30.3 —	3.2 3.2 - -	23.8 23.8 - -	2.5 2.5 – –	14.2 14.2 - -
Air (includes truck and air)	43.8 34.5	.3	22.3 34.0		24.2 S	- S	6.4 S
Multiple modes	20.3	3.1	30.6	.4	34.2	1.5	6.9
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	22.3 18.9 S S	3.1 - S S S	19.2 43.9 S S S	- .3 .8 .8 .8	20.9 46.9 S S	.1 1.4 S S S	6.9 7.7 35.2 26.8 S
Other and unknown modes	24.7	.3	s	s	s	s	s

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs

Table B-1b. Estimated Standard Errors of Percentage for Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

Mode of transportation	Value (p	percent)	Tons (p	ercent)	Ton-miles (percent)		
wode of transportation	2002	1997	2002	1997	2002	1997	
Total	-	-	_	-	-	-	
Single modes	3.0	2.5	6.0	3.0	1.5	3.2	
Truck	3.9 4.5 4.2	2.8 3.2 1.3	6.3 4.2 3.3	3.7 3.5 2.5	5.7 5.0 1.6	3.0 2.4 .6	
Rail	.8	.6	5.7	3.7	6.4	4.7	
Water Shallow draft Great Lakes Deep draft	S S -	.7 .7 _ _	3.2 3.2 - -	1.9 1.9 - -	2.5 2.5 – –	3.2 3.2 -	
Air (includes truck and air)	.3	.1 S	_ _ -	_ S	- S	- S	
Multiple modes	3.1	2.2	.4	1.3	1.5	3.5	
Parcel, U.S. Postal Service or courier Truck and vater Truck and water Rail and water Other multiple modes	3.1 - S S S	.4 2.3 - S S	3 S S S	8 2 9 8 8	.1 1.4 S S S	1.1 2.0 S S	
Other and unknown modes	.3	3.1	s	2.1	s	.7	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-2. Estimated Measures of Reliability for Shipment Characteristics by Total Modal Activity for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Ton-	miles	
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Total	14.7	1	9.0
Truck Rail Shallow draft Great Lakes Deep draft	17.8 23.6 23.8 – –	5.7 6.4 2.5 –	16.2 14.9 14.2 –
Air Parcel, U.S. Postal Service or courier Pipeline Other and unknown modes	24.2 33.6 S S	- - 8 8	6.4 36.9 S S

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

Estimates are shown as percents and are based on data from the 2	Val	**	То	ns	Ton-r	niles
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	16.2	-	9.4	-	14.7	_
Less than 50 miles	12.9 21.9 13.4 18.9 35.5	3.0 1.0 1.9 1.9 2.4	22.3 19.1 15.7 22.1 17.4	5.5 1.3 3.5 3.4 1.4	16.0 22.1 16.4 21.4 18.2	.9 .7 2.7 3.0 2.4
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	38.8 14.8 27.7 36.2	.9 .2 .7 .2	32.1 25.1 25.3 37.0	.7 .1 .2 -	32.7 29.3 27.7 36.6	2.1 .7 1.3 .2
Single modes	18.6	-	9.4	-	15.5	-
Less than 50 miles	13.9 24.3 15.8 21.9 40.6	3.1 1.0 2.2 1.9 2.7	7.4 19.5 15.7 22.3 19.4	3.7 1.8 3.2 3.3 1.4	11.3 22.5 16.4 21.7 20.5	.7 .7 2.9 3.1 2.8
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	43.2 17.4 32.9 41.7	.8 .2 .7 .2	34.9 26.1 26.4 38.4	.5 .1 .2 -	37.0 30.3 28.8 38.4	1.4 .7 1.4 .2
Truck	20.5	-	6.2	-	17.8	-
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	14.4 24.6 15.9 23.4 44.9	3.3 1.1 1.8 2.0 2.9	7.0 16.4 13.4 32.3 36.6	4.3 1.7 1.7 2.8 1.4	11.6 15.6 11.7 32.6 35.6	1.2 1.2 2.5 4.5 2.3
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	48.1 19.1 35.6 43.8	.9 .2 .8 .2	41.3 17.0 19.2 38.6	.5 - .2 -	40.0 16.6 18.5 38.6	1.2 .6 1.8 .9
For-hire truck	27.6	_	12.2	_	20.6	-
Less than 50 miles	29.9 16.8 21.7 27.3 49.3	3.9 .7 1.9 1.4 3.0	14.7 20.9 12.1 33.4 40.5	4.3 2.1 2.4 3.2 2.0	17.3 18.9 11.0 34.1 39.7	.9 1.1 2.0 5.0 2.6
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	\$ 21.7 23.7 30.6	\$.4 .8 .3	45.0 15.5 20.2 44.5	.7 .1 .3 .1	43.8 15.2 19.4 44.6	1.3 .7 2.0 1.2
Private truck	26.1	-	6.1	-	13.9	-
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	15.5 39.1 24.3 S S	5.1 1.7 2.1 S S	8.3 15.0 23.4 30.1 27.4	4.0 1.5 2.2 1.4 .2	14.5 16.3 20.7 28.0 28.7	3.3 1.8 3.5 3.7 1.4
750 to 999 miles. 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more.	32.7 42.8 S S	.2 .6 S	36.4 37.5 28.4 S	- - - S	37.1 37.3 28.8 S	.9 .7 .8 S
Rail	14.8	-	23.1	-	23.6	-
Less than 50 miles	38.5 44.4 20.3 15.2 25.7	1.3 1.5 3.5 5.0 3.8	S S 25.5 28.9 30.4	\$ \$ 5.0 5.0 3.0	\$ \$ 24.3 27.6 32.0	S S 3.6 5.1 4.3
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	28.6 S 34.8 S	1.2 S 1.6 S	S S S S S S	\$ \$ \$ \$	5000	\$ \$ \$ \$
Water	S	S	30.3	-	23.8	-
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	\$ \$ \$ \$ 39.2	\$ \$ \$ \$ 12.1	\$ \$46.0 \$ 44.8	S S 11.7 S 8.7	38.7 S 36.4 S 45.3	.3 S 10.3 S 12.0
750 to 999 miles	\$ \$ -	S S - -	\$ \$ -	S S - -	\$ \$ - -	S S - -
Shallow draft	s	s	30.3	-	23.8	-
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	S S S S 39.2	\$ \$ \$ \$ 12.1	S S 46.0 S 44.8	S S 11.7 S 8.7	38.7 S 36.4 S 45.3	.3 S 10.3 S 12.0
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	S S -	S S - -	S S -	S S - -	8 8 - -	S S - -

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2	, , , , , , , , , , , , , , , , , , , ,		т.		T	9
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Ton-i Coefficient of variation of number	Standard error of percentage
Single modes—Con.						
Great Lakes	_	_	_	_	_	_
Less than 50 miles	_	_	_	_	_	_
50 to 99 miles	-	-	-	-	-	-
100 to 249 miles			_ _	- -	-	_ _
500 to 749 miles	_	_	-	_	-	_
750 to 999 miles	_	_	-	_	-	_
1,000 to 1,499 miles 1,500 to 1,999 miles	=	_ _	_ _	_ _	_ _	_ _
2,000 miles or more	_	_	-	_	-	_
Deep draft	-	-	-	-	-	-
Less than 50 miles	-	-	-	-	-	-
50 to 99 miles	=	_	_	_ _	_ _	_ _
250 to 499 miles	_	_	_	_ _	_	_
750 to 999 miles						
1,000 to 1,499 miles	_	=	_	=	-	=
1,500 to 1,999 miles			_ _	_ _	_	
Air (includes truck and air)	43.8	_	22.3	_	24.2	_
Less than 50 miles	_	_		_		_
50 to 99 miles	- S	S		S	- S	s s
100 to 249 miles	29.3 29.3	1.4 11.2	26.6 35.0	.6 8.5	37.8 28.9	.4 7.4
500 to 749 miles	42.9	5.2	32.8	6.5	30.9	6.4
750 to 999 miles	S	S	S S	S S	S	S
1,000 to 1,499 miles 1,500 to 1,999 miles	S 46.1	S 3.8	33.3	3.2	33.6	5.4
2,000 miles or more	S	S	45.8	1.6	42.6	4.9
Pipeline	34.5	-	34.0	-	s	S
Less than 50 miles	34.6	10.4	34.0	10.5	S	S
50 to 99 miles	S	S	S	S S	S	S S
250 to 499 miles	S	S -	S -	S -	9 9 9	\$ \$ \$ \$
750 to 999 miles	_	_	_	_	S	
1,000 to 1,499 miles	_	=	_	=	S	\$ \$ \$
1,500 to 1,999 miles	_ _	_ _	_ _	_ _	S	S S
Multiple modes	20.3	_	30.6	_	34.2	_
Less than 50 miles	27.7	1.4	S	S	29.8	_
50 to 99 miles	34.2	1.7	27.0	.8	26.5	1
100 to 249 miles	28.8 28.7	1.9 2.7	45.3 33.2	6.8 6.8	43.2 40.4	5.4 7.1
500 to 749 miles	19.2	1.8	S	S	S	S
750 to 999 miles	25.7 17.9	3.2	S	S .2	S	S .4
1,000 to 1,499 miles 1,500 to 1,999 miles	17.0	1.2 1.6	37.3 21.7	4.0	36.5 22.8	7.6
2,000 miles or more	30.3	.2	30.1	.3	28.0	.9
Parcel, U.S. Postal Service or courier	22.3	-	19.2	-	20.9	-
Less than 50 miles	27.7	2.1	26.8	1.0	25.7	_
50 to 99 miles	34.2 29.7	1.7 1.7	27.0 17.9	2.1 1.7	26.5 18.6	.4 .6
250 to 499 miles	28.9 21.2	2.3 1.8	17.3 24.9	1.9 1.9	17.2	1.5 1.7
					24.8	
750 to 999 miles	22.3 19.0	1.0 1.4	22.2 42.6	.9 .6	22.2 42.0	1.1 1.3
1,500 to 1,999 miles	23.7	1.2	23.6 32.5	1.0	22.7	2.5 1.2
2,000 miles or more	30.8	.3			31.9	1.2
Truck and rail	18.9	-	43.9	-	46.9	-
Less than 50 miles	-	_	-	_	-	_
50 to 99 miles	43.6	8.2	S	S	S	S
250 to 499 miles	S 35.8	S 6.1	S S	S S	S	S S S
750 to 999 miles						
1,000 to 1,499 miles	S	S S	S S	S S	SS	S S
1,500 to 1,999 miles	26.7	11.8	30.9	12.4	31.1	15.9
Truck and water	s	s	s	s	s	s
		3	3	3		3
Less than 50 miles	_ _	_ _	_ _	_ _	_ _	_ _
100 to 249 miles	S	S S	S S	S S	S	S S S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	s	S	s	S	S	S
1,000 to 1,499 miles 1,500 to 1,999 miles			_ _	_	_ _	_
2,000 miles or more	S	S	S	Š	S	S

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002-Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Made of transportation and distance objected	Va	lue	То	ns	Ton-	miles
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Multiple modes - Con.						
Rail and water	s	s	s	s	s	s
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	 	800	888	ssss	888	
750 to 999 miles	- - -	- - -	- - -	- - -	- - -	- - -
Other multiple modes	s	s	s	s	s	s
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	\$ - \$ -	\$ - \$ -	\$ \$ -	\$ - \$ -	\$ \$ -	\$ - \$ -
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	- - -	- - -	- - -	_ _ _	- - -	_ _ _
Other and unknown modes	24.7	-	s	s	s	s
Less than 50 miles 50 to 99 miles 100 to 249 miles 250 to 499 miles 500 to 749 miles	34.4 S 43.5 40.6 23.3	8.3 S 5.3 2.6 6.8	\$ 47.7 37.3 25.3 \$	S 4.7 2.6 1.8 S	\$ 48.4 39.3 24.9 \$	\$ 7.4 4.5 4.2 \$
750 to 999 miles 1,000 to 1,499 miles 1,500 to 1,999 miles 2,000 miles or more	\$ \$ \$ \$	9999	9 9 9 9	\$ \$ \$ \$	9 9 9 9	\$ \$ \$ \$

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

Estimates are shown as percents and are based on data from the 2002 Commoditi	Vali	ue	То	ns	Ton-miles		T	
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation	
Total	16.2	_	9.4	-	14.7	-	9.0	
Less than 50 lb	22.6 29.0 32.4 26.8 24.7	2.8 .5 1.7 .4 .2	17.5 19.6 9.6 13.7 18.4	- - - -	25.3 18.6 14.6 20.8 14.3	- - .1 - -	7.4 18.8 13.0 14.4 18.0	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	30.3 20.4 S 19.8	2.3 2.2 S 1.6	17.8 8.1 23.6 16.0	.8 5.0 2.2 5.6	28.1 17.2 S 19.5	1.1 4.7 S 5.4	14.8 12.1 20.8 11.5	
Single modes Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	18.6 38.4 39.6 38.8 29.7 25.1	.8 .4 1.7 .4	9.4 20.5 29.3 11.0 14.3 18.8	- - - - -	15.5 37.1 15.7 17.6 24.7 14.9	- - - - - -	13.8 19.3 24.5 15.1 14.0 18.3	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	30.6 19.8 S 20.6	2.4 2.2 S 1.8	17.9 8.0 23.7 16.8	1.2 4.9 2.1 5.8	28.8 16.5 S 20.8	1.2 5.0 S 5.9	15.9 11.8 20.8 11.7	
Truck ²	20.5	_	6.2	-	17.8	-	16.2	
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	41.5 40.4 39.1 29.8 25.1	.8 .4 1.7 .4 .3	21.7 29.4 10.9 14.3 18.8	- - - -	S 16.9 18.0 24.4 15.2	.1 - -	25.7 24.1 16.1 14.0 18.6	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	31.0 20.5 S 48.5	2.6 2.5 S 1.1	17.9 8.3 23.5 29.2	1.7 3.6 3.8 3.8	28.9 17.2 S 22.5	1.4 4.0 S 1.6	16.0 11.9 21.1 23.0	
For-hire truck	27.6	-	12.2	-	20.6	-	9.8	
Less than 50 lb	39.0 38.6 27.2 32.5 38.4	.3 .2 .9 .3 .2	18.8 17.7 22.7 26.9 14.7	- - - -	23.6 20.3 24.6 33.4 21.4	- .1 -	17.1 11.3 4.5 9.4 5.0	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	43.8 24.4 21.2 S	2.9 3.1 1.4 S	29.6 10.2 34.4 22.2	1.4 4.4 5.2 2.8	36.4 19.3 S 34.3	1.6 4.8 S 1.8	5.0 9.5 19.5 30.0	
Private truck	26.1	-	6.1	_	13.9	-	26.5	
Less than 50 lb	48.8 S S S 23.4	2.3 S S S .6	23.4 31.4 12.9 15.7 26.4	- .2 .1 .2	\$ 13.6 14.5 17.1 30.0	S - .3 .1	30.4 37.1 31.3 40.1 27.9	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	21.7 13.8 S 36.3	4.3 5.9 S .2	28.1 12.3 14.0 42.0	3.9 5.3 2.5 5.4	23.3 16.0 32.3 31.6	3.1 4.8 3.1 2.4	26.8 12.4 23.4 S	
Rail	14.8	-	23.1	-	23.6	-	14.9	
Less than 50 lb 50 to 99 lb 100 to 749 lb 50 to 999 lb	88888	\$ \$ \$ \$ \$	\$ \$ \$ \$ \$	\$ \$ \$ \$ \$	99999	\$ \$ \$ \$ \$ \$ \$ \$	31.6 31.6 31.6 31.6 30.8	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	43.9 48.8 40.9 15.9	2.9 7.8 .7 8.3	49.2 S 49.9 23.3	- S .3 .7	43.3 44.4 S 23.9	.8 S .8	20.6 26.0 21.6 17.1	
Water	S	S	30.3	_	23.8	-	14.2	
Less than 50 lb 50 to 99 lb 50 to 499 lb 500 to 749 lb 50 to 999 lb	- - - -	- - - -	- - - - -	- - - -	- - -	_ _ _ _	- - - -	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S - S	- S - S	S - 30.3	- S - -	- S - 23.8	- S - -	31.6 - 14.3	
Shallow draft	s	s	30.3	-	23.8	-	14.2	
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	- - - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S - S	- S - S	- S - 30.3	- S - -	- S - 23.8	- S - -	31.6 - 14.3	

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodi	Val	II P	To	ons	Ton-miles		<u> </u>	
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation	
Single modes—Con.								
Great Lakes	_	_	_	_	_	_	_	
Less than 50 lb	_	_	_	_	_	_	_	
50 to 99 lb			_		_	_		
500 to 749 lb	-	-	_	_	_	-	_	
750 to 999 lb	_	_	_	_	_	_	_	
1,000 to 9,999 lb	_	_				_		
50,000 to 99,999 lb	_	_	_	_	_	_	_	
Deep draft	_	_	_	_	_	_		
Less than 50 lb	_		_			_		
50 to 99 lb] =	=	=	_	_	=	_	
100 to 499 lb			1 1	_ _	_ _	_	_	
750 to 999 lb	-	_	-	_	_	-	_	
1,000 to 9,999 lb 10,000 to 49,999 lb		_	_			_		
50,000 to 99,999 lb	-	_	-	_	_	_	_	
100,000 lb or more		_				_	_	
Air (includes truck and air)	43.8	_	22.3	- 4.0	24.2	-	6.4	
Less than 50 lb	27.7 43.3	8.0 6.2	32.9 32.8	4.8 2.3	37.1 24.6	5.9 1.8	6.0 18.9	
100 to 499 lb	49.1 S	4.8 S	31.5 S	5.6 S S	34.4 S	5.3 S	23.0 22.7	
750 to 999 lb	S	S	S		S	S	30.0	
1,000 to 9,999 lb	S S	S S	45.5 S	7.4 S	S S	S S	29.3 33.0	
50,000 to 99,999 lb 100,000 lb or more] =	=	=		_	_	_	
Pipeline ³	34.5		34.0	_	s	s	s	
Less than 50 lb	S S	S	S	S				
50 to 99 lb	_	_	_	_	Š	S S S	S	
100 to 499 lb	_		-		88888	S	99999	
750 to 999 lb	_	_	=	_				
1,000 to 9,999 lb	_	_	_		S S	S S S S	\$ \$ \$ \$	
50,000 to 99,999 lb 100,000 lb or more	34.6	10.4	34.0	10.5	S	S	S	
Multiple modes	20.3	- 10.4	30.6	- 10.0	34.2	_	6.9	
Less than 50 lb	29.6	6.9	26.1	6.0	26.2	6.4	7.0	
50 to 99 lb	22.2	1.6	23.1	1.9	24.6	1.9	7.9	
100 to 499 lb	21.6 34.2	3.9 1.8	22.9 41.3	3.6 .6	26.2 38.6	2.5	4.9 24.1	
750 to 999 lb	31.9	.1	36.4	.2	38.3	.2	25.7	
1,000 to 9,999 lb	S S	S S	S 46.9	S 6.0	S 48.9	S 7.5	31.8 14.9	
50,000 to 99,999 lb	S 32.7	S .4	S 37.9	S 13.7	S 39.6	S 13.3	31.6 19.2	
Parcel, U.S. Postal Service or courier	22.3	_	19.2	_	20.9	_	6.9	
Less than 50 lb	29.6	6.2	26.1	5.2	26.2	5.0	7.0	
50 to 99 lb 100 to 499 lb	22.2 21.6	1.7 4.3	23.1 22.7	1.9 4.2	24.7 24.2	1.4 4.3	7.9 4.8	
500 to 749 lb	34.2	2.0	41.3	2.4	38.7	2.3	24.2	
750 to 999 lb	33.5	.1	36.2	.5	38.3	.4	27.3	
1,000 to 9,999 lb	_	_ _		_ _	_	_		
50,000 to 99,999 lb	_		-		_		_	
Truck and rail	18.9	_	43.9	_	46.9	_	7.7	
Less than 50 lb	_	_	_	_	_	_	_	
50 to 99 lb	_				_	_		
500 to 749 lb 750 to 999 lb	_ s	_ S	_ S	_ S	_ S	- S	31.6	
	s	s	S	s	s	S		
1,000 to 9,999 lb	18.0	8.1	24.5	18.2	30.1	17.1	27.8 10.2	
50,000 to 99,999 lb	47.0	S 8.2	S 48.4	S 19.2	S S	S S	31.6 23.8	
Truck and water	s	s	s	s	s	s	35.2	
Less than 50 lb	_	_	_	_	_	_	_	
50 to 99 lb	S S	S S	SSS	S S S	S S S	S S	31.6 31.6	
500 to 749 lb 750 to 999 lb	S	Š	S	S	Š	S	31.6	
1,000 to 9,999 lb	S S	S S	S S	S S	S S	S S	30.6 31.6	
50,000 to 99,999 lb	s	s	S	s	S	s	29.2	

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002-Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ue	To	ns	Ton-	miles	
Mode of transportation and shipment weight	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
Multiple modes — Con.							
Rail and water	s	s	s	s	s	s	26.8
Less than 50 lb			_ _				_ _
500 to 749 lb 750 to 999 lb	_ _ _	= =	_ _ _	_ _ _	_ _ _	= =	- - -
1,000 to 9,999 lb			_ _	_ _	_ _		<u>-</u>
50,000 to 99,999 lb. 100,000 lb or more.	s	s	S	S	S	s	26.8
Other multiple modes	s	s	s	s	s	s	s
Less than 50 lb	- S S - -	- S S - -	- 88 - -	- 8 8 - -	- 8 8 - -	- S S - -	31.6 31.6 - -
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	\$ \$ \$	\$ \$ - \$	S S - S	\$ \$	\$ \$ - \$	\$ \$ - \$	31.6 31.6 — 31.6
Other and unknown modes	24.7	-	s	s	s	s	s
Less than 50 lb 50 to 99 lb 10 to 499 lb 500 to 749 lb 500 to 749 lb 500 to 749 lb 750 to 999 lb	33.4 39.0 31.7 S 45.8	3.4 1.0 2.2 S .4	33.3 43.1 44.1 36.2 44.5	.2 .2 .9 .2	37.7 43.7 40.1 37.0 39.8	_ _ .4 _ _	S S 37.6 38.2 S
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	27.8 S S S	7.4 S S S	29.4 36.4 46.5 S	7.7 13.1 5.0 S	S 29.1 S S	S 9.4 S S	23.9 S S S

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-5a. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

		Value		Tons		Ton-		
SCTG code	Commodity description	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
	Total	16.2	_	9.4	-	14.7	-	9.0
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c. Meat, fish, seafood, and their preparations	\$ \$ 49.2 44.2 23.8	\$ \$.5 - .4	\$ \$ 37.0 \$ 18.4	S S .1 S	S S S S 14.9	\$ \$ \$ \$ -	31.6 27.5 27.2 S S
06 07 08 09 10	Milled grain products and preparations, and bakery products Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	43.1 15.7 29.1 S	.5 .4 .3 S S	\$ 19.8 36.8 42.6 \$	\$.5 - - \$	35.0 22.3 35.2 39.5 S	.3 1.1 .2 - S	39.8 29.0 S 25.7 30.2
11 12 13 14 15	Natural sands Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	34.3 14.3 S S 19.5	- S S .4	32.8 16.8 S S 21.4	.5 3.4 S S 6.2	38.5 42.3 S S 24.5	1.8 S S 6.6	13.5 27.0 34.9 31.6 15.5
17 18 19 20 21	Gasoline and aviation turbine fuel. Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	43.6 44.5 42.8 25.9 27.2	1.2 .6 1.4 .4	\$ 46.2 46.9 38.2 \$	\$.9 4.0 .7 \$	\$ 42.0 \$ 42.4 \$	S - S .8 S	35.4 S S S 21.5
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	\$ 44.9 11.9 \$ 14.3	\$.8 .9 \$.3	\$ 38.2 20.5 46.5 44.0	S .5 .2 - .8	\$ 48.5 20.7 47.2 39.6	S .8 .8 -	30.5 18.6 14.4 49.7 19.0
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	17.4 31.3 18.7 47.3 S	.4 .3 .4 1.7 S	24.9 30.7 23.3 35.2 31.3	.4 .1 - 1.7	33.2 34.4 25.5 45.9 S	1.6 .5 .1 .1	11.9 28.6 10.3 10.1 16.8
32 33 34 35	Base metal in primary or semifinished forms and in finished basic shapes. Articles of base metal Machinery. Electronic and other electrical equipment and components and office	17.2 26.5 S	.8 .4 S	21.2 18.1 S	.4 .1 S	26.9 25.8 S	.9 .3 S	13.7 S 8.8
36	equipment	30.0 40.4	2.1 4.6	27.7 27.3	.1 .4	36.6 24.5	.7 .3	15.7 10.5
37 38	Transportation equipment, n.e.c. Precision instruments and apparatus	S S	S S	s s	S S	S S	S S	29.1 24.8
39 40 41 43 	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	26.9 22.3 \$ 25.8 32.7	_ .4 S 2.3 _	27.0 28.6 42.9 24.5 S	- .1 .4 S	35.7 S 42.1 28.8 33.9	- S .2 .2	30.2 13.3 21.0 14.7 S

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-5b. Estimated Standard Errors for Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

SCTG	O annual distribution of the second state of	Value (p	percent)	Tons (p	ercent)	Ton-miles ¹ (percent)		
code	Commodity description	2002	1997	2002	1997	2002	1997	
	Total	-	-	-	-	-	_	
01 02 03 04 05	Live animals and live fish Cereal grains Other agricultural products Animal feed and products of animal origin, n.e.c Meat, fish, seafood, and their preparations	\$ 6 5 - .4	- .1 .2 S .3	\$ \$.1 \$.7 .3 .2	\$ 8 8 8 5 F	S 1.4 S - -	
06 07 08 09 10	Milled grain products and preparations, and bakery products. Other prepared foodstuffs and fats and oils Alcoholic beverages Tobacco products Monumental or building stone	.5.4 .3.9.9.9	.1 .6 .1 1.6 S	\$.5 - - \$.5 - - S	.3 1.1 .2 - S	.1 1.3 - - S	
11 12 13 14 15	Natural sands. Gravel and crushed stone Nonmetallic minerals n.e.c. Metallic ores and concentrates Coal	- - - - - - - - - - - - - - - - - - -	- - - S .7	.5 3.4 S S 6.2	1.3 3.1 S S 5.1	1.8 S S 6.6	1.0 2.3 S S 6.6	
17 18 19 20 21	Gasoline and aviation turbine fuel Fuel oils Coal and petroleum products, n.e.c. Basic chemicals Pharmaceutical products	1.2 .6 1.4 .4	.5 .4 .3 .3 .5	\$.9 4.0 .7 \$	1.7 .8 .2 .2	S - S .8 S	1.0 S .2 .5	
22 23 24 25 26	Fertilizers Chemical products and preparations, n.e.c. Plastics and rubber Logs and other wood in the rough Wood products	0 8 9 9 3 3	.4 .5 	\$.5 .2 - .8	- .1 - S .4	S .8 .8 -	- .3 .1 - .3	
27 28 29 30 31	Pulp, newsprint, paper, and paperboard Paper or paperboard articles Printed products Textiles, leather, and articles of textiles or leather Nonmetallic mineral products	.4 .3 .4 1.7 S	.2 .1 .4 .6	.4 .1 - 1.7	- - - 1.4	1.6 .5 .1 .1	.3 - .2 - .3	
32 33 34 35 36	Base metal in primary or semifinished forms and in finished basic shapes Articles of base metal Machinery Electronic and other electrical equipment and components and office equipment Motorized and other vehicles (including parts)	.8 .4 S 2.1 4.6	.5 .4 .5 .7 2.7	.4 .1 S	.4 .1 = - .4	.9 .3 S .7 .3	.9 .5 .2 .2	
37 38 39 40 41 43	Transportation equipment, n.e.c. Precision instruments and apparatus Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs Miscellaneous manufactured products Waste and scrap Mixed freight Commodity unknown	S S4.4 S 2.3 -	.2 - .1 .4 .2 .4	S S1 .1 .4 .5 S	- S - - 2 2 .1	S S	- - .2 S - S	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002

Listinates are shown as percents and are based on data from the 2002 commodities	ly riow ourvey						
	Val	ue	To	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
ALL COMMODITIES							
Total	16.2	_	9.4	_	14.7	_	9.0
Single modes	18.6	3.0	9.4	6.0	15.5	1.5	13.8
Truck	20.5	3.9	6.2	6.3	17.8	5.7	16.2
For-hire truck Private truck	27.6 26.1	4.5 4.2	12.2 6.1	4.2 3.3	20.6 13.9	5.0 1.6	9.8 26.5
Rail	14.8	.8	23.1	5.7	23.6	6.4	14.9
Water Shallow draft	S	S S	30.3 30.3	3.2 3.2	23.8 23.8	2.5 2.5	14.2 14.2
Great Lakes Deep draft					-		
Air (includes truck and air)	43.8 34.5	.3	22.3 34.0		24.2 S	_ S	6.4 S
Multiple modes	20.3	3.1	30.6	.4	34.2	1.5	6.9
Parcel, U.S. Postal Service or courier	22.3	3.1	19.2		20.9	.1	6.9
Truck and rail Truck and water	18.9 S	- S	43.9 S	.3 S	46.9 S	1.4 S	7.7 35.2
Rail and water Other multiple modes	S S	S	S	S S S	S	S	26.8 S
Other and unknown modes	24.7	.3	s	s	s	s	s
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	s	s	s	s	s	s	31.6
Single modes	s	s	s	s	s	s	31.6
Truck	s	s	s	s	s	s	31.6
For-hire truck Private truck	s	S	s	S	s	S	31.6
Rail	_	_	_	_	_	_	_
Water Shallow draft Shallow draft	_	_	-		_ _	_	
Great Lakes Deep draft			_ _		_ _	=	
Air (includes truck and air)			_ _		_ S	- S	_ S
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier	_	_	-	_	=	_	_
Truck and railTruck and water	_	_	-		_ _	_	
Rail and water	_	_	- -		- -	_	
Other and unknown modes	_	_	_	-	_	_	-
SCTG 02, CEREAL GRAINS							
Total	s	s	s	s	s	s	27.5
Single modes	s	s	s	s	s	s	27.5
Truck	s -	S	S	S	s -	S	31.6
Private truck	S	S	S	S	S	S	31.6
Rail	_	_	_	_	_	_	_
Water Shallow draft Shallow draft	S S	S S	S S	S S	S S	S S	23.6 23.6
Great Lakes Deep draft		=	_ _		_ _	=	_ _
Air (includes truck and air)					_ S	_ S	_ S
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_
Truck and rail	_	_	_ _		_	_	
Rail and water		_	_ _			_	
Other and unknown modes	_	_	_	_	_	_	_

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 commodition	ly riow ourvey		I				
	Val	ue	To	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment — coefficient of variation
SCTG 03, OTHER AGRICULTURAL PRODUCTS							
Total	49.2	_	37.0	_	s	s	27.2
Single modes	43.1	3.4	39.2	3.8	s	s	34.3
Truck For-hire truck Private truck	S S S	S S S	46.6 S S	13.6 S S	S S S	S S S	29.7 29.2 29.0
Rail	_	_	_	_	_	_	_
Water	S S	S	S	S	S	S	35.4
Shallow draft Great Lakes Deep draft		- -	- -	- -	- -	- -	35.4 - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	s	s	s	s	s	s	31.6
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	31.6
Truck and water	-			_ _	_ _		
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.							
Total	44.2	-	s	s	s	s	s
Single modes	44.2	-	s	s	s	s	s
Truck	S S S	S S S	S S S	S S S	S S S	S S S	S S 32.8
Rail	43.8	7.0	42.9	8.8	40.9	8.4	27.9
Water Shallow draft	_	_	_	-	_	_	_
Great Lakes Deep draft	_ _	_			_ _	_	_ _
Air (includes truck and air)				_ _	- S	s	s
Multiple modes	_	_	_	-	_	_	-
Parcel, U.S. Postal Service or courier	-	_	_	_	_	_	_
Truck and water Rail and water	=	_		_ _ _	_	_	_
Other multiple modes	_	_	_	_	=	_	_
Other and unknown modes	-	-	-	-	_	-	-
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS							
Total	23.8	-	18.4	-	14.9	-	s
Single modes	24.4	2.4	18.5	.4	15.2	.8	s
Truck	24.4 28.0 37.3	2.4 9.8 9.8	18.5 24.9 27.6	.4 10.6 10.4	15.2 21.5 31.8	.8 8.6 8.1	S 3.6 S
Rail	_	-	-	-	-	-	_
Water Shallow draft			_		_		
Great Lakes Deep draft	_ _				_ _		_ _
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	29.3 S
Multiple modes	s	s	s	s	s	s	29.7
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	29.7
Truck and water Rail and water				_ _	_ _		_ _
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 dominion			Г				
	Val	ue	То	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	43.1	-	s	s	35.0	-	39.8
Single modes	43.1	-	s	s	35.0	_	39.6
Truck For-hire truck Private truck	43.1 30.3 S	12.8 S	S 33.4 S	S 14.7 S	35.0 34.1 S	11.8 S	39.6 18.4 34.9
Rail	_	-	-	-	-	-	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)		=	=		- S	_ S	_ S
Multiple modes	_	-	-	-	-	_	-
Parcel, U.S. Postal Service or courier	_	-	_ _	_ _	-	-	_
Truck and water Rail and water	=	_	_ _ _	_ _ _	-	_	_
Other multiple modes	=	=	=	_	=	=	_
Other and unknown modes	s	s	s	s	s	s	31.6
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	15.7	_	19.8	_	22.3	_	29.0
Single modes	15.5	.7	19.6	.4	22.3	.6	30.5
Truck	17.4 21.0 31.4	4.4 8.6 8.9	23.6 25.3 33.1	7.9 10.7 9.0	25.0 27.3 29.0	12.8 10.7 10.0	30.2 13.3 S
Rail	s	s	s	s	S	S	29.8
Water Shallow draft Great Lakes Deep draft	S S - -	S S -	S S -	S S -	\$ \$ -	S S -	29.8 29.8 —
Air (includes truck and air)	S -	S -	S -	S -	S	S S	30.4 S
Multiple modes	s	s	s	s	s	s	25.8
Parcel, U.S. Postal Service or courier	S S S	S S S	S S S	\$ \$ \$	S S S	S S S	28.0 31.6 30.0
Rail and water Other multiple modes	=			_	_	_	
Other and unknown modes	s	s	s	s	s	s	25.7
SCTG 08, ALCOHOLIC BEVERAGES							
Total	29.1	-	36.8	-	35.2	-	s
Single modes	28.4	1.4	37.0	1.7	34.0	3.8	S
Truck For-hire truck Private truck	27.7 31.4 S	1.9 6.4 S	38.0 33.5 S	2.3 9.2 S	33.8 34.1 S	5.0 5.0 S	S 18.7 S
Rail	S	S	S	S	S	S	25.8
Water Shallow draft Great Lakes Deep draft	- - -	- - - -	- - - -	- - - -	 - -	- - -	- - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	s	s	s	s	s	s	38.8
Parcel, U.S. Postal Service or courier Truck and rail Truck and water	S S S	S S S	S S S	S S S	SSS	S S S	31.6 28.4 31.6
Rail and water Other multiple modes	_	_			=	_	
Other and unknown modes	s	S	s	s	s	s	31.6

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 Commodities	Val	ue	To	ons	Ton-		
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 09, TOBACCO PRODUCTS							
Total	s	s	42.6	_	39.5	_	25.7
Single modes	s	s	42.6	_	39.5	_	25.6
Truck For-hire truck Private truck	\$ 42.1 \$	S 12.3 S	42.6 49.1 S	9.7 S	39.5 42.5 S	10.1 S	25.6 25.8 31.6
Rail	_	-	-	_	_	_	-
Water	_		-	-	-	_	_
Great Lakes Deep draft			_ _ _		_ _ _		-
Air (includes truck and air)	=				- S	s	S
Multiple modes	s	s	s	s	s	s	31.6
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	31.6
Truck and water			_ _	_ _		_	
Other multiple modes	-	-	_	-	=	-	=
Other and unknown modes	_	-	_	_	_	_	_
SCTG 10, MONUMENTAL OR BUILDING STONE							
Total	S	S	S	S	S	S	30.2
Single modes	S	S	S	S	S	S	30.2
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	30.2 31.6 31.6
Rail	-	-	-	-	-	-	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)					_ S	_ S	_ S
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_
Truck and railTruck and water			-	-		_	
Rail and water Other multiple modes	=		_	_	_	_	_
Other and unknown modes	-	-	_	-	-	-	_
SCTG 11, NATURAL SANDS							
Total	34.3	-	32.8	-	38.5	-	13.5
Single modes	34.0	1.8	32.6	1.6	38.4	.2	14.1
Truck For-hire truck Private truck	34.0 37.1 35.4	1.8 10.7 11.4	32.6 36.5 34.3	1.6 10.0 11.2	38.4 S 41.3	.2 S 12.9	14.1 32.0 16.9
Rail	_	-	-	-	-	_	-
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	- - -	- - -	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _
Air (includes truck and air)	=		_ _		_ S	- S	- S
Multiple modes	_	_	_	_	_	-	_
Parcel, U.S. Postal Service or courier		-	_ _				_
Truck and water Rail and water		-	-				_
Other multiple modes	-	-	-	_	_	_	_
Other and unknown modes	s	s	s	s	s	s	29.1

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

	Val	ue	To	ons	Ton-		
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	14.3	_	16.8	_	42.3	_	27.0
Single modes	14.3	.3	16.8	.3	42.1	1.6	27.2
Truck For-hire truck	10.1 7.8 13.0	5.9 3.6 4.2	14.4 8.4 18.9	6.6 3.7 5.1	36.7 23.6 44.4	17.7 7.5 11.1	30.5 23.8 34.5
Rail	49.6	1.5	s	S	s	S	28.5
Water Shallow draft Great Lakes Deep draft	S S - -	S S - -	\$ \$ - -	\$ \$ - -	\$ \$ - -	\$ \$ - -	24.1 24.1 – –
Air (includes truck and air)			_ _	-	- S	- S	_ S
Multiple modes	s	s	s	s	s	s	40.0
Parcel, U.S. Postal Service or courier	_ S	_ S	_ S	_ S	_ S	_ S	_ 31.6
Truck and water Rail and water	_		-	-	_	-	- -
Other multiple modes	S	S	S	S	S	S	31.6
Other and unknown modes	36.0	.4	36.0	.4	S	S	36.7
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	s	s	s	s	s	s	34.9
Single modes	S	S	S	S	S	S	S
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	S S 31.6
Rail	S	S	S	S	S	S	31.6
Water Shallow draft Great Lakes Deep draft	- - -	- - -	- - -	- - -	- - -	- - -	- - - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	s	s	s	s	s	s	31.6
Parcel, U.S. Postal Service or courier	s -	S -	s -	s -	s -	s -	31.6
Truck and water Rail and water							
Other multiple modes	-	_	_	_	_	_	_
Other and unknown modes SCTG 14, METALLIC ORES AND CONCENTRATES	s	S	S	S	S	S	s
Total	s	s	s	s	s	s	31.6
Single modes	s	s	s	s	s	s	31.6
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	31.6 31.6 31.6
Rail	_	_	_	_	_	_	_
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft		- - -	- - -	- - -	_ _ _	_ _ _	- - -
Air (includes truck and air)			_ _		_ S	- S	- S
Multiple modes	-	-	_	-	_	-	_
Parcel, U.S. Postal Service or courier							_ _
Truck and water Rail and water Other multiple modes		_ _ _	_ _ _		_ _ _		_ _ _
Other and unknown modes	_	_	_	_	_	_	_

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodit	Val	ue	To	ons	Ton-		
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 15, COAL							
Total	19.5	_	21.4	_	24.5	_	15.5
Single modes	22.6	7.0	22.6	9.6	26.1	3.6	15.8
Truck	42.9 47.3 31.1	4.1 3.9 2.9	43.1 48.7 31.6	4.9 4.6 3.6	S S S	S S S	19.0 18.6 20.4
Rail	24.3	7.0	24.5	8.6	25.8	5.8	18.7
Water Shallow draft Great Lakes Deep draft	S S - -	S S - -	S S - -	\$ \$ - -	S S - -	\$ \$ - -	22.8 22.8 —
Air (includes truck and air)	_ _		_ _	-	_ S	- S	_ S
Multiple modes	45.9	1.0	47.7	1.2	46.7	3.5	27.0
Parcel, U.S. Postal Service or courier	- S S S	- S S S	- 8 8	- S S S	- s s s	- S S S	28.1 31.6 30.7
Other multiple modes	s	s	s	s	s	s	24.6
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL		3					24.0
Total	43.6	_	s	s	s	s	35.4
Single modes	43.6	_	s	s	s	s	37.1
Truck For-hire truck	31.4 26.7	13.7 12.0	28.4 28.9	15.7 12.3	S 47.5 S	S 16.5	35.1 21.9
Rail	45.6	11.7	42.9	12.2	-	S -	34.8
Water Shallow draft Great Lakes Deep draft	S S -	S S -	\$ \$ -	S S -	S S -	S S	31.6 31.6 -
Air (includes truck and air)	_ S	_ S	_ S	_ S	_ S	_ S	_ S
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_
Truck and rail Truck and water Rail and water	_ 	- - -	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _
Other multiple modes	_	_	-	_	_	_	_
Other and unknown modes	S	S	s	S	s	S	31.6
SCTG 18, FUEL OILS	44.5		40.0		40.0		
Total	44.5 44.6	_	46.2 46.2	_	42.0 42.0	_	s
Truck	34.3 40.6	6.4 14.2	36.1 44.3	5.9 13.3	42.3 S	1.1 S	S 28.7
Private truck	37.7	12.1	38.9	11.5	Š	Š	45.9
Rail	_	_	_	_	_	_	-
Water Shallow draft Great Lakes Deep draft	S S	S S - -	\$ \$ - -	S S - -	S S	S S - -	31.6 31.6 – –
Air (includes truck and air)			_ _		- S	s	Š
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier			_ _		_ _	_	
Truck and water Rail and water Other multiple modes	_ _ _	- - -	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _
Other and unknown modes	s	s	s	s	s	s	31.6

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 dominion	y r low ourvey]		ı		1		
	Val	ue	To	ons	Ton-	-miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.							
Total	42.8	_	46.9	_	s	s	s
Single modes	43.1	3.5	46.9	1.5	s	S	s
Truck	47.2	10.6	S		s	S	
For-hire truck Private truck	S	S S	S	S S S	S	S	40.2 23.3
Rail	s	S	s	S	s	S	29.5
Water Shallow draft Shallow draft	=	_	_ _	_ _ _	_ _ _	_	_
Great Lakes Deep draft	=	_	_	_	=	_	_
Air (includes truck and air)	s -	S -	S -	S -	S S	S S	30.6 S
Multiple modes	s	s	s	s	s	s	33.2
Parcel, U.S. Postal Service or courier	S -	S _	S -	S -	S -	S -	33.2
Truck and water Rail and water	_	-	-	_ _	_ _	_	-
Other multiple modes	-	_	_	_	-	-	_
Other and unknown modes	s	S	s	s	s	S	S
SCTG 20, BASIC CHEMICALS							
Total	25.9	_	38.2	_	42.4	_	S
Single modes	27.1	2.7	38.4	1.9	42.6	1.3	S
Truck . For-hire truck . Private truck .	32.3 36.8 S	6.0 6.3 S	\$ 39.9 \$	9.7 S	26.1 28.0 S	10.2 9.7 S	\$ 16.2 \$
Rail	24.1	4.7	40.4	5.9	31.9	8.9	20.2
Water Shallow draft Great Lakes Deep draft	\$ \$ - -	\$ \$ - -	\$ \$ - -	S S - -	\$ \$ - -	\$ \$ - -	31.6 31.6 – –
Air (includes truck and air)Pipeline	S 41.6	S 3.4	S 41.1	S 6.0	S S	S	28.6 S
Multiple modes	48.7	2.5	42.8	1.7	s	s	28.0
Parcel, U.S. Postal Service or courier	40.0	_	s	S	s	S	30.0
Truck and rail . Truck and water	S -	S -	S -	_	S -	S -	28.2
Rail and water Other multiple modes	=				_ _	=	
Other and unknown modes	s	s	s	s	s	s	31.6
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	27.2	_	s	s	s	s	21.5
Single modes	44.4	13.7	s	s	s	s	s
Truck For-hire truck Private truck	44.6 S 44.1	13.7 S 11.2	S S 44.9	S S 10.0	S S 43.4	S S 9.8	33.3 24.2 46.1
Rail	_	_	_	_	_	_	_
Water	_	_	-	-	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	_ _ _	- - -	_ _ _	_ _ _	= =	_ _ _
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	41.1 S
Multiple modes	34.8	13.3	s	s	s	s	23.5
Parcel, U.S. Postal Service or courier	34.8	13.3	S -	S -	S	S	23.5
Truck and water Rail and water	_	_] =	
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	s	s	s	s	s	s	27.1

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Continue	Estimates are shown as percents and are based on data from the 2002 dominion	1						T
Sult of the content		Val	ue	To	ns	Ton-	-miles	
Total	SCTG code, description, and mode of transportation	variation of		variation of		variation of		per shipment— coefficient of
Single modes	SCTG 22, FERTILIZERS							
Tube	Total	s	s	s	s	s	s	30.5
Fig. 1	Single modes	s	s	s	s	s	s	30.5
Fall			S	S	S	S	S	
Water	Private truck.		S	S	S	S		
Shelberk order	Rail	_	_	-	-	_	-	_
Are inclusion back and air)		-	-	_	_	_	_	_
Air (Fine the first and air)	Great Lakes	=		_	_	_	=	=
Pignifine	Deep draft	_	_	_	_	_	_	_
Prof. 12 Prof. Prof. Service or courier				_ _	_ _	- S	- S	s
Truck and real and re	Multiple modes	_	_	_	_	_	_	_
Truck and water		_	_	-	-	-	=	_
Other multiple modes	Truck and water	_					_	
Other and unknown modes	Rail and water	_	_				_	_
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C. Total	·		9	•	٩	•	9	31.6
Total								01.0
Single modes	SCIG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.							
Truck			_		-		-	
For-hire truck								
Rail	For-hire truck	S	S	45.7	9.3	S	S	9.2
Water								
Great Lakes		_	_	_	_	_	_	_
Air (includes truck and air). S	Great Lakes	_				_	_	
Multiple modes	Deep draft	_	_	_	_	_	_	_
Parcel U.S. Postal Service or courier		S -	S -	S -	S -	S S	S S	
Truck and rail	Multiple modes	s	s	39.7	.4	47.6	1.4	23.8
Truck and water				49.5	.3	S		
Other multiple modes -	Truck and water	S -	S -	_	_	5 -	S -	29.9
Total		_	_			_	_	
Total 11.9 - 20.5 - 20.7 - 14.4 Single modes 12.9 2.2 21.0 1.5 21.1 1.6 11.7 Truck 13.0 4.3 17.0 7.2 16.3 9.2 12.5 For-hire truck 15.9 6.8 21.3 7.4 19.1 8.4 8.1 For-hire truck 26.2 6.5 27.8 6.4 33.7 5.5 36.8 Full 26.2 6.5 27.8 6.4 33.7 5.5 36.8 Rail 3 8 8 8 8 8 8 8 9.8 8 9.8 9.8 8 9.8 <td>Other and unknown modes</td> <td>s</td> <td>s</td> <td>s</td> <td>s</td> <td>s</td> <td>s</td> <td>s</td>	Other and unknown modes	s	s	s	s	s	s	s
Single modes 12.9 2.2 21.0 1.5 21.1 1.6 11.7 Truck 13.0 4.3 17.0 7.2 16.3 9.2 12.5 For-hire truck 15.9 6.8 21.3 7.4 19.1 8.4 8.1 Private truck 26.2 6.5 27.8 6.4 33.7 5.5 36.8 Rail S S S S S S S 29.8 Water -<	SCTG 24, PLASTICS AND RUBBER							
Truck 13.0 4.3 17.0 7.2 16.3 9.2 12.5 For-hire truck 15.9 6.8 21.3 7.4 19.1 8.4 8.1 Private truck 26.2 6.5 27.8 6.4 33.7 5.5 36.8 Rail S S S S S S 29.8 Water -	Total	11.9	_	20.5	_	20.7	_	14.4
For-hire truck	Single modes	12.9	2.2	21.0	1.5	21.1	1.6	11.7
For-hire truck	Truck	13.0	4.3	17.0	7.2	16.3	9.2	12.5
Water - <td>For-hire truck</td> <td>15.9</td> <td></td> <td>21.3</td> <td>7.4</td> <td>19.1 33.7</td> <td></td> <td>8.1</td>	For-hire truck	15.9		21.3	7.4	19.1 33.7		8.1
Shallow draft - <	Rail	s	S	s	S	s	S	29.8
Great Lakes - <td< td=""><td></td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td></td<>		_	_	_	_	_	_	_
Air (includes truck and air) S S S S S S S 28.1 Pipeline - - - - - - S		_					_ _	_
Pipèline		_	-	-	-	-	-	_
Multiple modes 31.5 2.2 S S S 14.6 Parcel, U.S. Postal Service or courier 31.7 2.2 S </td <td>Air (includes truck and air)</td> <td>S -</td> <td>S -</td> <td>S -</td> <td></td> <td>S S</td> <td>S S</td> <td></td>	Air (includes truck and air)	S -	S -	S -		S S	S S	
Truck and rail S S S S S 31.6 Truck and water S S S S S S S 31.6 S		31.5	2.2	s	s	s	s	14.6
Rail and water - - - - - - Other multiple modes - - - - - -				s	S	s		
Other multiple modes	Truck and water		S	S		S S		
			_				_	
	Other and unknown modes	s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodition	Val	ue	Тс	ons	Ton-	miles	Average miles
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH							
Total	s	s	46.5	_	47.2	_	49.7
Single modes	s	s	47.2	2.0	48.6	2.6	s
Truck For-hire truck Private truck	S S S	S S S	47.2 S S	2.0 S S	48.6 S 40.3	2.6 S 10.9	S 24.3 S
Rail	_	_	-	-	_	_	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - - -	- - -	- - - -
Air (includes truck and air)	_ _ _		_ _		_ S	_ S	_ S
Multiple modes	_	_	_	_	_	_	_
Parcel, U.S. Postal Service or courier	_	_	_	_	_	_	_
Truck and water Rail and water	=	_	=	_		_	
Other multiple modes	_	_	_	_	_	_	_
Other and unknown modes	s	s	s	s	s	s	28.0
SCTG 26, WOOD PRODUCTS							
Total	14.3	-	44.0	-	39.6	-	19.0
Single modes	14.5	1.4	44.9	2.3	41.1	3.0	18.4
Truck For-hire truck Private truck	14.7 29.8 21.9	5.4 11.1 9.7	32.0 31.7 S	7.5 13.8 S	24.6 32.6 S	11.8 14.3 S	21.0 14.6 16.4
Rail	s	S	S	S	S	S	41.9
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - -	- - - -	- - - -	- - - -
Air (includes truck and air)		_	_	_	_ S	_ S	_ S
Multiple modes	s	s	s	s	s	s	43.1
Parcel, U.S. Postal Service or courier	S S	SS	S	S	S S	SS	S 31.6
Truck and water Rail and water	- -	-	-	- -	- -	-	
Other multiple modes	s	S	S	S	S	S	31.6
Other and unknown modes	s	S	S	S	S	S	S
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD Total	17.4	_	24.9	_	33.2	_	11.9
Single modes	18.0	2.3	25.1	1.5	33.5	2.7	16.4
Truck For-hire truck Private truck	21.4 24.2 S	5.7 7.0 S	25.7 26.8 43.9	7.1 7.0 4.2	37.3 37.8 46.2	7.9 7.7 2.3	15.4 6.6 S
Rail	35.6	6.0	44.6	7.7	s	S	18.8
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	- - -	- - -	- - -	- - -	- - -	_ _ _
Air (includes truck and air)	s -	S -	S -	S -	S S	SS	31.6 S
Multiple modes	s	s	s	s	s	s	35.7
Parcel, U.S. Postal Service or courier	S S	S	S S	S S	S	S	27.8 31.9
Truck and water Rail and water	_ _ _		_ _	_ _	_ _ _		
Other multiple modes	- s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodit	Value		Тс	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 28, PAPER OR PAPERBOARD ARTICLES							
Total	31.3	_	30.7	_	34.4	_	28.6
Single modes	32.3	1.7	30.8	1.0	34.6	1.7	16.9
Truck For-hire truck Private truck	33.0 36.1 S	4.8 6.8 S	31.4 34.2 S	3.5 6.8 S	35.3 39.2 S	5.0 7.5 S	19.5 16.7 37.4
Rail	s	S	S	S	s	s	42.9
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - -	- - - -	- - -	- - -
Air (includes truck and air)	S -	S -	s -	S -	S	S	29.8 S
Multiple modes	29.1	1.6	s	s	s	s	43.7
Parcel, U.S. Postal Service or courier	40.8 S -	1.5 S -	26.8 S -	.5 S -	23.5 S -	.3 S -	43.5 27.9 —
Other multiple modes	- - s	- - s	_ _ s	- - s	- - s	- s	29.2
SCTG 29, PRINTED PRODUCTS		3			J		23.2
Total	18.7	_	23.3	_	25.5	_	10.3
Single modes	18.8	5.6	25.2	2.7	28.9	4.3	13.0
Truck For-hire truck Private truck	19.0 25.3 28.4	5.7 9.7 9.1	25.2 35.1 45.5	2.7 11.7 11.3	29.2 33.5 48.5	4.4 11.0 8.2	15.9 7.3 S
Rail	s	s	s	s	s	s	31.6
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	46.0 _	.6	38.4	.2	42.8 S	.6 S	21.7 S
Multiple modes	29.2	5.7	27.7	2.1	28.7	3.8	12.4
Parcel, U.S. Postal Service or courier	29.2	5.7	27.7	2.1	28.7	3.8	12.4
Truck and water Rail and water Other multiple modes	_ _			- -	_ _ _	_	
Other and unknown modes	s	s	s	s	s	s	37.6
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER							
Total	47.3	-	35.2	-	45.9	_	10.1
Single modes	49.8	7.6	36.2	4.3	47.6	5.7	12.5
Truck For-hire truck Private truck	S S 21.7	S S 4.2	36.3 46.3 18.9	4.2 8.4 7.6	48.1 S 40.7	5.7 S 1.6	15.2 5.6 S
Rail	-	_	-	-	_	_	_
Water Shallow draft Great Lakes Deep draft	- - - -	- - -	- - - -	- - -	- - - -	- - - -	- - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	30.3 S
Multiple modes	37.9	6.2	34.4	3.1	36.2	4.7	7.5
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Pail and water	37.9 - -	6.2 - -	34.4 - -	3.1 - -	36.2 - -	4.7 _ _	7.5 - -
Rail and water Other multiple modes						_	
Other and unknown modes	48.4	2.1	49.6	1.5	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 dominion	, ,, T						
	Val	ue	To	ns	Ton-	miles	Average miles
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment — coefficient of variation
SCTG 31, NONMETALLIC MINERAL PRODUCTS							
Total	s	s	31.3	_	s	s	16.8
Single modes	s	s	31.2	.2	s	s	20.3
Truck For-hire truck Private truck	S S S	S S S	35.5 45.4 43.5	9.0 11.9 13.6	SSS	S S S	21.8 24.2 27.3
Rail	S	S	S	S	S	S	32.8
Water	S	S	s	S	S	S	30.3
Shallow draft Great Lakes Deep draft	S	S - -	S - -	S - -	S - -	S - -	30.3
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	30.3 S
Multiple modes	s	s	s	s	s	s	22.3
Parcel, U.S. Postal Service or courier	41.2	3.0	S	s	S	S	22.3
Truck and rail	s	S	S	S	S	S	29.8
Rail and water	_	_	_	_ _	-	_	
Other and unknown modes	s	s	s	s	s	s	46.2
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	17.2	_	21.2	_	26.9	_	13.7
Single modes	17.2	.6	21.6	1.1	27.3	1.7	13.8
Truck	17.8 16.0 34.6	1.4 3.2 3.3	22.4 23.3 41.9	4.7 5.8 5.8	21.9 18.7 S	8.7 8.6 S	13.4 8.9 34.3
Rail	32.5	1.0	43.6	3.1	46.8	4.1	18.5
Water	s	s	S	s	S	s	30.6
Shallow draft Great Lakes Deep draft	S - -	S	S - -	S - -	S - -	S - -	30.6
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	40.5 S
Multiple modes	s	s	s	s	s	s	s
Parcel, U.S. Postal Service or courier	s	s	S	s	43.5	_ S	41.0
Truck and rail . Truck and water Rail and water	S -	S	S - -	S - -	S - -	- -	25.2 - -
Other multiple modes	-	-	-	-	-	_	-
Other and unknown modes	37.5	.7	49.0	1.1	s	S	s
SCTG 33, ARTICLES OF BASE METAL							
Total	26.5	-	18.1	-	25.8	-	s
Single modes	27.6	5.0	18.3	1.3	25.8	1.3	S
Truck For-hire truck Private truck	29.0 38.9 31.3	5.3 8.6 8.4	19.8 28.0 23.4	6.3 9.2 10.1	28.6 36.5 28.4	7.8 8.5 7.5	\$ 11.2 \$
Rail	S	S	50.0	.4	S	S	26.7
Water Shallow draft Great Lakes	S S -	S S -	S S -	S S -	S S -	S S -	28.3 28.3 —
Deep draft Air (includes truck and air)	47.4	.1	_ S	- S	49.8		22.2
Pipeline	32.7	1.2	41.7	- .2	S 39.7	S 1.3	S 21.1
·							
Parcel, U.S. Postal Service or courier	32.7	1.2	41.7	.2	39.7 -	1.3	21.1
Truck and water Rail and water		_	-	_ _	_	_	
Other multiple modes	_	_	_	-	-	_	_
Other and unknown modes	s	s	41.4	1.2	41.9	.3	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are shown as percents and are based on data from the 2002 Commoditi	Value		To	ons	Ton-		
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 34, MACHINERY							
Total	s	s	s	s	s	s	8.8
Single modes	s	s	s	s	s	s	14.0
Truck For-hire truck Private truck	S S 19.5	S S 3.4	S S 32.0	S S 4.8	S S 36.3	S S 3.5	14.5 3.7 S
Rail	S	S	S	s	49.3	7.7	23.3
Water Shallow draft	_	_	_	-	-	_	_
Great Lakes Deep draft	_	-	_ _	_ _	- -		- -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	16.4 S
Multiple modes	41.2	5.2	s	s	s	s	9.9
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	46.7 S S -	5.4 S S	29.6 S S	1.9 S S	26.9 S S	1.9 S S	9.9 30.5 31.6 —
Other and unknown modes	49.5	.6	s	s	s	s	s
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	30.0	_	27.7	_	36.6	_	15.7
Single modes	41.1	10.9	30.6	8.8	39.0	8.2	32.3
Truck For-hire truck Private truck	42.3 46.7 46.4	10.7 11.0 9.7	30.7 40.6 S	9.0 12.0 S	39.2 46.8 S	9.1 12.2 S	43.9 12.2 28.7
Rail	S	S	S	S	S	S	29.8
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	49.2 S	.9 S	43.7 S	_ S	S	S	19.3 S
Pipeline	s	s	s	s	44.8	8.3	17.4
Parcel, U.S. Postal Service or courier	S S -	S S -	S S - -	S S -	S S -	S S -	17.5 31.6 -
Other multiple modes	-	_	-	-	-	_	-
Other and unknown modes SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING	s	S	s	S	s	S	s
PARTS) `							
Total	40.4	-	27.3	-	24.5	-	10.5
Single modes	43.2 44.1	2.9 3.7	28.7 29.5	2.3 3.2	25.7 26.8	2.0 4.2	26.4 20.5
Cor-hire truck Private truck	22.0 S	7.2 S	22.3 S	5.9 S	29.6 S	7.3 S	7.7 24.2
Rail	46.4	1.3	S	S	48.4	2.9	29.2
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - -	- - - -	- - - -
Air (includes truck and air)Pipeline	S -	S -	S -	S -	45.3 S	- S	22.7 S
Multiple modes	48.7	2.0	47.2	.7	41.4	1.7	6.5
Parcel, U.S. Postal Service or courier	\$ \$ \$ -	\$ \$ \$ -	S S S	S S S	\$ \$ \$ -	\$ \$ \$ -	6.9 29.8 31.6
Other multiple modes	s	s	s	s	s	s	36.0

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

	J		_	_			
	Val	ue	10	ons	I on-	miles	A
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.							
Total	s	s	s	s	s	s	29.1
Single modes	s	s	s	s	s	s	28.9
Truck For-hire truck Private truck	S S S	S S S	S S S	S S S	S S S	S S S	28.9 29.8 29.9
Rail	_	-	_	-	_	_	-
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _
Air (includes truck and air)	=				_ S	- S	- S
Multiple modes	s	s	s	s	s	s	40.7
Parcel, U.S. Postal Service or courier	s	s	s	s	s	s	40.7
Truck and rail Truck and water	_	_	_	_	_	_	_
Rail and water	_	=	_	_	_	=	_
Other multiple modes	- s	- S	s	- s	s	- S	31.6
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS		3	3	3	3	3	31.0
Total	s	s	s	s	s	s	24.8
Single modes	s	s	43.3	16.7	s	s	s
Truck For-hire truck Private truck	S S S	S S S	43.3 S S	16.7 S S	S S S	S S S	S 27.2 35.9
Rail	_	-	_	-	-	-	_
Water	_	_	_	_	_	_	_
Shallow draft Great Lakes Deep draft	=	- - -	- - -	- - -	- - -	- - -	_ _ _
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	29.8 S
Multiple modes	s	s	s	s	s	S	23.7
Parcel, U.S. Postal Service or courier	S	S	S _	S -	S -	S	23.7
Truck and water	_	_	_	_	_	_	_
Rail and water Other multiple modes	=	_				_	
Other and unknown modes	s	s	s	s	s	s	s
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS							
Total	26.9	_	27.0	_	35.7	_	30.2
Single modes	25.8	1.4	26.3	1.5	30.9	8.0	33.2
Truck For-hire truck Private truck	25.8 36.8 S	1.4 11.4 S	26.3 33.2 S	1.5 9.1 S	31.0 38.2 S	8.0 8.6 S	33.6 23.6 44.4
Rail	_	_	-	-	-	_	-
Water Shallow draft	_						
Great Lakes Deep draft	=						
Air (includes truck and air)	s -	S -	S -	S -	S S	S S	31.6 S
Multiple modes	s	s	s	s	s	s	41.7
Parcel, U.S. Postal Service or courier	SS	S S	S S	S S	S S	S S	28.4 25.8
Truck and water	-	_	_	_	_	_	25.8 −
Rail and water Other multiple modes	_				_ _		
Other and unknown modes	_	_	_	_	_	_	_

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

Estimates are snown as percents and are based on data from the 2002 Commodit	Val	ue	To	ons	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS							
Total	22.3	_	28.6	-	s	s	13.3
Single modes	28.2	6.5	30.3	3.2	s	s	18.1
Truck	28.3 32.3 12.6	6.5 7.6 3.5	30.3 37.5 31.6	3.2 9.9 8.9	S S 40.5	S S 5.0	21.0 9.5 S
Rail	_	_	_	_	-	_	-
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	23.0 S
Multiple modes	26.3	5.6	26.3	1.6	26.4	4.5	9.8
Parcel, U.S. Postal Service or courier	26.3	5.6	26.3	1.6	26.4	4.5	9.8
Truck and water Rail and water	_	_		_	_	_	
Other multiple modes	_	_	_	-	_	_	_
Other and unknown modes	S	S	S	S	S	S	S
SCTG 41, WASTE AND SCRAP							
Total	S	S	42.9	_	42.1	_	21.0
Single modes	S	S	50.0	8.9	s	s	21.5
Truck	S S S	S S S	S S 35.6	S S 10.4	S S 45.6	S S 10.5	21.8 21.8 26.7
Rail	36.5	3.8	44.9	7.7	S	S	26.9
Water Shallow draft Great Lakes Deep draft	S S - -	S S - -	S S - -	S S - -	S S - -	S S - -	29.0 29.0 —
Air (includes truck and air)					_ S	- S	_ S
Multiple modes	40.0	6.2	39.8	8.9	43.4	13.3	25.9
Parcel, U.S. Postal Service or courier	_ _	-		_ _	_ _		_ _
Truck and water Rail and water Other multiple modes	S S S	S S S	S S S	S S S	S S S	S S S	28.9 29.8 31.6
Other and unknown modes	-	-	-	-	-	-	-
SCTG 43, MIXED FREIGHT							
Total	25.8	_	24.5	-	28.8	-	14.7
Single modes	26.3	2.9	24.2	1.6	25.1	3.9	21.0
Truck	26.2 36.3 24.1	3.0 4.2 4.7	24.2 39.9 20.3	1.6 8.0 9.0	25.0 39.9 18.0	3.9 5.9 8.3	20.7 25.2 21.5
Rail	s	S	S	s	s	S	31.6
Water Shallow draft	_ _	-		-		_	
Great Lakes Deep draft							
Air (includes truck and air)	S -	S -	S -	S -	S S	S S	28.6 S
Multiple modes	39.1	2.7	45.5	1.4	37.8	3.0	7.3
Parcel, U.S. Postal Service or courier Truck and rail Truck and water	39.4 49.1	2.7 .2 -	S S -	S S -	S S -	S S -	7.4 25.8 -
Rail and water	_ _	_ _	_ _	_ _		_	
Other and unknown modes	s	s	s	s	s	s	s

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ne	То	ns	Ton-	miles	
SCTG code, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
COMMODITY UNKNOWN							
Total	32.7	-	s	s	33.9	-	s
Single modes	39.1	9.7	s	s	39.2	9.3	s
Truck For-hire truck Private truck	39.2 46.7 S	9.7 11.9 S	S S S	S S S	39.2 42.1 48.0	9.3 11.1 7.7	S S S
Rail	s	S	S	S	S	s	31.6
Water Shallow draft Great Lakes Deep draft	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Air (includes truck and air)		- -	- -	- -	- S	- S	- S
Multiple modes	s	s	30.1	.9	41.1	3.0	30.1
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	S - - - -	S - - - -	30.1 - - - -	.9 - - - -	41.1 - - - -	3.0 - - - -	30.1 - - - -
Other and unknown modes	s	s	s	s	s	s	33.6

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-7. Estimated Measures of Reliability for Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

	Val	ue	То	ns	Ton-miles		
State of destination	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Total	16.2	-	9.4	-	14.7	_	
NEW ENGLAND STATES							
Connecticut Maine Massachusetts New Hampshire Rhode Island Vermont	30.3 31.4 S S S 48.6	.1 - S S S	S 47.6 35.0 37.0 36.2 35.8	S - - - -	S 43.9 32.3 35.1 35.9 35.9	S	
MIDDLE ATLANTIC STATES							
New Jersey	32.5 48.6 29.4	.4 1.0 .4	30.8 S 28.6	.2 S .3	30.0 S 29.2	.9 S .6	
EAST NORTH CENTRAL STATES							
Illinois Indiana Michigan Ohio Wisconsin	18.0 13.0 25.4 20.9 19.1	.4 .3 1.1 1.6 .2	30.8 16.8 38.9 35.0 S	.9 .3 1.0 3.2 S	15.9 33.5 37.3 41.7 S	.5 .5 1.2 2.0 S	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	18.4 \$ 28.5 33.8 31.7 27.9 38.4	- S 2 .5 - -	12.4 S 41.2 35.6 36.2 37.4 S	- S .1 .3 - - S	11.5 S 44.3 39.7 34.1 36.4 S	- S .4 .4 - - S	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	22.6 S 21.0 32.4 17.0 14.6 33.0 31.2 24.3	- S 5.5 5.1 2 4 3 3	32.5 S 32.1 30.2 S 24.2 35.8 36.6 33.1	- \$ 1.0 1.7 \$ 1.1 1.2 5 .6	32.2 \$ 32.6 27.2 \$ 24.4 35.1 37.0 27.8	- 2.7 1.7 S 1.2 1.8 7.6	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	19.7 13.1 26.9 15.0	.3 3.1 .2 .6	\$ 20.2 27.8 39.2	S 6.2 - 1.4	S 12.4 24.2 36.4	\$ 1.9 - .8	
WEST SOUTH CENTRAL STATES							
Arkansas Louisiana Oklahoma Texas	S 29.1 38.3 35.9	S .2 .3 .6	\$ 31.3 25.0 28.4	S .6 - .5	43.7 33.5 25.8 28.5	.5 1.6 .1 1.7	
MOUNTAIN STATES							
Arizona . Colorado . Idaho . Montana . Nevada . New Mexico . Utah . Wyoming .	13.2 22.8 46.2 32.6 42.3 34.9 43.0	.1 - - - - - - S	25.1 24.5 S 20.9 38.1 28.2 42.1	- S S - - -	23.9 24.6 S S 21.2 37.8 28.2 41.7	- - S S - - .1	
PACIFIC STATES							
Alaska. California Hawaii. Oregon Washington	S 30.0 41.1 28.7 31.7	S .6 - - .1	\$ 24.0 \$ \$ 22.3	S.1. S.5. -	\$ 27.3 \$ \$ 21.9	\$.9 \$ \$ \$.2	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-8. Estimated Measures of Reliability for Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

· · · · · · · · · · · · · · · · · · ·	Value		То	ins	Ton-miles		
State of origin	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Total	6.2	_	13.0	_	13.9	_	
NEW ENGLAND STATES							
Connecticut	23.5 15.5 16.6 31.3 8 31.5	- - .1 - S	18.7 17.0 39.7 19.1 S 37.5	- - - S S	18.6 16.4 39.8 20.1 S 37.8	.2 - - S	
MIDDLE ATLANTIC STATES							
New Jersey	17.3 20.1 13.2	.1 .4 .3	17.6 23.3 22.1	_ .1 .1	18.4 24.1 22.7	.3 .3	
EAST NORTH CENTRAL STATES							
Illinois Indiana Michigan Ohio Wisconsin	13.4 18.8 12.0 10.5 18.3	.6 1.6 .5 1.2	39.4 16.5 39.2 45.8 36.5	2.2 .7 .8 2.9	42.6 12.8 47.4 S 29.7	1.5 .4 1.7 S .3	
WEST NORTH CENTRAL STATES							
lowa Kansas Minnesota Missouri Nebraska North Dakota South Dakota	18.7 16.7 20.9 S 28.9 30.3 42.9	.1 .1 .2 S - -	26.1 26.6 32.4 S 39.0 37.6 46.1	- .4 S - -	28.3 28.0 33.1 47.6 39.4 36.9 44.3	.3 1.5 1.8 - -	
SOUTH ATLANTIC STATES							
Delaware District of Columbia Florida Georgia Maryland North Carolina South Carolina Virginia West Virginia	31.0 S 14.6 21.7 S 11.9 11.3 15.6 26.6	- S .1 .4 S .2 .1 .2 .5	\$ 26.8 22.6 39.4 9.0 16.0 17.1 37.9	S S - .2 - - - - 1.4	S S 27.1 27.9 36.4 10.6 16.6 16.7 S	S S 3 6 1 - 2 2 S	
EAST SOUTH CENTRAL STATES							
Alabama Kentucky Mississippi Tennessee	13.7 13.1 36.9 13.4	.1 2.4 .3 .9	21.0 20.2 21.2 25.5	.1 3.8 - 1.4	17.8 12.4 28.2 S	.3 1.0 .2 S	
WEST SOUTH CENTRAL STATES							
Arkansas Louisiana Oklahoma Texas	9.7 26.7 18.0 12.2	.1 .2 _ .4	12.1 33.0 25.8 18.7	1.0 - .2	17.9 31.3 24.8 19.3	.2 3.4 - 1.1	
MOUNTAIN STATES							
Arizona . Colorado . Idaho . Montana . Nevada . New Mexico . Utah . Wyoming .	\$ 14.8 \$ \$ \$ \$ \$ 28.1 \$ 38.9	S - S S S - S -	28.8 43.0 34.9 S 34.4 48.9 S 42.3	- .5 - S - S, 7	28.7 43.1 36.5 S 35.1 49.1 S 43.1	3.7 .2 S - - S 3.1	
PACIFIC STATES							
Alaska California Hawaii Oregon Washington	\$ 17.6 \$ 21.0 25.3	\$.5 \$ - .1	S S S 34.0 38.6	\$ \$ \$ \$	S S S 33.2 38.0	\$ \$ 5 - .2	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Table B-9. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

Value			Tons				Ton-miles		Average miles per shipment			
Mode of transportation	Coefficient of nu	of variation mber	Standard error of	Coefficient of nur		Standard error of	Coefficient of nu		Standard error of		of variation imber	Standard error of
	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change
Total	16.2	4.6	25.4	9.4	13.9	15.6	14.7	15.9	21.3	9.0	11.8	33.0
Single modes	18.6	5.9	33.3	9.4	14.5	16.7	15.5	14.1	24.4	13.8	10.9	33.1
Truck. Rail Water Air (includes truck and air) Pipeline	20.5 14.8 S 43.8 34.5	6.9 12.7 22.7 18.5 S	37.9 24.0 S 85.4 S	6.2 23.1 30.3 22.3 34.0	17.5 20.4 12.6 24.4 S	17.3 36.3 22.6 27.5 S	17.8 23.6 23.8 24.2 S	5.2 22.5 15.6 16.0 S	30.9 40.8 16.3 25.9 S	16.2 14.9 14.2 6.4 S	11.0 3.1 12.8 5.7 S	35.3 13.7 15.9 10.6 S
Multiple modes	20.3	21.0	33.6	30.6	29.5	7.0	34.2	35.5	9.2	6.9	11.1	18.4
Parcel, U.S. Postal Service or courier . Truck and rail	22.3 18.9 S	11.5 33.6 41.9	81.6 1.8 S	19.2 43.9 S	S 27.5 33.9	S 38.7 S	20.9 46.9 S	10.9 28.2 39.9	78.8 55.7 S	6.9 7.7 37.2	11.7 8.6 S	19.6 19.6 S
Other and unknown modes	24.7	33.6	8.0	s	25.7	s	s	20.2	s	s	47.8	s

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-10. Estimated Measures of Reliability for Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

			Value			Tons			Ton-miles		Average miles per shipment			
SCTG code	Commodity description	Coefficient of nur		Standard error of	Coefficient of nu		Standard error of	Coefficient of nu	of variation mber	Standard error of	Coefficient of nu		Standard error of	
		2002	1997	percent change	2002	1997	percent change	2002	1997	percent change	2002	1997	percent change	
	Total	16.2	4.6	25.4	9.4	13.9	15.6	14.7	15.9	21.3	9.0	11.8	33.0	
01-05	Agricultural products and fish	20.2	21.1	23.0	37.1	18.3	28.4	48.0	28.4	53.7	39.4	S	S	
06-09 10-14	Grains, alcohol, and tobacco products Stones, nonmetallic minerals,	10.0	18.6	13.5	13.0	12.2	16.5	15.1	20.8	22.7	33.3	16.2	92.4	
15-14	and metallic ores	16.7	25.6	22.3	14.5	32.0	27.6	38.2	28.8	30.9	29.2	36.6	67.9	
20-24	products	19.3	10.3	26.4	16.3	16.0	20.7	23.5	23.3	29.7	37.7	21.1	20.3	
25-30	products	16.3	11.6	38.9	18.4	9.1	34.1	19.2	10.5	34.9	13.5	6.5	26.6	
20 00	textile and leather	25.0	6.2	45.9	19.7	13.8	31.8	17.0	7.1	31.7	8.8	13.6	37.3	
31-34 35-38	Base metal and machinery Electronic, motorized vehicles, and precision	48.4	5.9	136.7	24.2	13.3	31.9	35.4	7.3	66.6	11.9	9.2	20.7	
39-43	instruments Furniture, mixed freight and	26.4	9.2	29.7	23.5	11.4	32.9	17.8	14.6	20.7	10.8	16.9	40.3	
	misc. manufactured prod Commodity unknown	17.8 32.7	11.5 39.9	56.3 105.4	17.7 S	21.3 32.8	38.2 S	17.2 33.9	30.7 S	43.0 S	12.7 S	11.3 29.0	26.3 S	

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Appendix C. Sample Design, Data Collection, and Estimation

INTRODUCTION

The primary goal for the 2002 Commodity Flow Survey (CFS) is to estimate *shipping volumes* (value, tons, and ton-miles) by *commodity* and *mode of transportation* at varying levels of geographic detail. A secondary objective is to estimate the volume of shipments moving from one geographic area to another (i.e., flows of commodities between states, regions, etc.) by mode and commodity. A detailed description of the sample design for the 2002 CFS is provided below.

SAMPLE DESIGN

The sample for the 2002 Commodity Flow Survey (CFS) was selected using a stratified three-stage design in which the first-stage sampling units were establishments, the second-stage sampling units were groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units were shipments.

First Stage

Sampling frame

To create the first-stage sampling frame, we extracted a subset of establishment records from the Business Register (formerly the Standard Statistical Establishment List) as of September 2001. The Business Register is a database of all known establishments located in the United States or its territories. (An establishment is a single physical location where business transactions take place or services are performed.) Establishments located in the United States, having nonzero payroll in 2000, and classified in mining (except oil and gas extraction), manufacturing, wholesale, or electronic shopping and mail order retail industries, as defined by the 1997 North American Industry Classification System (NAICS), were included on the sampling frame. Auxiliary establishments (e.g. warehouses and central administrative offices) with shipping activity were also included on the sampling frame. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments included on the sampling frame are referred to as nonauxiliary establishments.

Some portion of establishments classified in the Retail Trade sector in the 1997 Economic Census was expected to be classified in the Wholesale Trade sector in the 2002 Economic Census. Because we wanted complete coverage of the Wholesale Trade sector as defined for the 2002 Economic Census, the 2002 CFS sampling frame also included establishments that were classified in particular retail industries (automotive parts and accessories, tires, floor coverings, building materials, nursery and garden, and office supplies) in the 1997 Economic Census and had characteristics indicating that they were likely to be classified as wholesale in the 2002 Economic Census. Of the establishments selected for the 2002 CFS from this set of establishments, only those that were classified as wholesale in the 2002 Economic Census were used in the production of estimates for this report.

Establishments classified in forestry, fishing, utilities, construction, transportation, services, and all other retail industries were not included on the sampling frame. Farms and government-owned entities (except government-owned liquor stores) were also excluded from the sampling frame. The resulting frame comprised approximately 760,000 establishments.

For each establishment we extracted sales, payroll, number of employees, a six-digit NAICS code, name and address, and a primary identifier. We also computed a measure of size for each establishment. The measure of size was designed to approximate an establishment's annual total value of shipments for the year 2000.

All of the establishments included on the sampling frame had state, county, and place geographic codes. We used these codes to assign each establishment to one of the 273 metropolitan areas (MAs) defined as a combination of the metropolitan statistical areas (MSAs) and consolidated metropolitan statistical areas (CMSAs). Establishments not located in an MA were assigned to MA 9999.

Stratification

We stratified the sampling frame by geography and industry. Geographic strata were defined by a combination of the 50 states, the District of Columbia, and the top 50 metropolitan areas (MAs) based on their population in Census 2000. If a particular MA was not one of the 50 largest, then it was collapsed with the remaining MAs and non-MAs within the state in which the particular MA resided. We refer to these collapsed strata as Rest of State (ROS) strata. When an MA crossed state boundaries, we considered the size of each part of the MA relative to the MAs total measure of size when determining whether or not to create strata in each state in which the MA was defined. The industry strata were determined as follows. Within each of the geographic strata, we started with a total of 45 industry groups based on 1997 NAICS: three mining (four-digit NAICS); 21 manufacturing (three-digit NAICS); 18 wholesale (four-digit NAICS); 1 retail (NAICS 4541); and 2 auxiliary (NAICS 4931 and 5511). We then implemented a rule that states a particular industry stratum will be defined within a geographic stratum if it contributes at least 2 percent to its corresponding state total measure of size or it contributes at least 2 percent to the national total measure of size for the industry. Industry groups not meeting these criteria were combined into at most 12 new collapsed industry strata using a clustering algorithm. Because of potential differences in shipping patterns between auxiliary and nonauxiliary establishments, we created two industry strata of auxiliary establishments in every geographic stratum. We refer to a particular geographic-by-industry combination as a primary stratum. Also note that a separate stratum was created at the national level for those Retail Trade sector establishments that we included in our sample.

Sample size and allocation

To reduce the sampling variability of the estimates, we used a stratified design with a certainty component. Within each primary stratum, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments was determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size was greater than the cutoff, the establishment was selected with certainty. Establishments selected with certainty were sure to be selected and represent only themselves (i.e., had a selection probability of one and a sampling weight of one).

Because the 2002 sample was about half the size of the 1997 CFS sample, we were concerned about the ability of the sample to capture less frequent types of shipments (e.g., air, water, rail, and hazardous materials). After considering several different alternatives, we felt the best approach was to identify those establishments which made the bulk of these types of shipments in 1997 and then select them with certainty. To identify these establishments, we proceeded as follows.

We identified all establishments in the 1997 CFS sample that reported shipments made by air, water, or rail. We also identified those establishments that reported shipments of hazardous materials. For each of these establishments, we computed the percentage of the establishment's total value and tonnage accounted for by each of these types of shipments. Next, we matched these establishments to the sampling frame for the 2002 CFS and identified each establishment with measure of size less than the certainty boundary. For both value and tons, we then looked to see what percent of the total volume of shipments for each type of shipment was captured by selecting with certainty the top 50, top 100, or all establishments. We considered the top 50 establishments as those establishments making the largest volume of each type of shipment (air, water, rail, hazardous). Once these establishments were identified, we grouped them into one file and unduplicated them. This procedure added a total of about 500 certainty establishments.

Establishments not selected with certainty made up the noncertainty frame. We further stratified the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as *substrata* of the primary strata. The measure of size stratification increased the efficiency of the sample design. The Dalenius-Hodges

cumulative \sqrt{f} rule was used to set the substratum boundaries. We then used optimum allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on an estimate of the total measure of size for the primary stratum. Within each substratum, a simple random sample of establishments was selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the minimum substratum sample size was two and the probability of selecting any establishment was no less than 1 in 100. In total, the first-stage sample comprised 51,005 establishments.

Second Stage

The frame for the second stage of sampling consisted of 52-weeks from January 6, 2002 to January 4, 2003. Each establishment selected into the 2002 CFS sample was systematically assigned to report for four reporting weeks-one in each quarter of the reference year. Each of the 4-weeks was in the same relative position of the quarter. For example, an establishment might have been requested to report data for the 5th, 18th, 31st, and 44th weeks of the reference year. In this instance, each reporting week corresponds to the 5th week of each quarter. Prior to assignment of weeks to establishments, we sorted the selected sample by primary stratum (state x metropolitan area x industry) and measure-of-size.

Third Stage

For each of the four reporting weeks in which an establishment was asked to report, we requested the respondent to construct a sampling frame consisting of all shipments made by the establishment in the reporting week. Each respondent was asked to count or estimate the total number of shipments comprising the sampling frame and to record this number on the questionnaire. For each assigned reporting week, if an establishment made *more than 40* shipments during that week, we asked the respondent to select a systematic sample of the establishment's shipments and to provide us with information only about the selected shipments. If an establishment made *40 or fewer* shipments during that week, we asked the respondent to provide information about *all* of the establishment's shipments made during that week; i.e., no sampling was required.

DATA COLLECTION

Each establishment selected into the CFS sample was mailed a questionnaire for each of its four reporting weeks. We mailed each establishment a questionnaire once every quarter of 2002. For a given establishment, we requested that the respondent provide the following information about each of the establishment's reported shipments: shipment identification number, the date on which the shipment was made, value, weight, commodity, mode(s) of transportation, domestic destination or port of exit, an indication of whether the shipment was an export, and the United Nations or North America (UN/NA) number for hazardous material shipments. For a shipment that included more than one commodity, the respondent was instructed to report the commodity that made up the greatest percentage of the shipment's *weight*. For an export shipment, we also asked the respondent to provide the mode of export and the foreign destination city and country. See Appendix E for a copy of the questionnaire.

IMPUTATION OF SHIPMENT VALUE OR WEIGHT

To correct for nonresponse to *either* the value *or* weight item for a given shipment reported in the CFS, the missing value or value that failed edit is replaced by a predicted value obtained from an appropriate model. Such a shipment is considered a "recipient" if its commodity code is valid and the other item is reported greater than zero and passed edit. The recipient's item that is missing or failed edit is imputed as follows. First, a "donor" shipment is randomly selected from shipments that were reported in the CFS with:

- The same commodity code as the recipient.
- Both value and weight items reported greater than zero and passed edit.
- Origin and value for the item reported by the recipient similar to those of the recipient.

Then, the donor's value and weight data are used to calculate a ratio, which is applied to the recipient's reported item, to impute the item that is missing or failed edit. If no donor is found, the median ratio for all shipments reported in the survey with the same commodity code as the recipient and with both value and weight items reported greater than zero is applied to the recipient's reported item. For either the value or weight item, about 3 percent of the shipment records input to the calculation of estimates have imputed data for the item.

ESTIMATION

Estimated totals (e.g., value of shipments, tons, ton-miles) are produced as the sum of weighted shipment data (reported or imputed). Percent change and percent-of-total estimates are derived using the appropriate estimated totals. Estimates of average miles per shipment are computed by dividing an estimate of the total miles traveled by the estimated number of shipments. The annualized growth rate \hat{A} for estimates from year y_1 to y_2 is computed as:

$$\hat{A} = 100 * \left| \left(\frac{\hat{X}_{y_2}}{\hat{X}_{y_1}} - 1 \right) \right|$$

where \hat{X}_{y_1} and \hat{X}_{y_2} are estimates of the value of shipments, tons, ton-miles, or average miles per shipment for years y_1 and y_2 , respectively. The annualized growth rate measures the annual rate of change between estimates from any 2 years by assuming a constant yearly rate of change.

Each *shipment* has associated with it a single *tabulation weight*, which was used in computing all estimates to which the shipment contributes. The tabulation weight is a product of seven different component weights. A description of each component weight follows.

CFS respondents provided data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produced an estimate of that establishment's total value of shipments for the entire survey year. To do this, we used four different weights, the *shipment weight*, the *shipment nonresponse weight*, the *quarter weight*, and the *quarter nonresponse weight*.

Like establishments, we identified shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments were identified.) For noncertainty shipments, the *shipment weight* was defined as the ratio of the total number of shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled shipments for the same week. This weight uses data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, a respondent may have failed to provide sufficient information about a particular sampled shipment. For example, a respondent may not have been able to provide value, weight, or a destination for one of the sampled shipments. If this data item could not be imputed, then this shipment did not contribute to tabulations and was deemed unusable. (A usable shipment is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these unusable shipments, we applied the shipment nonresponse weight. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of usable shipments for the same week. The shipment weight for certainty shipments from a particular establishment's reporting week is equal to one.

The *quarter weight* inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The quarter weight for most certainty shipments is also equal to 13. However, if a respondent was able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments was one. For each establishment, the quarterly estimates were added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment did not provide the Census Bureau with a response for each of its four reporting weeks, we computed a quarter nonresponse

weight. The *quarter nonresponse weight* for a particular establishment is defined as the ratio of the number of quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we computed an estimate of each establishment's value of shipments for the entire survey year. We then multiplied this estimate by a factor that adjusts the estimate using value of shipments and sales data obtained from other surveys and censuses conducted by the Census Bureau. This weight, the *establishment-level adjustment weight*, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent.

The adjusted value of shipments estimate for an establishment was then weighted by the *establishment weight*. This weight is equal to the reciprocal of the establishment's probability of being selected into the sample.

A final adjustment weight, the *industry-level adjustment weight*, uses information from other surveys and censuses conducted by the Census Bureau to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (2001) and the year in which the data were collected (2002). Separate industry-level adjustment weights were determined for nonauxiliary and auxiliary establishments.

Appendix D. Standard Classification of Transported Goods Code Information

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System of product classification that is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In 1993, Commodity Flow Survey (CFS) data were collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 and 2002, the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment. For the data presented on this report, we aggregated the SCTG codes to the two-digit level.