#### §408.33

### §408.33 [Reserved]

## § 408.34 Pretreatment standards for existing sources.

Any existing source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403. In addition, the following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

| Pollutant or pollutant property | Pretreatment standard |  |
|---------------------------------|-----------------------|--|
| pH                              | No limitation.        |  |
| Oil and grease                  | Do.                   |  |
| TSS                             | Do.                   |  |

[40 FR 6438, Feb. 11, 1975, as amended at 60 FR 33941, June 29, 1995]

## § 408.35 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

|                         | Effluent limitations                   |   |  |
|-------------------------|--|---|--|
| Effluent characteristic | Maximum<br>for any 1<br>day            | Average of daily<br>values for 30<br>consecutive days<br>shall not ex-<br>ceed— |  |
|                         | Metric units (kg/kkg of seafood)       |   |  |
| BOD5                    | 5.0                                    | 2.5   |  |
| TSS                     | 13                                     | 6.3   |  |
| Oil and grease          | 2.6                                    | 1.3   |  |
| pH                      | (1)                                    | (1)   |  |
|                         | English units (lb/1,000 lb of seafood) |   |  |
| BOD <i>5</i>            | 5.0                                    | 2.5   |  |
| TSS                     | 13                                     | 6.3   |  |
| Oil and grease          | 2.6                                    | 1.3   |  |
| pH                      | (1)                                    | (1)   |  |

<sup>1</sup> Within the range 6.0 to 9.0.

## § 408.36 Pretreatment standards for new sources.

Any new source subject to this subpart that introduces process wastewater pollutants into a publicly owned treatment works must comply with 40 CFR part 403.

[60 FR 33941, June 29, 1995]

# § 408.37 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT).

Except as provided in §§ 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT): The limitations shall be the same as those specified for conventional pollutants (which are defined in §401.16) in §408.32 of this subpart for the best practicable control technology currently available (BPT).

[51 FR 24997, July 9, 1986]

## Subpart D—Non-Remote Alaskan Crab Meat Processing Subcategory

#### § 408.40 Applicability; description of the non-remote Alaskan crab meat processing subcategory.

The provisions of this subpart are applicable to discharges resulting from the processing, in non-remote Alaska, of dungeness, tanner, and king crab meat. The effluent limitations contained in this subpart D are applicable to facilities located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak, and Petersburg.

[40 FR 55780, Dec. 1, 1975]

#### § 408.41 Specialized definitions.

For the purpose of this subpart:

- (a) Except as provided below, the general definitions, abbreviations and methods of analysis set forth in 40 CFR part 401 shall apply to this subpart.
- (b) The term oil and grease shall mean those components of a waste water amenable to measurement by the method described in Methods for Chemical Analysis of Water and Wastes, 1971,