

- bis(dichloroisopropyl) ether, bis-(chloroethoxy) methane and polychlorinated diphenyl ethers)
38. Halomethanes (other than those listed elsewhere; includes methylene chloride, methylchloride, methylbromide, bromoform, dichlorobromomethane)
 39. Heptachlor and metabolites
 40. Hexachlorobutadiene
 41. Hexachlorocyclohexane
 42. Hexachlorocyclopentadiene
 43. Isophorone
 44. Lead and compounds
 45. Mercury and compounds
 46. Naphthalene
 47. Nickel and compounds
 48. Nitrobenzene
 49. Nitrophenols (including 2,4-dinitrophenol, dinitrocresol)
 50. Nitrosamines
 51. Pentachlorophenol
 52. Phenol
 53. Phthalate esters
 54. Polychlorinated biphenyls (PCBs)¹
 55. Polynuclear aromatic hydrocarbons (including benzantracenes, benzopyrenes, benzofluoranthene, chrysenes, dibenzanthracenes, and indenopyrenes)
 56. Selenium and compounds
 57. Silver and compounds
 58. 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)
 59. Tetrachloroethylene
 60. Thallium and compounds
 61. Toluene
 62. Toxaphene¹
 63. Trichloroethylene
 64. Vinyl chloride
 65. Zinc and compounds

[44 FR 44502, July 30, 1979, as amended at 46 FR 2266, Jan. 8, 1981; 46 FR 10724, Feb. 4, 1981]

§ 401.16 Conventional pollutants.

The following comprise the list of conventional pollutants designated pursuant to section 304(a)(4) of the Act:

1. Biochemical oxygen demand (BOD)
2. Total suspended solids (nonfilterable) (TSS)
3. pH
4. Fecal coliform
5. Oil and grease

[44 FR 44503, July 30, 1979; 44 FR 52685, Sept. 10, 1979]

§ 401.17 pH Effluent limitations under continuous monitoring.

(a) Where a permittee continuously measures the pH of wastewater pursuant to a requirement or option in a National Pollutant Discharge Elimination System (NPDES) permit issued pursuant to section 402 of the Act, the per-

mittee shall maintain the pH of such wastewater within the range set forth in the applicable effluent limitations guidelines, except excursions from the range are permitted subject to the following limitations:

(1) The total time during which the pH values are outside the required range of pH values shall not exceed 7 hours and 26 minutes in any calendar month; and

(2) No individual excursion from the range of pH values shall exceed 60 minutes.

(b) The Director, as defined in § 122.3 of this chapter, may adjust the requirements set forth in paragraph (a) of this section with respect to the length of individual excursions from the range of pH values, if a different period of time is appropriate based upon the treatment system, plant configuration or other technical factors.

(c) For purposes of this section, an *excursion* is an unintentional and temporary incident in which the pH value of discharge wastewater exceeds the range set forth in the applicable effluent limitations guidelines.

(Secs. 301, 304, 306 and 501 of the Clean Water Act (the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1251 et. seq., as amended by the Clean Water Act of 1977, Pub. L. 95-217))

[47 FR 24537, June 4, 1982]

PART 402 [RESERVED]

PART 403—GENERAL PRETREATMENT REGULATIONS FOR EXISTING AND NEW SOURCES OF POLLUTION

Sec.

- 403.1 Purpose and applicability.
- 403.2 Objectives of general pretreatment regulations.
- 403.3 Definitions.
- 403.4 State or local law.
- 403.5 National pretreatment standards: Prohibited discharges.
- 403.6 National pretreatment standards: Categorical standards.
- 403.7 Removal credits.
- 403.8 Pretreatment Program Requirements: Development and Implementation by POTW.
- 403.9 POTW pretreatment programs and/or authorization to revise pretreatment standards: Submission for approval.