

§ 180.432

Commodity	Parts per million
Corn, sweet, stover	10.0
Crambe, seed	3.0
Cranberry	4.0
Egg	0.1
Flax, meal	6.0
Flax, seed	3.0
Fruit, stone, group 12	0.5
Goat, fat	1.0
Goat, liver	3.0
Goat, meat	1.0
Goat, meat byproducts, except liver	36.0
Grass, forage and hay	500.0
Hog, fat	0.2
Hog, meat	0.2
Hog, meat byproducts	0.2
Hop, dried cones	5.0
Horse, fat	1.0
Horse, liver	3.0
Horse, meat	1.0
Horse, meat byproducts, except liver	36.0
Milk	0.2
Mint, hay	3.0
Mustard, greens	5.0
Mustard, seed	3.0
Oat, forage	9.0
Oat, grain	3.0
Oat, milled fractions (except flour)	12
Oat, straw	9.0
Plum, prune, dried	1.5
Poultry, fat	0.2
Poultry, meat	0.2
Poultry, meat byproducts	0.2
Rapeseed, seed	3.0
Rapeseed, forage	3.0
Sheep, fat	1.0
Sheep, liver	3.0
Sheep, meat	1.0
Sheep, meat byproducts, except liver	36.0
Spinach	5.0
Strawberry	1.0
Turnip, greens	4.0
Turnip, roots	1.0
Wheat, forage	9.0
Wheat, grain	3.0
Wheat, milled fractions (except flour)	12
Wheat, straw	9.0

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[52 FR 10566, Apr. 2, 1987]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.431, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and on GPO Access.

§ 180.432 **Lactofen; tolerances for residues.**

(a) Tolerances are established for residues of the herbicide lactofen, 1-(carboethoxy)ethyl 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-

40 CFR Ch. I (7-1-07 Edition)

nitrobenzoate, in or on the following raw agricultural commodities:

Commodity	Parts per million
Beans, snap, succulent (excluding limas)	0.01
Cotton, gin byproducts	0.02
Cotton, undelinted seed	0.01
Peanut	0.01
Soybean, seed	0.01

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registrations, as defined in 180.1(n) are established for residues of the herbicide, lactofen, 1-(carboethoxy)ethyl 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, in or on the following food commodities:

Commodity	Parts per million
Okra	0.02
Vegetables, fruiting, group 08	0.02

(d) *Indirect or inadvertent residues.*
[Reserved]

[69 FR 57216, Sept. 24, 2004, as amended at 72 FR 33906, June 20, 2007]

§ 180.433 **Fomesafen; tolerances for residues.**

(a) *General.* Tolerances are established for the residues of fomesafen 5-[2-chloro-4-(trifluoromethyl)phenoxy]-N-(methylsulfonyl)-2-nitrobenzamide from the application of its sodium salt in or on the following commodities:

Commodity	Parts per million
Bean, dry	0.025
Bean, snap, succulent	0.025
Cotton, gin byproducts	0.025
Cotton, undelinted seed	0.025
Soybean	0.05

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[71 FR 25951, May 3, 2006]

§ 180.434 **Propiconazole; tolerances for residues.**

(a) *General.* Tolerances are established for the combined residues of the fungicide 1-[[2-(2,4-dichlorophenyl)-4-

Environmental Protection Agency

§ 180.434

propyl-1,3-dioxolan-2-yl] methyl]-1H-1,2,4-triazole and its metabolites determined as 2,4-dichlorobenzoic acid and expressed as parent compound in or on the following commodities:

Commodity	Parts per million
Almond, hulls	7.0
Banana	0.2
Barley, bran	0.6
Barley, grain	0.3
Barley, hay	1.4
Barley, straw	10
Beet, sugar, dried pulp	1.0
Beet, sugar, molasses	1.5
Beet, sugar, roots	0.3
Beet, sugar, tops	10
Berry, group 13	1.0
Carrot, roots	0.25
Cattle, fat	0.05
Cattle, kidney	2.0
Cattle, liver	2.0
Cattle, meat	0.05
Cattle, meat byproducts, except liver and kidney	0.05
Corn, field, forage	12
Corn, field, grain	0.2
Corn, field, stover	30
Corn, pop, grain	0.2
Corn, pop, stover	30
Corn, sweet, forage	6.0
Corn, sweet, kernel plus cob with husks removed	0.1
Corn, sweet, stover	30
Fruit, stone, group 12	1.0
Goat, fat	0.05
Goat, kidney	2.0
Goat, liver	2.0
Goat, meat	0.05
Goat, meat byproducts, except liver and kidney	0.05
Grain, aspirated fractions	30
Grass, forage	0.5
Grass, hay	0.5
Grass, straw	40
Hog, kidney	0.2
Hog, liver	0.2
Horse, fat	0.05
Horse, kidney	2.0
Horse, liver	2.0
Horse, meat	0.05
Horse, meat byproducts, except liver and kidney	0.05
Leaf petioles, subgroup 4B	5.0
Milk	0.05
Mushroom	0.1
Nut, tree, group 14	0.1
Oat, forage	1.7
Oat, grain	0.3
Oat, hay	1.4
Oat, straw	10
Onion, bulb	0.2
Onion, green	9.0
Peanut	0.2
Peanut, hay	20
Peppermint, tops	3.5
Pineapple	0.1
Pistachio	0.1
Rice, bran	15
Rice, grain	7.0
Rice, hulls	20
Rice, straw	18
Rye, bran	0.6
Rye, forage	1.7
Rye, grain	0.3
Rye, straw	10

Commodity	Parts per million
Sheep, fat	0.05
Sheep, kidney	2.0
Sheep, liver	2.0
Sheep, meat	0.05
Sheep, meat byproducts, except liver and kidney	0.05
Sorghum, grain, forage	12
Sorghum, grain, grain	3.5
Sorghum, grain, stover	15
Soybean, forage	11
Soybean, hay	30
Soybean, seed	2.0
Spearmint, tops	3.5
Strawberry	1.3
Wheat, bran	0.6
Wheat, forage	1.7
Wheat, grain	0.3
Wheat, hay	1.4
Wheat, straw	10

(b) *Section 18 emergency exemptions.* Time-limited tolerances are established for residues of propiconazole (1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl] methyl]-1H-1,2,4-triazole) and its metabolites determined as 2,4-dichlorobenzoic acid and expressed as parent compound, in connection with use of the pesticide under section 18 emergency exemptions granted by EPA. The tolerances will expire and are revoked on the dates specified in the following table:

Commodity	Parts per million	Expiration/revocation date
Nectarine	2.0	12/31/2010
Peach	2.0	12/31/2010

(c) *Tolerances with regional registrations.* A tolerance with regional registration, as defined in §180.1(m), is established for residues of 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole and its metabolites determined as 2,4-dichlorobenzoic acid and expressed as parent compound, in or on the following commodities:

Commodity	Parts per million
Cranberry	1.0
Rice, wild, grain	0.5

(d) *Indirect or inadvertent residues.* Tolerances are established for the combined residues of the fungicide 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl] methyl]-1H-1,2,4-triazole and its metabolites determined as 2,4-dichlorobenzoic acid and expressed as

§ 180.435

40 CFR Ch. I (7-1-07 Edition)

parent compound in or on the following commodities when present therein as a result of application of propiconazole to growing crops in paragraphs (a) and (c) of this section:

Commodity	Parts per million
Alfalfa, forage	0.1
Alfalfa, hay	0.1

[71 FR 55306, Sept. 22, 2006, as amended at 72 FR 20439, Apr. 25, 2007]

§ 180.435 Deltamethrin; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of the pesticide chemical deltamethrin [(1*R*,3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylic acid (*S*)-*alpha*-cyano-3-phenoxybenzyl ester and its major metabolites, *trans* deltamethrin [(*S*)-*alpha*-cyano-*m*-phenoxybenzyl(1*R*,3*S*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate] and *alpha*-*R*-deltamethrin [(*R*)-*alpha*-cyano-*m*-phenoxybenzyl-(1*R*,3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate] in or on the following agricultural commodities:

Commodity	Parts per million
Almond, hulls	2.5
Apples, wet pomace	1.0
Artichoke, globe	0.5
Barley, bran	5.0
Cattle, fat	0.05
Cattle, meat	0.02
Cattle, meat byproducts	0.05
Corn, field, forage	0.7
Corn, field, refined oil	2.5
Corn, field, stover	5.0
Corn, pop, stover	5.0
Corn, sweet, forage	10
Corn, sweet, kernel plus cob with husks removed	0.03
Corn, sweet, stover	15
Cotton, undelinted seed	0.04
Cotton, oil	0.2
Egg	0.02
Fruit, pome, Group 11	0.2
Goat, fat	0.05
Goat, meat	0.02
Goat, meat byproducts	0.05
Grain, aspirated fractions	65
Grain, cereal, Group 15, except sweet corn	1.0
Hog, fat	0.05
Horse, fat	0.05
Horse, meat	0.02
Horse, meat byproducts	0.05
Lychee*	0.2
Milk, fat (reflecting 0.02 ppm in whole milk)	0.1
Nut, tree, Group 14	0.1

Commodity	Parts per million
Onion, dry bulb	0.1
Onion, green	1.5
Poultry, fat	0.05
Poultry, meat	0.02
Poultry, meat byproducts	0.02
Radish tops	4.0
Rapeseed	0.2
Rice, hulls	2.5
Rye, bran	5.0
Sheep, fat	0.05
Sheep, meat	0.02
Sheep, meat byproducts	0.05
Sorghum, grain forage	0.5
Sorghum, grain stover	1.0
Soybean, seed	0.1
Soybean, hulls	0.2
Starfruit*	0.2
Sunflower seed	0.1
Tomato	0.2
Tomato, concentrated products	1.0
Vegetable, cucurbit, Group 9	0.2
Vegetable, fruiting, Group 8	0.3
Vegetable, root, except sugar beet, Subgroup 1B	0.2
Vegetable, tuberous and corm, Subgroup 1C	0.04
Wheat, bran	5.0

*There are no U.S. registrations for use of deltamethrin on starfruit and lychee.

(2) A tolerance of 0.05 ppm is established for residues of the insecticide deltamethrin [(1*R*,3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylic acid (*S*)-*alpha*-cyano-3-phenoxybenzyl ester and its major metabolites, *trans* deltamethrin [(*S*)-*alpha*-cyano-*m*-phenoxybenzyl-(1*R*,3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate] and *alpha*-*R*-deltamethrin[(*R*)-*alpha*-cyano-*m*-phenoxybenzyl-(1*R*,3*R*)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate] as follows:

(i) In or on all food/feed items (other than those covered by a higher tolerance as a result of use on growing crops) in food/feed handling establishments.

(ii) The insecticide may be present as a residue from application of deltamethrin in food handling establishments, including food service, manufacturing and processing establishments, such as restaurants, cafeterias, supermarkets, bakeries, breweries, dairies, meat slaughtering and packing plants, and canneries, feed handling establishments including feed manufacturing and processing establishments, in accordance with the following prescribed conditions: