(2) Tolerances are established for residues of dinotefuran *N*-methyl-*N′*-nitro-*N″*-tetrahydro-3-furanyl)methyl)guanidine in/on the following commodities:

Commodity	Parts per million
Cattle, fat	0.05
Cattle, mbyp	0.05
Cattle, meat	0.05
Goat, fat	0.05
Goat, mbyp	0.05
Goat, meat	0.05
Hog, fat	0.05
Hog, mbyp	0.05
Hog, meat	0.05
Horse, fat	0.05
Horse, mbyp	0.05
Horse, meat	0.05
Milk	0.05
Sheep, fat	0.05
Sheep, mbyp	0.05
Sheep, meat	0.05

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[70 FR 14546, Mar. 23, 2005]

§ 180.604 Mepanipyrim; tolerances for residues.

(a) *General.* [Reserved]

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect of inadvertent residues.* [Reserved]

(e) *Revoked tolerances subject to the channel of trade provisions.* [Reserved]

(f) *Import tolerances.* Tolerances are established for the combined residues of mepanipyrim, 4-methyl-N-phenyl-6-(1-propynyl)-2-pyrimidinamine, and its metabolite, 4-methyl-N-phenyl-6-(2-hydroxypropylk)-2-pyrimidinamine, both free and conjugated in or on the following commodities:

Commodity	Parts per million
Grape	1.5
Grape, raisin	3.0
Strawberry	1.5
Tomato	0.5

[68 FR 60827, Oct. 13, 2004]

§ 180.605 Penoxsulam; tolerances for residues.

(a) *General.* Tolerances are established for the herbicide, penoxsulam (2-(2,2-difluoroethoxy)-N-(5,8-dimethoxy[1,2,4] triazolo[1,5-c]pyrimidin-2-yl)-6-(trifluoromethyl)benzenesulfonamide) in/on the following raw agricultural commodities:

Commodity	Parts per million
Rice, grain	0.02
Rice, straw	0.50

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[69 FR 57197, Sept. 24, 2004]

§ 180.607 Spiromesifen; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of spiromesifen (2-oxo-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutanoate) and its enol metabolite (4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one), calculated as the parent compound equivalents in or on the following primary crop commodities:

Commodity	Parts per million
Brassica, head and stem, subgroup 5A	2.0
Corn, field, forage	3.0
Corn, field, grain	0.02
Corn, field, stover	5.0
Cotton, gin byproducts	15
Cotton, undelinted seed	0.50
Strawberry	2.0
Tomato, paste	0.60
Vegetable, brassica, leafy greens, subgroup 5B	12
Vegetable, cucurbit, group 9	0.10
Vegetable, fruiting, group 8	0.45
Vegetable, leafy greens, subgroup 4A	12
Vegetable, tuberous and corm, subgroup 1C	0.02

(2) Tolerances are established for the combined residues of spiromesifen (2-oxo-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutanoate), and its metabolites containing the enol (4-hydroxy-3-(2,4,6-trimethylphenyl)-1-oxaspiro[4.4]non-3-en-2-one) and 4-hydroxymethyl (4-hydroxy-3-[4-