



National Weather Service

Storm Data and Unusual Weather Phenomena



June 2006

Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Number of Persons Killed	Number of Persons Injured	Estimated Damage Property	Estimated Damage Crops	Character of Storm
----------	------	----------------------------	---------------------------	--------------------------	--------------------------------	---------------------------------	---------------------------------	------------------------------	--------------------

ARKANSAS, Southeast

ARZ074>075

Ashley - Chicot

01 0000CST
30 2359CST

0 0

Drought

See the entire drought narrative for Central Mississippi and the monetary summary in the October 2006 version of Storm Data.

LOUISIANA, Northeast

LAZ007>009-015>016-023>026

Morehouse - West Carroll - East Carroll - Richland - Madison - Franklin - Catahoula - Tensas - Concordia

01 0000CST
30 2359CST

0 0

Drought

See the entire drought narrative for Central Mississippi and the monetary summary in the October 2006 version of Storm Data.

MISSISSIPPI, Central

MSZ018>019-025>066-072>074

Bolivar - Sunflower - Leflore - Grenada - Carroll - Montgomery - Webster - Clay - Lowndes - Choctaw - Oktibbeha - Washington - Humphreys - Holmes - Attala - Winston - Noxubee - Issaquena - Sharkey - Yazoo - Madison - Leake - Neshoba - Kemper - Warren - Hinds - Rankin - Scott - Newton - Lauderdale - Claiborne - Copiah - Simpson - Smith - Jasper - Clarke - Jefferson - Adams - Franklin - Lincoln - Lawrence - Jefferson Davis - Covington - Jones - Marion - Lamar - Forrest

01 0000CST
30 2359CST

0 0

Drought

During a four and a half month period, from June to the middle of October, abnormally dry conditions prevailed across most of the Jackson, MS County Warning Area (CWA). Widespread drought conditions were reported across the area during this time period. The U.S. Drought Monitor classified the drought as extreme (D3) over Southeast Mississippi. Drought conditions in the region peaked in intensity during early August over this area. According to the U.S. Drought Monitor severe drought conditions (D2) and a small area of extreme drought conditions (D3) prevailed across the remainder of Mississippi, northern portions of Northeast Louisiana, and Southeast Arkansas. These regions peaked in intensity around the 2nd week in September. Drought conditions were alleviated completely during the last half of October when well above normal rainfall occurred. The drought had significant impact on the agricultural industry. Non-irrigated crops were destroyed and all other sustainable crops produced a below normal yield. Catfish ponds were drawn down to severe levels and required water to be pumped back into the fish ponds. The cattle industry suffered due to low watering ponds and lack of sufficient grasslands for grazing and hay production. Water supply problems were encountered by those cities who obtained water from local rivers for drinking purposes due to the low river flows. Fire threat was significant causing the issuance of burn bans across the CWA.

Drought conditions over the Jackson, MS CWA had their origins dating back to last fall when well below normal rainfall occurred over the area. The lack of much above normal rainfall from January to March and drier than normal conditions over most of the area during the months of April and May of 2006 allowed soil moisture to deplete much earlier than usual.

High pressure dominated June weather over the CWA. The U.S. Drought Monitor first declared D2 Drought over the WFO Jackson extreme southeast counties in its June 6th release. June rainfall was well below normal over most of the CWA where most areas received less than half of their normal rainfall of 4 inches. By the June 13th release of the U.S. Drought Monitor, D2 conditions had moved into Southwest Mississippi and D3 conditions had moved into the WFO Jackson extreme southeast counties. D2 and D3 conditions remained confined to South Mississippi during the remainder of the month.

Weather during July was once again dominated by high pressure. Rain was less than a third of its normal 4 inches over Central Mississippi, Southeast Arkansas, and much of the Yazoo Delta Region. Southern portions of Northeast Louisiana actually received normal to above normal precipitation for the month. Rainfall elsewhere was half to three quarters of its normal 5 to 8 inches. D2 and D3 drought conditions remained over South Mississippi until the July 18th issuance of the U.S. Drought monitor when D2 conditions pushed into Southeast Arkansas and northern areas of Mississippi in the CWA. D3 conditions prevailed over much of Southeast Mississippi. Central Mississippi and East Central Mississippi experienced borderline D3 conditions. Rainfall over this area was well below normal during June and July.

August weather was also drier than normal over most areas with the exceptions of above normal rainfall over Southeast Arkansas, portions of Northeast Louisiana, and Southeast Mississippi. Rainfall ranged from a third to three quarters of its normal 2 to 4 inches over central and northern portions of the CWA in Mississippi. In Southeast Mississippi, drought conditions peaked early in the month. Afternoon showers and thunderstorms returned to Southeast Mississippi giving the area some much needed relief. By the



National Weather Service

Storm Data and Unusual Weather Phenomena



June 2006

Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Number of Persons Killed	Number of Persons Injured	Estimated Damage Property	Estimated Damage Crops	Character of Storm
----------	------	----------------------------	---------------------------	--------------------------	--------------------------------	---------------------------------	---------------------------------	------------------------------	--------------------

MISSISSIPPI, Central

end of the month, increase in shower activity over South Mississippi removed the D3 conditions from the Southeast Mississippi and removed D2 conditions from the remainder of South and Southwest Mississippi. Only D2 conditions prevailed in extreme eastern portions of Southeast Mississippi. D2 conditions prevailed across the remainder of Mississippi, Southeast Arkansas, and northern portions of Northeast Louisiana. The only exceptions were borderline D3 conditions in Central and East Central Mississippi and a small area of D3 conditions from Sharkey to southern Bolivar Counties.

Frontal systems began to push into the area during the month of September. Rainfall occurred over many areas during the month. The heaviest rainfall occurred over the northern most portions of the CWA in Mississippi during the month. The least rainfall occurred from Central Mississippi into East Central Mississippi. Drought conditions peaked around the middle of the month over central and northern portions of the CWA as frontal systems moved across the area. D3 drought conditions disappeared from the CWA and the D2 area contracted to a small portion of the Yazoo Delta Region. Borderline D2 conditions continued from Central Mississippi to East Central Mississippi where only half its normal 3 to 4 inches rainfall occurred during the month.

The first half of October started off with high pressure in control and little or no rainfall over most areas. The second half of October closed out the D2 drought conditions in the CWA when well above normal rainfall occurred. October rainfall ranged from 4 inches in East Central Mississippi to 19 inches over Northeast Louisiana.

The summary of monetary damages can be found in the October 2006 version of Storm Data along with a few images showing just how little precipitation fell during this time

Leake County									
Madden	12	1700CST			0	0	1K		Thunderstorm Wind (EG50)
Several trees were blown down.									
Clarke County									
5 SW Quitman	12	1753CST			0	0	5K		Thunderstorm Wind (EG55)
Several trees were blown down.									
Madison County									
3 NW Camden	17	1445CST			0	0			Thunderstorm Wind (EG50)
A few trees were blown down.									
Warren County									
Oak Ridge	17	1645CST			0	0	50K		Thunderstorm Wind (EG60)
Numerous trees were blown down along with several power lines									
Rankin County									
Florence	17	1820CST			0	0			Thunderstorm Wind (EG50)
A few trees were blown down.									
Humphreys County									
4 SW Louise	21	1453CST 1457CST			0	0			Hail(0.88)
Sharkey County									
10 ESE Anguilla	21	1453CST 1457CST			0	0			Hail(0.88)
Grenada County									
9 E Grenada	21	1533CST 1538CST			0	0			Hail(1.00)
Leflore County									
3 N Itta Bena	21	1643CST 1648CST			0	0			Hail(1.00)
Montgomery County									
4 E Kilmichael	21	1650CST			0	0			Hail(1.00)
Attala County									
6 N Hesterville to 9 N Hesterville	21	1712CST 1729CST			0	0			Hail(1.00)
Carroll County									
5 SE Vaiden to 3 E Vaiden	21	1720CST 1738CST			0	0			Hail(1.00)



National Weather Service

Storm Data and Unusual Weather Phenomena



June 2006

Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Number of Persons Killed	Number of Persons Injured	Estimated Damage Property	Estimated Damage Crops	Character of Storm
----------	------	----------------------------	---------------------------	--------------------------	--------------------------------	---------------------------------	---------------------------------	------------------------------	--------------------

MISSISSIPPI, Central

Carroll County

4 N Vaiden 21 1730CST 0 0 40K **Thunderstorm Wind (EG58)**
The roof of a well build shed was blown off and numerous trees were blown down around the area.

Bolivar County

3 SW Cleveland 21 1815CST
1820CST 0 0 **Hail(1.00)**

Clay County

**11 W West Pt to
13 W West Pt** 21 1820CST
1825CST 0 0 **Thunderstorm Wind (EG50)**
Several trees were blown down.

Webster County

2 NW Mathiston 22 1512CST
1518CST 0 0 **Hail(0.75)**

Leake County

4 N Walnut Grove 23 1330CST 0 0 **Thunderstorm Wind (EG50)**
A few trees were blown down across a road.

Oktibbeha County

Starkville 23 1404CST 0 0 **Thunderstorm Wind (EG60)**

Oktibbeha County

Starkville 23 1420CST 0 0 **Hail(0.88)**

Clarke County

**4 N Enterprise to
2 W Enterprise** 23 1436CST
1445CST 0 0 **Hail(0.75)**

Lauderdale County

11 SW Meridian 23 1436CST
1440CST 0 0 **Hail(0.75)**

Clarke County

Enterprise 23 1440CST 0 0 20K **Thunderstorm Wind (EG55)**
Several trees and power lines were blown down around Enterprise

Jones County

**5 N Laurel to
4 N Laurel** 23 1525CST
1530CST 0 0 50K **Thunderstorm Wind (EG60)**
Numerous trees and large limbs were blown down along with one barn damaged.

Forrest County

Hattiesburg 23 1535CST 0 0 20K **Thunderstorm Wind (EG53)**
Several trees and power lines were blown down.

Jones County

7 SW Laurel 23 1540CST 0 0 **Hail(0.75)**

Jones County

5 SW Laurel 23 1545CST 0 0 10K **Thunderstorm Wind (EG58)**
Numerous trees were blown down.

Jones County

2 N Ellisville 23 1610CST 0 0 50K **Thunderstorm Wind (EG58)**
Numerous trees and power lines were blown down.

Jones County

7 W Laurel 23 1610CST 0 0 10K **Thunderstorm Wind (EG53)**
A few trees and power lines were blown down.

Covington County

8 E Collins 23 1620CST 0 0 10K **Thunderstorm Wind (EG50)**
A few trees and power lines blown down.



National Weather Service

Storm Data and Unusual Weather Phenomena



June 2006

Location	Date	Time Local/ Standard	Path Length (Miles)	Path Width (Yards)	Number of Persons		Estimated Damage		Character of Storm
					Killed	Injured	Property	Crops	

MISSISSIPPI, Central

Lamar County

Sumrall	23	1650CST			0	0			Thunderstorm Wind (EG53)
----------------	-----------	----------------	--	--	----------	----------	--	--	---------------------------------

A few trees were blown down around Sumrall.

Marion County

Columbia	23	1714CST			0	0			Thunderstorm Wind (EG50)
-----------------	-----------	----------------	--	--	----------	----------	--	--	---------------------------------

A few trees were blown down.

Noxubee County

Paulette	24	1301CST 1305CST			0	0			Hail(0.75)
-----------------	-----------	----------------------------	--	--	----------	----------	--	--	-------------------