

INDEX

— A —

- Abbreviations 5
- Acronyms 3
- Acrylonitrile-butadiene-styrene pipe (ABS) 411, 522
- Additives 134, 135, 143–145, 147–149, 151–153, 161–164, 166,
182–185, 188, 197, 201–204, 207, 210, 215–217, 229, 231, 269, 453,
493, 494, 503, 535, 537, 549, 598, 607
- Adhesives 153, 265, 278, 286, 360, 361, 380, 459, 471, 476, 479, 480,
488, 533, 538, 554, 563, 564, 571, 574,
579–581, 585, 589–591, 607
- Admixtures
- air-entraining 265, 267, 270, 276, 393, 501, 502, 535, 540
 - chemical 143, 148, 152, 265, 267, 393, 504, 535
- Aggregate courses, treated 122, 123, 143–148, 150, 151, 153, 156
- Aggregate for
- asphalt surface treatment 201–204, 207, 221, 222, 224–228,
451–453, 494, 500, 501–503
 - base 134, 135, 143, 496, 498
 - bed course 122, 451, 452
 - blotter 143, 148, 152, 504
 - choker 201, 203, 204, 206, 207, 209, 213, 214, 504
 - concrete riprap 113
 - emulsified asphalt concrete pavement 203, 225, 453, 500
 - emulsified asphalt-treated base 143, 148
 - granular backfill 124, 131, 495
 - grout 486, 487
 - hot asphalt concrete pavement 160–167, 182–184, 186, 188, 197,
199, 200, 243, 498–500, 505
 - mortar 489
 - Portland cement concrete 143, 148, 236, 238, 265–270, 272, 275,
276, 279, 289, 292–294, 393–395, 495, 512, 513, 539, 540
 - select granular backfill 124, 131, 422, 496
 - sheathing 496
 - slurry seal 148, 149, 215–219, 503, 504
 - subbase 496, 498
 - surface course 134, 135, 143, 357, 496, 498
- Aggregate stabilization 106, 139, 148–150

Aggregate stockpiled 18, 19, 21, 134, 136–140, 163–165, 184, 186, 217, 221, 225, 439

Aluminum alloy
 bridge rail 340, 342, 343, 576, 578
 plate 441, 442, 524, 580
 structural 441, 442, 524, 576

Anchorage devices 294, 295, 298, 304, 360, 361, 598, 599

Anchors, ground 128–130, 597–599

Antidesiccant 463, 554

Asphalt
 acceptance procedures 19, 20, 30, 33, 168–180, 190–196, 201, 204, 211, 214, 218, 225, 227, 232, 235, 238, 241
 antistripping additive 160, 161, 163, 164, 166, 182, 183–185, 188, 197, 201, 207, 494
 application temperatures 161, 166, 182, 187, 188, 198, 202, 208, 211, 213, 217, 222, 224, 230, 237, 240, 241, 425, 493
 cement 20, 28, 143, 160, 161, 163, 164, 166, 170, 180–183, 185, 187, 190, 196–199, 220–222, 227, 231, 236, 238, 240, 241, 243, 491, 494, 537
 certification 19, 20, 21, 23, 32, 33, 198, 208, 229
 cutback 20, 28, 201, 206, 207, 213, 214, 220, 221, 224, 227, 243, 491, 529
 emulsified 20, 24, 28, 143, 147, 148, 151, 152, 201–203, 206, 207, 211, 214, 218, 220–222, 224, 227, 229, 231, 236, 238, 240, 241, 243–245, 422, 491, 500, 529
 mastic 400, 405, 493, 523, 524
 recycling agent 493
 sampling procedures 11, 20, 28, 30, 31, 163, 168–174, 179, 184, 185, 190–195, 198, 204, 205, 208, 212, 214, 216, 218, 219, 221, 227, 228, 230, 231, 241

Asphalt prime coat 213, 214, 224

Asphalt tack coat 166, 168, 187, 190, 211, 212, 241

— B —

Backfill 69, 70, 72, 73, 87, 88, 112, 115, 119, 120, 122–125, 131, 132, 354, 366, 397, 398, 400, 401, 404, 414, 416, 417, 420, 426, 430, 441, 444, 446, 448, 462, 474, 484, 504, 513

crib wall 513

drainage culvert 90, 93, 94

- select granular 124, 125, 131, 132, 511, 512
- special grout 512
- structural 87, 88, 90, 91, 112, 119, 120, 122–125, 410, 412, 414, 510
- Backfill material 70, 72, 73, 92, 94, 119, 122, 124, 131, 132, 367, 375, 398, 399, 401, 403, 404, 412, 420, 426, 430, 441, 443, 444, 461, 462, 495, 509
- Barricades 142, 243, 296, 425, 591
- Barriers 82, 83, 86, 98, 369, 374, 415, 466, 469, 483, 484, 532, 533, 591
- Bearing devices 7, 281, 295, 300, 307, 317, 323, 326, 337, 338, 382, 386–390, 598
 - elastomeric 265, 289, 297, 310, 386, 388, 574
 - masonry, sole, and shim 289, 388, 390
 - rocker, roller, and sliding 323, 388
 - tetrafluoroethylene (TFE) surfaces 386, 388, 389, 574
- Bed course 122, 424, 426, 451, 452, 454, 511
- Bedding 72, 93–95, 348, 387, 390, 398–401, 404, 405, 407, 409, 421, 425, 441, 443, 444, 452, 509
- Bituminous material 19–21, 24, 28, 201, 202, 207, 243, 424, 451, 453, 491, 523, 524
- Block
 - cellular concrete 604
 - masonry 527, 604
- Bolted connections 329
- Bolts 122, 295, 299, 308, 317, 318, 326, 327, 329, 330, 336, 338, 340, 342, 348, 350, 367, 370, 372, 373, 386, 389, 416, 442, 472, 528, 570, 572, 573, 576, 578, 583, 585, 593, 596
- Bond 77, 114, 226, 241, 259, 343, 360–362, 388, 389, 398, 430, 432, 479, 480, 488, 524, 528, 530, 547, 551, 563, 571, 575, 591, 595, 596, 598, 606
- Borrow 72, 79, 80, 81, 93, 107, 109, 505–507, 510
- Bracing 87, 88, 257, 319, 337, 347–349, 365, 366, 370, 374, 419, 420, 531, 553
- Brick 314, 604
- Bridge railing 12, 285, 293, 340–344, 348, 351, 353, 356, 359, 374, 577, 578, 606
- Burlap 113, 114, 278, 290, 293, 397, 462, 463, 535, 548, 549, 553, 555

— C —

- Cable, wire 416, 529
Calcium chloride 134, 138, 155–158, 230, 600, 601, 603
Caps 251, 253, 256, 262, 300, 347, 349, 350, 358, 369, 373, 529, 570
Castings
 chromium alloy steel 573
 gray iron 573, 605
 malleable iron 570, 573, 605
 steel 573, 605
Catch basins 50, 441
Cattleguards 42, 52, 58, 141, 142, 419, 420, 421
Cement
 blended 394, 486
 masonry 486, 540
Certificate of Compliance 7, 19–21, 28, 229, 311, 488, 601, 602
Certification 18, 22, 24, 28, 30, 33, 57, 346, 528, 564, 566, 571, 600, 601
 production 18, 24, 31, 32, 258, 298, 302, 315, 321, 345, 371, 481
 products 7, 19, 20, 22, 28, 33, 198, 208, 229, 267, 268, 294, 298, 299, 311, 317, 318, 319, 345, 355, 368, 394, 399, 461, 472, 488, 489, 537, 541, 542, 544, 546, 548, 557, 567, 570, 571, 601, 605
Check dams 84
Choker aggregate 201, 203, 204, 206, 207, 209, 213, 214, 241, 242, 504
Cleaning existing drainage structures 64, 142, 447
Clearing and grubbing 40, 52, 57, 62, 68, 72, 82, 108, 109, 137, 139, 346, 419, 439, 465
Cofferdams 8, 87–89, 92, 376
Color coating 265, 608
Completion date 224
Concrete
 bonding 77, 114, 259, 360, 362, 529
 curing 124, 145–147, 149, 150, 153, 157, 259, 265, 269, 274, 276–278, 285, 290–292, 300–302, 307, 308, 311, 374, 394, 396, 397, 423, 436, 535, 536, 567, 603, 605
 curing materials 143, 146–148, 150–153, 265, 393, 535
 finishing 73, 74, 145–147, 150, 151, 153, 259, 265, 279, 285–294, 302, 310, 341, 342, 348, 360, 372, 374, 396, 423, 424, 436, 567, 592
 minor structures 393, 397, 416, 495

- painting 377, 384, 385
- patching 292, 308, 396
- pipe 296, 404–406, 446, 521, 555
- prestressed 10, 248, 250, 257, 259, 266, 267, 274, 297–300, 302–309, 315, 353, 364, 375, 567, 597
- protective coatings 377, 384, 385, 606
- structural 127, 248, 265–279, 281–297, 308, 310, 311, 340, 353, 357, 360, 362, 437, 495, 535
- Conduit 9, 24, 338, 396
- Conformity with plans 11, 15, 28, 30, 87, 101–103, 272, 378, 439, 516, 524
- Contracting Officer (CO) 2, 8, 9
- Contractor
 - quality control 30–32
 - sampling and testing 19, 30
- Control charts 249, 302, 487, 490
- Copper
 - flashings 541
 - water stops 541
 - water tube and fittings 607
- Corrugated metal units 606
- Crib walls 122, 123, 127, 130, 513, 596
- Culverts 24, 41, 52, 58, 69, 90, 93, 94, 141, 142, 265, 282, 292, 293, 375, 398, 399, 401, 404, 407, 408, 441, 445, 455, 523, 555
- Curb and gutter 166, 187, 198, 208, 289, 290, 295, 302, 340, 353, 374, 422, 423, 426, 451, 452, 519, 520, 570, 604, 606
- Curbing
 - bituminous concrete 424, 425
 - precast concrete 122, 422, 424
 - reflecting concrete 424
 - stone 422
- Curing material 265, 393, 422, 535, 603

— D —

- Damage claims 127
- Definitions 7
- Delineator 471, 474, 475, 582–584
- Detours 16

Dewatering 87, 89, 93, 94, 285
 Dimensioned masonry 427, 428, 431, 434, 515–517
 Disposing of material 64, 65, 69, 70, 72, 85, 87, 93, 94, 98, 107–109,
 132, 134, 152, 168, 190, 214, 225, 235, 245, 253, 256, 262, 341, 354,
 358, 377, 378, 417, 419, 437, 439, 446, 456, 461, 465, 468, 471, 474
 Ditches 62, 70, 73, 79, 81, 83, 84, 91, 98, 107, 141, 142, 152, 157,
 376, 451
 Dowels 103, 129, 258, 286, 308, 347–349, 351, 472, 529, 570, 576
 Drainage 16, 72, 83, 85, 98, 142, 363, 420
 dips 42, 50, 52, 58, 109
 ditches 70, 73, 107
 downdrains 448, 449
 drains 24, 42, 50, 52, 56, 58, 64, 73, 81, 83–85, 107, 112, 128,
 129, 142, 318, 338, 351, 410, 561, 562
 excavation 73, 81, 107
 materials 398, 410, 434, 522–524, 538, 557, 558, 561–563
 structures 56, 64, 70, 112, 128, 129, 372, 426, 446, 447
 underdrains 24, 410, 411, 413, 455, 562
 Drawings and plans 9, 15, 27, 30, 31, 33, 35, 46, 56
 Drilled shafts 284
 Driller's mud 608
 Dust
 control 155–157, 186, 234, 235
 palliative 155–157, 600, 601, 603

— E —

Earth embankment 23, 62, 66, 72–74, 76–81, 90, 91, 94, 98, 107–109,
 354, 357, 401, 409, 417, 439, 443, 444, 592
 Elastomeric
 bearings 265, 289, 297, 310, 386, 387, 574
 compression joint seals 265, 317, 576
 Electrical materials 278, 314
 Electrical systems 260, 301
 Electrochemical requirements 512
 chloride content 134, 138, 155–158, 230, 487, 512, 535, 600, 603
 pH 512, 536, 543, 546, 547, 600, 601
 resistivity 512, 541
 sulfate content 135, 138, 155, 158, 496, 499, 500, 502, 503, 505,
 512, 600

- Eliminated work 302, 342, 434
- Embankment
 - compaction 62, 72, 74, 76–78, 90, 91, 94, 113, 115, 123, 125, 132, 136, 443, 444, 453
 - construction 62, 72–79, 88, 91, 94, 107, 109, 112–115, 117–120, 122–125, 127, 128, 132, 135, 139, 141, 143, 145, 146, 148, 150, 592–596
 - hand-placed 112, 113, 115, 117, 118, 518, 519
 - mechanically placed 113, 117, 118, 518
- Emulsified asphalt 20, 24, 28, 143, 147, 148, 151, 152, 201–203, 206, 207, 211, 214, 218, 220–222, 224, 227, 229, 231, 236, 238, 240, 241, 243–245, 422, 491, 500, 529
- Epoxy 121, 343, 360, 361, 384, 479, 528, 587, 588, 594, 598
 - coated gabions 121
 - coated reinforcing steel 283, 314, 316, 528
 - markings 471, 476, 478, 479, 587
 - resin adhesive 265, 360, 471, 476, 479, 574, 575, 591, 607
- Equipment
 - aggregate spreaders 135, 136, 140, 203, 209, 223, 225
 - curbers 424, 425
 - distributors 20, 24, 96, 149, 155, 156, 222–225, 231
 - graders 198, 208
 - mixers 164, 186, 197, 202, 207, 216, 217, 270, 271, 452
 - nonagitating 272
 - pavers 165–168, 187, 189, 198, 202, 203, 208, 226, 424
 - pugmills 202, 452
 - rollers 74, 76–78, 106, 125, 132, 136, 142, 156, 157, 168, 189, 198, 199, 203, 204, 208, 209, 213, 217, 223, 226, 244, 288, 305, 453, 479
- Erosion control 16, 23, 66, 82–86, 89, 105–107, 109, 112, 132, 363, 458, 460, 466, 469, 547, 553, 555, 557
 - blankets and mats 23, 76, 82, 84, 86, 108, 109, 112, 132, 460, 548–552
 - check dams 84
 - diversions 84
 - filter barriers 82, 83
 - geotextile 560
 - netting 23, 85, 460, 548, 549, 551
 - outlet protection 83, 84
 - sandbags 82, 84, 88, 94, 555

- sediment basins 83, 86
- silt fence 83, 86, 555–557, 561
- slope drains 83, 84
- slope protection and stabilization 23, 66, 72, 73, 83, 84, 106, 109, 439, 458
- straw/hay bales 82, 83, 86, 547, 555
- tackifiers 12, 82, 107, 109, 458, 459, 554
- turf establishment 23, 83, 84, 458, 460, 468, 469, 470, 547, 554
- Evaporation 230, 279, 280, 290
- Excavation 9, 11, 13, 21, 23, 52, 57, 62, 64, 65, 70, 72–81, 87–95, 98, 101, 103, 107, 109, 123, 125, 132, 148, 132, 253, 399, 404, 407, 410, 420, 422, 424, 425, 439, 461, 462, 484
 - borrow 72, 79–81, 107, 109, 510
 - roadway 9, 11, 64, 72, 73, 76, 79, 91, 98, 107, 123, 125, 405, 543
 - rock blasting 76, 79, 87, 100–104
 - structural 69–73, 87–95, 352, 354, 357, 430, 441, 446
 - topsoil 73, 79, 439, 456, 461, 543
 - unsuitable 13, 73, 74, 77, 81, 88, 93, 94, 109, 132, 142
- Excelsior blanket 549
- Explosives 100–103, 608

— **F** —

- Fabric, welded wire 316, 529, 593
- Facilities and services (Contractor-furnished) 15, 16, 18–20, 22, 35, 46, 274, 311, 315
- Falsework 9, 276, 281, 285, 287, 317, 337, 363–366, 368, 370, 371, 376, 388, 430
 - design of 295, 319, 363, 364, 366, 367, 370
 - foundations 9, 363, 368, 369
 - manufactured assemblies 363, 368
 - over roadways and bridges 364, 369, 370
 - removal of 340, 374, 376, 592
- Fence 24, 69, 83, 419, 420, 421, 531, 532, 534, 555, 557, 561
 - barbed wire 419, 420, 531, 532
 - chain link 419, 531
 - woven wire 419, 531, 532
- Fertilizer 82, 84, 99, 107, 109, 458–462, 465, 468, 544
- Fiberglass roving 552
- Filter barrier 82, 83

Filter fabrics 243, 357, 410, 556, 557, 561
erosion control 83, 557
paving geotextile 240–242, 557
sediment control 557
separation geotextile 557, 559
subsurface drainage 557, 558, 561

Floors
plank 350
steel grid 317, 574

Fly ash 143–154, 265, 266, 269, 277, 366, 393–395, 486, 487, 494,
512, 513, 540, 603

Fog seal 224, 226, 493

Forms 89, 168, 190, 204, 259, 273, 276, 278, 281–286, 290, 292, 293,
299–301, 305, 337, 341, 363–367, 371–376, 395–397, 422–424, 430,
435–437, 452, 453, 567, 592, 604, 609

Foundation fill 87, 90–95, 132, 509

Framing 278, 348, 369

Furrow ditches 73, 79, 81

— G —

Gabions 119–121, 125, 127, 130, 514, 594–596

Galvanized coatings 121, 317, 342, 348, 351, 355, 373, 386, 483, 524,
533, 574, 582, 583, 593, 594, 596, 605

Gaskets 330, 343, 398, 400, 404, 405, 407, 448, 540

Gates 419, 421, 483, 531, 532

Geocell 82, 458, 548, 553

Geocomposite 410, 412, 413, 557, 561, 562
pavement edge drain 412, 413, 563, 564
sheet drain 411–413, 563

Geotextiles 23, 76, 82, 105, 106, 112, 115, 117–124, 135, 240–242,
244, 357, 410–414, 550, 556–564

Glass beads 471, 476, 478, 479, 586–590

Grease 598

Grinding 64, 65, 231, 258, 289, 292, 321, 322, 340, 388, 436

Ground anchors 128–130, 597, 598, 599

Ground cover 461, 463, 464

Grout 89, 113, 265, 284, 286, 294, 295, 297, 307, 308, 310, 360, 361,
389, 393, 419, 432, 433, 435, 437, 441, 451, 452, 454, 486–488, 490,
512, 598, 603

Guardrail 24, 340, 415–418, 531, 533
hardware 416, 533
Guardwall 285, 374, 432

— H —

Hardware

guardrail 415–417, 532, 533
timber structures 345, 348, 353, 357, 570
traffic signs 471, 483, 583, 585
Hauling vehicle 18, 20, 24, 25, 27, 77, 78, 136, 146, 167, 188, 189,
197, 203, 208, 226
Hot recycled asphalt concrete pavement 160–166, 171, 180–184, 186,
187, 193, 196, 197, 199, 200
Hydraulic cement 486, 487

— I —

Inlets 73, 141, 399, 405, 408, 446, 448, 449, 538
Inspection 10, 30, 31, 84, 85, 89, 132, 252, 310, 314, 315, 336, 345,
355, 373, 451, 461, 463, 481, 567, 570, 571
at the nursery 548
at the plant 297, 298, 318, 345, 422, 528
of construction 30, 84, 89, 132, 157, 256, 263, 281, 288, 301, 302,
336, 356, 371, 395, 463, 464, 528
visual 74, 112, 117, 136, 141, 157, 321, 435
Intent of Contract 15, 435

— J —

Jacking 261, 282, 298, 302, 303, 304, 305, 368, 430, 598
Jetted piles 254, 256
Joint fillers and sealants
backer rod 236, 237, 539
cold-poured 538
foam 538
hot-poured 537
low-modulus silicone 538, 539
preformed 423, 435, 537, 538

Joints

- curb 423, 425, 519
- hot asphalt concrete pavement 168, 190, 199, 237, 244
- Portland cement concrete pavement 423
- saw cutting 237
- sidewalk 289
- stone masonry 431–433, 436
- structural concrete 258, 278, 281, 285, 286, 292, 397, 569
- treated aggregate course 145, 146, 150, 153

Jute mesh 549

— L —

- Labor, general 15, 27, 35, 46, 56, 112, 117, 355, 363
- Laboratory, field 157, 197, 198, 207, 208, 216, 232, 268, 274, 488, 588
- Ladder rungs 605
- Latex modifier 265, 393, 535, 536
- Layout of work 10, 104, 298, 347, 461, 473
- Legume inoculants 544
- Lighting systems 591
- Lignin sulfonate 134, 138, 155, 157, 158, 601
- Lime 203, 540, 543
 - hydrated 134, 138, 143–154, 197, 201, 207, 494, 540, 603
 - quicklime 603
- Limestone 82, 458, 459, 465, 468, 519, 543, 544
- Lining, plastic 84, 607
- Linseed oil 265, 377, 384, 606
- Load restrictions 146, 150, 295
- Lumber 26, 122, 345–347, 349, 352, 357, 359, 367, 370, 416, 483, 531, 567, 570, 571
- Lump sum 26, 27, 32, 33, 67, 71, 81, 86, 92, 97, 180, 181, 196, 197, 206, 264, 296, 312, 316, 339, 344, 352, 356, 359, 362, 385, 392, 397, 464

— M —

Maintenance

- of the roadway 16, 43, 73, 109, 157, 226, 232
- of the work 9, 43, 53, 58, 82, 83, 85, 98, 132, 139, 157, 203, 214, 463, 466, 469

Manholes 166, 187, 198, 446, 538, 605
Markers 35, 41, 50, 52, 58, 107, 295, 455, 471, 475, 476, 479, 480,
484, 582, 584, 590, 591
Masonry 89, 112, 289, 388, 390, 427–438, 486, 515, 516, 517, 527,
540, 603, 604
Material
 Contractor-furnished sources 19, 22, 96, 353, 355, 477, 543
 found in the work 72, 73, 76, 405, 439
 Government-designated sources 19, 21, 22, 72, 73, 96, 134, 405,
 439
 Government-furnished sources 134, 135, 219, 228, 353, 354, 356
 handling 18, 78, 101, 137, 139, 140, 257, 258, 269, 271, 272, 281,
 307, 311, 337, 346, 357, 379, 386, 446, 548, 592, 608
 inspection 19, 20, 28, 31, 112, 117, 143–145, 281, 298, 310, 314,
 318, 345, 355
 local sources 21, 76, 554
 source management 19, 21, 22, 72, 73, 76, 96, 167, 172, 189, 193,
 221, 268, 320, 456, 461, 468, 519, 543, 554, 603
 storage 18, 69, 73, 88, 100, 101, 137, 139, 140, 143, 152, 165,
 216, 231, 461, 469, 486, 487, 490, 526, 527, 562, 565, 586, 588,
 592, 608
 unsuitable 13, 73, 74, 76, 77, 79, 88, 93, 94, 109, 132, 141, 142,
 148, 198, 208, 320, 451, 461, 486, 528, 570
Matting 108, 548–553
Measurement methods 23–28
Medians 415
Milling pavement 234, 235
Mineral filler 134, 135, 137, 160, 161, 163, 182–184, 201, 215–217,
603
Mineral slurry (driller's mud) 608
Mineral spirits 377, 383, 606, 608
Mobilization 392
Monuments 41, 52, 58, 455
Mortar 112, 113, 259, 265, 270, 281, 283, 285, 286, 289, 292, 293,
297, 307, 308, 310, 342, 372, 396, 424, 425, 427, 452, 486, 489, 490,
603
 for masonry 112, 429–436, 540
 for pipe joints 112, 422, 539
Mulch 23, 82, 84, 85, 98, 99, 107, 109, 458–461, 463, 465, 466, 545,
550

grass straw cellulose fiber 459, 546
hay 545
peat moss 546
sawdust 546
straw 545, 547, 550, 555
wood cellulose fiber 459, 545, 550
wood chips 463, 545

— O —

Oakum 540
Object markers 295, 471, 475, 582, 584
Operations, limitations 237, 287, 378

— P —

Pads, elastomeric bearing 265, 297, 310, 386, 387, 574
Paint 35, 46, 56, 248, 262, 308, 330, 342, 343, 373, 377, 378–383,
385, 387, 416, 471, 476, 478, 479, 526, 527, 582, 584–586
Painting 317, 340, 343, 345, 351, 377–379, 382, 385, 398, 425, 455,
473, 478, 479, 484, 526
concrete structures 385
galvanized surfaces 383, 416
pavement 478
steel piles 262, 380, 382, 383
steel structures 308, 380, 382
timber structures 383
Partial payment 180, 181, 196, 206, 392
Paved waterways 451, 452, 454
Pavement markings
epoxy 121, 471, 476, 478, 479, 587
paint 35, 50, 476–478
permanent 476, 477
polyester 471, 476, 478, 479, 588
preformed plastic 471, 476, 479, 589
raised 471, 476, 479, 480, 590, 591
temporary 471, 590
thermoplastic 471, 476, 479, 589
Pavement smoothness 136, 146, 150, 153, 170, 192

Pavements

- concrete grinding 231
- concrete restoration 147, 151, 153, 165, 186, 229, 230, 232, 233
- crack and joint sealing 168, 190, 231, 236, 237, 238, 239, 240, 244, 537
- dense-graded emulsified asphalt 203, 500, 501
- hot asphalt concrete 204, 241, 498, 499
- hot recycled 161–165, 182–186
- milling 234, 235
- minor asphalt concrete 207
- open-graded emulsified asphalt 203, 204, 209, 500, 501
- Portland cement concrete 143–145, 147, 148, 150–154, 236, 486, 495, 537, 585, 589, 591, 592
- surface treatment 12, 74, 134–138, 141, 153, 155–157, 166, 168, 170, 172, 182, 187, 189, 190, 192, 194, 197–199, 201, 203, 207–209, 211, 213, 215, 217, 218, 220, 227, 229, 231, 232, 235, 237, 238, 240, 243, 244, 502

Payment

- adjustments 7, 22, 28, 130, 157, 158, 164, 174, 178, 180, 181, 185, 195, 196, 198, 206, 208, 209, 232, 447
- bond 392
- final 32, 180, 181, 196, 206, 231, 392
- partial 180, 181, 196, 206, 392
- pricing of adjustments 130, 157, 158, 174, 178, 181, 195
- progress 32, 180, 196, 206, 392

Pegs, for sod 468, 554

Performance bond 392

Permits and responsibilities 16, 43, 53, 58, 84, 100, 101, 127, 230, 232, 250, 272, 273, 287, 313, 318, 356, 378, 392

pH 512, 536, 543, 546, 547, 600, 601

Piles 90, 128, 129, 248–264, 292, 345, 348, 349, 352, 358, 366, 566–569

Case Pile Wave Analysis Program (CAPWAP) 259, 260

concrete 90, 248, 250, 251, 257–260, 567, 568

driven 90, 127, 248–250, 252–257, 259, 260, 262–264, 568

dynamic formula 254, 255

hammers 248–257, 260

load test 248–251, 257, 259–261, 264

preboring 251, 255, 256, 264

sheet 90, 248, 569

shoes 264, 569

- splices 248, 251, 253, 255–259, 264
 - steel 251, 257, 258, 260, 262, 569
 - steel H-piles 248, 569
 - steel pipe 248, 263, 569
 - steel shell 248, 258, 263, 568
 - timber 248, 251, 252, 257, 259, 260, 262, 345, 352, 366, 566, 569
 - wave equation 250, 251, 254, 259, 260
- Pilot car 226
- Pipe 10, 24, 83, 84, 128, 411, 521
- cast iron soil 607
 - polyethylene 411, 522, 597, 598, 606
 - polyvinylchloride (PVC) 407–410, 522, 598, 606
 - seamless copper 607
- Pipe culverts 24, 84, 94, 95
- aluminum-alloy 398, 399, 401, 446, 447, 523–525
 - asphalt-coated 398, 399, 401, 410, 446, 447, 523, 524
 - concrete 404, 446, 447
 - concrete-lined 398, 399, 401, 446, 447, 525
 - ductile iron 398, 399, 401, 446, 447, 523
 - erosion control 84, 555
 - fiber-bonded 398, 399, 401, 446, 447, 524
 - metallic-coated 398, 399, 401, 410, 446, 447, 523, 525
 - plastic 407, 408, 410, 446, 447
 - polymer-coated 398, 399, 401, 446, 447, 524
 - repair of damaged coatings 398, 399, 401, 441, 446, 447, 525
 - salvaged 69, 446, 447
 - slotted drain 398, 399, 401, 446, 447, 524, 525
 - spiral rib 446, 447, 525
 - structural-plate 441, 446, 447, 523, 524
 - underdrains 24, 410–414, 523
- Plant establishment period 461, 463
- Plant material 461, 462, 463, 464, 547, 548
- Plants 19, 21, 135, 143, 145, 164–167, 185–189, 197–199, 202, 207–209, 249, 270, 272, 298, 303, 317, 318, 422, 486, 494, 567
- Plastic
- lining 84, 607
 - markings 476, 479, 480, 589
 - pipe 407–410, 521, 522, 564, 598

- sheeting 301, 471, 473, 581, 583, 585
- water stops 542, 543
- Plate, structural 40, 286, 441–445, 523, 524, 570
- Polyethylene pipe 407–411, 522, 597
- Polypropylene mesh 550
- Polypropylene roving 553
- Polyvinylchloride (PVC) pipe 407–410, 522, 598, 606
- Posts
 - delineator 471, 474, 475, 582, 583
 - fence 24, 83, 419–421, 555
 - guardrail 416–418, 533
 - sign 471, 474, 475, 582
- Posttensioning 295, 303, 306, 598, 599
- Precast concrete units 122, 124, 248, 250, 257–259, 282, 285, 297, 298, 300, 302, 307, 315, 353, 372, 374, 417, 419, 422, 424, 521, 567, 604, 606
- Preconstruction conference 281, 282
- Presplitting 76, 100, 103
- Prestressing steel 295, 297–300, 302–304, 306, 375, 529, 530, 567, 598
- Pretensioning 298, 299, 302–306
- Prime coat 213, 214, 224, 262
- Primer 101, 373, 380–382, 479, 484, 527
- Progress payment 32, 180, 181, 196, 206, 276
- Protection
 - environmental 7, 82–86, 106, 378, 446
 - of forest, parks, and public lands 17, 74, 82, 103
 - of property and landscape 63, 76, 83, 84, 103, 106, 112, 277, 378, 439
 - of public, property, and workers 100, 103, 377–379
 - of traffic 16, 17
 - of utilities 375, 459
 - of vegetation 62, 63, 66, 108, 211, 459

— Q —

- Quality control 30–32, 101, 157, 168, 170, 171, 182, 190–193, 201, 220, 232, 297, 298, 310, 355, 557, 571
- for concrete mix 134, 144, 148, 162–164, 183–185, 268, 272–275

Rail

- box beam 340, 415, 416, 532, 533
- metal beam 415, 417, 532, 533
- steel-backed timber 415–418, 532, 533

Reconditioning

- existing drainage structures 141, 142, 446, 447
- road 141, 142, 439

Records 18, 31, 33, 36, 39–42, 47, 50–52, 57, 58, 101, 104, 273, 277, 300–302, 304, 310, 325, 361, 481

Reinforcing steel 35, 127, 129, 248, 281, 287, 291, 296, 297, 299, 300, 310, 311, 313–316, 340, 353, 357, 364, 371, 393, 395, 419, 422, 441, 444, 451, 472, 528, 529, 530, 567, 604

- epoxy-coated 314, 316, 528
- splices 124, 259, 263, 315, 316

Removal of

- forms and falsework 374–376
- individual trees or stumps 63–68, 107–109
- structures and obstructions 69–71, 122, 142, 244, 245, 261, 262, 340–344, 354, 415–419, 446, 447, 471, 474, 475
- unsuitable materials 13, 74, 77, 109, 141, 142, 148, 172, 178, 193, 198, 208, 253, 258, 274, 286, 291, 292, 299, 315, 371, 422, 451, 461, 463, 554

Rental equipment 481, 482

Responsibility for

- the public 103, 378
- the work 16, 22, 30, 43, 53, 58, 96, 101, 127, 230, 232, 250, 272, 273, 278, 313, 318, 356

Restrictions, load 146, 150, 366, 367, 368

Retaining walls 122, 123, 127–130, 292, 372

Retarder 143–146, 148–150, 152, 153, 270, 366, 395, 535, 598

Retroreflective sheeting 416, 471, 579–581, 583–585

Right-of-way 11, 70, 455

Riprap 84, 106, 112–116, 354, 514, 515

- keyed 113, 116
- mortared 113, 116
- loose 112, 113, 115, 116

Road reconditioning 141, 142, 439

Roadway obliteration 98, 99, 440

Rock blasting 87, 100–104, 608
Rock embankment 72–74, 76–78, 103, 117, 118, 518, 519
Rocker, roller, and sliding bearings 7, 323, 338, 386–388, 390
Rope, wire 252, 416, 529
Roving
 fiberglass 552
 polypropylene 553
Rubber, water stops 541
Rubble masonry 427–429, 431, 434, 516, 517

— S —

Sandbags 82, 84, 88, 94, 555
Scales 18, 19, 165, 186, 249, 269, 573
Schedule for construction 82, 129, 271, 279, 287, 325
Sealants 236–242, 266, 537, 538, 539, 580
Sediment retention structures 83
Seed 82, 84, 98, 99, 107, 109, 458–460, 469, 544, 545
Seeding 23, 85, 107, 109, 440, 456, 458–460, 469, 547
Select borrow 510
Select granular backfill 124, 125, 131, 132, 511, 512
Select topping 511
Shear connector, welded stud 317, 574
Sheathing 115, 370, 496
Sheet lead 317, 574
Shoring 9, 87, 88, 92, 365, 376
Shrubs, planting 461–464
Sidewalk 12, 69, 98, 288, 289, 606
Signals, traffic 591
Signs 16, 241, 354, 469, 471–475, 484, 580, 581, 583, 584
Silt fence 83, 86, 555, 556
Sisal mesh netting 549
Slope paving 166, 167, 187, 189, 234, 519, 520
Slopes
 finishing 73, 74, 76, 453
 rounding 73, 79, 81
Slurry, mineral (driller's mud) 608
Slurry seal 215–219, 231, 236, 238, 503, 504
Sod 76, 468, 469, 554
Sodding 23, 468, 469, 470, 547
Sodium chloride 603

Soil erosion 16, 23, 66, 82–86, 89, 105–107, 109, 112, 132, 363, 458,
460, 469, 547–552, 555, 557, 560

Solicitation 2

Source 205

Special grout backfill 512, 513

Spillways 448, 449, 451

Spray finish 607

Sprigging 554

Staking 35, 43, 45, 46, 47–59, 422, 463
tolerances 37, 41, 48

Station 12, 26, 31–33, 39, 40, 41, 50, 51, 57

Statistical acceptance
evaluation of work 31, 17–180
pay factor 174–181
quality level 31, 174–180

Steel forgings 317, 573

Steel pins and rollers 317, 327, 573

Steel pipe 248, 317, 398, 402, 410, 483, 484, 523–525, 568, 569, 574,
598

Steel, structures 317–340, 370, 380–383, 527

Stockpiled aggregates 18, 19, 21, 134, 136–140, 163–165, 184, 186,
217, 221, 225, 228

Stone masonry 427–438, 515–518

Stringers 122, 322, 326, 350, 351, 357, 358, 369, 370, 373, 375

Striping (see Pavement markings) 476–480, 585–591

Structural metal 40, 122, 258, 281, 297, 310, 317, 318, 320–322, 325,
327, 338, 339, 419, 483, 533, 569, 570, 572–578, 594, 605

Structure excavation 69–73, 87–95, 352, 354, 357, 430, 441, 446

Structures 24, 35, 42, 45, 56, 63, 64, 69–73, 82, 83, 87, 95, 112, 119,
120, 157, 166, 187, 198, 208, 363, 376, 393, 397, 410–414, 419, 426,
446, 447, 451–455, 483, 484, 604, 605
aluminum 340, 342, 343, 384,
398–402, 410, 441–445, 523, 525, 576, 578, 596, 605, 606
prestressed concrete 248, 250, 257, 259, 274, 297–312, 315, 353,
364, 375, 567
sediment retention 83
steel 129, 317, 340, 370, 377, 380, 383, 398, 402, 410, 441, 445,
483, 484, 523, 525, 527, 532, 568, 569, 574, 606
stone masonry 427, 438, 515, 518

timber 122, 123, 248, 251, 252, 257, 259, 262, 340, 343, 345, 353,
355, 357, 359, 366, 367, 369, 370, 377, 383, 384, 415, 417, 419,
483, 527, 532, 534, 566, 567, 569, 570, 571

Subcontractor 8, 12, 251

Subgrade stabilization 12, 76, 81, 148, 152–154, 603

Surface treatment, asphalt 147, 151, 174, 195, 220, 224, 228, 502, 503

Survey and staking 35, 59

Suspension of work 174, 195

System of International (SI) Units

- prefixes 4
- symbols 4, 612, 614

— T —

Tackifiers, stabilizing emulsion 82, 107, 458, 554

Tar 262

Target value (TV) 12, 134, 163, 164, 170, 171, 175, 184, 185, 190,
192, 194, 202, 204, 268, 497, 499, 501, 505, 507, 587

Test piles 249, 253, 260, 262, 264

Tested conformance 169, 191, 219, 228

Timber structures 122, 123, 248, 251, 252, 257, 259, 262, 340, 343,
345–353, 355, 357, 359, 366, 367, 369, 370, 377, 383, 384, 415, 417,
419, 483, 527, 532, 534, 566, 567, 569, 570, 571

Topping 510, 511

Topsoil 73, 79, 81, 105, 114, 439, 456, 457, 461, 462, 468, 469, 543

Traffic

- construction limitations 16, 240, 286, 353, 354, 365, 369, 416,
440
- control 16, 17, 63, 146, 150, 153, 218, 226, 238, 241, 295, 370
- control, permanent 440, 476, 477, 580
- control, temporary 16, 226, 241, 369, 477, 580, 591
- control devices 241, 296, 369, 425, 591
- interference with 16, 63, 150, 153, 157, 354
- maintenance of roadway 16, 17, 147, 151, 157, 214, 226, 232,
237, 241, 425, 456
- pavement markings 476, 480, 584, 591
- signing material 471, 475, 579–584

Treated timber 122, 123, 248, 257, 262, 345, 347, 352, 359, 566, 567,
571

Tree
 planting 461, 463, 547, 548, 553, 554
 wound dressing 463, 554
Tremies 284
Trusses 313, 319, 322, 323, 326–329, 347, 351
Tubular steel piles 569
Turf establishment 83, 84, 468, 554
Twine 553

— U —

Unclassified borrow 93, 510
Underdrains 24, 410–414, 455, 523, 562
Untreated timber 248, 345–347, 352, 359, 566, 570
Utilities 69, 375, 459

— V —

Vegetation 62, 63, 65, 74, 87, 93, 96, 98, 105, 152, 603
 establishment 74, 98
Vines 13, 461–464

— W —

Walls
 alternate retaining 127–130
 crib 122, 123, 127, 130, 513, 596
 gabions 125, 127, 130, 594, 595, 596
 mechanically stabilized earth 124–127, 130, 592, 593, 594
Washers 295, 317, 329, 331–336, 342, 348, 349, 483, 570, 572, 578, 583,
 585, 593, 596
Water 96
 pollution 82–86
 supply 96, 97
Water stops 286, 541, 542
Water systems 216, 606
Watering 96, 97, 462, 463, 469
Waterproofing 240, 262, 290, 291, 373, 397, 412, 463, 535, 557, 562
Waterways, paved 451–454
Wave equation 250–252, 254, 259, 260

- Weather conditions 36, 47, 155, 166, 187, 198, 203, 208, 211, 213, 217, 224, 230, 237, 240, 275–281, 346, 396, 425, 434, 453, 458, 469, 591
- Weighing
 - devices 18, 19, 145, 167, 188, 269
 - procedures 18, 19, 24, 26, 27, 231, 232
- Welded stud shear connectors 317, 574
- Welding 258, 299, 307, 308, 315–317, 319, 323, 325, 328, 329, 336, 342, 343, 347, 355, 373, 388, 398, 416, 448, 483, 533, 551, 564, 568, 593–595
- Wheel guards and railings 351
- Wire
 - aluminum 340, 576
 - barbed 419, 420, 531, 532
 - cable 416, 529
 - chain link 531
 - mesh 119, 120
 - rope 252, 416, 528, 529
 - welding 340, 576
 - woven 419, 531, 532
- Work
 - completion of 15, 31, 33, 43, 53
 - control of 16, 30, 31, 32, 33, 34, 43, 53, 58, 82, 100, 101, 103, 131, 132, 164, 172, 173, 182, 186, 193, 194, 198, 201, 208, 220, 224, 225, 230, 249, 253, 272, 273, 281, 282, 294, 295, 318, 319, 430, 437, 439
 - elimination of 302, 342, 434
 - layout of 104, 162, 163, 183, 185, 197, 201, 202, 207, 215, 266, 267, 268, 297, 298, 299, 386, 393, 394, 395
 - statistical evaluation of 31, 144, 148, 170, 171, 174–180, 192, 193, 204
- Working drawings 88
- Woven paper netting 549