

Series	Effective Date	Edit Number	Edit Type	Target Item	Prefix	MDRM	Comparison Series	Occurrence	Schedule	Published	Edit Test	Boolean algebra
FFIEC101	12/31/2008	0761	Quality	ADDRESS	AAXX	9110		1	Cover	Published	Mailing address of bank should not be null.	aaxx9110 ne null
FFIEC101	12/31/2008	0762	Quality	CITY	AAXX	9130		1	Cover	Published	City of bank should not be null.	aaxx9130 ne null
FFIEC101	12/31/2008	0768	Quality	CONTACT	AAXX	4086		1	Cover	Published	Contact person e-mail address should not be null.	aaxx4086 ne null
FFIEC101	12/31/2008	0767	Quality	CONTACT	AAXX	9116		1	Cover	Published	Contact person fax number should not be null.	aaxx9116 ne null
FFIEC101	12/31/2008	0765	Quality	CONTACT	AAXX	8901		1	Cover	Published	Contact person and title should not be null.	aaxx8901 ne null
FFIEC101	12/31/2008	0766	Quality	CONTACT	AAXX	8902		1	Cover	Published	Contact person phone number should not be null.	aaxx8902 ne null
FFIEC101	12/31/2008	0759	Quality	DATESIGN	AAXX	J196		1	Cover	Published	Date of signature should not be null.	aaxxj196 ne null
FFIEC101	12/31/2008	0760	Quality	LGLNM	AAXX	J197		1	Cover	Published	Legal title of bank should not be null.	aaxxj197 ne null
FFIEC101	12/31/2008	0757	Quality	SROFFRNM	AAXX	C490		1	Cover	Published	Printed name of senior officer should not be null.	aaxxc490 ne null
FFIEC101	12/31/2008	0763	Quality	STATE	AAXX	9200		1	Cover	Published	State abbreviation of bank should not be null.	aaxx9200 ne null
FFIEC101	12/31/2008	0758	Quality	TITLEOFF	AAXX	C491		1	Cover	Published	Title of officer should not be null.	aaxxc491 ne null
FFIEC101	12/31/2008	0764	Quality	ZIPCODE	AAXX	9220		1	Cover	Published	Zip code of bank should not be null.	aaxx9220 ne null
FFIEC101	12/31/2008	0001	Interseries	A()1	AAAB	3210	FRY9C	1	A	Published	A()1 should equal HC-28.	aaab3210 eq bhck3210
FFIEC101	12/31/2008	0001	Quality	A()1	AAAB	3210		1	A	Published	A()1 should not be null or negative.	aaab3210 ne null and aaab3210 ge 0
FFIEC101	12/31/2008	0016	Quality	A()10a	AAAB	J188		1	A	Published	For BHCs only, A()10a should not be negative.	for bhcs only, aaabj188 eq null or aaabj188 ge 0
FFIEC101	12/31/2008	0017	Quality	A()10b	AAAB	J189		1	A	Published	A()10b should not be null.	aaabj189 ne null
FFIEC101	12/31/2008	0018	Quality	A()10b	AAAB	J189		1	A	Published	If A()23a is not null or zero, then A()10b should not equal A()23a.	if (aaabc228 ne null and aaabc228 ne 0) then aaabj189 ne aaabc228
FFIEC101	12/31/2008	0019	Quality	A()11	AAAB	J169		1	A	Published	A()11 should not be null or negative.	aaabj169 ne null and aaabj169 ge 0
FFIEC101	12/31/2008	0032	Interseries	A()12	AAAB	5306	FRY9C	1	A	Published	A()12 should equal HC-R12.	aaab5306 eq bhck5306
FFIEC101	12/31/2008	0020	Quality	A()12	AAAB	5306		1	A	Published	A()12 should not be null or negative.	aaab5306 ne null and aaab5306 ge 0
FFIEC101	12/31/2008	0035	Interseries	A()13	AAAB	B593	FRY9C	1	A	Published	A()13 should equal HC-R13.	aaabb593 eq bhckb593
FFIEC101	12/31/2008	0021	Quality	A()13	AAAB	B593		1	A	Published	A()13 should not be null or negative.	aaabb593 ne null and aaabb593 ge 0
FFIEC101	12/31/2008	0022	Quality	A()14	AAAB	J173		1	A	Published	If A()27 is greater than A()28, then A()14 should be greater than zero and less than or equal to 0.60% of B28G.	if aaabj183 gt aaabj184 then (aaabj173 gt 0 and aaabj173 le (0.0060 * aaabj151))
FFIEC101	12/31/2008	0023	Quality	A()14	AAAB	J173		1	A	Published	A()14 should not be null or negative.	aaabj173 ne null and aaabj173 ge 0
FFIEC101	12/31/2008	0038	Interseries	A()15	AAAB	2221	FRY9C	1	A	Published	A()15 should equal HC-R15.	aaab2221 eq bhck2221
FFIEC101	12/31/2008	0024	Quality	A()15	AAAB	2221		1	A	Published	A()15 should not be null or negative.	aaab2221 ne null and aaab2221 ge 0
FFIEC101	12/31/2008	0025	Quality	A()16a	AAAB	J190		1	A	Published	For BHCs only, A()16a should not be null or negative.	for bhcs only, aaabj190 ne null and aaabj190 ge 0
FFIEC101	12/31/2008	0026	Quality	A()16b	AAAB	J191		1	A	Published	A()16b should not be null.	aaabj191 ne null
FFIEC101	12/31/2008	0027	Quality	A()17a	AAAB	J175		1	A	Published	A()17a should not be null or negative.	aaabj175 ne null and aaabj175 ge 0
FFIEC101	12/31/2008	0028	Quality	A()17b	AAAB	J176		1	A	Published	A()17b should not be null or negative.	aaabj176 ne null and aaabj176 ge 0
FFIEC101	12/31/2008	0029	Quality	A()17c	AAAB	J177		1	A	Published	A()17c should not be null or negative.	aaabj177 ne null and aaabj177 ge 0
FFIEC101	12/31/2008	0030	Quality	A()18	AAAB	J178		1	A	Published	A()18 should not be null or negative.	aaabj178 ne null and aaabj178 ge 0
FFIEC101	12/31/2008	0004	Interseries	A()2	AAAB	8434	FRY9C	1	A	Published	A()2 should equal HC-R2.	aaab8434 eq bhck8434
FFIEC101	12/31/2008	0002	Quality	A()2	AAAB	8434		1	A	Published	A()2 should not be null.	aaab8434 ne null
FFIEC101	12/31/2008	0041	Interseries	A()20	AAAB	1395	FRY9C	1	A	Published	A()20 should equal HC-R19.	aaab1395 eq bhck1395
FFIEC101	12/31/2008	0031	Quality	A()20	AAAB	1395		1	A	Published	A()20 should not be null or negative.	aaab1395 ne null and aaab1395 ge 0
FFIEC101	12/31/2008	0044	Interseries	A()21	AAAB	B595	FRY9C	1	A	Published	A()21 should equal HC-R20.	aaabb595 eq bhckb595
FFIEC101	12/31/2008	0032	Quality	A()21	AAAB	B595		1	A	Published	A()21 should not be null or negative.	aaabb595 ne null and aaabb595 ge 0
FFIEC101	12/31/2008	0033	Quality	A()22	AAAB	J182		1	A	Published	A()22 should not be null.	aaabj182 ne null
FFIEC101	12/31/2008	0034	Quality	A()25A	AAAB	J192		1	A	Published	For BHCs only, A()25A should be null.	for bhcs only, aaabj192 eq null
FFIEC101	12/31/2008	0035	Quality	A()25A	AAAB	J192		1	A	Published	For Banks only, if (B33G minus A()24) is not equal to null or zero, then A()25A should equal (A()11 minus A()23a) divided by (B33G minus A()24).	for banks only, if ((aaabj155 - aaabb504) ne null and (aaabj155 - aaabb504) ne 0) then aaabj192 eq ((aaabj169 - aaabc228) / (aaabj155 - aaabb504))

FFIEC101	12/31/2008	0036	Quality	A(I)25B	AAAB	J194		1	A	Published	If B33G is not equal to null or zero, then A(I)25B should equal A(I)11 divided by B33G.	if aabgj155 ne null and aabgj155 ne 0 then aabj194 eq (aabj169 / aabgj155)
FFIEC101	12/31/2008	0037	Quality	A(I)26A	AAAB	J193		1	A	Published	For BHCs only, A(I)26A should be null.	for bhcs only, aabj193 eq null
FFIEC101	12/31/2008	0038	Quality	A(I)26A	AAAB	J193		1	A	Published	For Banks only, if (B33G minus A(I)24) is not equal to null or zero, then A(I)26A should equal (A(I)22 minus A(I)23b) divided by (B33G minus A(I)24).	for banks only, if ((aabgj155 - aaabb504) ne null and (aabgj155 - aaabb504) ne 0) then aabj193 eq ((aabj182 - aaabb503) / (aabgj155 - aaabb504))
FFIEC101	12/31/2008	0039	Quality	A(I)26B	AAAB	J195		1	A	Published	If B33G is not equal to null or zero, then A(I)26B should equal A(I)22 divided by B33G.	if aabgj155 ne null and aabgj155 ne 0 then aabj194 eq (aabj182 / aabgj155)
FFIEC101	12/31/2008	0040	Quality	A(I)27	AAAB	J183		1	A	Published	A(I)27 should not be null.	aaab183 ne null
FFIEC101	12/31/2008	0041	Quality	A(I)28	AAAB	J184		1	A	Published	A(I)28 should not be null.	aaab184 ne null
FFIEC101	12/31/2008	0007	Interseries	A(I)3	AAAB	A221	FRY9C	1	A	Published	A(I)3 should equal HC-R3.	aaaba221 eq bhcka221
FFIEC101	12/31/2008	0003	Quality	A(I)3	AAAB	A221		1	A	Published	A(I)3 should not be null or negative.	aaaba221 ne null and aaaba221 ge 0
FFIEC101	12/31/2008	0010	Interseries	A(I)4	AAAB	4336	FRY9C	1	A	Published	A(I)4 should equal HC-R4.	aaab4336 eq bhck4336
FFIEC101	12/31/2008	0004	Quality	A(I)4	AAAB	4336		1	A	Published	A(I)4 should not be null.	aaab4336 ne null
FFIEC101	12/31/2008	0013	Interseries	A(I)5	AAAB	B588	FRY9C	1	A	Published	A(I)5 should equal HC-R5.	aaabb588 eq bhckb588
FFIEC101	12/31/2008	0005	Quality	A(I)5	AAAB	B588		1	A	Published	A(I)5 should not be null or negative.	aaabb588 ne null and aaabb588 ge 0
FFIEC101	12/31/2008	0016	Interseries	A(I)6a	AAAB	B589	FRY9C	1	A	Published	A(I)6a should equal HC-R6a.	aaabb589 eq bhckb589
FFIEC101	12/31/2008	0006	Quality	A(I)6a	AAAB	B589		1	A	Published	A(I)6a should not be null or negative.	aaabb589 ne null and aaabb589 ge 0
FFIEC101	12/31/2008	0019	Interseries	A(I)6b	AAAB	C502	FRY9C	1	A	Published	A(I)6b should equal HC-R6b.	aaabc502 eq bhckc502
FFIEC101	12/31/2008	0007	Quality	A(I)6b	AAAB	C502		1	A	Published	For BHCs only, A(I)6b should not be negative.	for bhcs only, aaabc502 eq null or aaabc502 ge 0
FFIEC101	12/31/2008	0020	Interseries	A(I)7a	AAAB	B590	FRY9C	1	A	Published	A(I)7a should equal HC-R7a.	aaabb590 eq bhckb590
FFIEC101	12/31/2008	0008	Quality	A(I)7a	AAAB	B590		1	A	Published	A(I)7a should not be null or negative.	aaabb590 ne null and aaabb590 ge 0
FFIEC101	12/31/2008	0023	Interseries	A(I)7b	AAAB	F264	FRY9C	1	A	Published	A(I)7b should equal HC-R7b.	aaabf264 eq bhckf264
FFIEC101	12/31/2008	0009	Quality	A(I)7b	AAAB	F264		1	A	Published	A(I)7b should not be null.	aaabf264 ne null
FFIEC101	12/31/2008	0026	Interseries	A(I)9a	AAAB	B591	FRY9C	1	A	Published	A(I)9a should equal HC-R9a.	aaabb591 eq bhckb591
FFIEC101	12/31/2008	0010	Quality	A(I)9a	AAAB	B591		1	A	Published	A(I)9a should not be null or negative.	aaabb591 ne null and aaabb591 ge 0
FFIEC101	12/31/2008	0029	Interseries	A(I)9b	AAAB	5610	FRY9C	1	A	Published	A(I)9b should equal HC-R9b.	aaab5610 eq bhck5610
FFIEC101	12/31/2008	0011	Quality	A(I)9b	AAAB	5610		1	A	Published	A(I)9b should not be null or negative.	aaab5610 ne null and aaab5610 ge 0
FFIEC101	12/31/2008	0012	Quality	A(I)9c	AAAB	J160		1	A	Published	A(I)9c should not be null or negative.	aaabj160 ne null and aaabj160 ge 0
FFIEC101	12/31/2008	0013	Quality	A(I)9d	AAAB	J161		1	A	Published	A(I)9d should not be null or negative.	aaabj161 ne null and aaabj161 ge 0
FFIEC101	12/31/2008	0014	Quality	A(I)9e	AAAB	J162		1	A	Published	A(I)9e should not be null or negative.	aaabj162 ne null and aaabj162 ge 0
FFIEC101	12/31/2008	0015	Quality	A(I)9f	AAAB	J163		1	A	Published	A(I)9f should not be null or negative.	aaabj163 ne null and aaabj163 ge 0
FFIEC101	12/31/2008	0042	Quality	A(II)1	AAAT	J156		1	A	Published	A(II)1 should not be negative.	aaatj156 ge 0 or aaatj156 eq null
FFIEC101	12/31/2008	0005	Intraserries	A(II)10	AAAT	J165		1	A	Published	If A(II)10 (previous) is greater than zero, then A(II)10 (current) should be greater than zero.	if aaatj165-q2 gt 0 then aaatj165-q1 gt 0
FFIEC101	12/31/2008	0006	Intraserries	A(II)11	AAAT	J166		1	A	Published	If A(II)11 (previous) is greater than zero, then A(II)11 (current) should be greater than zero.	if aaatj166-q2 gt 0 then aaatj166-q1 gt 0
FFIEC101	12/31/2008	0007	Intraserries	A(II)12	AAAT	J167		1	A	Published	If A(II)12 (previous) is greater than zero, then A(II)12 (current) should be greater than zero.	if aaatj167-q2 gt 0 then aaatj167-q1 gt 0
FFIEC101	12/31/2008	0008	Intraserries	A(II)13	AAAT	J168		1	A	Published	If A(II)13 (previous) is greater than zero, then A(II)13 (current) should be greater than zero.	if aaatj168-q2 gt 0 then aaatj168-q1 gt 0
FFIEC101	12/31/2008	0044	Quality	A(II)15	AAAT	J170		1	A	Published	A(II)15 should not be negative.	aaatj170 ge 0 or aaatj170 eq null
FFIEC101	12/31/2008	0001	Intraserries	A(II)2	AAAT	J157		1	A	Published	If A(II)2 (previous) is greater than zero, then A(II)2 (current) should be greater than zero.	if aaatj157-q2 gt 0 then aaatj157-q1 gt 0
FFIEC101	12/31/2008	0002	Intraserries	A(II)3	AAAT	J158		1	A	Published	If A(II)3 (previous) is greater than zero, then A(II)3 (current) should be greater than zero.	if aaatj158-q2 gt 0 then aaatj158-q1 gt 0
FFIEC101	12/31/2008	0045	Quality	A(II)31	AAAT	J186		1	A	Published	A(II)31 should equal A(II)27 divided by A(II)30.	aaatj186 eq (aaatj182 / aaatj185)
FFIEC101	12/31/2008	0047	Quality	A(II)32	AAAT	J187		1	A	Published	A(II)32 should equal A(II)14 divided by A(II)30.	aaatj187 eq (aaatj169 / aaatj185)
FFIEC101	12/31/2008	0003	Intraserries	A(II)4	AAAT	J159		1	A	Published	If A(II)4 (previous) is greater than zero, then A(II)4 (current) should be greater than zero.	if aaatj159-q2 gt 0 then aaatj159-q1 gt 0
FFIEC101	12/31/2008	0004	Intraserries	A(II)9	AAAT	J164		1	A	Published	If A(II)9 (previous) is greater than zero, then A(II)9 (current) should be greater than zero.	if aaatj164-q2 gt 0 then aaatj164-q1 gt 0
FFIEC101	12/31/2008	0075	Quality	C10A	AACA	J031		1	C	Published	If C10A is not equal to null, then C10B, C10C, C10D, C10E, C10F, C10G, C10H, C10K and C10L should not equal null.	if aacaj031 ne null then aacbj031 ne null and aaccj031 ne null and aacdj031 ne null and aacej031 ne null and aacfj031 ne null and aacgj031 ne null and aachj031 ne null and aackj031 ne null and aacj031 ne null

FFIEC101	12/31/2008	0076	Quality	C10A	AACA	J031		1	C	Published	If C10A is equal to null, then C10B, C10C, C10D, C10E, C10F, C10G, C10H, C10I, C10J, C10K and C10L should be equal to null.	if aacaj031 eq null then aacbj031 eq null and aaccj031 eq null and aacdj031 eq null and aacej031 eq null and aacfj031 eq null and aacgj031 eq null and aachj031 eq null and aacj031 eq null and aackj031 eq null and aacj031 eq null
FFIEC101	12/31/2008	0077	Quality	C10A	AACA	J031		1	C	Published	If C10A is not equal to null, then C10A should be greater than or equal to 10.00% and less than 20.00%.	if aacaj031 ne null then aacaj031 ge 10.00 and aacaj031 lt 20.00
FFIEC101	12/31/2008	0078	Quality	C11A	AACA	J033		1	C	Published	If C11A is not equal to null, then C11B, C11C, C11D, C11E, C11F, C11G, C11H, C11K and C11L should not equal null.	if aacaj033 ne null then aacbj033 ne null and aaccj033 ne null and aacdj033 ne null and aacej033 ne null and aacfj033 ne null and aacgj033 ne null and aachj033 ne null and aackj033 ne null and aacj033 ne null
FFIEC101	12/31/2008	0079	Quality	C11A	AACA	J033		1	C	Published	If C11A is equal to null, then C11B, C11C, C11D, C11E, C11F, C11G, C11H, C11I, C11J, C11K and C11L should be equal to null.	if aacaj033 eq null then aacbj033 eq null and aaccj033 eq null and aacdj033 eq null and aacej033 eq null and aacfj033 eq null and aacgj033 eq null and aachj033 eq null and aacj033 eq null and aackj033 eq null
FFIEC101	12/31/2008	0080	Quality	C11A	AACA	J033		1	C	Published	If C11A is not equal to null, then C11A should be greater than or equal to 20.00% and less than 100.00%.	if aacaj033 ne null then aacaj033 ge 20.00 and aacaj033 lt 100.00
FFIEC101	12/31/2008	0081	Quality	C12B	AACB	J034		1	C	Published	If C12B is not equal to null, then C12C, C12D, C12E, C12F, C12G, C12H, C12K and C12L should not equal null.	if aacbj034 ne null then aaccj034 ne null and aacdj034 ne null and aacej034 ne null and aacfj034 ne null and aacgj034 ne null and aachj034 ne null and aackj034 ne null and aacj034 ne null
FFIEC101	12/31/2008	0082	Quality	C12B	AACB	J034		1	C	Published	If C12B is equal to null, then C12C, C12D, C12E, C12F, C12G, C12H, C12I, C12J, C12K and C12L should be equal to null.	if aacbj034 eq null then aaccj034 eq null and aacdj034 eq null and aacej034 eq null and aacfj034 eq null and aacgj034 eq null and aachj034 eq null and aacj034 eq null and aackj034 eq null and aacj034 eq null
FFIEC101	12/31/2008	0048	Quality	C1A	AACA	J005		1	C	Published	If C1A is not equal to null, then C1B, C1C, C1D, C1E, C1F, C1G, C1H, C1K and C1L should not equal null.	if aacaj005 ne null then aacbj005 ne null and aaccj005 ne null and aacdj005 ne null and aacej005 ne null and aacfj005 ne null and aacgj005 ne null and aachj005 ne null and aackj005 ne null and aacj005 ne null
FFIEC101	12/31/2008	0049	Quality	C1A	AACA	J005		1	C	Published	If C1A is equal to null, then C1B, C1C, C1D, C1E, C1F, C1G, C1H, C1I, C1J, C1K and C1L should be equal to null.	if aacaj005 eq null then aacbj005 eq null and aaccj005 eq null and aacdj005 eq null and aacej005 eq null and aacfj005 eq null and aacgj005 eq null and aachj005 eq null and aacj005 eq null and aackj005 eq null and aacj005 eq null
FFIEC101	12/31/2008	0050	Quality	C1A	AACA	J005		1	C	Published	If C1A is not equal to null, then C1A should be greater than or equal to 0.00% and less than 0.15%.	if aacaj005 ne null then aacaj005 ge 0.00 and aacaj005 lt 0.15
FFIEC101	12/31/2008	0051	Quality	C2A	AACA	J008		1	C	Published	If C2A is not equal to null, then C2B, C2C, C2D, C2E, C2F, C2G, C2H, C2K and C2L should not equal null.	if aacaj008 ne null then aacbj008 ne null and aaccj008 ne null and aacdj008 ne null and aacej008 ne null and aacfj008 ne null and aacgj008 ne null and aachj008 ne null and aackj008 ne null and aacj008 ne null
FFIEC101	12/31/2008	0052	Quality	C2A	AACA	J008		1	C	Published	If C2A is equal to null, then C2B, C2C, C2D, C2E, C2F, C2G, C2H, C2I, C2J, C2K and C2L should be equal to null.	if aacaj008 eq null then aacbj008 eq null and aaccj008 eq null and aacdj008 eq null and aacej008 eq null and aacfj008 eq null and aacgj008 eq null and aachj008 eq null and aacj008 eq null and aackj008 eq null and aacj008 eq null

FFIEC101	12/31/2008	0053	Quality	C2A	AACA	J008		1	C	Published	If C2A is not equal to null, then C2A should be greater than or equal to 0.15% and less than 0.25%.	if aacaj008 ne null then aacaj008 ge 0.15 and aacaj008 lt 0.25
FFIEC101	12/31/2008	0054	Quality	C3A	AACA	J010		1	C	Published	If C3A is not equal to null, then C3B, C3C, C3D, C3E, C3F, C3G, C3H, C3K and C3L should not equal null.	if aacaj010 ne null then aacbj010 ne null and aaccj010 ne null and aacdj010 ne null and aacej010 ne null and aacfj010 ne null and aacgj010 ne null and aachj010 ne null and aackj010 ne null and aacj010 ne null
FFIEC101	12/31/2008	0055	Quality	C3A	AACA	J010		1	C	Published	If C3A is equal to null, then C3B, C3C, C3D, C3E, C3F, C3G, C3H, C3I, C3J, C3K and C3L should be equal to null.	if aacaj010 eq null then aacbj010 eq null and aaccj010 eq null and aacdj010 eq null and aacej010 eq null and aacfj010 eq null and aacgj010 eq null and aachj010 eq null and aacj010 eq null and aackj010 eq null
FFIEC101	12/31/2008	0056	Quality	C3A	AACA	J010		1	C	Published	If C3A is not equal to null, then C3A should be greater than or equal to 0.25% and less than 0.35%.	if aacaj010 ne null then aacaj010 ge 0.25 and aacaj010 lt 0.35
FFIEC101	12/31/2008	0057	Quality	C4A	AACA	J013		1	C	Published	If C4A is not equal to null, then C4B, C4C, C4D, C4E, C4F, C4G, C4H, C4K and C4L should not equal null.	if aacaj013 ne null then aacbj013 ne null and aaccj013 ne null and aacdj013 ne null and aacej013 ne null and aacfj013 ne null and aacgj013 ne null and aachj013 ne null and aackj013 ne null and aacj013 ne null
FFIEC101	12/31/2008	0058	Quality	C4A	AACA	J013		1	C	Published	If C4A is equal to null, then C4B, C4C, C4D, C4E, C4F, C4G, C4H, C4I, C4J, C4K and C4L should be equal to null.	if aacaj013 eq null then aacbj013 eq null and aaccj013 eq null and aacdj013 eq null and aacej013 eq null and aacfj013 eq null and aacgj013 eq null and aachj013 eq null and aacj013 eq null and aackj013 eq null and aacj013 eq null
FFIEC101	12/31/2008	0059	Quality	C4A	AACA	J013		1	C	Published	If C4A is not equal to null, then C4A should be greater than or equal to 0.35% and less than 0.50%.	if aacaj013 ne null then aacaj013 ge 0.35 and aacaj013 lt 0.50
FFIEC101	12/31/2008	0060	Quality	C5A	AACA	J014		1	C	Published	If C5A is not equal to null, then C5B, C5C, C5D, C5E, C5F, C5G, C5H, C5K and C5L should not equal null.	if aacaj014 ne null then aacbj014 ne null and aaccj014 ne null and aacdj014 ne null and aacej014 ne null and aacfj014 ne null and aacgj014 ne null and aachj014 ne null and aackj014 ne null and aacj014 ne null
FFIEC101	12/31/2008	0061	Quality	C5A	AACA	J014		1	C	Published	If C5A is equal to null, then C5B, C5C, C5D, C5E, C5F, C5G, C5H, C5I, C5J, C5K and C5L should be equal to null.	if aacaj014 eq null then aacbj014 eq null and aaccj014 eq null and aacdj014 eq null and aacej014 eq null and aacfj014 eq null and aacgj014 eq null and aachj014 eq null and aacj014 eq null and aackj014 eq null and aacj014 eq null
FFIEC101	12/31/2008	0062	Quality	C5A	AACA	J014		1	C	Published	If C5A is not equal to null, then C5A should be greater than or equal to 0.50% and less than 0.75%.	if aacaj014 ne null then aacaj014 ge 0.50 and aacaj014 lt 0.75
FFIEC101	12/31/2008	0063	Quality	C6A	AACA	J016		1	C	Published	If C6A is not equal to null, then C6B, C6C, C6D, C6E, C6F, C6G, C6H, C6K and C6L should not equal null.	if aacaj016 ne null then aacbj016 ne null and aaccj016 ne null and aacdj016 ne null and aacej016 ne null and aacfj016 ne null and aacgj016 ne null and aachj016 ne null and aackj016 ne null and aacj016 ne null
FFIEC101	12/31/2008	0064	Quality	C6A	AACA	J016		1	C	Published	If C6A is equal to null, then C6B, C6C, C6D, C6E, C6F, C6G, C6H, C6I, C6J, C6K and C6L should be equal to null.	if aacaj016 eq null then aacbj016 eq null and aaccj016 eq null and aacdj016 eq null and aacej016 eq null and aacfj016 eq null and aacgj016 eq null and aachj016 eq null and aacj016 eq null and aackj016 eq null and aacj016 eq null
FFIEC101	12/31/2008	0065	Quality	C6A	AACA	J016		1	C	Published	If C6A is not equal to null, then C6A should be greater than or equal to 0.75% and less than 1.35%.	if aacaj016 ne null then aacaj016 ge 0.75 and aacaj016 lt 1.35

FFIEC101	12/31/2008	0066	Quality	C7A	AACA	J019		1	C	Published	If C7A is not equal to null, then C7B, C7C, C7D, C7E, C7F, C7G, C7H, C7K and C7L should not equal null.	if aacaj019 ne null then aacbj019 ne null and aaccj019 ne null and aacdj019 ne null and aacej019 ne null and aacfj019 ne null and aacgj019 ne null and aachj019 ne null and aackj019 ne null and aadj019 ne null
FFIEC101	12/31/2008	0067	Quality	C7A	AACA	J019		1	C	Published	If C7A is equal to null, then C7B, C7C, C7D, C7E, C7F, C7G, C7H, C7I, C7J, C7K and C7L should be equal to null.	if aacaj019 eq null then aacbj019 eq null and aaccj019 eq null and aacdj019 eq null and aacej019 eq null and aacfj019 eq null and aacgj019 eq null and aachj019 eq null and aackj019 eq null and aadj019 eq null
FFIEC101	12/31/2008	0068	Quality	C7A	AACA	J019		1	C	Published	If C7A is not equal to null, then C7A should be greater than or equal to 1.35% and less than 2.50%.	if aacaj019 ne null then aacaj019 ge 1.35 and aacaj019 lt 2.50
FFIEC101	12/31/2008	0069	Quality	C8A	AACA	J025		1	C	Published	If C8A is not equal to null, then C8B, C8C, C8D, C8E, C8F, C8G, C8H, C8K and C8L should not equal null.	if aacaj025 ne null then aacbj025 ne null and aaccj025 ne null and aacdj025 ne null and aacej025 ne null and aacfj025 ne null and aacgj025 ne null and aachj025 ne null and aackj025 ne null and aadj025 ne null
FFIEC101	12/31/2008	0070	Quality	C8A	AACA	J025		1	C	Published	If C8A is equal to null, then C8B, C8C, C8D, C8E, C8F, C8G, C8H, C8I, C8J, C8K and C8L should be equal to null.	if aacaj025 eq null then aacbj025 eq null and aaccj025 eq null and aacdj025 eq null and aacej025 eq null and aacfj025 eq null and aacgj025 eq null and aachj025 eq null and aackj025 eq null and aadj025 eq null
FFIEC101	12/31/2008	0071	Quality	C8A	AACA	J025		1	C	Published	If C8A is not equal to null, then C8A should be greater than or equal to 2.50% and less than 5.50%.	if aacaj025 ne null then aacaj025 ge 2.50 and aacaj025 lt 5.50
FFIEC101	12/31/2008	0072	Quality	C9A	AACA	J029		1	C	Published	If C9A is not equal to null, then C9B, C9C, C9D, C9E, C9F, C9G, C9H, C9K and C9L should not equal null.	if aacaj029 ne null then aacbj029 ne null and aaccj029 ne null and aacdj029 ne null and aacej029 ne null and aacfj029 ne null and aacgj029 ne null and aachj029 ne null and aackj029 ne null and aadj029 ne null
FFIEC101	12/31/2008	0073	Quality	C9A	AACA	J029		1	C	Published	If C9A is equal to null, then C9B, C9C, C9D, C9E, C9F, C9G, C9H, C9I, C9J, C9K and C9L should be equal to null.	if aacaj029 eq null then aacbj029 eq null and aaccj029 eq null and aacdj029 eq null and aacej029 eq null and aacfj029 eq null and aacgj029 eq null and aachj029 eq null and aackj029 eq null and aadj029 eq null
FFIEC101	12/31/2008	0074	Quality	C9A	AACA	J029		1	C	Published	If C9A is not equal to null, then C9A should be greater than or equal to 5.50% and less than 10.00%.	if aacaj029 ne null then aacaj029 ge 5.50 and aacaj029 lt 10.00
FFIEC101	12/31/2008	0110	Quality	D10A	AADA	J031		1	D	Published	If D10A is not equal to null, then D10B, D10C, D10D, D10E, D10F, D10G, D10H, D10J and D10K should not equal null.	if aadaj031 ne null then aadbj031 ne null and aadcj031 ne null and aaddj031 ne null and aadej031 ne null and aadfj031 ne null and aadgj031 ne null and aadhj031 ne null and aadj031 ne null
FFIEC101	12/31/2008	0111	Quality	D10A	AADA	J031		1	D	Published	If D10A is equal to null, then D10B, D10C, D10D, D10E, D10F, D10G, D10H, D10I, D10J and D10K should be equal to null.	if aadaj031 eq null then aadbj031 eq null and aadcj031 eq null and aaddj031 eq null and aadej031 eq null and aadfj031 eq null and aadgj031 eq null and aadhj031 eq null and aadj031 eq null
FFIEC101	12/31/2008	0112	Quality	D10A	AADA	J031		1	D	Published	If D10A is not equal to null, then D10A should be greater than or equal to 10.00% and less than 20.00%.	if aadaj031 ne null then aadaj031 ge 10.00 and aadaj031 lt 20.00
FFIEC101	12/31/2008	0113	Quality	D11A	AADA	J033		1	D	Published	If D11A is not equal to null, then D11B, D11C, D11D, D11E, D11F, D11G, D11H, D11J and D11K should not equal null.	if aadaj033 ne null then aadbj033 ne null and aadcj033 ne null and aaddj033 ne null and aadej033 ne null and aadfj033 ne null and aadgj033 ne null and aadhj033 ne null and aadj033 ne null

FFIEC101	12/31/2008	0114	Quality	D11A	AADA	J033		1	D	Published	If D11A is equal to null, then D11B, D11C, D11D, D11E, D11F, D11G, D11H, D11I, D11J and D11K should be equal to null.	if aadaj033 eq null then aadbj033 eq null and aadcj033 eq null and aaddej033 eq null and aadgj033 eq null and aadhj033 eq null and aadjj033 eq null and aadkj033 eq null
FFIEC101	12/31/2008	0115	Quality	D11A	AADA	J033		1	D	Published	If D11A is not equal to null, then D11A should be greater than or equal to 20.00% and less than 100.00%.	if aadaj033 ne null then aadaj033 ge 20.00 and aadaj033 lt 100.00
FFIEC101	12/31/2008	0116	Quality	D12B	AADB	J034		1	D	Published	If D12B is not equal to null, then D12C, D12D, D12E, D12F, D12G, D12H, D12J and D12K should not equal null.	if aadbj034 ne null then aadcj034 ne null and aaddej034 ne null and aadgj034 ne null and aadhj034 ne null and aadjj034 ne null and aadkj034 ne null
FFIEC101	12/31/2008	0117	Quality	D12B	AADB	J034		1	D	Published	If D12B is equal to null, then D12C, D12D, D12E, D12F, D12G, D12H, D12I, D12J and D12K should be equal to null.	if aadbj034 eq null then aadcj034 eq null and aaddej034 eq null and aadgj034 eq null and aadhj034 eq null and aadjj034 eq null and aadkj034 eq null
FFIEC101	12/31/2008	0083	Quality	D1A	AADA	J005		1	D	Published	If D1A is not equal to null, then D1B, D1C, D1D, D1E, D1F, D1G, D1H, D1J and D1K should not equal null.	if aadaj005 ne null then aadbj005 ne null and aadcj005 ne null and aaddej005 ne null and aadgj005 ne null and aadhj005 ne null and aadjj005 ne null and aadkj005 ne null
FFIEC101	12/31/2008	0084	Quality	D1A	AADA	J005		1	D	Published	If D1A is equal to null, then D1B, D1C, D1D, D1E, D1F, D1G, D1H, D1I, D1J and D1K should be equal to null.	if aadaj005 eq null then aadbj005 eq null and aadcj005 eq null and aaddej005 eq null and aadgj005 eq null and aadhj005 eq null and aadjj005 eq null and aadkj005 eq null
FFIEC101	12/31/2008	0085	Quality	D1A	AADA	J005		1	D	Published	If D1A is not equal to null, then D1A should be greater than or equal to 0.00% and less than 0.15%.	if aadaj005 ne null then aadaj005 ge 0.00 and aadaj005 lt 0.15
FFIEC101	12/31/2008	0086	Quality	D2A	AADA	J008		1	D	Published	If D2A is not equal to null, then D2B, D2C, D2D, D2E, D2F, D2G, D2H, D2J and D2K should not equal null.	if aadaj008 ne null then aadbj008 ne null and aadcj008 ne null and aaddej008 ne null and aadgj008 ne null and aadhj008 ne null and aadjj008 ne null and aadkj008 ne null
FFIEC101	12/31/2008	0087	Quality	D2A	AADA	J008		1	D	Published	If D2A is equal to null, then D2B, D2C, D2D, D2E, D2F, D2G, D2H, D2I, D2J and D2K should be equal to null.	if aadaj008 eq null then aadbj008 eq null and aadcj008 eq null and aaddej008 eq null and aadgj008 eq null and aadhj008 eq null and aadjj008 eq null and aadkj008 eq null
FFIEC101	12/31/2008	0088	Quality	D2A	AADA	J008		1	D	Published	If D2A is not equal to null, then D2A should be greater than or equal to 0.15% and less than 0.25%.	if aadaj008 ne null then aadaj008 ge 0.15 and aadaj008 lt 0.25
FFIEC101	12/31/2008	0089	Quality	D3A	AADA	J010		1	D	Published	If D3A is not equal to null, then D3B, D3C, D3D, D3E, D3F, D3G, D3H, D3J and D3K should not equal null.	if aadaj010 ne null then aadbj010 ne null and aadcj010 ne null and aaddej010 ne null and aadgj010 ne null and aadhj010 ne null and aadjj010 ne null and aadkj010 ne null
FFIEC101	12/31/2008	0090	Quality	D3A	AADA	J010		1	D	Published	If D3A is equal to null, then D3B, D3C, D3D, D3E, D3F, D3G, D3H, D3I, D3J and D3K should be equal to null.	if aadaj010 eq null then aadbj010 eq null and aadcj010 eq null and aaddej010 eq null and aadgj010 eq null and aadhj010 eq null and aadjj010 eq null and aadkj010 eq null
FFIEC101	12/31/2008	0091	Quality	D3A	AADA	J010		1	D	Published	If D3A is not equal to null, then D3A should be greater than or equal to 0.25% and less than 0.35%.	if aadaj010 ne null then aadaj010 ge 0.25 and aadaj010 lt 0.35

FFIEC101	12/31/2008	0092	Quality	D4A	AADA	J013		1	D	Published	If D4A is not equal to null, then D4B, D4C, D4D, D4E, D4F, D4G, D4H, D4J and D4K should not equal null.	if aadaj013 ne null then aadbj013 ne null and aadcj013 ne null and aaddj013 ne null and aadej013 ne null and aadj013 ne null and aadhj013 ne null and aadjj013 ne null and aadkj013 ne null
FFIEC101	12/31/2008	0093	Quality	D4A	AADA	J013		1	D	Published	If D4A is equal to null, then D4B, D4C, D4D, D4E, D4F, D4G, D4H, D4I, D4J and D4K should be equal to null.	if aadaj013 eq null then aadbj013 eq null and aadcj013 eq null and aaddj013 eq null and aadej013 eq null and aadj013 eq null and aadhj013 eq null and aadjj013 eq null and aadkj013 eq null
FFIEC101	12/31/2008	0094	Quality	D4A	AADA	J013		1	D	Published	If D4A is not equal to null, then D4A should be greater than or equal to 0.35% and less than 0.50%.	if aadaj013 ne null then aadaj013 ge 0.35 and aadaj013 lt 0.50
FFIEC101	12/31/2008	0095	Quality	D5A	AADA	J014		1	D	Published	If D5A is not equal to null, then D5B, D5C, D5D, D5E, D5F, D5G, D5H, D5J and D5K should not equal null.	if aadaj014 ne null then aadbj014 ne null and aadcj014 ne null and aaddj014 ne null and aadej014 ne null and aadj014 ne null and aadhj014 ne null and aadjj014 ne null and aadkj014 ne null
FFIEC101	12/31/2008	0096	Quality	D5A	AADA	J014		1	D	Published	If D5A is equal to null, then D5B, D5C, D5D, D5E, D5F, D5G, D5H, D5I, D5J and D5K should be equal to null.	if aadaj014 eq null then aadbj014 eq null and aadcj014 eq null and aaddj014 eq null and aadej014 eq null and aadj014 eq null and aadhj014 eq null and aadjj014 eq null and aadkj014 eq null
FFIEC101	12/31/2008	0097	Quality	D5A	AADA	J014		1	D	Published	If D5A is not equal to null, then D5A should be greater than or equal to 0.50% and less than 0.75%.	if aadaj014 ne null then aadaj014 ge 0.50 and aadaj014 lt 0.75
FFIEC101	12/31/2008	0098	Quality	D6A	AADA	J016		1	D	Published	If D6A is not equal to null, then D6B, D6C, D6D, D6E, D6F, D6G, D6H, D6J and D6K should not equal null.	if aadaj016 ne null then aadbj016 ne null and aadcj016 ne null and aaddj016 ne null and aadej016 ne null and aadj016 ne null and aadhj016 ne null and aadjj016 ne null and aadkj016 ne null
FFIEC101	12/31/2008	0099	Quality	D6A	AADA	J016		1	D	Published	If D6A is equal to null, then D6B, D6C, D6D, D6E, D6F, D6G, D6H, D6I, D6J and D6K should be equal to null.	if aadaj016 eq null then aadbj016 eq null and aadcj016 eq null and aaddj016 eq null and aadej016 eq null and aadj016 eq null and aadhj016 eq null and aadjj016 eq null and aadkj016 eq null
FFIEC101	12/31/2008	0100	Quality	D6A	AADA	J016		1	D	Published	If D6A is not equal to null, then D6A should be greater than or equal to 0.75% and less than 1.35%.	if aadaj016 ne null then aadaj016 ge 0.75 and aadaj016 lt 1.35
FFIEC101	12/31/2008	0101	Quality	D7A	AADA	J019		1	D	Published	If D7A is not equal to null, then D7B, D7C, D7D, D7E, D7F, D7G, D7H, D7J and D7K should not equal null.	if aadaj019 ne null then aadbj019 ne null and aadcj019 ne null and aaddj019 ne null and aadej019 ne null and aadj019 ne null and aadhj019 ne null and aadjj019 ne null and aadkj019 ne null
FFIEC101	12/31/2008	0102	Quality	D7A	AADA	J019		1	D	Published	If D7A is equal to null, then D7B, D7C, D7D, D7E, D7F, D7G, D7H, D7I, D7J and D7K should be equal to null.	if aadaj019 eq null then aadbj019 eq null and aadcj019 eq null and aaddj019 eq null and aadej019 eq null and aadj019 eq null and aadhj019 eq null and aadjj019 eq null and aadkj019 eq null
FFIEC101	12/31/2008	0103	Quality	D7A	AADA	J019		1	D	Published	If D7A is not equal to null, then D7A should be greater than or equal to 1.35% and less than 2.50%.	if aadaj019 ne null then aadaj019 ge 1.35 and aadaj019 lt 2.50
FFIEC101	12/31/2008	0104	Quality	D8A	AADA	J025		1	D	Published	If D8A is not equal to null, then D8B, D8C, D8D, D8E, D8F, D8G, D8H, D8J and D8K should not equal null.	if aadaj025 ne null then aadbj025 ne null and aadcj025 ne null and aaddj025 ne null and aadej025 ne null and aadj025 ne null and aadhj025 ne null and aadjj025 ne null and aadkj025 ne null

FFIEC101	12/31/2008	0105	Quality	D8A	AADA	J025		1	D	Published	If D8A is equal to null, then D8B, D8C, D8D, D8E, D8F, D8G, D8H, D8I, D8J and D8K should be equal to null.	if aadaj025 eq null then aadbj025 eq null and aadcj025 eq null and aadjj025 eq null and aadej025 eq null and aadgj025 eq null and aadhj025 eq null and aadjj025 eq null and aadkj025 eq null
FFIEC101	12/31/2008	0106	Quality	D8A	AADA	J025		1	D	Published	If D8A is not equal to null, then D8A should be greater than or equal to 2.50% and less than 5.50%.	if aadaj025 ne null then aadaj025 ge 2.50 and aadaj025 lt 5.50
FFIEC101	12/31/2008	0107	Quality	D9A	AADA	J029		1	D	Published	If D9A is not equal to null, then D9B, D9C, D9D, D9E, D9F, D9G, D9H, D9I and D9K should not equal null.	if aadaj029 ne null then aadbj029 ne null and aadcj029 ne null and aadjj029 ne null and aadej029 ne null and aadgj029 ne null and aadhj029 ne null and aadjj029 ne null and aadkj029 ne null
FFIEC101	12/31/2008	0108	Quality	D9A	AADA	J029		1	D	Published	If D9A is equal to null, then D9B, D9C, D9D, D9E, D9F, D9G, D9H, D9I, D9J and D9K should be equal to null.	if aadaj029 eq null then aadbj029 eq null and aadcj029 eq null and aadjj029 eq null and aadej029 eq null and aadgj029 eq null and aadhj029 eq null and aadjj029 eq null and aadkj029 eq null
FFIEC101	12/31/2008	0109	Quality	D9A	AADA	J029		1	D	Published	If D9A is not equal to null, then D9A should be greater than or equal to 5.50% and less than 10.00%.	if aadaj029 ne null then aadaj029 ge 5.50 and aadaj029 lt 10.00
FFIEC101	12/31/2008	0145	Quality	E10A	AAEA	J031		1	E	Published	If E10A is not equal to null, then E10B, E10C, E10D, E10E, E10F, E10G, E10H, E10I and E10K should not equal null.	if aaeaj031 ne null then aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null and aaeaj031 ne null
FFIEC101	12/31/2008	0146	Quality	E10A	AAEA	J031		1	E	Published	If E10A is equal to null, then E10B, E10C, E10D, E10E, E10F, E10G, E10H, E10I, E10J and E10K should be equal to null.	if aaeaj031 eq null then aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null and aaeaj031 eq null
FFIEC101	12/31/2008	0147	Quality	E10A	AAEA	J031		1	E	Published	If E10A is not equal to null, then E10A should be greater than or equal to 10.00% and less than 20.00%.	if aaeaj031 ne null then aaeaj031 ge 10.00 and aaeaj031 lt 20.00
FFIEC101	12/31/2008	0148	Quality	E11A	AAEA	J033		1	E	Published	If E11A is not equal to null, then E11B, E11C, E11D, E11E, E11F, E11G, E11H, E11I, E11J and E11K should not equal null.	if aaeaj033 ne null then aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null and aaeaj033 ne null
FFIEC101	12/31/2008	0149	Quality	E11A	AAEA	J033		1	E	Published	If E11A is equal to null, then E11B, E11C, E11D, E11E, E11F, E11G, E11H, E11I, E11J and E11K should be equal to null.	if aaeaj033 eq null then aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null and aaeaj033 eq null
FFIEC101	12/31/2008	0150	Quality	E11A	AAEA	J033		1	E	Published	If E11A is not equal to null, then E11A should be greater than or equal to 20.00% and less than 100.00%.	if aaeaj033 ne null then aaeaj033 ge 20.00 and aaeaj033 lt 100.00
FFIEC101	12/31/2008	0151	Quality	E12B	AAEB	J034		1	E	Published	If E12B is not equal to null, then E12C, E12D, E12E, E12F, E12G, E12H, E12I and E12K should not equal null.	if aaeaj034 ne null then aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null and aaeaj034 ne null
FFIEC101	12/31/2008	0152	Quality	E12B	AAEB	J034		1	E	Published	If E12B is equal to null, then E12C, E12D, E12E, E12F, E12G, E12H, E12I, E12J and E12K should be equal to null.	if aaeaj034 eq null then aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null and aaeaj034 eq null



FFIEC101	12/31/2008	0118	Quality	E1A	AAEA	J005		1	E	Published	If E1A is not equal to null, then E1B, E1C, E1D, E1E, E1F, E1G, E1H, E1J and E1K should not equal null.	if aaeaj005 ne null then aaeaj005 ge 0.00 and aaeaj005 lt 0.15
FFIEC101	12/31/2008	0119	Quality	E1A	AAEA	J005		1	E	Published	If E1A is equal to null, then E1B, E1C, E1D, E1E, E1F, E1G, E1H, E1I, E1J and E1K should be equal to null.	if aaeaj005 eq null then aaeaj005 ge 0.00 and aaeaj005 lt 0.15
FFIEC101	12/31/2008	0120	Quality	E1A	AAEA	J005		1	E	Published	If E1A is not equal to null, then E1A should be greater than or equal to 0.00% and less than 0.15%.	if aaeaj005 eq null then aaeaj005 ge 0.00 and aaeaj005 lt 0.15
FFIEC101	12/31/2008	0121	Quality	E2A	AAEA	J008		1	E	Published	If E2A is not equal to null, then E2B, E2C, E2D, E2E, E2F, E2G, E2H, E2J and E2K should not equal null.	if aaeaj008 ne null then aaeaj008 ge 0.15 and aaeaj008 lt 0.25
FFIEC101	12/31/2008	0122	Quality	E2A	AAEA	J008		1	E	Published	If E2A is equal to null, then E2B, E2C, E2D, E2E, E2F, E2G, E2H, E2I, E2J and E2K should be equal to null.	if aaeaj008 eq null then aaeaj008 ge 0.15 and aaeaj008 lt 0.25
FFIEC101	12/31/2008	0123	Quality	E2A	AAEA	J008		1	E	Published	If E2A is not equal to null, then E2A should be greater than or equal to 0.15% and less than 0.25%.	if aaeaj008 eq null then aaeaj008 ge 0.15 and aaeaj008 lt 0.25
FFIEC101	12/31/2008	0124	Quality	E3A	AAEA	J010		1	E	Published	If E3A is not equal to null, then E3B, E3C, E3D, E3E, E3F, E3G, E3H, E3J and E3K should not equal null.	if aaeaj010 ne null then aaeaj010 ge 0.25 and aaeaj010 lt 0.35
FFIEC101	12/31/2008	0125	Quality	E3A	AAEA	J010		1	E	Published	If E3A is equal to null, then E3B, E3C, E3D, E3E, E3F, E3G, E3H, E3I, E3J and E3K should be equal to null.	if aaeaj010 eq null then aaeaj010 ge 0.25 and aaeaj010 lt 0.35
FFIEC101	12/31/2008	0126	Quality	E3A	AAEA	J010		1	E	Published	If E3A is not equal to null, then E3A should be greater than or equal to 0.25% and less than 0.35%.	if aaeaj010 ne null then aaeaj010 ge 0.25 and aaeaj010 lt 0.35
FFIEC101	12/31/2008	0127	Quality	E4A	AAEA	J013		1	E	Published	If E4A is not equal to null, then E4B, E4C, E4D, E4E, E4F, E4G, E4H, E4J and E4K should not equal null.	if aaeaj013 ne null then aaeaj013 ge 0.35 and aaeaj013 lt 0.50
FFIEC101	12/31/2008	0128	Quality	E4A	AAEA	J013		1	E	Published	If E4A is equal to null, then E4B, E4C, E4D, E4E, E4F, E4G, E4H, E4I, E4J and E4K should be equal to null.	if aaeaj013 eq null then aaeaj013 ge 0.35 and aaeaj013 lt 0.50
FFIEC101	12/31/2008	0129	Quality	E4A	AAEA	J013		1	E	Published	If E4A is not equal to null, then E4A should be greater than or equal to 0.35% and less than 0.50%.	if aaeaj013 ne null then aaeaj013 ge 0.35 and aaeaj013 lt 0.50
FFIEC101	12/31/2008	0130	Quality	E5A	AAEA	J014		1	E	Published	If E5A is not equal to null, then E5B, E5C, E5D, E5E, E5F, E5G, E5H, E5J and E5K should not equal null.	if aaeaj014 ne null then aaeaj014 ge 0.35 and aaeaj014 lt 0.50

FFIEC101	12/31/2008	0131	Quality	E5A	AAEA	J014		1	E	Published	If E5A is equal to null, then E5B, E5C, E5D, E5E, E5F, E5G, E5H, E5I, E5J and E5K should be equal to null.	if aaeaj014 eq null then aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null and aaeaj014 eq null
FFIEC101	12/31/2008	0132	Quality	E5A	AAEA	J014		1	E	Published	If E5A is not equal to null, then E5A should be greater than or equal to 0.50% and less than 0.75%.	if aaeaj014 ne null then aaeaj014 ge 0.50 and aaeaj014 lt 0.75
FFIEC101	12/31/2008	0133	Quality	E6A	AAEA	J016		1	E	Published	If E6A is not equal to null, then E6B, E6C, E6D, E6E, E6F, E6G, E6H, E6J and E6K should not equal null.	if aaeaj016 ne null then aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null and aaeaj016 ne null
FFIEC101	12/31/2008	0134	Quality	E6A	AAEA	J016		1	E	Published	If E6A is equal to null, then E6B, E6C, E6D, E6E, E6F, E6G, E6H, E6I, E6J and E6K should be equal to null.	if aaeaj016 eq null then aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null and aaeaj016 eq null
FFIEC101	12/31/2008	0135	Quality	E6A	AAEA	J016		1	E	Published	If E6A is not equal to null, then E6A should be greater than or equal to 0.75% and less than 1.35%.	if aaeaj016 ne null then aaeaj016 ge 0.75 and aaeaj016 lt 1.35
FFIEC101	12/31/2008	0136	Quality	E7A	AAEA	J019		1	E	Published	If E7A is not equal to null, then E7B, E7C, E7D, E7E, E7F, E7G, E7H, E7J and E7K should not equal null.	if aaeaj019 ne null then aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null and aaeaj019 ne null
FFIEC101	12/31/2008	0137	Quality	E7A	AAEA	J019		1	E	Published	If E7A is equal to null, then E7B, E7C, E7D, E7E, E7F, E7G, E7H, E7I, E7J and E7K should be equal to null.	if aaeaj019 eq null then aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null and aaeaj019 eq null
FFIEC101	12/31/2008	0138	Quality	E7A	AAEA	J019		1	E	Published	If E7A is not equal to null, then E7A should be greater than or equal to 1.35% and less than 2.50%.	if aaeaj019 ne null then aaeaj019 ge 1.35 and aaeaj019 lt 2.50
FFIEC101	12/31/2008	0139	Quality	E8A	AAEA	J025		1	E	Published	If E8A is not equal to null, then E8B, E8C, E8D, E8E, E8F, E8G, E8H, E8J and E8K should not equal null.	if aaeaj025 ne null then aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null and aaeaj025 ne null
FFIEC101	12/31/2008	0140	Quality	E8A	AAEA	J025		1	E	Published	If E8A is equal to null, then E8B, E8C, E8D, E8E, E8F, E8G, E8H, E8I, E8J and E8K should be equal to null.	if aaeaj025 eq null then aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null and aaeaj025 eq null
FFIEC101	12/31/2008	0141	Quality	E8A	AAEA	J025		1	E	Published	If E8A is not equal to null, then E8A should be greater than or equal to 2.50% and less than 5.50%.	if aaeaj025 ne null then aaeaj025 ge 2.50 and aaeaj025 lt 5.50
FFIEC101	12/31/2008	0142	Quality	E9A	AAEA	J029		1	E	Published	If E9A is not equal to null, then E9B, E9C, E9D, E9E, E9F, E9G, E9H, E9J and E9K should not equal null.	if aaeaj029 ne null then aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null and aaeaj029 ne null

FFIEC101	12/31/2008	0143	Quality	E9A	AAEA	J029		1	E	Published	If E9A is equal to null, then E9B, E9C, E9D, E9E, E9F, E9G, E9H, E9I, E9J and E9K should be equal to null.	if aaeaj029 eq null then aaejb029 eq null and aaejc029 eq null and aaedj029 eq null and aaeek029 eq null and aaeel029 eq null and aaeem029 eq null and aaeen029 eq null and aaeep029 eq null and aaeer029 eq null and aaees029 eq null and aaeet029 eq null
FFIEC101	12/31/2008	0144	Quality	E9A	AAEA	J029		1	E	Published	If E9A is not equal to null, then E9A should be greater than or equal to 5.50% and less than 10.00%.	if aaeaj029 ne null then aaeaj029 ge 5.50 and aaeaj029 lt 10.00
FFIEC101	12/31/2008	0180	Quality	F10A	AAFA	J031		1	F	Published	If F10A is not equal to null, then F10B, F10C, F10D, F10E, F10F, F10G, F10H, F10K and F10L should not equal null.	if aafaj031 ne null then aafbj031 ne null and aafcj031 ne null and aafdj031 ne null and aafej031 ne null and aaffj031 ne null and aafgj031 ne null and aafhj031 ne null and aafkj031 ne null and aaflj031 ne null
FFIEC101	12/31/2008	0181	Quality	F10A	AAFA	J031		1	F	Published	If F10A is equal to null, then F10B, F10C, F10D, F10E, F10F, F10G, F10H, F10I, F10J, F10K and F10L should be equal to null.	if aafaj031 eq null then aafbj031 eq null and aafcj031 eq null and aafdj031 eq null and aafej031 eq null and aaffj031 eq null and aafgj031 eq null and aafhj031 eq null and aafkj031 eq null and aaflj031 eq null
FFIEC101	12/31/2008	0182	Quality	F10A	AAFA	J031		1	F	Published	If F10A is not equal to null, then F10A should be greater than or equal to 10.00% and less than 20.00%.	if aafaj031 ne null then aafaj031 ge 10.00 and aafaj031 lt 20.00
FFIEC101	12/31/2008	0183	Quality	F11A	AAFA	J033		1	F	Published	If F11A is not equal to null, then F11B, F11C, F11D, F11E, F11F, F11G, F11H, F11K and F11L should not equal null.	if aafaj033 ne null then aafbj033 ne null and aafcj033 ne null and aafdj033 ne null and aafej033 ne null and aaffj033 ne null and aafgj033 ne null and aafhj033 ne null and aafkj033 ne null and aaflj033 ne null
FFIEC101	12/31/2008	0184	Quality	F11A	AAFA	J033		1	F	Published	If F11A is equal to null, then F11B, F11C, F11D, F11E, F11F, F11G, F11H, F11I, F11J, F11K and F11L should be equal to null.	if aafaj033 eq null then aafbj033 eq null and aafcj033 eq null and aafdj033 eq null and aafej033 eq null and aaffj033 eq null and aafgj033 eq null and aafhj033 eq null and aafkj033 eq null and aaflj033 eq null
FFIEC101	12/31/2008	0185	Quality	F11A	AAFA	J033		1	F	Published	If F11A is not equal to null, then F11A should be greater than or equal to 20.00% and less than 100.00%.	if aafaj033 ne null then aafaj033 ge 20.00 and aafaj033 lt 100.00
FFIEC101	12/31/2008	0186	Quality	F12B	AAFB	J034		1	F	Published	If F12B is not equal to null, then F12C, F12D, F12E, F12F, F12G, F12H, F12K and F12L should not equal null.	if aafbj034 ne null then aafcj034 ne null and aafdj034 ne null and aafej034 ne null and aaffj034 ne null and aafgj034 ne null and aafhj034 ne null and aafkj034 ne null and aaflj034 ne null
FFIEC101	12/31/2008	0187	Quality	F12B	AAFB	J034		1	F	Published	If F12B is equal to null, then F12C, F12D, F12E, F12F, F12G, F12H, F12I, F12J, F12K and F12L should be equal to null.	if aafbj034 eq null then aafcj034 eq null and aafdj034 eq null and aafej034 eq null and aaffj034 eq null and aafgj034 eq null and aafhj034 eq null and aafkj034 eq null and aaflj034 eq null
FFIEC101	12/31/2008	0153	Quality	F1A	AAFA	J005		1	F	Published	If F1A is not equal to null, then F1B, F1C, F1D, F1E, F1F, F1G, F1H, F1K and F1L should not equal null.	if aafaj005 ne null then aafbj005 ne null and aafcj005 ne null and aafdj005 ne null and aafej005 ne null and aaffj005 ne null and aafgj005 ne null and aafhj005 ne null and aafkj005 ne null and aaflj005 ne null
FFIEC101	12/31/2008	0154	Quality	F1A	AAFA	J005		1	F	Published	If F1A is equal to null, then F1B, F1C, F1D, F1E, F1F, F1G, F1H, F1I, F1J, F1K and F1L should be equal to null.	if aafaj005 eq null then aafbj005 eq null and aafcj005 eq null and aafdj005 eq null and aafej005 eq null and aaffj005 eq null and aafgj005 eq null and aafhj005 eq null and aafkj005 eq null and aaflj005 eq null

FFIEC101	12/31/2008	0155	Quality	F1A	AAFA	J005		1	F	Published	If F1A is not equal to null, then F1A should be greater than or equal to 0.00% and less than 0.15%.	if aafaj005 ne null then aafaj005 ge 0.00 and aafaj005 lt 0.15
FFIEC101	12/31/2008	0156	Quality	F2A	AAFA	J008		1	F	Published	If F2A is not equal to null, then F2B, F2C, F2D, F2E, F2F, F2G, F2H, F2K and F2L should not equal null.	if aafaj008 ne null then aafbj008 ne null and aafcj008 ne null and aafdj008 ne null and aafej008 ne null and aafgj008 ne null and aafhj008 ne null and aafkj008 ne null and aafjj008 ne null
FFIEC101	12/31/2008	0157	Quality	F2A	AAFA	J008		1	F	Published	If F2A is equal to null, then F2B, F2C, F2D, F2E, F2F, F2G, F2H, F2I, F2J, F2K and F2L should be equal to null.	if aafaj008 eq null then aafbj008 eq null and aafcj008 eq null and aafdj008 eq null and aafej008 eq null and aafgj008 eq null and aafhj008 eq null and aafkj008 eq null and aafjj008 eq null
FFIEC101	12/31/2008	0158	Quality	F2A	AAFA	J008		1	F	Published	If F2A is not equal to null, then F2A should be greater than or equal to 0.15% and less than 0.25%.	if aafaj008 ne null then aafaj008 ge 0.15 and aafaj008 lt 0.25
FFIEC101	12/31/2008	0159	Quality	F3A	AAFA	J010		1	F	Published	If F3A is not equal to null, then F3B, F3C, F3D, F3E, F3F, F3G, F3H, F3K and F3L should not equal null.	if aafaj010 ne null then aafbj010 ne null and aafcj010 ne null and aafdj010 ne null and aafej010 ne null and aafgj010 ne null and aafhj010 ne null and aafkj010 ne null and aafjj010 ne null
FFIEC101	12/31/2008	0160	Quality	F3A	AAFA	J010		1	F	Published	If F3A is equal to null, then F3B, F3C, F3D, F3E, F3F, F3G, F3H, F3I, F3J, F3K and F3L should be equal to null.	if aafaj010 eq null then aafbj010 eq null and aafcj010 eq null and aafdj010 eq null and aafej010 eq null and aafgj010 eq null and aafhj010 eq null and aafkj010 eq null and aafjj010 eq null
FFIEC101	12/31/2008	0161	Quality	F3A	AAFA	J010		1	F	Published	If F3A is not equal to null, then F3A should be greater than or equal to 0.25% and less than 0.35%.	if aafaj010 ne null then aafaj010 ge 0.25 and aafaj010 lt 0.35
FFIEC101	12/31/2008	0162	Quality	F4A	AAFA	J013		1	F	Published	If F4A is not equal to null, then F4B, F4C, F4D, F4E, F4F, F4G, F4H, F4K and F4L should not equal null.	if aafaj013 ne null then aafbj013 ne null and aafcj013 ne null and aafdj013 ne null and aafej013 ne null and aafgj013 ne null and aafhj013 ne null and aafkj013 ne null and aafjj013 ne null
FFIEC101	12/31/2008	0163	Quality	F4A	AAFA	J013		1	F	Published	If F4A is equal to null, then F4B, F4C, F4D, F4E, F4F, F4G, F4H, F4I, F4J, F4K and F4L should be equal to null.	if aafaj013 eq null then aafbj013 eq null and aafcj013 eq null and aafdj013 eq null and aafej013 eq null and aafgj013 eq null and aafhj013 eq null and aafkj013 eq null and aafjj013 eq null
FFIEC101	12/31/2008	0164	Quality	F4A	AAFA	J013		1	F	Published	If F4A is not equal to null, then F4A should be greater than or equal to 0.35% and less than 0.50%.	if aafaj013 ne null then aafaj013 ge 0.35 and aafaj013 lt 0.50
FFIEC101	12/31/2008	0165	Quality	F5A	AAFA	J014		1	F	Published	If F5A is not equal to null, then F5B, F5C, F5D, F5E, F5F, F5G, F5H, F5K and F5L should not equal null.	if aafaj014 ne null then aafbj014 ne null and aafcj014 ne null and aafdj014 ne null and aafej014 ne null and aafgj014 ne null and aafhj014 ne null and aafkj014 ne null and aafjj014 ne null
FFIEC101	12/31/2008	0166	Quality	F5A	AAFA	J014		1	F	Published	If F5A is equal to null, then F5B, F5C, F5D, F5E, F5F, F5G, F5H, F5I, F5J, F5K and F5L should be equal to null.	if aafaj014 eq null then aafbj014 eq null and aafcj014 eq null and aafdj014 eq null and aafej014 eq null and aafgj014 eq null and aafhj014 eq null and aafkj014 eq null and aafjj014 eq null
FFIEC101	12/31/2008	0167	Quality	F5A	AAFA	J014		1	F	Published	If F5A is not equal to null, then F5A should be greater than or equal to 0.50% and less than 0.75%.	if aafaj014 ne null then aafaj014 ge 0.50 and aafaj014 lt 0.75

FFIEC101	12/31/2008	0168	Quality	F6A	AAFA	J016		1	F	Published	If F6A is not equal to null, then F6B, F6C, F6D, F6E, F6F, F6G, F6H, F6K and F6L should not equal null.	if aafaj016 ne null then aafbj016 ne null and aafcj016 ne null and aafdj016 ne null and aafej016 ne null and aaffj016 ne null and aafgj016 ne null and aafhj016 ne null and aafkj016 ne null and aafjj016 ne null
FFIEC101	12/31/2008	0169	Quality	F6A	AAFA	J016		1	F	Published	If F6A is equal to null, then F6B, F6C, F6D, F6E, F6F, F6G, F6H, F6I, F6J, F6K and F6L should be equal to null.	if aafaj016 eq null then aafbj016 eq null and aafcj016 eq null and aafdj016 eq null and aafej016 eq null and aaffj016 eq null and aafgj016 eq null and aafhj016 eq null and aafkj016 eq null and aafjj016 eq null
FFIEC101	12/31/2008	0170	Quality	F6A	AAFA	J016		1	F	Published	If F6A is not equal to null, then F6A should be greater than or equal to 0.75% and less than 1.35%.	if aafaj016 ne null then aafaj016 ge 0.75 and aafaj016 lt 1.35
FFIEC101	12/31/2008	0171	Quality	F7A	AAFA	J019		1	F	Published	If F7A is not equal to null, then F7B, F7C, F7D, F7E, F7F, F7G, F7H, F7K and F7L should not equal null.	if aafaj019 ne null then aafbj019 ne null and aafcj019 ne null and aafdj019 ne null and aafej019 ne null and aaffj019 ne null and aafgj019 ne null and aafhj019 ne null and aafkj019 ne null and aafjj019 ne null
FFIEC101	12/31/2008	0172	Quality	F7A	AAFA	J019		1	F	Published	If F7A is equal to null, then F7B, F7C, F7D, F7E, F7F, F7G, F7H, F7I, F7J, F7K and F7L should be equal to null.	if aafaj019 eq null then aafbj019 eq null and aafcj019 eq null and aafdj019 eq null and aafej019 eq null and aaffj019 eq null and aafgj019 eq null and aafhj019 eq null and aafkj019 eq null and aafjj019 eq null
FFIEC101	12/31/2008	0173	Quality	F7A	AAFA	J019		1	F	Published	If F7A is not equal to null, then F7A should be greater than or equal to 1.35% and less than 2.50%.	if aafaj019 ne null then aafaj019 ge 1.35 and aafaj019 lt 2.50
FFIEC101	12/31/2008	0174	Quality	F8A	AAFA	J025		1	F	Published	If F8A is not equal to null, then F8B, F8C, F8D, F8E, F8F, F8G, F8H, F8K and F8L should not equal null.	if aafaj025 ne null then aafbj025 ne null and aafcj025 ne null and aafdj025 ne null and aafej025 ne null and aaffj025 ne null and aafgj025 ne null and aafhj025 ne null and aafkj025 ne null and aafjj025 ne null
FFIEC101	12/31/2008	0175	Quality	F8A	AAFA	J025		1	F	Published	If F8A is equal to null, then F8B, F8C, F8D, F8E, F8F, F8G, F8H, F8I, F8J, F8K and F8L should be equal to null.	if aafaj025 eq null then aafbj025 eq null and aafcj025 eq null and aafdj025 eq null and aafej025 eq null and aaffj025 eq null and aafgj025 eq null and aafhj025 eq null and aafkj025 eq null and aafjj025 eq null
FFIEC101	12/31/2008	0176	Quality	F8A	AAFA	J025		1	F	Published	If F8A is not equal to null, then F8A should be greater than or equal to 2.50% and less than 5.50%.	if aafaj025 ne null then aafaj025 ge 2.50 and aafaj025 lt 5.50
FFIEC101	12/31/2008	0177	Quality	F9A	AAFA	J029		1	F	Published	If F9A is not equal to null, then F9B, F9C, F9D, F9E, F9F, F9G, F9H, F9K and F9L should not equal null.	if aafaj029 ne null then aafbj029 ne null and aafcj029 ne null and aafdj029 ne null and aafej029 ne null and aaffj029 ne null and aafgj029 ne null and aafhj029 ne null and aafkj029 ne null and aafjj029 ne null
FFIEC101	12/31/2008	0178	Quality	F9A	AAFA	J029		1	F	Published	If F9A is equal to null, then F9B, F9C, F9D, F9E, F9F, F9G, F9H, F9I, F9J, F9K and F9L should be equal to null.	if aafaj029 eq null then aafbj029 eq null and aafcj029 eq null and aafdj029 eq null and aafej029 eq null and aaffj029 eq null and aafgj029 eq null and aafhj029 eq null and aafkj029 eq null and aafjj029 eq null
FFIEC101	12/31/2008	0179	Quality	F9A	AAFA	J029		1	F	Published	If F9A is not equal to null, then F9A should be greater than or equal to 5.50% and less than 10.00%.	if aafaj029 ne null then aafaj029 ge 5.50 and aafaj029 lt 10.00

FFIEC101	12/31/2008	0215	Quality	G10A	AAGA	J031		1	G	Published	If G10A is equal to null, then G10B, G10C, G10D, G10E, G10F, G10G, G10H, G10I, G10J, G10K and G10L should be equal to null.	if aagaj031 eq null then aagbj031 eq null and aagcj031 eq null and aagd031 eq null and aagej031 eq null and aagfj031 eq null and aaggj031 eq null and aaghj031 eq null and aagij031 eq null and aagjj031 eq null and aagkj031 eq null and aagl031 eq null
FFIEC101	12/31/2008	0216	Quality	G10A	AAGA	J031		1	G	Published	If G10A is not equal to null, then G10B, G10C, G10D, G10E, G10F, G10G, G10H, G10K and G10L should not be equal to null.	if aagaj031 ne null then aagbj031 ne null and aagcj031 ne null and aagd031 ne null and aagej031 ne null and aagfj031 ne null and aaggj031 ne null and aaghj031 ne null and aagij031 ne null and aagjj031 ne null and aagkj031 ne null and aagl031 ne null
FFIEC101	12/31/2008	0217	Quality	G10A	AAGA	J031		1	G	Published	If G10A is not equal to null, then G10A should be greater than or equal to 10.00% and less than 20.00%.	if aagaj031 ne null then aagaj031 ge 10.00 and aagaj031 lt 20.00
FFIEC101	12/31/2008	0218	Quality	G11A	AAGA	J033		1	G	Published	If G11A is equal to null, then G11B, G11C, G11D, G11E, G11F, G11G, G11H, G11I, G11J, G11K and G11L should be equal to null.	if aagaj033 eq null then aagbj033 eq null and aagcj033 eq null and aagd033 eq null and aagej033 eq null and aagfj033 eq null and aaggj033 eq null and aaghj033 eq null and aagij033 eq null and aagjj033 eq null and aagkj033 eq null and aagl033 eq null
FFIEC101	12/31/2008	0219	Quality	G11A	AAGA	J033		1	G	Published	If G11A is not equal to null, then G11B, G11C, G11D, G11E, G11F, G11G, G11H, G11K and G11L should not be equal to null.	if aagaj033 ne null then aagbj033 ne null and aagcj033 ne null and aagd033 ne null and aagej033 ne null and aagfj033 ne null and aaggj033 ne null and aaghj033 ne null and aagij033 ne null and aagjj033 ne null and aagkj033 ne null and aagl033 ne null
FFIEC101	12/31/2008	0220	Quality	G11A	AAGA	J033		1	G	Published	If G11A is not equal to null, then G11A should be greater than or equal to 20.00% and less than 100.00%.	if aagaj033 ne null then aagaj033 ge 20.00 and aagaj033 lt 100.00
FFIEC101	12/31/2008	0221	Quality	G12B	AAGB	J034		1	G	Published	If G12B is equal to null, then G12C, G12D, G12E, G12F, G12G, G12H, G12I, G12J, G12K and G12L should be equal to null.	if aagbj034 eq null then aagcj034 eq null and aagd034 eq null and aagej034 eq null and aagfj034 eq null and aaggj034 eq null and aaghj034 eq null and aagij034 eq null and aagjj034 eq null and aagkj034 eq null and aagl034 eq null
FFIEC101	12/31/2008	0222	Quality	G12B	AAGB	J034		1	G	Published	If G12B is not equal to null, then G12C, G12D, G12E, G12F, G12G, G12H, G12K and G12L should not be equal to null.	if aagbj034 ne null then aagcj034 ne null and aagd034 ne null and aagej034 ne null and aagfj034 ne null and aaggj034 ne null and aaghj034 ne null and aagij034 ne null and aagjj034 ne null and aagkj034 ne null and aagl034 ne null
FFIEC101	12/31/2008	0188	Quality	G1A	AAGA	J005		1	G	Published	If G1A is equal to null, then G1B, G1C, G1D, G1E, G1F, G1G, G1H, G1I, G1J, G1K and G1L should be equal to null.	if aagaj005 eq null then aagbj005 eq null and aagcj005 eq null and aagd005 eq null and aagej005 eq null and aagfj005 eq null and aaggj005 eq null and aaghj005 eq null and aagij005 eq null and aagjj005 eq null and aagkj005 eq null and aagl005 eq null
FFIEC101	12/31/2008	0189	Quality	G1A	AAGA	J005		1	G	Published	If G1A is not equal to null, then G1B, G1C, G1D, G1E, G1F, G1G, G1H, G1K and G1L should not be equal to null.	if aagaj005 ne null then aagbj005 ne null and aagcj005 ne null and aagd005 ne null and aagej005 ne null and aagfj005 ne null and aaggj005 ne null and aaghj005 ne null and aagij005 ne null and aagjj005 ne null and aagkj005 ne null and aagl005 ne null
FFIEC101	12/31/2008	0190	Quality	G1A	AAGA	J005		1	G	Published	If G1A is not equal to null, then G1A should be greater than or equal to 0.00% and less than 0.15%.	if aagaj005 ne null then aagaj005 ge 0.00 and aagaj005 lt 0.15
FFIEC101	12/31/2008	0191	Quality	G2A	AAGA	J008		1	G	Published	If G2A is equal to null, then G2B, G2C, G2D, G2E, G2F, G2G, G2H, G2I, G2J, G2K and G2L should be equal to null.	if aagaj008 eq null then aagbj008 eq null and aagcj008 eq null and aagd008 eq null and aagej008 eq null and aagfj008 eq null and aaggj008 eq null and aaghj008 eq null and aagij008 eq null and aagjj008 eq null and aagkj008 eq null and aagl008 eq null

FFIEC101	12/31/2008	0192	Quality	G2A	AAGA	J008		1	G	Published	If G2A is not equal to null, then G2B, G2C, G2D, G2E, G2F, G2G, G2H, G2K and G2L should not be equal to null.	if aagaj008 ne null then aagbj008 ne null and aagcj008 ne null and aagdj008 ne null and aagej008 ne null and aagfj008 ne null and ne null and aaggj008 ne null and aaghj008 ne null and aagkj008 ne null and aagl008 ne null
FFIEC101	12/31/2008	0193	Quality	G2A	AAGA	J008		1	G	Published	If G2A is not equal to null, then G2A should be greater than or equal to 0.15% and less than 0.25%.	if aagaj008 ne null then aagaj008 ge 0.15 and aagaj008 lt 0.25
FFIEC101	12/31/2008	0194	Quality	G3A	AAGA	J010		1	G	Published	If G3A is equal to null, then G3B, G3C, G3D, G3E, G3F, G3G, G3H, G3I, G3J, G3K and G3L should be equal to null.	if aagaj010 eq null then aagbj010 eq null and aagcj010 eq null and aagdj010 eq null and aagej010 eq null and aagfj010 eq null and aaggj010 eq null and aaghj010 eq null and aagj010 eq null and aagj010 eq null and aagkj010 eq null and aagl010 eq null
FFIEC101	12/31/2008	0195	Quality	G3A	AAGA	J010		1	G	Published	If G3A is not equal to null, then G3B, G3C, G3D, G3E, G3F, G3G, G3H, G3K and G3L should not be equal to null.	if aagaj010 ne null then aagbj010 ne null and aagcj010 ne null and aagdj010 ne null and aagej010 ne null and aagfj010 ne null and aaggj010 ne null and aaghj010 ne null and aagkj010 ne null and aagl010 ne null
FFIEC101	12/31/2008	0196	Quality	G3A	AAGA	J010		1	G	Published	If G3A is not equal to null, then G3A should be greater than or equal to 0.25% and less than 0.35%.	if aagaj010 ne null then aagaj010 ge 0.25 and aagaj010 lt 0.35
FFIEC101	12/31/2008	0197	Quality	G4A	AAGA	J013		1	G	Published	If G4A is equal to null, then G4B, G4C, G4D, G4E, G4F, G4G, G4H, G4I, G4J, G4K and G4L should be equal to null.	if aagaj013 eq null then aagbj013 eq null and aagcj013 eq null and aagdj013 eq null and aagej013 eq null and aagfj013 eq null and aaggj013 eq null and aaghj013 eq null and aagj013 eq null and aagj013 eq null and aagkj013 eq null and aagl013 eq null
FFIEC101	12/31/2008	0198	Quality	G4A	AAGA	J013		1	G	Published	If G4A is not equal to null, then G4B, G4C, G4D, G4E, G4F, G4G, G4H, G4K and G4L should not be equal to null.	if aagaj013 ne null then aagbj013 ne null and aagcj013 ne null and aagdj013 ne null and aagej013 ne null and aagfj013 ne null and aaggj013 ne null and aaghj013 ne null and aagkj013 ne null and aagl013 ne null
FFIEC101	12/31/2008	0199	Quality	G4A	AAGA	J013		1	G	Published	If G4A is not equal to null, then G4A should be greater than or equal to 0.35% and less than 0.50%.	if aagaj013 ne null then aagaj013 ge 0.35 and aagaj013 lt 0.50
FFIEC101	12/31/2008	0200	Quality	G5A	AAGA	J014		1	G	Published	If G5A is equal to null, then G5B, G5C, G5D, G5E, G5F, G5G, G5H, G5I, G5J, G5K and G5L should be equal to null.	if aagaj014 eq null then aagbj014 eq null and aagcj014 eq null and aagdj014 eq null and aagej014 eq null and aagfj014 eq null and aaggj014 eq null and aaghj014 eq null and aagj014 eq null and aagj014 eq null and aagkj014 eq null and aagl014 eq null
FFIEC101	12/31/2008	0201	Quality	G5A	AAGA	J014		1	G	Published	If G5A is not equal to null, then G5B, G5C, G5D, G5E, G5F, G5G, G5H, G5K and G5L should not be equal to null.	if aagaj014 ne null then aagbj014 ne null and aagcj014 ne null and aagdj014 ne null and aagej014 ne null and aagfj014 ne null and aaggj014 ne null and aaghj014 ne null and aagkj014 ne null and aagl014 ne null
FFIEC101	12/31/2008	0202	Quality	G5A	AAGA	J014		1	G	Published	If G5A is not equal to null, then G5A should be greater than or equal to 0.50% and less than 0.75%.	if aagaj014 ne null then aagaj014 ge 0.50 and aagaj014 lt 0.75
FFIEC101	12/31/2008	0203	Quality	G6A	AAGA	J016		1	G	Published	If G6A is equal to null, then G6B, G6C, G6D, G6E, G6F, G6G, G6H, G6I, G6J, G6K and G6L should be equal to null.	if aagaj016 eq null then aagbj016 eq null and aagcj016 eq null and aagdj016 eq null and aagej016 eq null and aagfj016 eq null and aaggj016 eq null and aaghj016 eq null and aagj016 eq null and aagj016 eq null and aagkj016 eq null and aagl016 eq null
FFIEC101	12/31/2008	0204	Quality	G6A	AAGA	J016		1	G	Published	If G6A is not equal to null, then G6B, G6C, G6D, G6E, G6F, G6G, G6H, G6K and G6L should not be equal to null.	if aagaj016 ne null then aagbj016 ne null and aagcj016 ne null and aagdj016 ne null and aagej016 ne null and aagfj016 ne null and aaggj016 ne null and aaghj016 ne null and aagkj016 ne null and aagl016 ne null

FFIEC101	12/31/2008	0205	Quality	G6A	AAGA	J016		1	G	Published	If G6A is not equal to null, then G6A should be greater than or equal to 0.75% and less than 1.35%.	if aagaj016 ne null then aagaj016 ge 0.75 and aagaj016 lt 1.35
FFIEC101	12/31/2008	0206	Quality	G7A	AAGA	J019		1	G	Published	If G7A is equal to null, then G7B, G7C, G7D, G7E, G7F, G7G, G7H, G7I, G7J, G7K and G7L should be equal to null.	if aagaj019 eq null then aagbj019 eq null and aagcj019 eq null and aagd019 eq null and aagej019 eq null and aagfj019 eq null and aaggj019 eq null and aaghj019 eq null and aagij019 eq null and aagkj019 eq null
FFIEC101	12/31/2008	0207	Quality	G7A	AAGA	J019		1	G	Published	If G7A is not equal to null, then G7B, G7C, G7D, G7E, G7F, G7G, G7H, G7K and G7L should not be equal to null.	if aagaj019 ne null then aagbj019 ne null and aagcj019 ne null and aagd019 ne null and aagej019 ne null and aagfj019 ne null and aaggj019 ne null and aaghj019 ne null and aagij019 ne null and aagkj019 ne null
FFIEC101	12/31/2008	0208	Quality	G7A	AAGA	J019		1	G	Published	If G7A is not equal to null, then G7A should be greater than or equal to 1.35% and less than 2.50%.	if aagaj019 ne null then aagaj019 ge 1.35 and aagaj019 lt 2.50
FFIEC101	12/31/2008	0209	Quality	G8A	AAGA	J025		1	G	Published	If G8A is equal to null, then G8B, G8C, G8D, G8E, G8F, G8G, G8H, G8I, G8J, G8K and G8L should be equal to null.	if aagaj025 eq null then aagbj025 eq null and aagcj025 eq null and aagd025 eq null and aagej025 eq null and aagfj025 eq null and aaggj025 eq null and aaghj025 eq null and aagij025 eq null and aagkj025 eq null
FFIEC101	12/31/2008	0210	Quality	G8A	AAGA	J025		1	G	Published	If G8A is not equal to null, then G8B, G8C, G8D, G8E, G8F, G8G, G8H, G8K and G8L should not be equal to null.	if aagaj025 ne null then aagbj025 ne null and aagcj025 ne null and aagd025 ne null and aagej025 ne null and aagfj025 ne null and aaggj025 ne null and aaghj025 ne null and aagij025 ne null and aagkj025 ne null
FFIEC101	12/31/2008	0211	Quality	G8A	AAGA	J025		1	G	Published	If G8A is not equal to null, then G8A should be greater than or equal to 2.50% and less than 5.50%.	if aagaj025 ne null then aagaj025 ge 2.50 and aagaj025 lt 5.50
FFIEC101	12/31/2008	0212	Quality	G9A	AAGA	J029		1	G	Published	If G9A is equal to null, then G9B, G9C, G9D, G9E, G9F, G9G, G9H, G9I, G9J, G9K and G9L should be equal to null.	if aagaj029 eq null then aagbj029 eq null and aagcj029 eq null and aagd029 eq null and aagej029 eq null and aagfj029 eq null and aaggj029 eq null and aaghj029 eq null and aagij029 eq null and aagkj029 eq null
FFIEC101	12/31/2008	0213	Quality	G9A	AAGA	J029		1	G	Published	If G9A is not equal to null, then G9B, G9C, G9D, G9E, G9F, G9G, G9H, G9K and G9L should not be equal to null.	if aagaj029 ne null then aagbj029 ne null and aagcj029 ne null and aagd029 ne null and aagej029 ne null and aagfj029 ne null and aaggj029 ne null and aaghj029 ne null and aagij029 ne null and aagkj029 ne null
FFIEC101	12/31/2008	0214	Quality	G9A	AAGA	J029		1	G	Published	If G9A is not equal to null, then G9A should be greater than or equal to 5.50% and less than 10.00%.	if aagaj029 ne null then aagaj029 ge 5.50 and aagaj029 lt 10.00
FFIEC101	12/31/2008	0250	Quality	H10A	AAHA	J029		1	H	Published	If H10A is equal to null, then H10B, H10C, H10D, H10E and H10F should be equal to null.	if aahaj029 eq null then aahbj029 eq null and aahcj029 eq null and aahdj029 eq null and aahej029 eq null and aahfj029 eq null
FFIEC101	12/31/2008	0251	Quality	H10A	AAHA	J029		1	H	Published	If H10A is not equal to null, then H10B, H10C, H10D, H10E and H10F should not be equal to null.	if aahaj029 ne null then aahbj029 ne null and aahcj029 ne null and aahdj029 ne null and aahej029 ne null and aahfj029 ne null
FFIEC101	12/31/2008	0252	Quality	H10A	AAHA	J029		1	H	Published	If H10A is not equal to null, then H10A should be greater than or equal to 5.50% and less than 10.00%.	if aahaj029 ne null then aahaj029 ge 5.50 and aahaj029 lt 10.00
FFIEC101	12/31/2008	0285	Quality	H10G	AAHG	J029		1	H	Published	If H10G is equal to null, then H10H, H10I, H10J, H10K and H10L should be equal to null.	if aahgj029 eq null then aahhj029 eq null and aahij029 eq null and aahjj029 eq null and aahkj029 eq null and aahlj029 eq null
FFIEC101	12/31/2008	0286	Quality	H10G	AAHG	J029		1	H	Published	If H10G is not equal to null, then H10H, H10I, H10J, H10K and H10L should not be equal to null.	if aahgj029 ne null then aahhj029 ne null and aahij029 ne null and aahjj029 ne null and aahkj029 ne null and aahlj029 ne null



FFIEC101	12/31/2008	0287	Quality	H10G	AAHG	J029		1	H	Published	If H10G is not equal to null, then H10G should be greater than or equal to 5.50% and less than 10.00%.	if aahgj029 ne null then aahgj029 ge 5.50 and aahgj029 lt 10.00
FFIEC101	12/31/2008	0253	Quality	H11A	AAHA	J032		1	H	Published	If H11A is equal to null, then H11B, H11C, H11D, H11E and H11F should be equal to null.	if aahaj032 eq null then aahbj032 eq null and aahcj032 eq null and aahdj032 eq null and aahej032 eq null and aahfj032 eq null
FFIEC101	12/31/2008	0254	Quality	H11A	AAHA	J032		1	H	Published	If H11A is not equal to null, then H11B, H11C, H11D, H11E and H11F should not be equal to null.	if aahaj032 ne null then aahbj032 ne null and aahcj032 ne null and aahdj032 ne null and aahej032 ne null and aahfj032 ne null
FFIEC101	12/31/2008	0255	Quality	H11A	AAHA	J032		1	H	Published	If H11A is not equal to null, then H11A should be greater than or equal to 10.00% and less than 100.00%.	if aahaj032 ne null then aahaj032 ge 10.00 and aahaj032 lt 100.00
FFIEC101	12/31/2008	0288	Quality	H11G	AAHG	J032		1	H	Published	If H11G is equal to null, then H11H, H11I, H11J, H11K and H11L should be equal to null.	if aahgj032 eq null then aahhj032 eq null and aahij032 eq null and aahkj032 eq null and aahlj032 eq null
FFIEC101	12/31/2008	0289	Quality	H11G	AAHG	J032		1	H	Published	If H11G is not equal to null, then H11H, H11I, H11J, H11K and H11L should not be equal to null.	if aahgj032 ne null then aahhj032 ne null and aahij032 ne null and aahkj032 ne null and aahlj032 ne null
FFIEC101	12/31/2008	0290	Quality	H11G	AAHG	J032		1	H	Published	If H11G is not equal to null, then H11G should be greater than or equal to 10.00% and less than 100.00%.	if aahgj032 ne null then aahgj032 ge 10.00 and aahgj032 lt 100.00
FFIEC101	12/31/2008	0256	Quality	H12B	AAHB	J034		1	H	Published	If H12B is equal to null, then H12C, H12D, H12E and H12F should be equal to null.	if aahbj034 eq null then aahcj034 eq null and aahdj034 eq null and aahej034 eq null and aahfj034 eq null
FFIEC101	12/31/2008	0257	Quality	H12B	AAHB	J034		1	H	Published	If H12B is not equal to null, then H12C, H12D, H12E and H12F should not be equal to null.	if aahbj034 ne null then aahcj034 ne null and aahdj034 ne null and aahej034 ne null and aahfj034 ne null
FFIEC101	12/31/2008	0291	Quality	H12H	AAHH	J034		1	H	Published	If H12H is equal to null, then H12I, H12J, H12K and H12L should be equal to null.	if aahhj034 eq null then aahij034 eq null and aahkj034 eq null and aahlj034 eq null and aahlj034 eq null
FFIEC101	12/31/2008	0292	Quality	H12H	AAHH	J034		1	H	Published	If H12H is not equal to null, then H12I, H12J, H12K and H12L should not be equal to null.	if aahhj034 ne null then aahij034 ne null and aahkj034 ne null and aahlj034 ne null and aahlj034 ne null
FFIEC101	12/31/2008	0223	Quality	H1A	AAHA	J001		1	H	Published	If H1A is equal to null, then H1B, H1C, H1D, H1E and H1F should be equal to null.	if aahaj001 eq null then aahbj001 eq null and aahcj001 eq null and aahdj001 eq null and aahej001 eq null and aahfj001 eq null
FFIEC101	12/31/2008	0224	Quality	H1A	AAHA	J001		1	H	Published	If H1A is not equal to null, then H1B, H1C, H1D, H1E and H1F should not be equal to null.	if aahaj001 ne null then aahbj001 ne null and aahcj001 ne null and aahdj001 ne null and aahej001 ne null and aahfj001 ne null
FFIEC101	12/31/2008	0225	Quality	H1A	AAHA	J001		1	H	Published	If H1A is not equal to null, then H1A should be greater than or equal to 0.00% and less than 0.03%.	if aahaj001 ne null then aahaj001 ge 0.00 and aahaj001 lt 0.03
FFIEC101	12/31/2008	0258	Quality	H1G	AAHG	J001		1	H	Published	If H1G is equal to null, then H1H, H1I, H1J, H1K and H1L should be equal to null.	if aahgj001 eq null then aahhj001 eq null and aahij001 eq null and aahkj001 eq null and aahlj001 eq null and aahlj001 eq null
FFIEC101	12/31/2008	0259	Quality	H1G	AAHG	J001		1	H	Published	If H1G is not equal to null, then H1H, H1I, H1J, H1K and H1L should not be equal to null.	if aahgj001 ne null then aahhj001 ne null and aahij001 ne null and aahkj001 ne null and aahlj001 ne null and aahlj001 ne null
FFIEC101	12/31/2008	0260	Quality	H1G	AAHG	J001		1	H	Published	If H1G is not equal to null, then H1G should be greater than or equal to 0.00% and less than 0.03%.	if aahgj001 ne null then aahgj001 ge 0.00 and aahgj001 lt 0.03
FFIEC101	12/31/2008	0226	Quality	H2A	AAHA	J003		1	H	Published	If H2A is equal to null, then H2B, H2C, H2D, H2E and H2F should be equal to null.	if aahaj003 eq null then aahbj003 eq null and aahcj003 eq null and aahdj003 eq null and aahej003 eq null and aahfj003 eq null
FFIEC101	12/31/2008	0227	Quality	H2A	AAHA	J003		1	H	Published	If H2A is not equal to null, then H2B, H2C, H2D, H2E and H2F should not be equal to null.	if aahaj003 ne null then aahbj003 ne null and aahcj003 ne null and aahdj003 ne null and aahej003 ne null and aahfj003 ne null
FFIEC101	12/31/2008	0228	Quality	H2A	AAHA	J003		1	H	Published	If H2A is not equal to null, then H2A should be greater than or equal to 0.03% and less than 0.10%.	if aahaj003 ne null then aahaj003 ge 0.03 and aahaj003 lt 0.10

FFIEC101	12/31/2008	0261	Quality	H2G	AAHG	J003		1	H	Published	If H2G is equal to null, then H2H, H2I, H2J, H2K and H2L should be equal to null.	if aahgj003 eq null then aahhj003 eq null and aahij003 eq null and aahkj003 eq null and aahj003 eq null
FFIEC101	12/31/2008	0262	Quality	H2G	AAHG	J003		1	H	Published	If H2G is not equal to null, then H2H, H2I, H2J, H2K and H2L should not be equal to null.	if aahgj003 ne null then aahhj003 ne null and aahij003 ne null and aahkj003 ne null and aahj003 ne null
FFIEC101	12/31/2008	0263	Quality	H2G	AAHG	J003		1	H	Published	If H2G is not equal to null, then H2G should be greater than or equal to 0.03% and less than 0.10%.	if aahgj003 ne null then aahgj003 ge 0.03 and aahgj003 lt 0.10
FFIEC101	12/31/2008	0229	Quality	H3A	AAHA	J006		1	H	Published	If H3A is equal to null, then H3B, H3C, H3D, H3E and H3F should be equal to null.	if aahaj006 eq null then aahbj006 eq null and aahcj006 eq null and aahdj006 eq null and aahej006 eq null and aahfj006 eq null
FFIEC101	12/31/2008	0230	Quality	H3A	AAHA	J006		1	H	Published	If H3A is not equal to null, then H3B, H3C, H3D, H3E and H3F should not be equal to null.	if aahaj006 ne null then aahbj006 ne null and aahcj006 ne null and aahdj006 ne null and aahej006 ne null and aahfj006 ne null
FFIEC101	12/31/2008	0231	Quality	H3A	AAHA	J006		1	H	Published	If H3A is not equal to null, then H3A should be greater than or equal to 0.10% and less than 0.15%.	if aahaj006 ne null then aahaj006 ge 0.10 and aahaj006 lt 0.15
FFIEC101	12/31/2008	0264	Quality	H3G	AAHG	J006		1	H	Published	If H3G is equal to null, then H3H, H3I, H3J, H3K and H3L should be equal to null.	if aahgj006 eq null then aahhj006 eq null and aahij006 eq null and aahj006 eq null and aahkj006 eq null and aahl006 eq null
FFIEC101	12/31/2008	0265	Quality	H3G	AAHG	J006		1	H	Published	If H3G is not equal to null, then H3H, H3I, H3J, H3K and H3L should not be equal to null.	if aahgj006 ne null then aahhj006 ne null and aahij006 ne null and aahj006 ne null and aahkj006 ne null and aahl006 ne null
FFIEC101	12/31/2008	0266	Quality	H3G	AAHG	J006		1	H	Published	If H3G is not equal to null, then H3G should be greater than or equal to 0.10% and less than 0.15%.	if aahgj006 ne null then aahgj006 ge 0.10 and aahgj006 lt 0.15
FFIEC101	12/31/2008	0232	Quality	H4A	AAHA	J008		1	H	Published	If H4A is equal to null, then H4B, H4C, H4D, H4E and H4F should be equal to null.	if aahaj008 eq null then aahbj008 eq null and aahcj008 eq null and aahdj008 eq null and aahej008 eq null and aahfj008 eq null
FFIEC101	12/31/2008	0233	Quality	H4A	AAHA	J008		1	H	Published	If H4A is not equal to null, then H4B, H4C, H4D, H4E and H4F should not be equal to null.	if aahaj008 ne null then aahbj008 ne null and aahcj008 ne null and aahdj008 ne null and aahej008 ne null and aahfj008 ne null
FFIEC101	12/31/2008	0234	Quality	H4A	AAHA	J008		1	H	Published	If H4A is not equal to null, then H4A should be greater than or equal to 0.15% and less than 0.25%.	if aahaj008 ne null then aahaj008 ge 0.15 and aahaj008 lt 0.25
FFIEC101	12/31/2008	0267	Quality	H4G	AAHG	J008		1	H	Published	If H4G is equal to null, then H4H, H4I, H4J, H4K and H4L should be equal to null.	if aahgj008 eq null then aahhj008 eq null and aahij008 eq null and aahj008 eq null and aahkj008 eq null and aahl008 eq null
FFIEC101	12/31/2008	0268	Quality	H4G	AAHG	J008		1	H	Published	If H4G is not equal to null, then H4H, H4I, H4J, H4K and H4L should not be equal to null.	if aahgj008 ne null then aahhj008 ne null and aahij008 ne null and aahj008 ne null and aahkj008 ne null and aahl008 ne null
FFIEC101	12/31/2008	0269	Quality	H4G	AAHG	J008		1	H	Published	If H4G is not equal to null, then H4G should be greater than or equal to 0.15% and less than 0.25%.	if aahgj008 ne null then aahgj008 ge 0.15 and aahgj008 lt 0.25
FFIEC101	12/31/2008	0235	Quality	H5A	AAHA	J012		1	H	Published	If H5A is equal to null, then H5B, H5C, H5D, H5E and H5F should be equal to null.	if aahaj012 eq null then aahbj012 eq null and aahcj012 eq null and aahdj012 eq null and aahej012 eq null and aahfj012 eq null
FFIEC101	12/31/2008	0236	Quality	H5A	AAHA	J012		1	H	Published	If H5A is not equal to null, then H5B, H5C, H5D, H5E and H5F should not be equal to null.	if aahaj012 ne null then aahbj012 ne null and aahcj012 ne null and aahdj012 ne null and aahej012 ne null and aahfj012 ne null
FFIEC101	12/31/2008	0237	Quality	H5A	AAHA	J012		1	H	Published	If H5A is not equal to null, then H5A should be greater than or equal to 0.25% and less than 0.50%.	if aahaj012 ne null then aahaj012 ge 0.25 and aahaj012 lt 0.50
FFIEC101	12/31/2008	0270	Quality	H5G	AAHG	J012		1	H	Published	If H5G is equal to null, then H5H, H5I, H5J, H5K and H5L should be equal to null.	if aahgj012 eq null then aahhj012 eq null and aahij012 eq null and aahj012 eq null and aahkj012 eq null and aahl012 eq null
FFIEC101	12/31/2008	0271	Quality	H5G	AAHG	J012		1	H	Published	If H5G is not equal to null, then H5H, H5I, H5J, H5K and H5L should not be equal to null.	if aahgj012 ne null then aahhj012 ne null and aahij012 ne null and aahj012 ne null and aahkj012 ne null and aahl012 ne null

FFIEC101	12/31/2008	0272	Quality	H5G	AAHG	J012		1	H	Published	If H5G is not equal to null, then H5G should be greater than or equal to 0.25% and less than 0.50%.	if aahgj012 ne null then aahgj012 ge 0.25 and aahgj012 lt 0.50
FFIEC101	12/31/2008	0238	Quality	H6A	AAHA	J014		1	H	Published	If H6A is equal to null, then H6B, H6C, H6D, H6E and H6F should be equal to null.	if aahaj014 eq null then aahbj014 eq null and aahcj014 eq null and aahdj014 eq null and aahej014 eq null and aahfj014 eq null
FFIEC101	12/31/2008	0239	Quality	H6A	AAHA	J014		1	H	Published	If H6A is not equal to null, then H6B, H6C, H6D, H6E and H6F should not be equal to null.	if aahaj014 ne null then aahbj014 ne null and aahcj014 ne null and aahdj014 ne null and aahej014 ne null and aahfj014 ne null
FFIEC101	12/31/2008	0240	Quality	H6A	AAHA	J014		1	H	Published	If H6A is not equal to null, then H6A should be greater than or equal to 0.50% and less than 0.75%.	if aahaj014 ne null then aahaj014 ge 0.50 and aahaj014 lt 0.75
FFIEC101	12/31/2008	0273	Quality	H6G	AAHG	J014		1	H	Published	If H6G is equal to null, then H6H, H6I, H6J, H6K and H6L should be equal to null.	if aahgj014 eq null then aahhj014 eq null and aahij014 eq null and aahjj014 eq null and aahkj014 eq null and aahlj014 eq null
FFIEC101	12/31/2008	0274	Quality	H6G	AAHG	J014		1	H	Published	If H6G is not equal to null, then H6H, H6I, H6J, H6K and H6L should not be equal to null.	if aahgj014 ne null then aahhj014 ne null and aahij014 ne null and aahjj014 ne null and aahkj014 ne null and aahlj014 ne null
FFIEC101	12/31/2008	0275	Quality	H6G	AAHG	J014		1	H	Published	If H6G is not equal to null, then H6G should be greater than or equal to 0.50% and less than 0.75%.	if aahgj014 ne null then aahgj014 ge 0.50 and aahgj014 lt 0.75
FFIEC101	12/31/2008	0241	Quality	H7A	AAHA	J016		1	H	Published	If H7A is equal to null, then H7B, H7C, H7D, H7E and H7F should be equal to null.	if aahaj016 eq null then aahbj016 eq null and aahcj016 eq null and aahdj016 eq null and aahej016 eq null and aahfj016 eq null
FFIEC101	12/31/2008	0242	Quality	H7A	AAHA	J016		1	H	Published	If H7A is not equal to null, then H7B, H7C, H7D, H7E and H7F should not be equal to null.	if aahaj016 ne null then aahbj016 ne null and aahcj016 ne null and aahdj016 ne null and aahej016 ne null and aahfj016 ne null
FFIEC101	12/31/2008	0243	Quality	H7A	AAHA	J016		1	H	Published	If H7A is not equal to null, then H7A should be greater than or equal to 0.75% and less than 1.35%.	if aahaj016 ne null then aahaj016 ge 0.75 and aahaj016 lt 1.35
FFIEC101	12/31/2008	0276	Quality	H7G	AAHG	J016		1	H	Published	If H7G is equal to null, then H7H, H7I, H7J, H7K and H7L should be equal to null.	if aahgj016 eq null then aahhj016 eq null and aahij016 eq null and aahjj016 eq null and aahkj016 eq null and aahlj016 eq null
FFIEC101	12/31/2008	0277	Quality	H7G	AAHG	J016		1	H	Published	If H7G is not equal to null, then H7H, H7I, H7J, H7K and H7L should not be equal to null.	if aahgj016 ne null then aahhj016 ne null and aahij016 ne null and aahjj016 ne null and aahkj016 ne null and aahlj016 ne null
FFIEC101	12/31/2008	0278	Quality	H7G	AAHG	J016		1	H	Published	If H7G is not equal to null, then H7G should be greater than or equal to 0.75% and less than 1.35%.	if aahgj016 ne null then aahgj016 ge 0.75 and aahgj016 lt 1.35
FFIEC101	12/31/2008	0244	Quality	H8A	AAHA	J019		1	H	Published	If H8A is equal to null, then H8B, H8C, H8D, H8E and H8F should be equal to null.	if aahaj019 eq null then aahbj019 eq null and aahcj019 eq null and aahdj019 eq null and aahej019 eq null and aahfj019 eq null
FFIEC101	12/31/2008	0245	Quality	H8A	AAHA	J019		1	H	Published	If H8A is not equal to null, then H8B, H8C, H8D, H8E and H8F should not be equal to null.	if aahaj019 ne null then aahbj019 ne null and aahcj019 ne null and aahdj019 ne null and aahej019 ne null and aahfj019 ne null
FFIEC101	12/31/2008	0246	Quality	H8A	AAHA	J019		1	H	Published	If H8A is not equal to null, then H8A should be greater than or equal to 1.35% and less than 2.50%.	if aahaj019 ne null then aahaj019 ge 1.35 and aahaj019 lt 2.50
FFIEC101	12/31/2008	0279	Quality	H8G	AAHG	J019		1	H	Published	If H8G is equal to null, then H8H, H8I, H8J, H8K and H8L should be equal to null.	if aahgj019 eq null then aahhj019 eq null and aahij019 eq null and aahjj019 eq null and aahkj019 eq null and aahlj019 eq null
FFIEC101	12/31/2008	0280	Quality	H8G	AAHG	J019		1	H	Published	If H8G is not equal to null, then H8H, H8I, H8J, H8K and H8L should not be equal to null.	if aahgj019 ne null then aahhj019 ne null and aahij019 ne null and aahjj019 ne null and aahkj019 ne null and aahlj019 ne null
FFIEC101	12/31/2008	0281	Quality	H8G	AAHG	J019		1	H	Published	If H8G is not equal to null, then H8G should be greater than or equal to 1.35% and less than 2.50%.	if aahgj019 ne null then aahgj019 ge 1.35 and aahgj019 lt 2.50
FFIEC101	12/31/2008	0247	Quality	H9A	AAHA	J025		1	H	Published	If H9A is equal to null, then H9B, H9C, H9D, H9E and H9F should be equal to null.	if aahaj025 eq null then aahbj025 eq null and aahcj025 eq null and aahdj025 eq null and aahej025 eq null and aahfj025 eq null

FFIEC101	12/31/2008	0248	Quality	H9A	AAHA	J025		1	H	Published	If H9A is not equal to null, then H9B, H9C, H9D, H9E and H9F should not be equal to null.	if aahaj025 ne null then aahbj025 ne null and aahcj025 ne null and aahdj025 ne null and aahej025 ne null and aahfj025 ne null
FFIEC101	12/31/2008	0249	Quality	H9A	AAHA	J025		1	H	Published	If H9A is not equal to null, then H9A should be greater than or equal to 2.50% and less than 5.50%.	if aahaj025 ne null then aahaj025 ge 2.50 and aahaj025 lt 5.50
FFIEC101	12/31/2008	0282	Quality	H9G	AAHG	J025		1	H	Published	If H9G is equal to null, then H9H, H9I, H9J, H9K and H9L should be equal to null.	if aahgj025 eq null then aahhj025 eq null and aahij025 eq null and aahjj025 eq null and aahkj025 eq null and aahlj025 eq null
FFIEC101	12/31/2008	0283	Quality	H9G	AAHG	J025		1	H	Published	If H9G is not equal to null, then H9H, H9I, H9J, H9K and H9L should not be equal to null.	if aahgj025 ne null then aahhj025 ne null and aahij025 ne null and aahjj025 ne null and aahkj025 ne null and aahlj025 ne null
FFIEC101	12/31/2008	0284	Quality	H9G	AAHG	J025		1	H	Published	If H9G is not equal to null, then H9G should be greater than or equal to 2.50% and less than 5.50%.	if aahgj025 ne null then aahgj025 ge 2.50 and aahgj025 lt 5.50
FFIEC101	12/31/2008	0320	Quality	I10A	AAIA	J029		1	I	Published	If I10A is equal to null, then I10B, I10C, I10D, I10E and I10F should be equal to null.	if aaiaj029 eq null then aaibj029 eq null and aaicj029 eq null and aaidj029 eq null and aaiiej029 eq null and aaiifj029 eq null
FFIEC101	12/31/2008	0321	Quality	I10A	AAIA	J029		1	I	Published	If I10A is not equal to null, then I10B, I10C, I10D, I10E and I10F should not be equal to null.	if aaiaj029 ne null then aaibj029 ne null and aaicj029 ne null and aaidj029 ne null and aaiiej029 ne null and aaiifj029 ne null
FFIEC101	12/31/2008	0322	Quality	I10A	AAIA	J029		1	I	Published	If I10A is not equal to null, then I10A should be greater than or equal to 5.50% and less than 10.00%.	if aaiaj029 ne null then aaiaj029 ge 5.50 and aaiaj029 lt 10.00
FFIEC101	12/31/2008	0355	Quality	I10G	AAIG	J029		1	I	Published	If I10G is equal to null, then I10H, I10I, I10J, I10K and I10L should be equal to null.	if aaijg029 eq null then aaihj029 eq null and aaiij029 eq null and aaijj029 eq null and aaikg029 eq null and aailj029 eq null
FFIEC101	12/31/2008	0356	Quality	I10G	AAIG	J029		1	I	Published	If I10G is not equal to null, then I10H, I10I, I10J, I10K and I10L should not be equal to null.	if aaijg029 ne null then aaihj029 ne null and aaiij029 ne null and aaijj029 ne null and aaikg029 ne null and aailj029 ne null
FFIEC101	12/31/2008	0357	Quality	I10G	AAIG	J029		1	I	Published	If I10G is not equal to null, then I10G should be greater than or equal to 5.50% and less than 10.00%.	if aaijg029 ne null then aaijg029 ge 5.50 and aaijg029 lt 10.00
FFIEC101	12/31/2008	0323	Quality	I11A	AAIA	J032		1	I	Published	If I11A is equal to null, then I11B, I11C, I11D, I11E and I11F should be equal to null.	if aaiaj032 eq null then aaibj032 eq null and aaicj032 eq null and aaidj032 eq null and aaiiej032 eq null and aaiifj032 eq null
FFIEC101	12/31/2008	0324	Quality	I11A	AAIA	J032		1	I	Published	If I11A is not equal to null, then I11B, I11C, I11D, I11E and I11F should not be equal to null.	if aaiaj032 ne null then aaibj032 ne null and aaicj032 ne null and aaidj032 ne null and aaiiej032 ne null and aaiifj032 ne null
FFIEC101	12/31/2008	0325	Quality	I11A	AAIA	J032		1	I	Published	If I11A is not equal to null, then I11A should be greater than or equal to 10.00% and less than 100.00%.	if aaiaj032 ne null then aaiaj032 ge 10.00 and aaiaj032 lt 100.00
FFIEC101	12/31/2008	0358	Quality	I11G	AAIG	J032		1	I	Published	If I11G is equal to null, then I11H, I11I, I11J, I11K and I11L should be equal to null.	if aaijg032 eq null then aaihg032 eq null and aaiij032 eq null and aaijj032 eq null and aaikg032 eq null and aailj032 eq null
FFIEC101	12/31/2008	0359	Quality	I11G	AAIG	J032		1	I	Published	If I11G is not equal to null, then I11H, I11I, I11J, I11K and I11L should not be equal to null.	if aaijg032 ne null then aaihg032 ne null and aaiij032 ne null and aaijj032 ne null and aaikg032 ne null and aailj032 ne null
FFIEC101	12/31/2008	0360	Quality	I11G	AAIG	J032		1	I	Published	If I11G is not equal to null, then I11G should be greater than or equal to 10.00% and less than 100.00%.	if aaijg032 ne null then aaijg032 ge 10.00 and aaijg032 lt 100.00
FFIEC101	12/31/2008	0326	Quality	I12B	AAIB	J034		1	I	Published	If I12B is not equal to null, then I12C, I12D, I12E and I12F should not be equal to null.	if aaijb034 ne null then aaicj034 ne null and aaidj034 ne null and aaiiej034 ne null and aaiifj034 ne null
FFIEC101	12/31/2008	0327	Quality	I12B	AAIB	J034		1	I	Published	If I12B is equal to null, then I12C, I12D, I12E and I12F should be equal to null.	if aaijb034 eq null then aaicj034 eq null and aaidj034 eq null and aaiiej034 eq null and aaiifj034 eq null
											If I12H is not equal to null, then I12I, I12J, I12K and	

FFIEC101	12/31/2008	0361	Quality	I12H	AAIH	J034		1	I	Published	If I12H is equal to null, then I12I, I12J, I12K and I12L should be equal to null.	if aaihj034 eq null then aaiij034 eq null and aaijj034 eq null and aaijk034 eq null and aaijl034 eq null
FFIEC101	12/31/2008	0293	Quality	I1A	AAIA	J001		1	I	Published	If I1A is equal to null, then I1B, I1C, I1D, I1E and I1F should be equal to null.	if aaiaj001 eq null then aaiibj001 eq null and aaiicj001 eq null and aaidj001 eq null and aaiej001 eq null and aaiifj001 eq null
FFIEC101	12/31/2008	0294	Quality	I1A	AAIA	J001		1	I	Published	If I1A is not equal to null, then I1B, I1C, I1D, I1E and I1F should not be equal to null.	if aaiaj001 ne null then aaiibj001 ne null and aaiicj001 ne null and aaidj001 ne null and aaiej001 ne null and aaiifj001 ne null
FFIEC101	12/31/2008	0295	Quality	I1A	AAIA	J001		1	I	Published	If I1A is not equal to null, then I1A should be greater than or equal to 0.00% and less than 0.03%.	if aaiaj001 ne null then aaiiaj001 ge 0.00 and aaiaj001 lt 0.03
FFIEC101	12/31/2008	0328	Quality	I1G	AAIG	J001		1	I	Published	If I1G is equal to null, then I1H, I1I, I1J, I1K and I1L should be equal to null.	if aaigj001 eq null then aaihj001 eq null and aaiij001 eq null and aaijj001 eq null and aaijk001 eq null and aaijl001 eq null
FFIEC101	12/31/2008	0329	Quality	I1G	AAIG	J001		1	I	Published	If I1G is not equal to null, then I1H, I1I, I1J, I1K and I1L should not be equal to null.	if aaigj001 ne null then aaihj001 ne null and aaiij001 ne null and aaijj001 ne null and aaijk001 ne null and aaijl001 ne null
FFIEC101	12/31/2008	0330	Quality	I1G	AAIG	J001		1	I	Published	If I1G is not equal to null, then I1G should be greater than or equal to 0.00% and less than 0.03%.	if aaigj001 ne null then aaigj001 ge 0.00 and aaigj001 lt 0.03
FFIEC101	12/31/2008	0296	Quality	I2A	AAIA	J003		1	I	Published	If I2A is equal to null, then I2B, I2C, I2D, I2E and I2F should be equal to null.	if aaiaj003 eq null then aaiibj003 eq null and aaiicj003 eq null and aaidj003 eq null and aaiej003 eq null and aaiifj003 eq null
FFIEC101	12/31/2008	0297	Quality	I2A	AAIA	J003		1	I	Published	If I2A is not equal to null, then I2B, I2C, I2D, I2E and I2F should not be equal to null.	if aaiaj003 ne null then aaiibj003 ne null and aaiicj003 ne null and aaidj003 ne null and aaiej003 ne null and aaiifj003 ne null
FFIEC101	12/31/2008	0298	Quality	I2A	AAIA	J003		1	I	Published	If I2A is not equal to null, then I2A should be greater than or equal to 0.03% and less than 0.10%.	if aaiaj003 ne null then aaiiaj003 ge 0.03 and aaiaj003 lt 0.10
FFIEC101	12/31/2008	0331	Quality	I2G	AAIG	J003		1	I	Published	If I2G is equal to null, then I2H, I2I, I2J, I2K and I2L should be equal to null.	if aaigj003 eq null then aaihj003 eq null and aaiij003 eq null and aaijj003 eq null and aaijk003 eq null and aaijl003 eq null
FFIEC101	12/31/2008	0332	Quality	I2G	AAIG	J003		1	I	Published	If I2G is not equal to null, then I2H, I2I, I2J, I2K and I2L should not be equal to null.	if aaigj003 ne null then aaihj003 ne null and aaiij003 ne null and aaijj003 ne null and aaijk003 ne null and aaijl003 ne null
FFIEC101	12/31/2008	0333	Quality	I2G	AAIG	J003		1	I	Published	If I2G is not equal to null, then I2G should be greater than or equal to 0.03% and less than 0.10%.	if aaigj003 ne null then aaigj003 ge 0.03 and aaigj003 lt 0.10
FFIEC101	12/31/2008	0299	Quality	I3A	AAIA	J006		1	I	Published	If I3A is equal to null, then I3B, I3C, I3D, I3E and I3F should be equal to null.	if aaiaj006 eq null then aaiibj006 eq null and aaiicj006 eq null and aaidj006 eq null and aaiej006 eq null and aaiifj006 eq null
FFIEC101	12/31/2008	0300	Quality	I3A	AAIA	J006		1	I	Published	If I3A is not equal to null, then I3B, I3C, I3D, I3E and I3F should not be equal to null.	if aaiaj006 ne null then aaiibj006 ne null and aaiicj006 ne null and aaidj006 ne null and aaiej006 ne null and aaiifj006 ne null
FFIEC101	12/31/2008	0301	Quality	I3A	AAIA	J006		1	I	Published	If I3A is not equal to null, then I3A should be greater than or equal to 0.10% and less than 0.15%.	if aaiaj006 ne null then aaiiaj006 ge 0.10 and aaiaj006 lt 0.15
FFIEC101	12/31/2008	0334	Quality	I3G	AAIG	J006		1	I	Published	If I3G is equal to null, then I3H, I3I, I3J, I3K and I3L should be equal to null.	if aaigj006 eq null then aaihj006 eq null and aaiij006 eq null and aaijj006 eq null and aaijk006 eq null and aaijl006 eq null
FFIEC101	12/31/2008	0335	Quality	I3G	AAIG	J006		1	I	Published	If I3G is not equal to null, then I3H, I3I, I3J, I3K and I3L should not be equal to null.	if aaigj006 ne null then aaihj006 ne null and aaiij006 ne null and aaijj006 ne null and aaijk006 ne null and aaijl006 ne null
FFIEC101	12/31/2008	0336	Quality	I3G	AAIG	J006		1	I	Published	If I3G is not equal to null, then I3G should be greater than or equal to 0.10% and less than 0.15%.	if aaigj006 ne null then aaigj006 ge 0.10 and aaigj006 lt 0.15
FFIEC101	12/31/2008	0302	Quality	I4A	AAIA	J008		1	I	Published	If I4A is equal to null, then I4B, I4C, I4D, I4E and I4F should be equal to null.	if aaiaj008 eq null then aaiibj008 eq null and aaiicj008 eq null and aaidj008 eq null and aaiej008 eq null and aaiifj008 eq null

FFIEC101	12/31/2008	0303	Quality	I4A	AAIA	J008		1	I	Published	If I4A is not equal to null, then I4B, I4C, I4D, I4E and I4F should not be equal to null.	if aaiaj008 ne null then aaijb008 ne null and aaijc008 ne null and aaidj008 ne null and aaiej008 ne null and aaijf008 ne null
FFIEC101	12/31/2008	0304	Quality	I4A	AAIA	J008		1	I	Published	If I4A is not equal to null, then I4A should be greater than or equal to 0.15% and less than 0.25%.	if aaiaj008 ne null then aaiaj008 ge 0.15 and aaiaj008 lt 0.25
FFIEC101	12/31/2008	0337	Quality	I4G	AAIG	J008		1	I	Published	If I4G is equal to null, then I4H, I4I, I4J, I4K and I4L should be equal to null.	if aaigj008 eq null then aaihj008 eq null and aaiij008 eq null and aaijj008 eq null and aaijk008 eq null and aaijl008 eq null
FFIEC101	12/31/2008	0338	Quality	I4G	AAIG	J008		1	I	Published	If I4G is not equal to null, then I4H, I4I, I4J, I4K and I4L should not be equal to null.	if aaigj008 ne null then aaihj008 ne null and aaiij008 ne null and aaijj008 ne null and aaijk008 ne null and aaijl008 ne null
FFIEC101	12/31/2008	0339	Quality	I4G	AAIG	J008		1	I	Published	If I4G is not equal to null, then I4G should be greater than or equal to 0.15% and less than 0.25%.	if aaigj008 ne null then aaigj008 ge 0.15 and aaigj008 lt 0.25
FFIEC101	12/31/2008	0305	Quality	I5A	AAIA	J012		1	I	Published	If I5A is equal to null, then I5B, I5C, I5D, I5E and I5F should be equal to null.	if aaiaj012 eq null then aaijb012 eq null and aaijc012 eq null and aaidj012 eq null and aaiej012 eq null and aaijf012 eq null
FFIEC101	12/31/2008	0306	Quality	I5A	AAIA	J012		1	I	Published	If I5A is not equal to null, then I5B, I5C, I5D, I5E and I5F should not be equal to null.	if aaiaj012 ne null then aaijb012 ne null and aaijc012 ne null and aaidj012 ne null and aaiej012 ne null and aaijf012 ne null
FFIEC101	12/31/2008	0307	Quality	I5A	AAIA	J012		1	I	Published	If I5A is not equal to null, then I5A should be greater than or equal to 0.25% and less than 0.50%.	if aaiaj012 ne null then aaiaj012 ge 0.25 and aaiaj012 lt 0.50
FFIEC101	12/31/2008	0340	Quality	I5G	AAIG	J012		1	I	Published	If I5G is equal to null, then I5H, I5I, I5J, I5K and I5L should be equal to null.	if aaigj012 eq null then aaihj012 eq null and aaiij012 eq null and aaijj012 eq null and aaijk012 eq null and aaijl012 eq null
FFIEC101	12/31/2008	0341	Quality	I5G	AAIG	J012		1	I	Published	If I5G is not equal to null, then I5H, I5I, I5J, I5K and I5L should not be equal to null.	if aaigj012 ne null then aaihj012 ne null and aaiij012 ne null and aaijj012 ne null and aaijk012 ne null and aaijl012 ne null
FFIEC101	12/31/2008	0342	Quality	I5G	AAIG	J012		1	I	Published	If I5G is not equal to null, then I5G should be greater than or equal to 0.25% and less than 0.50%.	if aaigj012 ne null then aaigj012 ge 0.25 and aaigj012 lt 0.50
FFIEC101	12/31/2008	0308	Quality	I6A	AAIA	J014		1	I	Published	If I6A is equal to null, then I6B, I6C, I6D, I6E and I6F should be equal to null.	if aaiaj014 eq null then aaijb014 eq null and aaijc014 eq null and aaidj014 eq null and aaiej014 eq null and aaijf014 eq null
FFIEC101	12/31/2008	0309	Quality	I6A	AAIA	J014		1	I	Published	If I6A is not equal to null, then I6B, I6C, I6D, I6E and I6F should not be equal to null.	if aaiaj014 ne null then aaijb014 ne null and aaijc014 ne null and aaidj014 ne null and aaiej014 ne null and aaijf014 ne null
FFIEC101	12/31/2008	0310	Quality	I6A	AAIA	J014		1	I	Published	If I6A is not equal to null, then I6A should be greater than or equal to 0.50% and less than 0.75%.	if aaiaj014 ne null then aaiaj014 ge 0.50 and aaiaj014 lt 0.75
FFIEC101	12/31/2008	0343	Quality	I6G	AAIG	J014		1	I	Published	If I6G is equal to null, then I6H, I6I, I6J, I6K and I6L should be equal to null.	if aaigj014 eq null then aaihj014 eq null and aaiij014 eq null and aaijj014 eq null and aaijk014 eq null and aaijl014 eq null
FFIEC101	12/31/2008	0344	Quality	I6G	AAIG	J014		1	I	Published	If I6G is not equal to null, then I6H, I6I, I6J, I6K and I6L should not be equal to null.	if aaigj014 ne null then aaihj014 ne null and aaiij014 ne null and aaijj014 ne null and aaijk014 ne null and aaijl014 ne null
FFIEC101	12/31/2008	0345	Quality	I6G	AAIG	J014		1	I	Published	If I6G is not equal to null, then I6G should be greater than or equal to 0.50% and less than 0.75%.	if aaigj014 ne null then aaigj014 ge 0.50 and aaigj014 lt 0.75
FFIEC101	12/31/2008	0311	Quality	I7A	AAIA	J016		1	I	Published	If I7A is equal to null, then I7B, I7C, I7D, I7E and I7F should be equal to null.	if aaiaj016 eq null then aaijb016 eq null and aaijc016 eq null and aaidj016 eq null and aaiej016 eq null and aaijf016 eq null
FFIEC101	12/31/2008	0312	Quality	I7A	AAIA	J016		1	I	Published	If I7A is not equal to null, then I7B, I7C, I7D, I7E and I7F should not be equal to null.	if aaiaj016 ne null then aaijb016 ne null and aaijc016 ne null and aaidj016 ne null and aaiej016 ne null and aaijf016 ne null
FFIEC101	12/31/2008	0313	Quality	I7A	AAIA	J016		1	I	Published	If I7A is not equal to null, then I7A should be greater than or equal to 0.75% and less than 1.35%.	if aaiaj016 ne null then aaiaj016 ge 0.75 and aaiaj016 lt 1.35

FFIEC101	12/31/2008	0346	Quality	I7G	AAIG	J016		1	I	Published	If I7G is equal to null, then I7H, I7I, I7J, I7K and I7L should be equal to null.	If aaigj016 eq null then aaihj016 eq null and aaijj016 eq null and aaij016 eq null and aaij016 eq null
FFIEC101	12/31/2008	0347	Quality	I7G	AAIG	J016		1	I	Published	If I7G is not equal to null, then I7H, I7I, I7J, I7K and I7L should not be equal to null.	If aaigj016 ne null then aaihj016 ne null and aaijj016 ne null and aaij016 ne null and aaij016 ne null
FFIEC101	12/31/2008	0348	Quality	I7G	AAIG	J016		1	I	Published	If I7G is not equal to null, then I7G should be greater than or equal to 0.75% and less than 1.35%.	If aaigj016 ne null then aaigj016 ge 0.75 and aaigj016 lt 1.35
FFIEC101	12/31/2008	0314	Quality	I8A	AAIA	J019		1	I	Published	If I8A is equal to null, then I8B, I8C, I8D, I8E and I8F should be equal to null.	If aaiaj019 eq null then aaij019 eq null and aaij019 eq null and aaij019 eq null and aaij019 eq null
FFIEC101	12/31/2008	0315	Quality	I8A	AAIA	J019		1	I	Published	If I8A is not equal to null, then I8B, I8C, I8D, I8E and I8F should not be equal to null.	If aaiaj019 ne null then aaij019 ne null and aaij019 ne null and aaij019 ne null and aaij019 ne null
FFIEC101	12/31/2008	0316	Quality	I8A	AAIA	J019		1	I	Published	If I8A is not equal to null, then I8A should be greater than or equal to 1.35% and less than 2.50%.	If aaiaj019 ne null then aaiaj019 ge 1.35 and aaiaj019 lt 2.50
FFIEC101	12/31/2008	0349	Quality	I8G	AAIG	J019		1	I	Published	If I8G is equal to null, then I8H, I8I, I8J, I8K and I8L should be equal to null.	If aaigj019 eq null then aaihj019 eq null and aaijj019 eq null and aaij019 eq null and aaij019 eq null
FFIEC101	12/31/2008	0350	Quality	I8G	AAIG	J019		1	I	Published	If I8G is not equal to null, then I8H, I8I, I8J, I8K and I8L should not be equal to null.	If aaigj019 ne null then aaihj019 ne null and aaijj019 ne null and aaij019 ne null and aaij019 ne null
FFIEC101	12/31/2008	0351	Quality	I8G	AAIG	J019		1	I	Published	If I8G is not equal to null, then I8G should be greater than or equal to 1.35% and less than 2.50%.	If aaigj019 ne null then aaigj019 ge 1.35 and aaigj019 lt 2.50
FFIEC101	12/31/2008	0317	Quality	I9A	AAIA	J025		1	I	Published	If I9A is equal to null, then I9B, I9C, I9D, I9E and I9F should be equal to null.	If aaiaj025 eq null then aaij025 eq null and aaij025 eq null and aaij025 eq null and aaij025 eq null
FFIEC101	12/31/2008	0318	Quality	I9A	AAIA	J025		1	I	Published	If I9A is not equal to null, then I9B, I9C, I9D, I9E and I9F should not be equal to null.	If aaiaj025 ne null then aaij025 ne null and aaij025 ne null and aaij025 ne null and aaij025 ne null
FFIEC101	12/31/2008	0319	Quality	I9A	AAIA	J025		1	I	Published	If I9A is not equal to null, then I9A should be greater than or equal to 2.50% and less than 5.50%.	If aaiaj025 ne null then aaiaj025 ge 2.50 and aaiaj025 lt 5.50
FFIEC101	12/31/2008	0352	Quality	I9G	AAIG	J025		1	I	Published	If I9G is equal to null, then I9H, I9I, I9J, I9K and I9L should be equal to null.	If aaigj025 eq null then aaihj025 eq null and aaijj025 eq null and aaij025 eq null and aaij025 eq null
FFIEC101	12/31/2008	0353	Quality	I9G	AAIG	J025		1	I	Published	If I9G is not equal to null, then I9H, I9I, I9J, I9K and I9L should not be equal to null.	If aaigj025 ne null then aaihj025 ne null and aaijj025 ne null and aaij025 ne null and aaij025 ne null
FFIEC101	12/31/2008	0354	Quality	I9G	AAIG	J025		1	I	Published	If I9G is not equal to null, then I9G should be greater than or equal to 2.50% and less than 5.50%.	If aaigj025 ne null then aaigj025 ge 2.50 and aaigj025 lt 5.50
FFIEC101	12/31/2008	0390	Quality	J10A	AAJA	J029		1	J	Published	If J10A is equal to null, then J10B, J10C, J10D, J10E and J10F should be equal to null.	If aajaj029 eq null then aaij029 eq null and aaij029 eq null and aaij029 eq null and aaij029 eq null
FFIEC101	12/31/2008	0391	Quality	J10A	AAJA	J029		1	J	Published	If J10A is not equal to null, then J10B, J10C, J10D, J10E and J10F should not be equal to null.	If aajaj029 ne null then aaij029 ne null and aaij029 ne null and aaij029 ne null and aaij029 ne null
FFIEC101	12/31/2008	0392	Quality	J10A	AAJA	J029		1	J	Published	If J10A is not equal to null, then J10A should be greater than or equal to 5.50% and less than 10.00%.	If aajaj029 ne null then aajaj029 ge 5.50 and aajaj029 lt 10.00
FFIEC101	12/31/2008	0425	Quality	J10G	AAJG	J029		1	J	Published	If J10G is equal to null, then J10H, J10I, J10J, J10K and J10L should be equal to null.	If aajgj029 eq null then aaij029 eq null and aaij029 eq null and aaij029 eq null and aaij029 eq null
FFIEC101	12/31/2008	0426	Quality	J10G	AAJG	J029		1	J	Published	If J10G is not equal to null, then J10H, J10I, J10J, J10K and J10L should not be equal to null.	If aajgj029 ne null then aaij029 ne null and aaij029 ne null and aaij029 ne null and aaij029 ne null

FFIEC101	12/31/2008	0427	Quality	J10G	AAJG	J029		1	J	Published	If J10G is not equal to null, then J10G should be greater than or equal to 5.50% and less than 10.00%.	If aajgj029 ne null then aajgj029 ge 5.50 and aajgj029 lt 10.00
FFIEC101	12/31/2008	0393	Quality	J11A	AAJA	J032		1	J	Published	If J11A is equal to null, then J11B, J11C, J11D, J11E and J11F should be equal to null.	If aajaj032 eq null then aajbj032 eq null and aajcj032 eq null and aajdj032 eq null and aajej032 eq null and aajff032 eq null
FFIEC101	12/31/2008	0394	Quality	J11A	AAJA	J032		1	J	Published	If J11A is not equal to null, then J11B, J11C, J11D, J11E and J11F should not be equal to null.	If aajaj032 ne null then aajbj032 ne null and aajcj032 ne null and aajdj032 ne null and aajej032 ne null and aajff032 ne null
FFIEC101	12/31/2008	0395	Quality	J11A	AAJA	J032		1	J	Published	If J11A is not equal to null, then J11A should be greater than or equal to 10.00% and less than 100.00%.	If aajaj032 ne null then aajaj032 ge 10.00 and aajaj032 lt 100.00
FFIEC101	12/31/2008	0428	Quality	J11G	AAJG	J032		1	J	Published	If J11G is equal to null, then J11H, J11I, J11J, J11K and J11L should be equal to null.	If aajgj032 eq null then aajjh032 eq null and aajjj032 eq null and aajjj032 eq null and aajkj032 eq null and aajlj032 eq null
FFIEC101	12/31/2008	0429	Quality	J11G	AAJG	J032		1	J	Published	If J11G is not equal to null, then J11H, J11I, J11J, J11K and J11L should not be equal to null.	If aajgj032 ne null then aajjh032 ne null and aajjj032 ne null and aajjj032 ne null and aajkj032 ne null and aajlj032 ne null
FFIEC101	12/31/2008	0430	Quality	J11G	AAJG	J032		1	J	Published	If J11G is not equal to null, then J11G should be greater than or equal to 10.00% and less than 100.00%.	If aajgj032 ne null then aajgj032 ge 10.00 and aajgj032 lt 100.00
FFIEC101	12/31/2008	0396	Quality	J12B	AAJB	J034		1	J	Published	If J12B is equal to null, then J12C, J12D, J12E and J12F should be equal to null.	If aajbj034 eq null then aajcj034 eq null and aajdj034 eq null and aajej034 eq null and aajff034 eq null
FFIEC101	12/31/2008	0397	Quality	J12B	AAJB	J034		1	J	Published	If J12B is not equal to null, then J12C, J12D, J12E and J12F should not be equal to null.	If aajbj034 ne null then aajcj034 ne null and aajdj034 ne null and aajej034 ne null and aajff034 ne null
FFIEC101	12/31/2008	0431	Quality	J12H	AAJH	J034		1	J	Published	If J12H is not equal to null, then J12I, J12J, J12K and J12L should not be equal to null.	If aajjh034 ne null then aajjj034 ne null and aajjj034 ne null and aajkj034 ne null and aajlj034 ne null
FFIEC101	12/31/2008	0432	Quality	J12H	AAJH	J034		1	J	Published	If J12H is equal to null, then J12I, J12J, J12K and J12L should be equal to null.	If aajjh034 eq null then aajjj034 eq null and aajjj034 eq null and aajkj034 eq null and aajlj034 eq null
FFIEC101	12/31/2008	0363	Quality	J1A	AAJA	J001		1	J	Published	If J1A is equal to null, then J1B, J1C, J1D, J1E and J1F should be equal to null.	If aajaj001 eq null then aajbj001 eq null and aajcj001 eq null and aajdj001 eq null and aajej001 eq null and aajff001 eq null
FFIEC101	12/31/2008	0364	Quality	J1A	AAJA	J001		1	J	Published	If J1A is not equal to null, then J1B, J1C, J1D, J1E and J1F should not be equal to null.	If aajaj001 ne null then aajbj001 ne null and aajcj001 ne null and aajdj001 ne null and aajej001 ne null and aajff001 ne null
FFIEC101	12/31/2008	0365	Quality	J1A	AAJA	J001		1	J	Published	If J1A is not equal to null, then J1A should be greater than or equal to 0.00% and less than 0.03%.	If aajaj001 ne null then aajaj001 ge 0.00 and aajaj001 lt 0.03
FFIEC101	12/31/2008	0398	Quality	J1G	AAJG	J001		1	J	Published	If J1G is equal to null, then J1H, J1I, J1J, J1K and J1L should be equal to null.	If aajgj001 eq null then aajjh001 eq null and aajjj001 eq null and aajjj001 eq null and aajkj001 eq null and aajlj001 eq null
FFIEC101	12/31/2008	0399	Quality	J1G	AAJG	J001		1	J	Published	If J1G is not equal to null, then J1H, J1I, J1J, J1K and J1L should not be equal to null.	If aajgj001 ne null then aajjh001 ne null and aajjj001 ne null and aajjj001 ne null and aajkj001 ne null and aajlj001 ne null
FFIEC101	12/31/2008	0400	Quality	J1G	AAJG	J001		1	J	Published	If J1G is not equal to null, then J1G should be greater than or equal to 0.00% and less than 0.03%.	If aajgj001 ne null then aajgj001 ge 0.00 and aajgj001 lt 0.03
FFIEC101	12/31/2008	0366	Quality	J2A	AAJA	J003		1	J	Published	If J2A is equal to null, then J2B, J2C, J2D, J2E and J2F should be equal to null.	If aajaj003 eq null then aajbj003 eq null and aajcj003 eq null and aajdj003 eq null and aajej003 eq null and aajff003 eq null
FFIEC101	12/31/2008	0367	Quality	J2A	AAJA	J003		1	J	Published	If J2A is not equal to null, then J2B, J2C, J2D, J2E and J2F should not be equal to null.	If aajaj003 ne null then aajbj003 ne null and aajcj003 ne null and aajdj003 ne null and aajej003 ne null and aajff003 ne null
FFIEC101	12/31/2008	0368	Quality	J2A	AAJA	J003		1	J	Published	If J2A is not equal to null, then J2A should be greater than or equal to 0.03% and less than 0.10%.	If aajaj003 ne null then aajaj003 ge 0.03 and aajaj003 lt 0.10



FFIEC101	12/31/2008	0401	Quality	J2G	AAJG	J003		1	J	Published	If J2G is equal to null, then J2H, J2I, J2J, J2K and J2L should be equal to null.	if aajgj003 eq null then aajhj003 eq null and aajjj003 eq null and aajkj003 eq null and aajlj003 eq null
FFIEC101	12/31/2008	0402	Quality	J2G	AAJG	J003		1	J	Published	If J2G is not equal to null, then J2H, J2I, J2J, J2K and J2L should not be equal to null.	if aajgj003 ne null then aajhj003 ne null and aajjj003 ne null and aajkj003 ne null and aajlj003 ne null
FFIEC101	12/31/2008	0403	Quality	J2G	AAJG	J003		1	J	Published	if J2G is not equal to null, then J2G should be greater than or equal to 0.03% and less than 0.10%.	if aajgj003 ne null then aajgj003 ge 0.03 and aajgj003 lt 0.10
FFIEC101	12/31/2008	0369	Quality	J3A	AAJA	J006		1	J	Published	If J3A is equal to null, then J3B, J3C, J3D, J3E and J3F should be equal to null.	if aajaj006 eq null then aajbj006 eq null and aajcj006 eq null and aajdj006 eq null and aajej006 eq null and aajfj006 eq null
FFIEC101	12/31/2008	0370	Quality	J3A	AAJA	J006		1	J	Published	If J3A is not equal to null, then J3B, J3C, J3D, J3E and J3F should not be equal to null.	if aajaj006 ne null then aajbj006 ne null and aajcj006 ne null and aajdj006 ne null and aajej006 ne null and aajfj006 ne null
FFIEC101	12/31/2008	0371	Quality	J3A	AAJA	J006		1	J	Published	If J3A is not equal to null, then J3A should be greater than or equal to 0.10% and less than 0.15%.	if aajaj006 ne null then aajaj006 ge 0.10 and aajaj006 lt 0.15
FFIEC101	12/31/2008	0404	Quality	J3G	AAJG	J006		1	J	Published	If J3G is equal to null, then J3H, J3I, J3J, J3K and J3L should be equal to null.	if aajgj006 eq null then aajhj006 eq null and aajjj006 eq null and aajkj006 eq null and aajlj006 eq null
FFIEC101	12/31/2008	0405	Quality	J3G	AAJG	J006		1	J	Published	If J3G is not equal to null, then J3H, J3I, J3J, J3K and J3L should not be equal to null.	if aajgj006 ne null then aajhj006 ne null and aajjj006 ne null and aajkj006 ne null and aajlj006 ne null
FFIEC101	12/31/2008	0406	Quality	J3G	AAJG	J006		1	J	Published	if J3G is not equal to null, then J3G should be greater than or equal to 0.10% and less than 0.15%.	if aajgj006 ne null then aajgj006 ge 0.10 and aajgj006 lt 0.15
FFIEC101	12/31/2008	0372	Quality	J4A	AAJA	J008		1	J	Published	If J4A is equal to null, then J4B, J4C, J4D, J4E and J4F should be equal to null.	if aajaj008 eq null then aajbj008 eq null and aajcj008 eq null and aajdj008 eq null and aajej008 eq null and aajfj008 eq null
FFIEC101	12/31/2008	0373	Quality	J4A	AAJA	J008		1	J	Published	If J4A is not equal to null, then J4B, J4C, J4D, J4E and J4F should not be equal to null.	if aajaj008 ne null then aajbj008 ne null and aajcj008 ne null and aajdj008 ne null and aajej008 ne null and aajfj008 ne null
FFIEC101	12/31/2008	0374	Quality	J4A	AAJA	J008		1	J	Published	If J4A is not equal to null, then J4A should be greater than or equal to 0.15% and less than 0.25%.	if aajaj008 ne null then aajaj008 ge 0.15 and aajaj008 lt 0.25
FFIEC101	12/31/2008	0407	Quality	J4G	AAJG	J008		1	J	Published	If J4G is equal to null, then J4H, J4I, J4J, J4K and J4L should be equal to null.	if aajgj008 eq null then aajhj008 eq null and aajjj008 eq null and aajkj008 eq null and aajlj008 eq null
FFIEC101	12/31/2008	0408	Quality	J4G	AAJG	J008		1	J	Published	If J4G is not equal to null, then J4H, J4I, J4J, J4K and J4L should not be equal to null.	if aajgj008 ne null then aajhj008 ne null and aajjj008 ne null and aajkj008 ne null and aajlj008 ne null
FFIEC101	12/31/2008	0409	Quality	J4G	AAJG	J008		1	J	Published	if J4G is not equal to null, then J4G should be greater than or equal to 0.15% and less than 0.25%.	if aajgj008 ne null then aajgj008 ge 0.15 and aajgj008 lt 0.25
FFIEC101	12/31/2008	0375	Quality	J5A	AAJA	J012		1	J	Published	If J5A is equal to null, then J5B, J5C, J5D, J5E and J5F should be equal to null.	if aajaj012 eq null then aajbj012 eq null and aajcj012 eq null and aajdj012 eq null and aajej012 eq null and aajfj012 eq null
FFIEC101	12/31/2008	0376	Quality	J5A	AAJA	J012		1	J	Published	If J5A is not equal to null, then J5B, J5C, J5D, J5E and J5F should not be equal to null.	if aajaj012 ne null then aajbj012 ne null and aajcj012 ne null and aajdj012 ne null and aajej012 ne null and aajfj012 ne null
FFIEC101	12/31/2008	0377	Quality	J5A	AAJA	J012		1	J	Published	If J5A is not equal to null, then J5A should be greater than or equal to 0.25% and less than 0.50%.	if aajaj012 ne null then aajaj012 ge 0.25 and aajaj012 lt 0.50
FFIEC101	12/31/2008	0410	Quality	J5G	AAJG	J012		1	J	Published	If J5G is equal to null, then J5H, J5I, J5J, J5K and J5L should be equal to null.	if aajgj012 eq null then aajhj012 eq null and aajjj012 eq null and aajkj012 eq null and aajlj012 eq null
FFIEC101	12/31/2008	0411	Quality	J5G	AAJG	J012		1	J	Published	If J5G is not equal to null, then J5H, J5I, J5J, J5K and J5L should not be equal to null.	if aajgj012 ne null, then aajhj012 ne null and aajjj012 ne null and aajkj012 ne null and aajlj012 ne null

FFIEC101	12/31/2008	0412	Quality	J5G	AAJG	J012		1	J	Published	if J5G is not equal to null, then J5G should be greater than or equal to 0.25% and less than 0.50%.	if aajgj012 ne null then aajgj012 ge 0.25 and aajgj012 lt 0.50
FFIEC101	12/31/2008	0378	Quality	J6A	AAJA	J014		1	J	Published	If J6A is equal to null, then J6B, J6C, J6D, J6E and J6F should be equal to null.	if aajaj014 eq null then aajbj014 eq null and aajcj014 eq null and aajdj014 eq null and aajej014 eq null and aajjf014 eq null
FFIEC101	12/31/2008	0379	Quality	J6A	AAJA	J014		1	J	Published	If J6A is not equal to null, then J6B, J6C, J6D, J6E and J6F should not be equal to null.	if aajaj014 ne null then aajbj014 ne null and aajcj014 ne null and aajdj014 ne null and aajej014 ne null and aajjf014 ne null
FFIEC101	12/31/2008	0380	Quality	J6A	AAJA	J014		1	J	Published	If J6A is not equal to null, then J6A should be greater than or equal to 0.50% and less than 0.75%.	if aajaj014 ne null then aajaj014 ge 0.50 and aajaj014 lt 0.75
FFIEC101	12/31/2008	0413	Quality	J6G	AAJG	J014		1	J	Published	If J6G is equal to null, then J6H, J6I, J6J, J6K and J6L should be equal to null.	if aajgj014 eq null then aajhj014 eq null and aajjj014 eq null and aajjj014 eq null and aajkj014 eq null and aajlj014 eq null
FFIEC101	12/31/2008	0414	Quality	J6G	AAJG	J014		1	J	Published	If J6G is not equal to null, then J6H, J6I, J6J, J6K and J6L should not be equal to null.	if aajgj014 ne null then aajhj014 ne null and aajjj014 ne null and aajjj014 ne null and aajkj014 ne null and aajlj014 ne null
FFIEC101	12/31/2008	0415	Quality	J6G	AAJG	J014		1	J	Published	if J6G is not equal to null, then J6G should be greater than or equal to 0.50% and less than 0.75%.	if aajgj014 ne null then aajgj014 ge 0.50 and aajgj014 lt 0.75
FFIEC101	12/31/2008	0381	Quality	J7A	AAJA	J016		1	J	Published	If J7A is equal to null, then J7B, J7C, J7D, J7E and J7F should be equal to null.	if aajaj016 eq null then aajbj016 eq null and aajcj016 eq null and aajdj016 eq null and aajej016 eq null and aajjf016 eq null
FFIEC101	12/31/2008	0382	Quality	J7A	AAJA	J016		1	J	Published	If J7A is not equal to null, then J7B, J7C, J7D, J7E and J7F should not be equal to null.	if aajaj016 ne null then aajbj016 ne null and aajcj016 ne null and aajdj016 ne null and aajej016 ne null and aajjf016 ne null
FFIEC101	12/31/2008	0383	Quality	J7A	AAJA	J016		1	J	Published	if J7A is not equal to null, then J7A should be greater than or equal to 0.75% and less than 1.35%.	if aajaj016 ne null then aajaj016 ge 0.75 and aajaj016 lt 1.35
FFIEC101	12/31/2008	0416	Quality	J7G	AAJG	J016		1	J	Published	If J7G is equal to null, then J7H, J7I, J7J, J7K and J7L should be equal to null.	if aajgj016 eq null then aajhj016 eq null and aajjj016 eq null and aajjj016 eq null and aajkj016 eq null and aajlj016 eq null
FFIEC101	12/31/2008	0417	Quality	J7G	AAJG	J016		1	J	Published	If J7G is not equal to null, then J7H, J7I, J7J, J7K and J7L should not be equal to null.	if aajgj016 ne null then aajhj016 ne null and aajjj016 ne null and aajjj016 ne null and aajkj016 ne null and aajlj016 ne null
FFIEC101	12/31/2008	0418	Quality	J7G	AAJG	J016		1	J	Published	if J7G is not equal to null, then J7G should be greater than or equal to 0.75% and less than 1.35%.	if aajgj016 ne null then aajgj016 ge 0.75 and aajgj016 lt 1.35
FFIEC101	12/31/2008	0384	Quality	J8A	AAJA	J019		1	J	Published	If J8A is equal to null, then J8B, J8C, J8D, J8E and J8F should be equal to null.	if aajaj019 eq null then aajbj019 eq null and aajcj019 eq null and aajdj019 eq null and aajej019 eq null and aajjf019 eq null
FFIEC101	12/31/2008	0385	Quality	J8A	AAJA	J019		1	J	Published	If J8A is not equal to null, then J8B, J8C, J8D, J8E and J8F should not be equal to null.	if aajaj019 ne null then aajbj019 ne null and aajcj019 ne null and aajdj019 ne null and aajej019 ne null and aajjf019 ne null
FFIEC101	12/31/2008	0386	Quality	J8A	AAJA	J019		1	J	Published	if J8A is not equal to null, then J8A should be greater than or equal to 1.35% and less than 2.50%.	if aajaj019 ne null then aajaj019 ge 1.35 and aajaj019 lt 2.50
FFIEC101	12/31/2008	0419	Quality	J8G	AAJG	J019		1	J	Published	If J8G is equal to null, then J8H, J8I, J8J, J8K and J8L should be equal to null.	if aajgj019 eq null then aajhj019 eq null and aajjj019 eq null and aajjj019 eq null and aajkj019 eq null and aajlj019 eq null
FFIEC101	12/31/2008	0420	Quality	J8G	AAJG	J019		1	J	Published	If J8G is not equal to null, then J8H, J8I, J8J, J8K and J8L should not be equal to null.	if aajgj019 ne null then aajhj019 ne null and aajjj019 ne null and aajjj019 ne null and aajkj019 ne null and aajlj019 ne null
FFIEC101	12/31/2008	0421	Quality	J8G	AAJG	J019		1	J	Published	if J8G is not equal to null, then J8G should be greater than or equal to 1.35% and less than 2.50%.	if aajgj019 ne null then aajgj019 ge 1.35 and aajgj019 lt 2.50
FFIEC101	12/31/2008	0387	Quality	J9A	AAJA	J025		1	J	Published	If J9A is equal to null, then J9B, J9C, J9D, J9E and J9F should be equal to null.	if aajaj025 eq null then aajbj025 eq null and aajcj025 eq null and aajdj025 eq null and aajej025 eq null and aajjf025 eq null

FFIEC101	12/31/2008	0388	Quality	J9A	AAJA	J025		1	J	Published	If J9A is not equal to null, then J9B, J9C, J9D, J9E and J9F should not be equal to null.	if aajaj025 ne null then aajbj025 ne null and aajcj025 ne null and aajdj025 ne null and aajej025 ne null and aajff025 ne null
FFIEC101	12/31/2008	0389	Quality	J9A	AAJA	J025		1	J	Published	if J9A is not equal to null, then J9A should be greater than or equal to 2.50% and less than 5.50%.	if aajaj025 ne null then aajaj025 ge 2.50 and aajaj025 lt 5.50
FFIEC101	12/31/2008	0422	Quality	J9G	AAJG	J025		1	J	Published	If J9G is equal to null, then J9H, J9I, J9J, J9K and J9L should be equal to null.	if aajgj025 eq null then aajjh025 eq null and aajjj025 eq null and aajjj025 eq null and aajkj025 eq null and aajlj025 eq null
FFIEC101	12/31/2008	0423	Quality	J9G	AAJG	J025		1	J	Published	If J9G is not equal to null, then J9H, J9I, J9J, J9K and J9L should not be equal to null.	if aajgj025 ne null then aajjh025 ne null and aajjj025 ne null and aajjj025 ne null and aajkj025 ne null and aajlj025 ne null
FFIEC101	12/31/2008	0424	Quality	J9G	AAJG	J025		1	J	Published	if J9G is not equal to null, then J9G should be greater than or equal to 2.50% and less than 5.50%.	if aajgj025 ne null then aajgj025 ge 2.50 and aajgj025 lt 5.50
FFIEC101	12/31/2008	0469	Quality	K10A	AKA	J019		1	K	Published	If K10A is equal to null, then K10B, K10C, K10D, K10E, K10F, K10G, K10H, K10I, K10J, K10K, K10L, K10M, K10N, K10O and K10P should be equal to null.	if aakaj019 eq null then aakbj019 eq null and aakcj019 eq null and aakdj019 eq null and aakej019 eq null and aakfj019 eq null and aakgj019 eq null and aakhj019 eq null and aakij019 eq null and aakjj019 eq null and aaklj019 eq null and aakmj019 eq null and aaknj019 eq null and aako019 eq null and aakpj019 eq null
FFIEC101	12/31/2008	0470	Quality	K10A	AKA	J019		1	K	Published	If K10A is not equal to null, then K10B, K10C, K10D, K10E, K10F, K10G, K10H and K10I should not be equal to null.	if aakaj019 ne null then aakbj019 ne null and aakcj019 ne null and aakdj019 ne null and aakej019 ne null and aakfj019 ne null and aakgj019 ne null and aakhj019 ne null and aakij019 ne null
FFIEC101	12/31/2008	0471	Quality	K10A	AKA	J019		1	K	Published	if K10A is not equal to null, then K10A should be greater than or equal to 1.35% and less than 2.50%.	if aakaj019 ne null then aakaj019 ge 1.35 and aakaj019 lt 2.50
FFIEC101	12/31/2008	0472	Quality	K10A	AKA	J019		1	K	Published	If K10A is not equal to null, then K10J, K10K, K10L, K10M or K10N should not be equal to null.	if aakaj019 ne null then aakjj019 ne null or aakkj019 ne null or aaklj019 ne null or aakmj019 ne null or aaknj019 ne null
FFIEC101	12/31/2008	0473	Quality	K11A	AKA	J025		1	K	Published	If K11A is equal to null, then K11B, K11C, K11D, K11E, K11F, K11G, K11H, K11I, K11J, K11K, K11L, K11M, K11N, K11O and K11P should be equal to null.	if aakaj025 eq null then aakbj025 eq null and aakcj025 eq null and aakdj025 eq null and aakej025 eq null and aakfj025 eq null and aakgj025 eq null and aakhj025 eq null and aakij025 eq null and aakjj025 eq null and aaklj025 eq null and aakmj025 eq null and aaknj025 eq null and aako025 eq null and aakpj025 eq null
FFIEC101	12/31/2008	0474	Quality	K11A	AKA	J025		1	K	Published	If K11A is not equal to null, then K11B, K11C, K11D, K11E, K11F, K11G, K11H and K11I should not be equal to null.	if aakaj025 ne null then aakbj025 ne null and aakcj025 ne null and aakdj025 ne null and aakej025 ne null and aakfj025 ne null and aakgj025 ne null and aakhj025 ne null and aakij025 ne null
FFIEC101	12/31/2008	0475	Quality	K11A	AKA	J025		1	K	Published	if K11A is not equal to null, then K11A should be greater than or equal to 2.50% and less than 5.50%.	if aakaj025 ne null then aakaj025 ge 2.50 and aakaj025 lt 5.50
FFIEC101	12/31/2008	0476	Quality	K11A	AKA	J025		1	K	Published	If K11A is not equal to null, then K11J, K11K, K11L, K11M or K11N should not be equal to null.	if aakaj025 ne null then aakjj025 ne null or aakkj025 ne null or aaklj025 ne null or aakmj025 ne null or aaknj025 ne null
FFIEC101	12/31/2008	0477	Quality	K12A	AKA	J029		1	K	Published	If K12A is equal to null, then K12B, K12C, K12D, K12E, K12F, K12G, K12H, K12I, K12J, K12K, K12L, K12M, K12N, K12O and K12P should be equal to null.	if aakaj029 eq null then aakbj029 eq null and aakcj029 eq null and aakdj029 eq null and aakej029 eq null and aakfj029 eq null and aakgj029 eq null and aakhj029 eq null and aakij029 eq null and aakjj029 eq null and aaklj029 eq null and aakmj029 eq null and aaknj029 eq null and aako029 eq null and aakpj029 eq null

FFIEC101	12/31/2008	0478	Quality	K12A	AAKA	J029		1	K	Published	If K12A is not equal to null, then K12B, K12C, K12D, K12E, K12F, K12G, K12H and K12I should not be equal to null.	if aakaj029 ne null then aakbj029 ne null and aakcj029 ne null and aakdj029 ne null and aakej029 ne null and aakfj029 ne null and aakgj029 ne null and aakhj029 ne null and aakj029 ne null
FFIEC101	12/31/2008	0479	Quality	K12A	AAKA	J029		1	K	Published	if K12A is not equal to null, then K12A should be greater than or equal to 5.50% and less than 10.00%.	if aakaj029 ne null then aakaj029 ge 5.50 and aakaj029 lt 10.00
FFIEC101	12/31/2008	0480	Quality	K12A	AAKA	J029		1	K	Published	If K12A is not equal to null, then K12J, K12K, K12L, K12M or K12N should not be equal to null.	if aakaj029 ne null then aakj029 ne null or aakkj029 ne null or aaklj029 ne null or aakmj029 ne null or aaknj029 ne null
FFIEC101	12/31/2008	0481	Quality	K13A	AAKA	J031		1	K	Published	If K13A is equal to null, then K13B, K13C, K13D, K13E, K13F, K13G, K13H, K13I, K13J, K13K, K13L, K13M, K13N, K13O, and K13P should be equal to null.	if aakaj031 eq null then aakbj031 eq null and aakcj031 eq null and aakdj031 eq null and aakej031 eq null and aakfj031 eq null and aakgj031 eq null and aakhj031 eq null and aakij031 eq null and aakjj031 eq null and aakkk031 eq null and aakll031 eq null and aakmm031 eq null and aaknn031 eq null and aakoo031 eq null and aakpp031 eq null
FFIEC101	12/31/2008	0482	Quality	K13A	AAKA	J031		1	K	Published	If K13A is not equal to null, then K13B, K13C, K13D, K13E, K13F, K13G, K13H and K13I should not be equal to null.	if aakaj031 ne null then aakbj031 ne null and aakcj031 ne null and aakdj031 ne null and aakej031 ne null and aakfj031 ne null and aakgj031 ne null and aakhj031 ne null and aakj031 ne null
FFIEC101	12/31/2008	0483	Quality	K13A	AAKA	J031		1	K	Published	if K13A is not equal to null, then K13A should be greater than or equal to 10.00% and less than 20.00%.	if aakaj031 ne null then aakaj031 ge 10.00 and aakaj031 lt 20.00
FFIEC101	12/31/2008	0484	Quality	K13A	AAKA	J031		1	K	Published	If K13A is not equal to null, then K13J, K13K, K13L, K13M or K13N should not be equal to null.	if aakaj031 ne null then aakj031 ne null or aakkj031 ne null or aaklj031 ne null or aakmj031 ne null or aaknj031 ne null
FFIEC101	12/31/2008	0485	Quality	K14A	AAKA	J033		1	K	Published	If K14A is equal to null, then K14B, K14C, K14D, K14E, K14F, K14G, K14H, K14I, K14J, K14K, K14L, K14M, K14N, K14O and K14P should be equal to null.	if aakaj033 eq null then aakbj033 eq null and aakcj033 eq null and aakdj033 eq null and aakej033 eq null and aakfj033 eq null and aakgj033 eq null and aakhj033 eq null and aakij033 eq null and aakjj033 eq null and aakkk033 eq null and aakll033 eq null and aakmm033 eq null and aaknn033 eq null and aakoo033 eq null and aakpp033 eq null
FFIEC101	12/31/2008	0486	Quality	K14A	AAKA	J033		1	K	Published	If K14A is not equal to null, then K14B, K14C, K14D, K14E, K14F, K14G, K14H and K14I should not be equal to null.	if aakaj033 ne null then aakbj033 ne null and aakcj033 ne null and aakdj033 ne null and aakej033 ne null and aakfj033 ne null and aakgj033 ne null and aakhj033 ne null and aakj033 ne null
FFIEC101	12/31/2008	0487	Quality	K14A	AAKA	J033		1	K	Published	if K14A is not equal to null, then K14A should be greater than or equal to 20.00% and less than 100.00%.	if aakaj033 ne null then aakaj033 ge 20.00 and aakaj033 lt 100.00
FFIEC101	12/31/2008	0488	Quality	K14A	AAKA	J033		1	K	Published	If K14A is not equal to null, then K14J, K14K, K14L, K14M or K14N should not be equal to null.	if aakaj033 ne null then aakj033 ne null or aakkj033 ne null or aaklj033 ne null or aakmj033 ne null or aaknj033 ne null
FFIEC101	12/31/2008	0489	Quality	K15B	AAKB	J034		1	K	Published	If K15B is equal to null, then K15C, K15D, K15E, K15F, K15G, K15H, K15I, K15J, K15K, K15L, K15M, K15N, K15O and K15P should be equal to null.	if aakbj034 eq null then aakcj034 eq null and aakdj034 eq null and aakej034 eq null and aakfj034 eq null and aakgj034 eq null and aakhj034 eq null and aakij034 eq null and aakjj034 eq null and aakkk034 eq null and aakll034 eq null and aakmm034 eq null and aaknn034 eq null and aakoo034 eq null and aakpp034 eq null
												aakdj034 ne null and aakej034 ne null and aakfj034

FFIEC101	12/31/2008	0779	Quality	K15B	AAKB	J034		1	K	Published	If K15B is not equal to null, then K15J, K15K, K15L, K15M, or K15N should not be equal to null.	if aakbj034 then aakj034 ne null or aakkj034 ne null or aaklj034 ne null or aakmj034 ne null or aaknj034 ne null
FFIEC101	12/31/2008	0506	Quality	K16O	AAKO	J035		1	K	Published	If K10, K20, K30, K40, K50, K60, K70, K80, K90, K100, K110, K120, K130, K140 or K150 are not equal to null then K16O should not equal null.	if aako002 ne null or aako004 ne null or aako006 ne null or aako007 ne null or aako009 ne null or aako010 ne null or aako013 ne null or aako014 ne null or aako016 ne null or aako019 ne null or aako025 ne null or aako029 ne null or aako031 ne null or aako033 ne null or aako034 ne null then aako035 ne null
FFIEC101	12/31/2008	0507	Quality	K16O	AAKO	J035		1	K	Published	If K16O is not equal to null then K10, K20, K30, K40, K50, K60, K70, K80, K90, K100, K110, K120, K130, K140 or K150 should not equal null.	if aako035 ne null then aako002 ne null or aako004 ne null or aako006 ne null or aako007 ne null or aako009 ne null or aako010 ne null or aako013 ne null or aako014 ne null or aako016 ne null or aako019 ne null or aako025 ne null or aako029 ne null or aako031 ne null or aako033 ne null
FFIEC101	12/31/2008	0508	Quality	K18	AAKX	J041		1	K	Published	If K16O is not equal to null then K18 should not equal null.	if aako035 ne null then aakj041 ne null
FFIEC101	12/31/2008	0433	Quality	K1A	AAKA	J002		1	K	Published	If K1A is equal to null, then K1B, K1C, K1D, K1E, K1F, K1G, K1H, K1I, K1J, K1K, K1L, K1M, K1N, K1O and K1P should be equal to null.	if aakaj002 eq null then aakbj002 eq null and aakcj002 eq null and aakdj002 eq null and aakej002 eq null and aakfj002 eq null and aakgj002 eq null and aakhj002 eq null and aakij002 eq null and aaklj002 eq null and aakmj002 eq null and aaknj002 eq null and aakoj002 eq null and aakpj002 eq null
FFIEC101	12/31/2008	0434	Quality	K1A	AAKA	J002		1	K	Published	If K1A is not equal to null, then K1B, K1C, K1D, K1E, K1F, K1G, K1H and K1I should not be equal to null.	if aakaj002 ne null then aakbj002 ne null and aakcj002 ne null and aakdj002 ne null and aakej002 ne null and aakfj002 ne null and aakgj002 ne null and aakhj002 ne null and aakij002 ne null
FFIEC101	12/31/2008	0435	Quality	K1A	AAKA	J002		1	K	Published	if K1A is not equal to null, then K1A should be greater than or equal to 0.00% and less than 0.05%.	if aakaj002 ne null then aakaj002 ge 0.00 and aakaj002 lt 0.05
FFIEC101	12/31/2008	0436	Quality	K1A	AAKA	J002		1	K	Published	If K1A is not equal to null, then K1J, K1K, K1L, K1M or K1N should not be equal to null.	if aakaj002 ne null then aakj002 ne null or aakkj002 ne null or aaklj002 ne null or aakmj002 ne null or aaknj002 ne null
FFIEC101	12/31/2008	0437	Quality	K2A	AAKA	J004		1	K	Published	If K2A is equal to null, then K2B, K2C, K2D, K2E, K2F, K2G, K2H, K2I, K2J, K2K, K2L, K2M, K2N, K2O and K2P should be equal to null.	if aakaj004 eq null then aakbj004 eq null and aakcj004 eq null and aakdj004 eq null and aakej004 eq null and aakfj004 eq null and aakgj004 eq null and aakhj004 eq null and aakij004 eq null and aaklj004 eq null and aakmj004 eq null and aaknj004 eq null and aakoj004 eq null and aakpj004 eq null
FFIEC101	12/31/2008	0438	Quality	K2A	AAKA	J004		1	K	Published	If K2A is not equal to null, then K2B, K2C, K2D, K2E, K2F, K2G, K2H and K2I should not be equal to null.	if aakaj004 ne null then aakbj004 ne null and aakcj004 ne null and aakdj004 ne null and aakej004 ne null and aakfj004 ne null and aakgj004 ne null and aakhj004 ne null and aakij004 ne null
FFIEC101	12/31/2008	0439	Quality	K2A	AAKA	J004		1	K	Published	if K2A is not equal to null, then K2A should be greater than or equal to 0.05% and less than 0.10%.	if aakaj004 ne null then aakaj004 ge 0.05 and aakaj004 lt 0.10
FFIEC101	12/31/2008	0440	Quality	K2A	AAKA	J004		1	K	Published	If K2A is not equal to null, then K2J, K2K, K2L, K2M or K2N should not be equal to null.	if aakaj004 ne null then aakj004 ne null or aakkj004 ne null or aaklj004 ne null or aakmj004 ne null or aaknj004 ne null

FFIEC101	12/31/2008	0441	Quality	K3A	AAKA	J006		1	K	Published	If K3A is equal to null, then K3B, K3C, K3D, K3E, K3F, K3G, K3H, K3I, K3J, K3K, K3L, K3M, K3N, K3O and K3P should be equal to null.	if aakaj006 eq null then aakbj006 eq null and aakcj006 eq null and aakdj006 eq null and aakej006 eq null and aakfj006 eq null and aakgj006 eq null and aakhj006 eq null and aakij006 eq null and aakjj006 eq null and aakkk006 eq null and aaklj006 eq null and aakmj006 eq null and aaknj006 eq null and aakoj006 eq null and aakpj006 eq null
FFIEC101	12/31/2008	0442	Quality	K3A	AAKA	J006		1	K	Published	If K3A is not equal to null, then K3B, K3C, K3D, K3E, K3F, K3G, K3H and K3I should not be equal to null.	if aakaj006 ne null then aakbj006 ne null and aakcj006 ne null and aakdj006 ne null and aakej006 ne null and aakfj006 ne null and aakgj006 ne null and aakhj006 ne null and aakij006 ne null
FFIEC101	12/31/2008	0443	Quality	K3A	AAKA	J006		1	K	Published	if K3A is not equal to null, then K3A should be greater than or equal to 0.10% and less than 0.15%.	if aakaj006 ne null then aakaj006 ge 0.10 and aakaj006 lt 0.15
FFIEC101	12/31/2008	0444	Quality	K3A	AAKA	J006		1	K	Published	If K3A is not equal to null, then K3J, K3K, K3L, K3M or K3N should not be equal to null.	if aakaj006 ne null then aakjj006 ne null or aakkk006 ne null or aaklj006 ne null or aakmj006 ne null or aaknj006 ne null
FFIEC101	12/31/2008	0445	Quality	K4A	AAKA	J007		1	K	Published	If K4A is equal to null, then K4B, K4C, K4D, K4E, K4F, K4G, K4H, K4I, K4J, K4K, K4L, K4M, K4N, K4O and K4P should be equal to null.	if aakaj007 eq null then aakbj007 eq null and aakcj007 eq null and aakdj007 eq null and aakej007 eq null and aakfj007 eq null and aakgj007 eq null and aakhj007 eq null and aakij007 eq null and aakjj007 eq null and aakkk007 eq null and aaklj007 eq null and aakmj007 eq null and aaknj007 eq null and aakoj007 eq null and aakpj007 eq null
FFIEC101	12/31/2008	0446	Quality	K4A	AAKA	J007		1	K	Published	If K4A is not equal to null, then K4B, K4C, K4D, K4E, K4F, K4G, K4H and K4I should not be equal to null.	if aakaj007 ne null then aakbj007 ne null and aakcj007 ne null and aakdj007 ne null and aakej007 ne null and aakfj007 ne null and aakgj007 ne null and aakhj007 ne null and aakij007 ne null
FFIEC101	12/31/2008	0447	Quality	K4A	AAKA	J007		1	K	Published	if K4A is not equal to null, then K4A should be greater than or equal to 0.15% and less than 0.20%.	if aakaj007 ne null then aakaj007 ge 0.15 and aakaj007 lt 0.20
FFIEC101	12/31/2008	0448	Quality	K4A	AAKA	J007		1	K	Published	If K4A is not equal to null, then K4J, K4K, K4L, K4M or K4N should not be equal to null.	if aakaj007 ne null then aakjj007 ne null or aakkk007 ne null or aaklj007 ne null or aakmj007 ne null or aaknj007 ne null
FFIEC101	12/31/2008	0449	Quality	K5A	AAKA	J009		1	K	Published	If K5A is equal to null, then K5B, K5C, K5D, K5E, K5F, K5G, K5H, K5I, K5J, K5K, K5L, K5M, K5N, K5O and K5P should be equal to null.	if aakaj009 eq null then aakbj009 eq null and aakcj009 eq null and aakdj009 eq null and aakej009 eq null and aakfj009 eq null and aakgj009 eq null and aakhj009 eq null and aakij009 eq null and aakjj009 eq null and aakkk009 eq null and aaklj009 eq null and aakmj009 eq null and aaknj009 eq null and aakoj009 eq null and aakpj009 eq null
FFIEC101	12/31/2008	0450	Quality	K5A	AAKA	J009		1	K	Published	If K5A is not equal to null, then K5B, K5C, K5D, K5E, K5F, K5G, K5H and K5I should not be equal to null.	if aakaj009 ne null then aakbj009 ne null and aakcj009 ne null and aakdj009 ne null and aakej009 ne null and aakfj009 ne null and aakgj009 ne null and aakhj009 ne null and aakij009 ne null
FFIEC101	12/31/2008	0451	Quality	K5A	AAKA	J009		1	K	Published	if K5A is not equal to null, then K5A should be greater than or equal to 0.20% and less than 0.25%.	if aakaj009 ne null then aakaj009 ge 0.20 and aakaj009 lt 0.25
FFIEC101	12/31/2008	0452	Quality	K5A	AAKA	J009		1	K	Published	If K5A is not equal to null, then K5J, K5K, K5L, K5M or K5N should not be equal to null.	if aakaj009 ne null then aakjj009 ne null or aakkk009 ne null or aaklj009 ne null or aakmj009 ne null or aaknj009 ne null

FFIEC101	12/31/2008	0453	Quality	K6A	AAKA	J010		1	K	Published	If K6A is equal to null, then K6B, K6C, K6D, K6E, K6F, K6G, K6H, K6I, K6J, K6K, K6L, K6M, K6N, K6O and K6P should be equal to null.	if aakaj010 eq null then aakbj010 eq null and aakcj010 eq null and aakdj010 eq null and aakej010 eq null and aakfj010 eq null and aakgj010 eq null and aakhj010 eq null and aakij010 eq null and aakjj010 eq null and aakkk010 eq null and aaklj010 eq null and aakmj010 eq null and aaknj010 eq null and aako010 eq null and aakpj010 eq null
FFIEC101	12/31/2008	0454	Quality	K6A	AAKA	J010		1	K	Published	If K6A is not equal to null, then K6B, K6C, K6D, K6E, K6F, K6G, K6H and K6I should not be equal to null.	if aakaj010 ne null then aakbj010 ne null and aakcj010 ne null and aakdj010 ne null and aakej010 ne null and aakfj010 ne null and aakgj010 ne null and aakhj010 ne null and aakij010 ne null
FFIEC101	12/31/2008	0455	Quality	K6A	AAKA	J010		1	K	Published	if K6A is not equal to null, then K6A should be greater than or equal to 0.25% and less than 0.35%.	if aakaj010 ne null then aakaj010 ge 0.25 and aakaj010 lt 0.35
FFIEC101	12/31/2008	0456	Quality	K6A	AAKA	J010		1	K	Published	If K6A is not equal to null, then K6J, K6K, K6L, K6M or K6N should not be equal to null.	if aakaj010 ne null then aakjj010 ne null or aakkk010 ne null or aaklj010 ne null or aakmj010 ne null or aaknj010 ne null
FFIEC101	12/31/2008	0457	Quality	K7A	AAKA	J013		1	K	Published	If K7A is equal to null, then K7B, K7C, K7D, K7E, K7F, K7G, K7H, K7I, K7J, K7K, K7L, K7M, K7N, K7O and K7P should be equal to null.	if aakaj013 eq null then aakbj013 eq null and aakcj013 eq null and aakdj013 eq null and aakej013 eq null and aakfj013 eq null and aakgj013 eq null and aakhj013 eq null and aakij013 eq null and aakjj013 eq null and aakkk013 eq null and aaklj013 eq null and aakmj013 eq null and aaknj013 eq null and aako013 eq null and aakpj013 eq null
FFIEC101	12/31/2008	0458	Quality	K7A	AAKA	J013		1	K	Published	If K7A is not equal to null, then K7B, K7C, K7D, K7E, K7F, K7G, K7H and K7I should not be equal to null.	if aakaj013 ne null then aakbj013 ne null and aakcj013 ne null and aakdj013 ne null and aakej013 ne null and aakfj013 ne null and aakgj013 ne null and aakhj013 ne null and aakij013 ne null
FFIEC101	12/31/2008	0459	Quality	K7A	AAKA	J013		1	K	Published	if K7A is not equal to null, then K7A should be greater than or equal to 0.35% and less than 0.50%.	if aakaj013 ne null then aakaj013 ge 0.35 and aakaj013 lt 0.50
FFIEC101	12/31/2008	0460	Quality	K7A	AAKA	J013		1	K	Published	If K7A is not equal to null, then K7J, K7K, K7L, K7M or K7N should not be equal to null.	if aakaj013 ne null then aakjj013 ne null or aakkk013 ne null or aaklj013 ne null or aakmj013 ne null or aaknj013 ne null
FFIEC101	12/31/2008	0461	Quality	K8A	AAKA	J014		1	K	Published	If K8A is equal to null, then K8B, K8C, K8D, K8E, K8F, K8G, K8H, K8I, K8J, K8K, K8L, K8M, K8N, K8O and K8P should be equal to null.	if aakaj014 eq null then aakbj014 eq null and aakcj014 eq null and aakdj014 eq null and aakej014 eq null and aakfj014 eq null and aakgj014 eq null and aakhj014 eq null and aakij014 eq null and aakjj014 eq null and aakkk014 eq null and aaklj014 eq null and aakmj014 eq null and aaknj014 eq null and aako014 eq null and aakpj014 eq null
FFIEC101	12/31/2008	0462	Quality	K8A	AAKA	J014		1	K	Published	If K8A is not equal to null, then K8B, K8C, K8D, K8E, K8F, K8G, K8H and K8I should not be equal to null.	if aakaj014 ne null then aakbj014 ne null and aakcj014 ne null and aakdj014 ne null and aakej014 ne null and aakfj014 ne null and aakgj014 ne null and aakhj014 ne null and aakij014 ne null
FFIEC101	12/31/2008	0463	Quality	K8A	AAKA	J014		1	K	Published	if K8A is not equal to null, then K8A should be greater than or equal to 0.50% and less than 0.75%.	if aakaj014 ne null then aakaj014 ge 0.50 and aakaj014 lt 0.75
FFIEC101	12/31/2008	0464	Quality	K8A	AAKA	J014		1	K	Published	If K8A is not equal to null, then K8J, K8K, K8L, K8M or K8N should not be equal to null.	if aakaj014 ne null then aakjj014 ne null or aakkk014 ne null or aaklj014 ne null or aakmj014 ne null or aaknj014 ne null

FFIEC101	12/31/2008	0465	Quality	K9A	AAKA	J016		1	K	Published	If K9A is equal to null, then K9B, K9C, K9D, K9E, K9F, K9G, K9H, K9I, K9J, K9K, K9L, K9M, K9N, K9O and K9P should be equal to null.	if aakaj016 eq null then aakbj016 eq null and aakcj016 eq null and aakdj016 eq null and aakej016 eq null and aakgj016 eq null and aakhj016 eq null and aakij016 eq null and aakjj016 eq null and aakkk016 eq null and aaklj016 eq null and aakmj016 eq null and aaknj016 eq null and aakoj016 eq null and aakpj016 eq null
FFIEC101	12/31/2008	0466	Quality	K9A	AAKA	J016		1	K	Published	If K9A is not equal to null, then K9B, K9C, K9D, K9E, K9F, K9G, K9H and K9I should not be equal to null.	if aakaj016 ne null then aakbj016 ne null and aakcj016 ne null and aakdj016 ne null and aakej016 ne null and aakgj016 ne null and aakhj016 ne null and aakij016 ne null and aakjj016 ne null and aakkk016 ne null and aaklj016 ne null and aakmj016 ne null and aaknj016 ne null and aakoj016 ne null and aakpj016 ne null
FFIEC101	12/31/2008	0467	Quality	K9A	AAKA	J016		1	K	Published	if K9A is not equal to null, then K9A should be greater than or equal to 0.75% and less than 1.35%.	if aakaj016 ne null then aakaj016 ge 0.75 and aakaj016 lt 1.35
FFIEC101	12/31/2008	0468	Quality	K9A	AAKA	J016		1	K	Published	If K9A is not equal to null, then K9J, K9K, K9L, K9M or K9N should not be equal to null.	if aakaj016 ne null then aakjj016 ne null or aakkk016 ne null or aaklj016 ne null or aakmj016 ne null or aaknj016 ne null
FFIEC101	12/31/2008	0545	Quality	L10A	AALA	J019		1	L	Published	If L10A is equal to null, then L10B, L10C, L10D, L10E, L10F, L10G, L10H, L10I, L10J, L10K, L10L, L10M, L10N, L10O and L10P should be equal to null.	if aalaj019 eq null then aalbj019 eq null and aalcj019 eq null and aaldj019 eq null and aalej019 eq null and aalfj019 eq null and aalgj019 eq null and aalhj019 eq null and aalij019 eq null and aaljj019 eq null and aalkj019 eq null and aalnj019 eq null and aalmj019 eq null and aalnj019 eq null and aalpj019 eq null
FFIEC101	12/31/2008	0546	Quality	L10A	AALA	J019		1	L	Published	If L10A is not equal to null, then L10B, L10C, L10D, L10E, L10F, L10G, L10H and L10I should not be equal to null.	if aalaj019 ne null then aalbj019 ne null and aalcj019 ne null and aaldj019 ne null and aalej019 ne null and aalfj019 ne null and aalgj019 ne null and aalhj019 ne null and aalij019 ne null
FFIEC101	12/31/2008	0547	Quality	L10A	AALA	J019		1	L	Published	if L10A is not equal to null, then L10A should be greater than or equal to 1.35% and less than 2.50%.	if aalaj019 ne null then aalaj019 ge 1.35 and aalaj019 lt 2.50
FFIEC101	12/31/2008	0548	Quality	L10A	AALA	J019		1	L	Published	If L10A is not equal to null, then L10J, L10K, L10L, L10M or L10N should not be equal to null.	if aalaj019 ne null then aaljj019 ne null or aalkj019 ne null or aalnj019 ne null or aalmj019 ne null or aalnj019 ne null
FFIEC101	12/31/2008	0549	Quality	L11A	AALA	J025		1	L	Published	If L11A is equal to null, then L11B, L11C, L11D, L11E, L11F, L11G, L11H, L11I, L11J, L11K, L11L, L11M, L11N, L11O and L11P should be equal to null.	if aalaj025 eq null then aalbj025 eq null and aalcj025 eq null and aaldj025 eq null and aalej025 eq null and aalfj025 eq null and aalgj025 eq null and aalhj025 eq null and aalij025 eq null and aaljj025 eq null and aalkj025 eq null and aalnj025 eq null and aalmj025 eq null and aalnj025 eq null and aalpj025 eq null
FFIEC101	12/31/2008	0550	Quality	L11A	AALA	J025		1	L	Published	If L11A is not equal to null, then L11B, L11C, L11D, L11E, L11F, L11G, L11H and L11I should not be equal to null.	if aalaj025 ne null then aalbj025 ne null and aalcj025 ne null and aaldj025 ne null and aalej025 ne null and aalfj025 ne null and aalgj025 ne null and aalhj025 ne null and aalij025 ne null
FFIEC101	12/31/2008	0551	Quality	L11A	AALA	J025		1	L	Published	if L11A is not equal to null, then L11A should be greater than or equal to 2.50% and less than 5.50%.	if aalaj025 ne null then aalaj025 ge 2.50 and aalaj025 lt 5.50
FFIEC101	12/31/2008	0552	Quality	L11A	AALA	J025		1	L	Published	If L11A is not equal to null, then L11J, L11K, L11L, L11M or L11N should not be equal to null.	if aalaj025 ne null then aaljj025 ne null or aalkj025 ne null or aalnj025 ne null or aalmj025 ne null or aalnj025 ne null



FFIEC101	12/31/2008	0553	Quality	L12A	AALA	J029		1	L	Published	If L12A is equal to null, then L12B, L12C, L12D, L12E, L12F, L12G, L12H, L12I, L12J, L12K, L12L, L12M, L12N, L12O and L12P should be equal to null.	if aalaj029 eq null then aalbj029 eq null and aalcj029 eq null and aaldj029 eq null and aalej029 eq null and aalfj029 eq null and aalgj029 eq null and aalhj029 eq null and aalij029 eq null and aaljj029 eq null and aalkj029 eq null and aalnj029 eq null and aalpj029 eq null
FFIEC101	12/31/2008	0554	Quality	L12A	AALA	J029		1	L	Published	If L12A is not equal to null, then L12B, L12C, L12D, L12E, L12F, L12G, L12H and L12I should not be equal to null.	if aalaj029 ne null then aalbj029 ne null and aalcj029 ne null and aaldj029 ne null and aalej029 ne null and aalfj029 ne null and aalgj029 ne null and aalhj029 ne null and aalij029 ne null
FFIEC101	12/31/2008	0555	Quality	L12A	AALA	J029		1	L	Published	if L12A is not equal to null, then L12A should be greater than or equal to 5.50% and less than 10.00%.	if aalaj029 ne null then aalaj029 ge 5.50 and aalaj029 lt 10.00
FFIEC101	12/31/2008	0556	Quality	L12A	AALA	J029		1	L	Published	If L12A is not equal to null, then L12J, L12K, L12L, L12M or L12N should not be equal to null.	if aalaj029 ne null then aalij029 ne null or aalkj029 ne null or aaljj029 ne null or aalnmj029 ne null or aalnj029 ne null
FFIEC101	12/31/2008	0557	Quality	L13A	AALA	J031		1	L	Published	If L13A is equal to null, then L13B, L13C, L13D, L13E, L13F, L13G, L13H, L13I, L13J, L13K, L13L, L13M, L13N, L13O and L13P should be equal to null.	if aalaj031 eq null then aalbj031 eq null and aalcj031 eq null and aaldj031 eq null and aalej031 eq null and aalfj031 eq null and aalgj031 eq null and aalhj031 eq null and aalij031 eq null and aaljj031 eq null and aalkj031 eq null and aalnj031 eq null and aalpj031 eq null
FFIEC101	12/31/2008	0558	Quality	L13A	AALA	J031		1	L	Published	If L13A is not equal to null, then L13B, L13C, L13D, L13E, L13F, L13G, L13H and L13I should not be equal to null.	if aalaj031 ne null then aalbj031 ne null and aalcj031 ne null and aaldj031 ne null and aalej031 ne null and aalfj031 ne null and aalgj031 ne null and aalhj031 ne null and aalij031 ne null
FFIEC101	12/31/2008	0559	Quality	L13A	AALA	J031		1	L	Published	if L13A is not equal to null, then L13A should be greater than or equal to 10.00% and less than 20.00%.	if aalaj031 ne null then aalaj031 ge 10.00 and aalaj031 lt 20.00
FFIEC101	12/31/2008	0560	Quality	L13A	AALA	J031		1	L	Published	If L13A is not equal to null, then L13J, L13K, L13L, L13M or L13N should not be equal to null.	if aalaj031 ne null then aalij031 ne null or aalkj031 ne null or aaljj031 ne null or aalnmj031 ne null or aalnj031 ne null
FFIEC101	12/31/2008	0561	Quality	L14A	AALA	J033		1	L	Published	If L14A is equal to null, then L14B, L14C, L14D, L14E, L14F, L14G, L14H, L14I, L14J, L14K, L14L, L14M, L14N, L14O and L14P should be equal to null.	if aalaj033 eq null then aalbj033 eq null and aalcj033 eq null and aaldj033 eq null and aalej033 eq null and aalfj033 eq null and aalgj033 eq null and aalhj033 eq null and aalij033 eq null and aaljj033 eq null and aalkj033 eq null and aalnj033 eq null and aalpj033 eq null
FFIEC101	12/31/2008	0562	Quality	L14A	AALA	J033		1	L	Published	If L14A is not equal to null, then L14B, L14C, L14D, L14E, L14F, L14G, L14H and L14I should not be equal to null.	if aalaj033 ne null then aalbj033 ne null and aalcj033 ne null and aaldj033 ne null and aalej033 ne null and aalfj033 ne null and aalgj033 ne null and aalhj033 ne null and aalij033 ne null
FFIEC101	12/31/2008	0563	Quality	L14A	AALA	J033		1	L	Published	if L14A is not equal to null, then L14A should be greater than or equal to 20.00% and less than 100.00%.	if aalaj033 ne null then aalaj033 ge 20.00 and aalaj033 lt 100.00
FFIEC101	12/31/2008	0564	Quality	L14A	AALA	J033		1	L	Published	If L14A is not equal to null, then L14J, L14K, L14L, L14M or L14N should not be equal to null.	if aalaj033 ne null then aalij033 ne null or aalkj033 ne null or aaljj033 ne null or aalnmj033 ne null or aalnj033 ne null

FFIEC101	12/31/2008	0565	Quality	L15B	AALB	J034		1	L	Published	If L15B is equal to null, then L15C, L15D, L15E, L15F, L15G, L15H, L15I, L15J, L15K, L15L, L15M, L15N, L15O and L15P should be equal to null.	if aalbj034 eq null then aalcj034 eq null and aaldj034 eq null and aalej034 eq null and aalfj034 eq null and aalgj034 eq null and aalhj034 eq null and aalij034 eq null and aaljj034 eq null and aalkj034 eq null and aallj034 eq null and aalmj034 eq null and aalnj034 eq null and aalpj034 eq null
FFIEC101	12/31/2008	0566	Quality	L15B	AALB	J034		1	L	Published	If L15B is not equal to null, then L15C, L15D, L15E, L15F, L15G, L15H and L15I should not be equal to null.	if aalbj034 ne null then aalcj034 ne null and aaldj034 ne null and aalej034 ne null and aalfj034 ne null and aalgj034 ne null and aalhj034 ne null and aalij034 ne null
FFIEC101	12/31/2008	0780	Quality	L15B	AALB	J034		1	L	Published	If L15B is not equal to null, then L15J, L15K, L15L, L15M, or L15N should not be equal to null.	if aalbj034 then aaljj034 ne null or aalkj034 ne null or aallj034 ne null or aalmj034 ne null or aalnj034 ne null
FFIEC101	12/31/2008	0582	Quality	L16O	AALO	J035		1	L	Published	If L1O, L2O, L3O, L4O, L5O, L6O, L7O, L8O, L9O, L10O, L11O, L12O, L13O, L14O or L15O are not equal to null then L16O should not equal null.	if aaloo002 ne null or aaloo004 ne null or aaloo006 ne null or aaloo007 ne null or aaloo009 ne null or aaloo010 ne null or aaloo013 ne null or aaloo014 ne null or aaloo016 ne null or aaloo019 ne null or aaloo025 ne null or aaloo029 ne null or aaloo031 ne null or aaloo033 ne null or aaloo034 ne null then aaloo035 ne null
FFIEC101	12/31/2008	0583	Quality	L16O	AALO	J035		1	L	Published	If L16O is not equal to null then L1O, L2O, L3O, L4O, L5O, L6O, L7O, L8O, L9O, L10O, L11O, L12O, L13O, L14O or L15O should not equal null.	if aaloo035 ne null then aaloo002 ne null or aaloo004 ne null or aaloo006 ne null or aaloo007 ne null or aaloo009 ne null or aaloo010 ne null or aaloo013 ne null or aaloo014 ne null or aaloo016 ne null or aaloo019 ne null or aaloo025 ne null or aaloo029 ne null or aaloo031 ne null or aaloo033 ne null or aaloo034 ne null
FFIEC101	12/31/2008	0584	Quality	L18	AALX	J041		1	L	Published	If L16O is not equal to null then L18 should not equal null.	if aaloo035 ne null then aalxo041 ne null
FFIEC101	12/31/2008	0509	Quality	L1A	AALA	J002		1	L	Published	If L1A is equal to null, then L1B, L1C, L1D, L1E, L1F, L1G, L1H, L1I, L1J, L1K, L1L, L1M, L1N, L1O and L1P should be equal to null.	if aalaj002 eq null then aalbj002 eq null and aalcj002 eq null and aaldj002 eq null and aalej002 eq null and aalfj002 eq null and aalgj002 eq null and aalhj002 eq null and aalij002 eq null and aaljj002 eq null and aalkj002 eq null and aallj002 eq null and aalmj002 eq null and aalnj002 eq null and aalpj002 eq null
FFIEC101	12/31/2008	0510	Quality	L1A	AALA	J002		1	L	Published	If L1A is not equal to null, then L1B, L1C, L1D, L1E, L1F, L1G, L1H and L1I should not be equal to null.	if aalaj002 ne null then aalbj002 ne null and aalcj002 ne null and aaldj002 ne null and aalej002 ne null and aalfj002 ne null and aalgj002 ne null and aalhj002 ne null and aalij002 ne null
FFIEC101	12/31/2008	0511	Quality	L1A	AALA	J002		1	L	Published	if L1A is not equal to null, then L1A should be greater than or equal to 0.00% and less than 0.05%.	if aalaj002 ne null then aalaj002 ge 0.00 and aalaj002 lt 0.05
FFIEC101	12/31/2008	0512	Quality	L1A	AALA	J002		1	L	Published	If L1A is not equal to null, then L1J, L1K, L1L, L1M or L1N should not be equal to null.	if aalaj002 ne null then aaljj002 ne null or aalkj002 ne null or aallj002 ne null or aalmj002 ne null or aalnj002 ne null
FFIEC101	12/31/2008	0513	Quality	L2A	AALA	J004		1	L	Published	If L2A is equal to null, then L2B, L2C, L2D, L2E, L2F, L2G, L2H, L2I, L2J, L2K, L2L, L2M, L2N, L2O and L2P should be equal to null.	if aalaj004 eq null then aalbj004 eq null and aalcj004 eq null and aaldj004 eq null and aalej004 eq null and aalfj004 eq null and aalgj004 eq null and aalhj004 eq null and aalij004 eq null and aaljj004 eq null and aalkj004 eq null and aallj004 eq null and aalmj004 eq null and aalnj004 eq null and aalpj004 eq null

FFIEC101	12/31/2008	0514	Quality	L2A	AALA	J004		1	L	Published	If L2A is not equal to null, then L2B, L2C, L2D, L2E, L2F, L2G, L2H and L2I should not be equal to null.	if aalaj004 ne null then aalbj004 ne null and aalcj004 ne null and aaldj004 ne null and aalej004 ne null and aalfj004 ne null and aalgj004 ne null and aalhj004 ne null and aalij004 ne null
FFIEC101	12/31/2008	0515	Quality	L2A	AALA	J004		1	L	Published	if L2A is not equal to null, then L2A should be greater than or equal to 0.05% and less than 0.10%.	if aalaj004 ne null then aalaj004 ge 0.05 and aalaj004 lt 0.10
FFIEC101	12/31/2008	0516	Quality	L2A	AALA	J004		1	L	Published	If L2A is not equal to null, then L2J, L2K, L2L, L2M or L2N should not be equal to null.	if aalaj004 ne null then aaljj004 ne null or aalkj004 ne null or aaljm004 ne null or aalnj004 ne null
FFIEC101	12/31/2008	0517	Quality	L3A	AALA	J006		1	L	Published	If L3A is equal to null, then L3B, L3C, L3D, L3E, L3F, L3G, L3H, L3I, L3J, L3K, L3L, L3M, L3N, L3O and L3P should be equal to null.	if aalaj006 eq null then aalbj006 eq null and aalcj006 eq null and aaldj006 eq null and aalej006 eq null and aalfj006 eq null and aalgj006 eq null and aalhj006 eq null and aaljj006 eq null and aaljm006 eq null and aalnj006 eq null and aalpj006 eq null
FFIEC101	12/31/2008	0518	Quality	L3A	AALA	J006		1	L	Published	If L3A is not equal to null, then L3B, L3C, L3D, L3E, L3F, L3G, L3H and L3I should not be equal to null.	if aalaj006 ne null then aalbj006 ne null and aalcj006 ne null and aaldj006 ne null and aalej006 ne null and aalfj006 ne null and aalgj006 ne null and aalhj006 ne null and aalij006 ne null
FFIEC101	12/31/2008	0519	Quality	L3A	AALA	J006		1	L	Published	if L3A is not equal to null, then L3A should be greater than or equal to 0.10% and less than 0.15%.	if aalaj006 ne null then aalaj006 ge 0.10 and aalaj006 lt 0.15
FFIEC101	12/31/2008	0520	Quality	L3A	AALA	J006		1	L	Published	If L3A is not equal to null, then L3J, L3K, L3L, L3M or L3N should not be equal to null.	if aalaj006 ne null then aaljj006 ne null or aalkj006 ne null or aaljm006 ne null or aalnj006 ne null
FFIEC101	12/31/2008	0521	Quality	L4A	AALA	J007		1	L	Published	If L4A is equal to null, then L4B, L4C, L4D, L4E, L4F, L4G, L4H, L4I, L4J, L4K, L4L, L4M, L4N, L4O and L4P should be equal to null.	if aalaj007 eq null then aalbj007 eq null and aalcj007 eq null and aaldj007 eq null and aalej007 eq null and aalfj007 eq null and aalgj007 eq null and aalhj007 eq null and aaljj007 eq null and aaljm007 eq null and aalnj007 eq null and aalpj007 eq null
FFIEC101	12/31/2008	0522	Quality	L4A	AALA	J007		1	L	Published	If L4A is not equal to null, then L4B, L4C, L4D, L4E, L4F, L4G, L4H and L4I should not be equal to null.	if aalaj007 ne null then aalbj007 ne null and aalcj007 ne null and aaldj007 ne null and aalej007 ne null and aalfj007 ne null and aalgj007 ne null and aalhj007 ne null and aalij007 ne null
FFIEC101	12/31/2008	0523	Quality	L4A	AALA	J007		1	L	Published	if L4A is not equal to null, then L4A should be greater than or equal to 0.15% and less than 0.20%.	if aalaj007 ne null then aalaj007 ge 0.15 and aalaj007 lt 0.20
FFIEC101	12/31/2008	0524	Quality	L4A	AALA	J007		1	L	Published	If L4A is not equal to null, then L4J, L4K, L4L, L4M or L4N should not be equal to null.	if aalaj007 ne null then aaljj007 ne null or aalkj007 ne null or aaljm007 ne null or aalnj007 ne null
FFIEC101	12/31/2008	0525	Quality	L5A	AALA	J009		1	L	Published	If L5A is equal to null, then L5B, L5C, L5D, L5E, L5F, L5G, L5H, L5I, L5J, L5K, L5L, L5M, L5N, L5O and L5P should be equal to null.	if aalaj009 eq null then aalbj009 eq null and aalcj009 eq null and aaldj009 eq null and aalej009 eq null and aalfj009 eq null and aalgj009 eq null and aalhj009 eq null and aaljj009 eq null and aaljm009 eq null and aalnj009 eq null and aalpj009 eq null

FFIEC101	12/31/2008	0526	Quality	L5A	AALA	J009		1	L	Published	If L5A is not equal to null, then L5B, L5C, L5D, L5E, L5F, L5G, L5H and L5I should not be equal to null.	if aalaj009 ne null then aalbj009 ne null and aalcj009 ne null and aaldj009 ne null and aalej009 ne null and aalfj009 ne null and aalgj009 ne null and aalhj009 ne null and aalij009 ne null
FFIEC101	12/31/2008	0527	Quality	L5A	AALA	J009		1	L	Published	if L5A is not equal to null, then L5A should be greater than or equal to 0.20% and less than 0.25%.	if aalaj009 ne null then aalaj009 ge 0.20 and aalaj009 lt 0.25
FFIEC101	12/31/2008	0528	Quality	L5A	AALA	J009		1	L	Published	If L5A is not equal to null, then L5J, L5K, L5L, L5M or L5N should not be equal to null.	if aalaj009 ne null then aalij009 ne null or aalkj009 ne null or aaljm009 ne null or aalnj009 ne null
FFIEC101	12/31/2008	0529	Quality	L6A	AALA	J010		1	L	Published	If L6A is equal to null, then L6B, L6C, L6D, L6E, L6F, L6G, L6H, L6I, L6J, L6K, L6L, L6M, L6N, L6O and L6P should be equal to null.	if aalaj010 eq null then aalbj010 eq null and aalcj010 eq null and aaldj010 eq null and aalej010 eq null and aalfj010 eq null and aalgj010 eq null and aalhj010 eq null and aalij010 eq null and aaljj010 eq null and aalkj010 eq null and aaljm010 eq null and aalnj010 eq null and aalpj010 eq null
FFIEC101	12/31/2008	0530	Quality	L6A	AALA	J010		1	L	Published	If L6A is not equal to null, then L6B, L6C, L6D, L6E, L6F, L6G, L6H and L6I should not be equal to null.	if aalaj010 ne null then aalbj010 ne null and aalcj010 ne null and aaldj010 ne null and aalej010 ne null and aalfj010 ne null and aalgj010 ne null and aalhj010 ne null and aalij010 ne null
FFIEC101	12/31/2008	0531	Quality	L6A	AALA	J010		1	L	Published	if L6A is not equal to null, then L6A should be greater than or equal to 0.25% and less than 0.35%.	if aalaj010 ne null then aalaj010 ge 0.25 and aalaj010 lt 0.35
FFIEC101	12/31/2008	0532	Quality	L6A	AALA	J010		1	L	Published	If L6A is not equal to null, then L6J, L6K, L6L, L6M or L6N should not be equal to null.	if aalaj010 ne null then aalij010 ne null or aalkj010 ne null or aaljm010 ne null or aalnj010 ne null
FFIEC101	12/31/2008	0533	Quality	L7A	AALA	J013		1	L	Published	If L7A is equal to null, then L7B, L7C, L7D, L7E, L7F, L7G, L7H, L7I, L7J, L7K, L7L, L7M, L7N, L7O and L7P should be equal to null.	if aalaj013 eq null then aalbj013 eq null and aalcj013 eq null and aaldj013 eq null and aalej013 eq null and aalfj013 eq null and aalgj013 eq null and aalhj013 eq null and aalij013 eq null and aaljj013 eq null and aalkj013 eq null and aaljm013 eq null and aalnj013 eq null and aalpj013 eq null
FFIEC101	12/31/2008	0534	Quality	L7A	AALA	J013		1	L	Published	If L7A is not equal to null, then L7B, L7C, L7D, L7E, L7F, L7G, L7H and L7I should not be equal to null.	if aalaj013 ne null then aalbj013 ne null and aalcj013 ne null and aaldj013 ne null and aalej013 ne null and aalfj013 ne null and aalgj013 ne null and aalhj013 ne null and aalij013 ne null
FFIEC101	12/31/2008	0535	Quality	L7A	AALA	J013		1	L	Published	if L7A is not equal to null, then L7A should be greater than or equal to 0.35% and less than 0.50%.	if aalaj013 ne null then aalaj013 ge 0.35 and aalaj013 lt 0.50
FFIEC101	12/31/2008	0536	Quality	L7A	AALA	J013		1	L	Published	If L7A is not equal to null, then L7J, L7K, L7L, L7M or L7N should not be equal to null.	if aalaj013 ne null then aalij013 ne null or aalkj013 ne null or aaljm013 ne null or aalnj013 ne null or aalpj013 ne null
FFIEC101	12/31/2008	0537	Quality	L8A	AALA	J014		1	L	Published	If L8A is equal to null, then L8B, L8C, L8D, L8E, L8F, L8G, L8H, L8I, L8J, L8K, L8L, L8M, L8N, L8O and L8P should be equal to null.	if aalaj014 eq null then aalbj014 eq null and aalcj014 eq null and aaldj014 eq null and aalej014 eq null and aalfj014 eq null and aalgj014 eq null and aalhj014 eq null and aalij014 eq null and aaljj014 eq null and aalkj014 eq null and aaljm014 eq null and aalnj014 eq null and aalpj014 eq null

FFIEC101	12/31/2008	0538	Quality	L8A	AALA	J014		1	L	Published	If L8A is not equal to null, then L8B, L8C, L8D, L8E, L8F, L8G, L8H and L8I should not be equal to null.	if aalaj014 ne null then aalbj014 ne null and aalcj014 ne null and aaldj014 ne null and aalej014 ne null and aalfj014 ne null and aalgj014 ne null and aalhj014 ne null and aalij014 ne null
FFIEC101	12/31/2008	0539	Quality	L8A	AALA	J014		1	L	Published	if L8A is not equal to null, then L8A should be greater than or equal to 0.50% and less than 0.75%.	if aalaj014 ne null then aalaj014 ge 0.50 and aalaj014 lt 0.75
FFIEC101	12/31/2008	0540	Quality	L8A	AALA	J014		1	L	Published	If L8A is not equal to null, then L8J, L8K, L8L, L8M or L8N should not be equal to null.	if aalaj014 ne null then aaljj014 ne null or aalkj014 ne null or aaljm014 ne null or aalnj014 ne null
FFIEC101	12/31/2008	0541	Quality	L9A	AALA	J016		1	L	Published	If L9A is equal to null, then L9B, L9C, L9D, L9E, L9F, L9G, L9H, L9I, L9J, L9K, L9L, L9M, L9N, L9O and L9P should be equal to null.	if aalaj016 eq null then aalbj016 eq null and aalcj016 eq null and aaldj016 eq null and aalej016 eq null and aalfj016 eq null and aalgj016 eq null and aalhj016 eq null and aalij016 eq null and aaljj016 eq null and aalkj016 eq null and aaljm016 eq null and aalnj016 eq null and aalpj016 eq null
FFIEC101	12/31/2008	0542	Quality	L9A	AALA	J016		1	L	Published	If L9A is not equal to null, then L9B, L9C, L9D, L9E, L9F, L9G, L9H and L9I should not be equal to null.	if aalaj016 ne null then aalbj016 ne null and aalcj016 ne null and aaldj016 ne null and aalej016 ne null and aalfj016 ne null and aalgj016 ne null and aalhj016 ne null and aalij016 ne null
FFIEC101	12/31/2008	0543	Quality	L9A	AALA	J016		1	L	Published	if L9A is not equal to null, then L9A should be greater than or equal to 0.75% and less than 1.35%.	if aalaj016 ne null then aalaj016 ge 0.75 and aalaj016 lt 1.35
FFIEC101	12/31/2008	0544	Quality	L9A	AALA	J016		1	L	Published	If L9A is not equal to null, then L9J, L9K, L9L, L9M or L9N should not be equal to null.	if aalaj016 ne null then aaljj016 ne null or aalkj016 ne null or aaljm016 ne null or aalnj016 ne null
FFIEC101	12/31/2008	0621	Quality	M10A	AAMA	J019		1	M	Published	If M10A is equal to null, then M10B, M10C, M10D, M10E, M10F, M10G, M10H, M10I, M10J, M10K, M10L, M10M, M10N, M10O and M10P should be equal to null.	if aamaj019 eq null then aambj019 eq null and aamcj019 eq null and aamdj019 eq null and aamej019 eq null and aamfj019 eq null and aamgj019 eq null and aamhj019 eq null and aamij019 eq null and aamjj019 eq null and aamkj019 eq null and aamlj019 eq null and aammj019 eq null and aamnj019 eq null and aamoj019 eq null and aampj019 eq null
FFIEC101	12/31/2008	0622	Quality	M10A	AAMA	J019		1	M	Published	If M10A is not equal to null, then M10B, M10C, M10D, M10E, M10F, M10G, M10H and M10I should not be equal to null.	if aamaj019 ne null then aambj019 ne null and aamcj019 ne null and aamdj019 ne null and aamej019 ne null and aamfj019 ne null and aamgj019 ne null and aamhj019 ne null and aamij019 ne null
FFIEC101	12/31/2008	0623	Quality	M10A	AAMA	J019		1	M	Published	if M10A is not equal to null, then M10A should be greater than or equal to 1.35% and less than 2.50%.	if aamaj019 ne null then aamaj019 ge 1.35 and aamaj019 lt 2.50
FFIEC101	12/31/2008	0624	Quality	M10A	AAMA	J019		1	M	Published	If M10A is not equal to null, then M10J, M10K, M10L, M10M or M10N should not be equal to null.	if aamaj019 ne null then aamjj019 ne null or aamkj019 ne null or aamlj019 ne null or aammj019 ne null or aamnj019 ne null
FFIEC101	12/31/2008	0625	Quality	M11A	AAMA	J025		1	M	Published	If M11A is equal to null, then M11B, M11C, M11D, M11E, M11F, M11G, M11H, M11I, M11J, M11K, M11L, M11M, M11N, M11O and M11P should be equal to null.	if aamaj025 eq null then aambj025 eq null and aamcj025 eq null and aamdj025 eq null and aamej025 eq null and aamfj025 eq null and aamgj025 eq null and aamhj025 eq null and aamij025 eq null and aamjj025 eq null and aamkj025 eq null and aamlj025 eq null and aammj025 eq null and aamnj025 eq null and aamoj025 eq null and aampj025 eq null

FFIEC101	12/31/2008	0626	Quality	M11A	AAMA	J025		1	M	Published	If M11A is not equal to null, then M11B, M11C, M11D, M11E, M11F, M11G, M11H and M11I should not be equal to null.	if aamaj025 ne null then aambj025 ne null and aamcj025 ne null and aamdj025 ne null and aamej025 ne null and aamfj025 ne null and aamgj025 ne null and aamhj025 ne null and aamjj025 ne null
FFIEC101	12/31/2008	0627	Quality	M11A	AAMA	J025		1	M	Published	if M11A is not equal to null, then M11A should be greater than or equal to 2.50% and less than 5.50%.	if aamaj025 ne null then aamaj025 ge 2.50 and aamaj025 lt 5.50
FFIEC101	12/31/2008	0628	Quality	M11A	AAMA	J025		1	M	Published	If M11A is not equal to null, then M11J, M11K, M11L, M11M or M11N should not be equal to null.	if aamaj025 ne null then aamjj025 ne null or aamkj025 ne null or aamlj025 ne null or aammm025 ne null or aamnj025 ne null
FFIEC101	12/31/2008	0629	Quality	M12A	AAMA	J029		1	M	Published	If M12A is equal to null, then M12B, M12C, M12D, M12E, M12F, M12G, M12H, M12I, M12J, M12K, M12L, M12M, M12N, M12O and M12P should be equal to null.	if aamaj029 eq null then aambj029 eq null and aamcj029 eq null and aamdj029 eq null and aamej029 eq null and aamfj029 eq null and aamgj029 eq null and aamhj029 eq null and aamjj029 eq null and aamkj029 eq null and aamlj029 eq null and aammm029 eq null and aamnj029 eq null and aamoj029 eq null and aampj029 eq null
FFIEC101	12/31/2008	0630	Quality	M12A	AAMA	J029		1	M	Published	If M12A is not equal to null, then M12B, M12C, M12D, M12E, M12F, M12G, M12H and M12I should not be equal to null.	if aamaj029 ne null then aambj029 ne null and aamcj029 ne null and aamdj029 ne null and aamej029 ne null and aamfj029 ne null and aamgj029 ne null and aamhj029 ne null and aamjj029 ne null
FFIEC101	12/31/2008	0631	Quality	M12A	AAMA	J029		1	M	Published	if M12A is not equal to null, then M12A should be greater than or equal to 5.50% and less than 10.00%	if aamaj029 ne null then aamaj029 ge 5.50 and aamaj029 lt 10.00
FFIEC101	12/31/2008	0632	Quality	M12A	AAMA	J029		1	M	Published	If M12A is not equal to null, then M12J, M12K, M12L, M12M or M12N should not be equal to null.	if aamaj029 ne null then aamjj029 ne null or aamkj029 ne null or aamlj029 ne null or aammm029 ne null or aamnj029 ne null
FFIEC101	12/31/2008	0633	Quality	M13A	AAMA	J031		1	M	Published	If M13A is equal to null, then M13B, M13C, M13D, M13E, M13F, M13G, M13H, M13I, M13J, M13K, M13L, M13M, M13N, M13O and M13P should be equal to null.	if aamaj031 eq null then aambj031 eq null and aamcj031 eq null and aamdj031 eq null and aamej031 eq null and aamfj031 eq null and aamgj031 eq null and aamhj031 eq null and aamjj031 eq null and aamkj031 eq null and aamlj031 eq null and aammm031 eq null and aamnj031 eq null and aamoj031 eq null and aampj031 eq null
FFIEC101	12/31/2008	0634	Quality	M13A	AAMA	J031		1	M	Published	If M13A is not equal to null, then M13B, M13C, M13D, M13E, M13F, M13G, M13H and M13I should not be equal to null.	if aamaj031 ne null then aambj031 ne null and aamcj031 ne null and aamdj031 ne null and aamej031 ne null and aamfj031 ne null and aamgj031 ne null and aamhj031 ne null and aamjj031 ne null
FFIEC101	12/31/2008	0635	Quality	M13A	AAMA	J031		1	M	Published	if M13A is not equal to null, then M13A should be greater than or equal to 10.00% and less than 20.00%.	if aamaj031 ne null then aamaj031 ge 10.00 and aamaj031 lt 20.00
FFIEC101	12/31/2008	0636	Quality	M13A	AAMA	J031		1	M	Published	If M13A is not equal to null, then M13J, M13K, M13L, M13M or M13N should not be equal to null.	if aamaj031 ne null then aamjj031 ne null or aamkj031 ne null or aamlj031 ne null or aammm031 ne null or aamnj031 ne null
FFIEC101	12/31/2008	0637	Quality	M14A	AAMA	J033		1	M	Published	If M14A is equal to null, then M14B, M14C, M14D, M14E, M14F, M14G, M14H, M14I, M14J, M14K, M14L, M14M, M14N, M14O and M14P should be equal to null.	if aamaj033 eq null then aambj033 eq null and aamcj033 eq null and aamdj033 eq null and aamej033 eq null and aamfj033 eq null and aamgj033 eq null and aamhj033 eq null and aamjj033 eq null and aamkj033 eq null and aamlj033 eq null and aammm033 eq null and aamnj033 eq null and aamoj033 eq null and aampj033 eq null

FFIEC101	12/31/2008	0638	Quality	M14A	AAMA	J033		1	M	Published	If M14A is not equal to null, then M14B, M14C, M14D, M14E, M14F, M14G, M14H and M14I should not be equal to null.	if aamaj033 ne null then aambj033 ne null and aamcj033 ne null and aamdj033 ne null and aamej033 ne null and aamfj033 ne null and aamgj033 ne null and aamhj033 ne null and aamij033 ne null
FFIEC101	12/31/2008	0639	Quality	M14A	AAMA	J033		1	M	Published	if M14A is not equal to null, then M14A should be greater than or equal to 20.00% and less than 100.00%.	if aamaj033 ne null then aamaj033 ge 20.00 and aamaj033 lt 100.00
FFIEC101	12/31/2008	0640	Quality	M14A	AAMA	J033		1	M	Published	If M14A is not equal to null, then M14J, M14K, M14L, M14M or M14N should not be equal to null.	if aamaj033 ne null then aamij033 ne null or aamkj033 ne null or aamij033 ne null or aamnj033 ne null or aamnj033 ne null
FFIEC101	12/31/2008	0641	Quality	M15B	AAMB	J034		1	M	Published	If M15B is equal to null, then M15C, M15D, M15E, M15F, M15G, M15H, M15I, M15J, M15K, M15L, M15M, M15N, M15O and M15P should be equal to null.	if aambj034 eq null then aamcj034 eq null and aamdj034 eq null and aamej034 eq null and aamfj034 eq null and aamgj034 eq null and aamhj034 eq null and aamij034 eq null and aamkj034 eq null and aamnj034 eq null and aamnj034 eq null and aamnj034 eq null and aampj034 eq null
FFIEC101	12/31/2008	0642	Quality	M15B	AAMB	J034		1	M	Published	If M15B is not equal to null, then M15C, M15D, M15E, M15F, M15G, M15H and M15I should not be equal to null.	if aambj034 ne null then aamcj034 ne null and aamdj034 ne null and aamej034 ne null and aamfj034 ne null and aamgj034 ne null and aamhj034 ne null and aamij034 ne null
FFIEC101	12/31/2008	0781	Quality	M15B	AAMB	J034		1	M	Published	If M15B is not equal to null, then M15J, M15K, M15L, M15M, or M15N should not be equal to null.	if aambj034 then aamij034 ne null or aamkj034 ne null or aamij034 ne null or aamnj034 ne null or aamnj034 ne null
FFIEC101	12/31/2008	0658	Quality	M16O	AAMO	J035		1	M	Published	If M1O, M2O, M3O, M4O, M5O, M6O, M7O, M8O, M9O, M10O, M11O, M12O, M13O, M14O or M15O are not equal to null then M16O should not equal null.	if aamoj002 ne null or aamoj004 ne null or aamoj006 ne null or aamoj007 ne null or aamoj009 ne null or aamoj010 ne null or aamoj013 ne null or aamoj014 ne null or aamoj016 ne null or aamoj019 ne null or aamoj025 ne null or aamoj029 ne null or aamoj031 ne null or aamoj033 ne null or aamoj034 ne null then aamoj035 ne null
FFIEC101	12/31/2008	0659	Quality	M16O	AAMO	J035		1	M	Published	If M16O is not equal to null then M1O, M2O, M3O, M4O, M5O, M6O, M7O, M8O, M9O, M10O, M11O, M12O, M13O, M14O or M15O should not equal null.	if aamoj035 ne null then aamoj002 ne null or aamoj004 ne null or aamoj006 ne null or aamoj007 ne null or aamoj009 ne null or aamoj010 ne null or aamoj013 ne null or aamoj014 ne null or aamoj016 ne null or aamoj019 ne null or aamoj025 ne null or aamoj029 ne null or aamoj031 ne null or aamoj033 ne null or aamoj034 ne null
FFIEC101	12/31/2008	0660	Quality	M18	AAMX	J041		1	M	Published	If M16O is not equal to null then M18 should not equal null.	if aamoj035 ne null then aamxj041 ne null
FFIEC101	12/31/2008	0585	Quality	M1A	AAMA	J002		1	M	Published	If M1A is equal to null, then M1B, M1C, M1D, M1E, M1F, M1G, M1H, M1I, M1J, M1K, M1L, M1M, M1N, M1O and M1P should be equal to null.	if aamaj002 eq null then aambj002 eq null and aamcj002 eq null and aamdj002 eq null and aamej002 eq null and aamfj002 eq null and aamgj002 eq null and aamhj002 eq null and aamij002 eq null and aamkj002 eq null and aamnj002 eq null and aamnj002 eq null and aamnj002 eq null and aamnj002 eq null and aampj002 eq null
FFIEC101	12/31/2008	0586	Quality	M1A	AAMA	J002		1	M	Published	If M1A is not equal to null, then M1B, M1C, M1D, M1E, M1F, M1G, M1H and M1I should not be equal to null.	if aamaj002 ne null then aambj002 ne null and aamcj002 ne null and aamdj002 ne null and aamej002 ne null and aamfj002 ne null and aamgj002 ne null and aamhj002 ne null and aamij002 ne null
FFIEC101	12/31/2008	0587	Quality	M1A	AAMA	J002		1	M	Published	if M1A is not equal to null, then M1A should be greater than or equal to 0.00% and less than 0.05%.	if aamaj002 ne null then aamaj002 ge 0.00 and aamaj002 lt 0.05

FFIEC101	12/31/2008	0588	Quality	M1A	AAMA	J002		1	M	Published	If M1A is not equal to null, then M1J, M1K, M1L, M1M or M1N should not be equal to null.	if aamaj002 ne null then aamjj002 ne null or aamkj002 ne null or aamlj002 ne null or aammj002 ne null or aamnj002 ne null
FFIEC101	12/31/2008	0589	Quality	M2A	AAMA	J004		1	M	Published	If M2A is equal to null, then M2B, M2C, M2D, M2E, M2F, M2G, M2H, M2I, M2J, M2K, M2L, M2M, M2N, M2O and M2P should be equal to null.	if aamaj004 eq null then aambj004 eq null and aamcj004 eq null and aamdj004 eq null and aamej004 eq null and aamfj004 eq null and aamgj004 eq null and aamhj004 eq null and aamij004 eq null and aamjj004 eq null and aamkj004 eq null and aamlj004 eq null and aammj004 eq null and aamnj004 eq null and aamoj004 eq null and aampj004 eq null
FFIEC101	12/31/2008	0590	Quality	M2A	AAMA	J004		1	M	Published	If M2A is not equal to null, then M2B, M2C, M2D, M2E, M2F, M2G, M2H and M2I should not be equal to null.	if aamaj004 ne null then aambj004 ne null and aamcj004 ne null and aamdj004 ne null and aamej004 ne null and aamfj004 ne null and aamgj004 ne null and aamhj004 ne null and aamij004 ne null
FFIEC101	12/31/2008	0591	Quality	M2A	AAMA	J004		1	M	Published	if M2A is not equal to null, then M2A should be greater than or equal to 0.05% and less than 0.10%.	if aamaj004 ne null then aamaj004 ge 0.05 and aamaj004 lt 0.10
FFIEC101	12/31/2008	0592	Quality	M2A	AAMA	J004		1	M	Published	If M2A is not equal to null, then M2J, M2K, M2L, M2M or M2N should not be equal to null.	if aamaj004 ne null then aamjj004 ne null or aamkj004 ne null or aamlj004 ne null or aammj004 ne null or aamnj004 ne null
FFIEC101	12/31/2008	0593	Quality	M3A	AAMA	J006		1	M	Published	If M3A is equal to null, then M3B, M3C, M3D, M3E, M3F, M3G, M3H, M3I, M3J, M3K, M3L, M3M, M3N, M3O and M3P should be equal to null.	if aamaj006 eq null then aambj006 eq null and aamcj006 eq null and aamdj006 eq null and aamej006 eq null and aamfj006 eq null and aamgj006 eq null and aamhj006 eq null and aamij006 eq null and aamjj006 eq null and aamkj006 eq null and aamlj006 eq null and aammj006 eq null and aamnj006 eq null and aamoj006 eq null and aampj006 eq null
FFIEC101	12/31/2008	0594	Quality	M3A	AAMA	J006		1	M	Published	If M3A is not equal to null, then M3B, M3C, M3D, M3E, M3F, M3G, M3H and M3I should not be equal to null.	if aamaj006 ne null then aambj006 ne null and aamcj006 ne null and aamdj006 ne null and aamej006 ne null and aamfj006 ne null and aamgj006 ne null and aamhj006 ne null and aamij006 ne null
FFIEC101	12/31/2008	0595	Quality	M3A	AAMA	J006		1	M	Published	if M3A is not equal to null, then M3A should be greater than or equal to 0.10% and less than 0.15%.	if aamaj006 ne null then aamaj006 ge 0.10 and aamaj006 lt 0.15
FFIEC101	12/31/2008	0596	Quality	M3A	AAMA	J006		1	M	Published	If M3A is not equal to null, then M3J, M3K, M3L, M3M or M3N should not be equal to null.	if aamaj006 ne null then aamjj006 ne null or aamkj006 ne null or aamlj006 ne null or aammj006 ne null or aamnj006 ne null
FFIEC101	12/31/2008	0597	Quality	M4A	AAMA	J007		1	M	Published	If M4A is equal to null, then M4B, M4C, M4D, M4E, M4F, M4G, M4H, M4I, M4J, M4K, M4L, M4M, M4N, M4O and M4P should be equal to null.	if aamaj007 eq null then aambj007 eq null and aamcj007 eq null and aamdj007 eq null and aamej007 eq null and aamfj007 eq null and aamgj007 eq null and aamhj007 eq null and aamij007 eq null and aamjj007 eq null and aamkj007 eq null and aamlj007 eq null and aammj007 eq null and aamnj007 eq null and aamoj007 eq null and aampj007 eq null
FFIEC101	12/31/2008	0598	Quality	M4A	AAMA	J007		1	M	Published	If M4A is not equal to null, then M4B, M4C, M4D, M4E, M4F, M4G, M4H and M4I should not be equal to null.	if aamaj007 ne null then aambj007 ne null and aamcj007 ne null and aamdj007 ne null and aamej007 ne null and aamfj007 ne null and aamgj007 ne null and aamhj007 ne null and aamij007 ne null
FFIEC101	12/31/2008	0599	Quality	M4A	AAMA	J007		1	M	Published	if M4A is not equal to null, then M4A should be greater than or equal to 0.15% and less than 0.20%.	if aamaj007 ne null then aamaj007 ge 0.15 and aamaj007 lt 0.20
FFIEC101	12/31/2008	0600	Quality	M4A	AAMA	J007		1	M	Published	If M4A is not equal to null, then M4J, M4K, M4L, M4M or M4N should not be equal to null.	if aamaj007 ne null then aamjj007 ne null or aamkj007 ne null or aamlj007 ne null or aammj007 ne null or aamnj007 ne null



FFIEC101	12/31/2008	0601	Quality	M5A	AAMA	J009		1	M	Published	If M5A is equal to null, then M5B, M5C, M5D, M5E, M5F, M5G, M5H, M5I, M5J, M5K, M5L, M5M, M5N, M5O and M5P should be equal to null.	if aamaj009 eq null then aambj009 eq null and aamcj009 eq null and aamdj009 eq null and aamej009 eq null and aamfj009 eq null and aamgj009 eq null and aamhj009 eq null and aamij009 eq null and aamjj009 eq null and aamkj009 eq null and aamlj009 eq null and aammj009 eq null and aamn009 eq null and aamoj009 eq null and aampj009 eq null
FFIEC101	12/31/2008	0602	Quality	M5A	AAMA	J009		1	M	Published	If M5A is not equal to null, then M5B, M5C, M5D, M5E, M5F, M5G, M5H and M5I should not be equal to null.	if aamaj009 ne null then aambj009 ne null and aamcj009 ne null and aamdj009 ne null and aamej009 ne null and aamfj009 ne null and aamgj009 ne null and aamhj009 ne null and aamij009 ne null
FFIEC101	12/31/2008	0603	Quality	M5A	AAMA	J009		1	M	Published	if M5A is not equal to null, then M5A should be greater than or equal to 0.20% and less than 0.25%.	if aamaj009 ne null then aamaj009 ge 0.20 and aamaj009 lt 0.25
FFIEC101	12/31/2008	0604	Quality	M5A	AAMA	J009		1	M	Published	If M5A is not equal to null, then M5J, M5K, M5L, M5M or M5N should not be equal to null.	if aamaj009 ne null then aamij009 ne null or aamkj009 ne null or aamlj009 ne null or aammj009 ne null or aamn009 ne null
FFIEC101	12/31/2008	0605	Quality	M6A	AAMA	J010		1	M	Published	If M6A is equal to null, then M6B, M6C, M6D, M6E, M6F, M6G, M6H, M6I, M6J, M6K, M6L, M6M, M6N, M6O and M6P should be equal to null.	if aamaj010 eq null then aambj010 eq null and aamcj010 eq null and aamdj010 eq null and aamej010 eq null and aamfj010 eq null and aamgj010 eq null and aamhj010 eq null and aamij010 eq null and aamjj010 eq null and aamkj010 eq null and aamlj010 eq null and aammj010 eq null and aamn010 eq null and aamoj010 eq null and aampj010 eq null
FFIEC101	12/31/2008	0606	Quality	M6A	AAMA	J010		1	M	Published	If M6A is not equal to null, then M6B, M6C, M6D, M6E, M6F, M6G, M6H and M6I should not be equal to null.	if aamaj010 ne null then aambj010 ne null and aamcj010 ne null and aamdj010 ne null and aamej010 ne null and aamfj010 ne null and aamgj010 ne null and aamhj010 ne null and aamij010 ne null
FFIEC101	12/31/2008	0607	Quality	M6A	AAMA	J010		1	M	Published	if M6A is not equal to null, then M6A should be greater than or equal to 0.25% and less than 0.35%.	if aamaj010 ne null then aamaj010 ge 0.25 and aamaj010 lt 0.35
FFIEC101	12/31/2008	0608	Quality	M6A	AAMA	J010		1	M	Published	If M6A is not equal to null, then M6J, M6K, M6L, M6M or M6N should not be equal to null.	if aamaj010 ne null then aamij010 ne null or aamkj010 ne null or aamlj010 ne null or aammj010 ne null or aamn010 ne null
FFIEC101	12/31/2008	0609	Quality	M7A	AAMA	J013		1	M	Published	If M7A is equal to null, then M7B, M7C, M7D, M7E, M7F, M7G, M7H, M7I, M7J, M7K, M7L, M7M, M7N, M7O and M7P should be equal to null.	if aamaj013 eq null then aambj013 eq null and aamcj013 eq null and aamdj013 eq null and aamej013 eq null and aamfj013 eq null and aamgj013 eq null and aamhj013 eq null and aamij013 eq null and aamjj013 eq null and aamkj013 eq null and aamlj013 eq null and aammj013 eq null and aamn013 eq null and aamoj013 eq null and aampj013 eq null
FFIEC101	12/31/2008	0610	Quality	M7A	AAMA	J013		1	M	Published	If M7A is not equal to null, then M7B, M7C, M7D, M7E, M7F, M7G, M7H and M7I should not be equal to null.	if aamaj013 ne null then aambj013 ne null and aamcj013 ne null and aamdj013 ne null and aamej013 ne null and aamfj013 ne null and aamgj013 ne null and aamhj013 ne null and aamij013 ne null
FFIEC101	12/31/2008	0611	Quality	M7A	AAMA	J013		1	M	Published	if M7A is not equal to null, then M7A should be greater than or equal to 0.35% and less than 0.50%.	if aamaj013 ne null then aamaj013 ge 0.35 and aamaj013 lt 0.50
FFIEC101	12/31/2008	0612	Quality	M7A	AAMA	J013		1	M	Published	If M7A is not equal to null, then M7J, M7K, M7L, M7M or M7N should not be equal to null.	if aamaj013 ne null then aamij013 ne null or aamkj013 ne null or aamlj013 ne null or aammj013 ne null or aamn013 ne null

FFIEC101	12/31/2008	0613	Quality	M8A	AAMA	J014		1	M	Published	If M8A is equal to null, then M8B, M8C, M8D, M8E, M8F, M8G, M8H, M8I, M8J, M8K, M8L, M8M, M8N, M8O and M8P should be equal to null.	if aamaj014 eq null then aambj014 eq null and aamcj014 eq null and aamdj014 eq null and aamej014 eq null and aamfj014 eq null and aamgj014 eq null and aamhj014 eq null and aamij014 eq null and aamkj014 eq null and aammj014 eq null and aamnj014 eq null and aamoj014 eq null and aampj014 eq null
FFIEC101	12/31/2008	0614	Quality	M8A	AAMA	J014		1	M	Published	If M8A is not equal to null, then M8B, M8C, M8D, M8E, M8F, M8G, M8H and M8I should not be equal to null.	if aamaj014 ne null then aambj014 ne null and aamcj014 ne null and aamdj014 ne null and aamej014 ne null and aamfj014 ne null and aamgj014 ne null and aamhj014 ne null and aamij014 ne null
FFIEC101	12/31/2008	0615	Quality	M8A	AAMA	J014		1	M	Published	if M8A is not equal to null, then M8A should be greater than or equal to 0.50% and less than 0.75%.	if aamaj014 ne null then aamaj014 ge 0.50 and aamaj014 lt 0.75
FFIEC101	12/31/2008	0616	Quality	M8A	AAMA	J014		1	M	Published	If M8A is not equal to null, then M8J, M8K, M8L, M8M or M8N should not be equal to null.	if aamaj014 ne null then aamij014 ne null or aamkj014 ne null or aamlj014 ne null or aammj014 ne null or aamnj014 ne null
FFIEC101	12/31/2008	0617	Quality	M9A	AAMA	J016		1	M	Published	If M9A is equal to null, then M9B, M9C, M9D, M9E, M9F, M9G, M9H, M9I, M9J, M9K, M9L, M9M, M9N, M9O and M9P should be equal to null.	if aamaj016 eq null then aambj016 eq null and aamcj016 eq null and aamdj016 eq null and aamej016 eq null and aamfj016 eq null and aamgj016 eq null and aamhj016 eq null and aamij016 eq null and aamkj016 eq null and aammj016 eq null and aamnj016 eq null and aamoj016 eq null and aampj016 eq null
FFIEC101	12/31/2008	0618	Quality	M9A	AAMA	J016		1	M	Published	If M9A is not equal to null, then M9B, M9C, M9D, M9E, M9F, M9G, M9H and M9I should not be equal to null.	if aamaj016 ne null then aambj016 ne null and aamcj016 ne null and aamdj016 ne null and aamej016 ne null and aamfj016 ne null and aamgj016 ne null and aamhj016 ne null and aamij016 ne null
FFIEC101	12/31/2008	0619	Quality	M9A	AAMA	J016		1	M	Published	if M9A is not equal to null, then M9A should be greater than or equal to 0.75% and less than 1.35%.	if aamaj016 ne null then aamaj016 ge 0.75 and aamaj016 lt 1.35
FFIEC101	12/31/2008	0620	Quality	M9A	AAMA	J016		1	M	Published	If M9A is not equal to null, then M9J, M9K, M9L, M9M or M9N should not be equal to null.	if aamaj016 ne null then aamij016 ne null or aamkj016 ne null or aamlj016 ne null or aammj016 ne null or aamnj016 ne null
FFIEC101	12/31/2008	0679	Quality	N10A	AANA	J026		1	N	Published	If N10A is not equal to null, then N10A should be greater than or equal to 5.00% and less than 6.00%.	if aanaj026 ne null then aanaj026 ge 5.00 and aanaj026 lt 6.00
FFIEC101	12/31/2008	0680	Quality	N10A	AANA	J026		1	N	Published	If N10A is not equal to null, then N10B, N10C, N10D, N10E, N10G, N10H and N10I should not be equal to null.	if aanaj026 ne null then aanbj026 ne null and aancj026 ne null and aandj026 ne null and aanej026 ne null and aangj026 ne null and aanhj026 ne null and aanij026 ne null
FFIEC101	12/31/2008	0792	Quality	N10A	AANA	J026		1	N	Published	If N10A is equal to null, then N10B, N10C, N10D, N10E, N10F, N10G, N10H, N10I, and N10J should be equal to null.	if aanaj026 eq null then aanbj026 eq null and aancj026 eq null and aandj026 eq null and aaeqj026 eq null and aanfj026 eq null and aangj026 eq null and aanhj026 eq null and aanij026 eq null and aanj026 eq null
FFIEC101	12/31/2008	0681	Quality	N11A	AANA	J027		1	N	Published	If N11A is not equal to null, then N11A should be greater than or equal to 6.00% and less than 7.00%.	if aanaj027 ne null then aanaj027 ge 6.00 and aanaj027 lt 7.00
FFIEC101	12/31/2008	0682	Quality	N11A	AANA	J027		1	N	Published	If N11A is not equal to null, then N11B, N11C, N11D, N11E, N11G, N11H and N11I should not be equal to null.	if aanaj027 ne null then aanbj027 ne null and aancj027 ne null and aandj027 ne null and aanej027 ne null and aangj027 ne null and aanhj027 ne null and aanij027 ne null

FFIEC101	12/31/2008	0793	Quality	N11A	AANA	J027		1	N	Published	If N11A is equal to null, then N11B, N11C, N11D, N11E, N11F, N11G, N11H, N11I, and N11J should be equal to null.	if aanaj027 eq null then aanbj027 eq null and aancj027 eq null and aandj027 eq null and aaej027 eq null and aanfj027 eq null and aangj027 eq null and aanhj027 eq null and aanij027 eq null
FFIEC101	12/31/2008	0683	Quality	N12A	AANA	J028		1	N	Published	If N12A is not equal to null, then N12A should be greater than or equal to 7.00% and less than 8.00%.	if aanaj028 ne null then aanaj028 ge 7.00 and aanaj028 lt 8.00
FFIEC101	12/31/2008	0684	Quality	N12A	AANA	J028		1	N	Published	If N12A is not equal to null, then N12B, N12C, N12D, N12E, N12G, N12H and N12I should not be equal to null.	if aanaj028 ne null then aanbj028 ne null and aancj028 ne null and aandj028 ne null and aaej028 ne null and aanfj028 ne null and aangj028 ne null and aanhj028 ne null and aanij028 ne null
FFIEC101	12/31/2008	0794	Quality	N12A	AANA	J028		1	N	Published	If N12A is equal to null, then N12B, N12C, N12D, N12E, N12F, N12G, N12H, N12I, and N12J should be equal to null.	if aanaj028 eq null then aanbj028 eq null and aancj028 eq null and aandj028 eq null and aaej028 eq null and aanfj028 eq null and aangj028 eq null and aanhj028 eq null and aanij028 eq null
FFIEC101	12/31/2008	0685	Quality	N13A	AANA	J030		1	N	Published	If N13A is not equal to null, then N13A should be greater than or equal to 8.00% and less than 10.00%.	if aanaj030 ne null then aanaj030 ge 8.00 and aanaj030 lt 10.00
FFIEC101	12/31/2008	0686	Quality	N13A	AANA	J030		1	N	Published	If N13A is not equal to null, then N13B, N13C, N13D, N13E, N13G, N13H and N13I should not be equal to null.	if aanaj030 ne null then aanbj030 ne null and aancj030 ne null and aandj030 ne null and aaej030 ne null and aanfj030 ne null and aangj030 ne null and aanhj030 ne null and aanij030 ne null
FFIEC101	12/31/2008	0795	Quality	N13A	AANA	J030		1	N	Published	If N13A is equal to null, then N13B, N13C, N13D, N13E, N13F, N13G, N13H, N13I, and N13J should be equal to null.	if aanaj030 eq null then aanbj030 eq null and aancj030 eq null and aandj030 eq null and aaej030 eq null and aanfj030 eq null and aangj030 eq null and aanhj030 eq null and aanij030 eq null and aanij030 eq null
FFIEC101	12/31/2008	0687	Quality	N14A	AANA	J032		1	N	Published	If N14A is not equal to null, then N14A should be greater than or equal to 10.00% and less than 100.00%.	if aanaj032 ne null then aanaj032 ge 10.00 and aanaj032 lt 100.00
FFIEC101	12/31/2008	0688	Quality	N14A	AANA	J032		1	N	Published	If N14A is not equal to null, then N14B, N14C, N14D, N14E, N14G, N14H and N14I should not be equal to null.	if aanaj032 ne null then aanbj032 ne null and aancj032 ne null and aandj032 ne null and aaej032 ne null and aanfj032 ne null and aangj032 ne null and aanhj032 ne null and aanij032 ne null
FFIEC101	12/31/2008	0796	Quality	N14A	AANA	J032		1	N	Published	If N14A is equal to null, then N14B, N14C, N14D, N14E, N14F, N14G, N14H, N14I, and N14J should be equal to null.	if aanaj032 eq null then aanbj032 eq null and aancj032 eq null and aandj032 eq null and aaej032 eq null and aanfj032 eq null and aangj032 eq null and aanhj032 eq null and aanij032 eq null and aanij032 eq null
FFIEC101	12/31/2008	0689	Quality	N15B	AANB	J034		1	N	Published	If N15B is not equal to null, then N15C, N15D, N15E, N15G, N15H and N15I should not be equal to null.	if aanbj034 ne null then aancj034 ne null and aandj034 ne null and aaej034 ne null and aangj034 ne null and aanhj034 ne null and aanij034 ne null
FFIEC101	12/31/2008	0769	Quality	N15B	AANB	J034		1	N	Published	If N15B is equal to null, then N15C, N15D, N15E, N15F, N15G, N15H, N15I and N15J should be equal to null.	if aanbj034 eq null then aancj034 eq null and aandj034 eq null and aaej034 eq null and aangj034 eq null and aanfj034 eq null and aanhj034 eq null and aanij034 eq null and aanij034 eq null
FFIEC101	12/31/2008	0690	Quality	N16J	AANJ	J035		1	N	Published	If N1J, N2J, N3J, N4J, N5J, N6J, N7J, N8J, N9J, N10J, N11J, N12J, N13J, N14J or N15J are not equal to null then N16J should not equal null.	if aanj011 ne null or aanj015 ne null or aanj017 ne null or aanj018 ne null or aanj020 ne null or aanj021 ne null or aanj022 ne null or aanj023 ne null or aanj024 ne null or aanj026 ne null or aanj027 ne null or aanj028 ne null or aanj030 ne null or aanj032 ne null or aanj034 ne null then aanj035 ne null

FFIEC101	12/31/2008	0691	Quality	N16J	AANJ	J035		1	N	Published	If N16J is not equal to null then N1J, N2J, N3J, N4J, N5J, N6J, N7J, N8J, N9J, N10J, N11J, N12J, N13J, N14J or N15J should not equal null.	if aanj035 ne null then aanj011 ne null or aanj015 ne null or aanj017 ne null or aanj018 ne null or aanj020 ne null or aanj021 ne null or aanj022 ne null or aanj023 ne null or aanj024 ne null or aanj026 ne null or aanj027 ne null or aanj028 ne null or aanj030 ne null or aanj032 ne null or aanj034 ne null
FFIEC101	12/31/2008	0692	Quality	N18	AANX	J041		1	N	Published	If N16J is not equal to null then N18 should not equal null.	if aanoj035 ne null then aanxj041 ne null
FFIEC101	12/31/2008	0661	Quality	N1A	AANA	J011		1	N	Published	If N1A is not equal to null, then N1A should be greater than or equal to 0.00% and less than 0.50%.	if aanaj011 ne null then aanaj011 ge 0.00 and aanaj011 lt 0.50
FFIEC101	12/31/2008	0662	Quality	N1A	AANA	J011		1	N	Published	If N1A is not equal to null, then N1B, N1C, N1D, N1E, N1G, N1H and N1I should not be equal to null.	if aanaj011 ne null then aanbj011 ne null and aancj011 ne null and aandj011 ne null and aanej011 ne null and aangj011 ne null and aanhj011 ne null and aanij011 ne null
FFIEC101	12/31/2008	0783	Quality	N1A	AANA	J011		1	N	Published	If N1A is equal to null, then N1B, N1C, N1D, N1E, N1F, N1G, N1H, N1I, and N1J should be equal to null.	if aanaj011 eq null then aanbj011 eq null and aancj011 eq null and aandj011 eq null and aaeqj011 eq null and aanfj011 eq null and aangj011 eq null and aanhj011 eq null and aanij011 eq null
FFIEC101	12/31/2008	0663	Quality	N2A	AANA	J015		1	N	Published	If N2A is not equal to null, then N2A should be greater than or equal to 0.50% and less than 1.00%.	if aanaj015 ne null then aanaj015 ge 0.50 and aanaj015 lt 1.00
FFIEC101	12/31/2008	0664	Quality	N2A	AANA	J015		1	N	Published	If N2A is not equal to null, then N2B, N2C, N2D, N2E, N2G, N2H and N2I should not be equal to null.	if aanaj015 ne null then aanbj015 ne null and aancj015 ne null and aandj015 ne null and aanej015 ne null and aangj015 ne null and aanhj015 ne null and aanij015 ne null
FFIEC101	12/31/2008	0784	Quality	N2A	AANA	J015		1	N	Published	If N2A is equal to null, then N2B, N2C, N2D, N2E, N2F, N2G, N2H, N2I, and N2J should be equal to null.	if aanaj015 eq null then aanbj015 eq null and aancj015 eq null and aandj015 eq null and aaeqj015 eq null and aanfj015 eq null and aangj015 eq null and aanhj015 eq null and aanij015 eq null
FFIEC101	12/31/2008	0665	Quality	N3A	AANA	J017		1	N	Published	If N3A is not equal to null, then N3A should be greater than or equal to 1.00% and less than 1.50%.	if aanaj017 ne null then aanaj017 ge 1.00 and aanaj017 lt 1.50
FFIEC101	12/31/2008	0666	Quality	N3A	AANA	J017		1	N	Published	If N3A is not equal to null, then N3B, N3C, N3D, N3E, N3G, N3H and N3I should not be equal to null.	if aanaj017 ne null then aanbj017 ne null and aancj017 ne null and aandj017 ne null and aanej017 ne null and aangj017 ne null and aanhj017 ne null and aanij017 ne null
FFIEC101	12/31/2008	0785	Quality	N3A	AANA	J017		1	N	Published	If N3A is equal to null, then N3B, N3C, N3D, N3E, N3F, N3G, N3H, N3I, and N3J should be equal to null.	if aanaj017 eq null then aanbj017 eq null and aancj017 eq null and aandj017 eq null and aaeqj017 eq null and aanfj017 eq null and aangj017 eq null and aanhj017 eq null and aanij017 eq null
FFIEC101	12/31/2008	0667	Quality	N4A	AANA	J018		1	N	Published	If N4A is not equal to null, then N4A should be greater than or equal to 1.50% and less than 2.00%.	if aanaj018 ne null then aanaj018 ge 1.50 and aanaj018 lt 2.00
FFIEC101	12/31/2008	0668	Quality	N4A	AANA	J018		1	N	Published	If N4A is not equal to null, then N4B, N4C, N4D, N4E, N4G, N4H and N4I should not be equal to null.	if aanaj018 ne null then aanbj018 ne null and aancj018 ne null and aandj018 ne null and aanej018 ne null and aangj018 ne null and aanhj018 ne null and aanij018 ne null
FFIEC101	12/31/2008	0786	Quality	N4A	AANA	J018		1	N	Published	If N4A is equal to null, then N4B, N4C, N4D, N4E, N4F, N4G, N4H, N4I, and N4J should be equal to null.	if aanaj018 eq null then aanbj018 eq null and aancj018 eq null and aandj018 eq null and aaeqj018 eq null and aanfj018 eq null and aangj018 eq null and aanhj018 eq null and aanij018 eq null
FFIEC101	12/31/2008	0669	Quality	N5A	AANA	J020		1	N	Published	If N5A is not equal to null, then N5A should be greater than or equal to 2.00% and less than 2.50%.	if aanaj020 ne null then aanaj020 ge 2.00 and aanaj020 lt 2.50

FFIEC101	12/31/2008	0670	Quality	N5A	AANA	J020		1	N	Published	If N5A is not equal to null, then N5B, N5C, N5D, N5E, N5G, N5H and N5I should not be equal to null.	if aanaj020 ne null then aanbj020 ne null and aancj020 ne null and aandj020 ne null and aanej020 ne null and aangj020 ne null and aanhj020 ne null and aanij020 ne null
FFIEC101	12/31/2008	0787	Quality	N5A	AANA	J020		1	N	Published	If N5A is equal to null, then N5B, N5C, N5D, N5E, N5F, N5G, N5H, N5I, and N5J should be equal to null.	if aanaj020 eq null then aanbj020 eq null and aancj020 eq null and aandj020 eq null and aaeqj020 eq null and aanfj020 eq null and aangj020 eq null and aanhj020 eq null and aanij020 eq null
FFIEC101	12/31/2008	0671	Quality	N6A	AANA	J021		1	N	Published	If N6A is not equal to null, then N6A should be greater than or equal to 2.50% and less than 3.00%.	if aanaj021 ne null then aanaj021 ge 2.50 and aanaj021 lt 3.00
FFIEC101	12/31/2008	0672	Quality	N6A	AANA	J021		1	N	Published	If N6A is not equal to null, then N6B, N6C, N6D, N6E, N6G, N6H and N6I should not be equal to null.	if aanaj021 ne null then aanbj021 ne null and aancj021 ne null and aandj021 ne null and aanej021 ne null and aangj021 ne null and aanhj021 ne null and aanij021 ne null
FFIEC101	12/31/2008	0788	Quality	N6A	AANA	J021		1	N	Published	If N6A is equal to null, then N6B, N6C, N6D, N6E, N6F, N6G, N6H, N6I, and N6J should be equal to null.	if aanaj021 eq null then aanbj021 eq null and aancj021 eq null and aandj021 eq null and aaeqj021 eq null and aanfj021 eq null and aangj021 eq null and aanhj021 eq null and aanij021 eq null
FFIEC101	12/31/2008	0673	Quality	N7A	AANA	J022		1	N	Published	If N7A is not equal to null, then N7A should be greater than or equal to 3.00% and less than 3.50%.	if aanaj022 ne null then aanaj022 ge 3.00 and aanaj022 lt 3.50
FFIEC101	12/31/2008	0674	Quality	N7A	AANA	J022		1	N	Published	If N7A is not equal to null, then N7B, N7C, N7D, N7E, N7G, N7H and N7I should not be equal to null.	if aanaj022 ne null then aanbj022 ne null and aancj022 ne null and aandj022 ne null and aanej022 ne null and aangj022 ne null and aanhj022 ne null and aanij022 ne null
FFIEC101	12/31/2008	0789	Quality	N7A	AANA	J022		1	N	Published	If N7A is equal to null, then N7B, N7C, N7D, N7E, N7F, N7G, N7H, N7I, and N7J should be equal to null.	if aanaj022 eq null then aanbj022 eq null and aancj022 eq null and aandj022 eq null and aaeqj022 eq null and aanfj022 eq null and aangj022 eq null and aanhj022 eq null and aanij022 eq null
FFIEC101	12/31/2008	0675	Quality	N8A	AANA	J023		1	N	Published	If N8A is not equal to null, then N8A should be greater than or equal to 3.50% and less than 4.00%.	if aanaj023 ne null then aanaj023 ge 3.50 and aanaj023 lt 4.00
FFIEC101	12/31/2008	0676	Quality	N8A	AANA	J023		1	N	Published	If N8A is not equal to null, then N8B, N8C, N8D, N8E, N8G, N8H and N8I should not be equal to null.	if aanaj023 ne null then aanbj023 ne null and aancj023 ne null and aandj023 ne null and aanej023 ne null and aangj023 ne null and aanhj023 ne null and aanij023 ne null
FFIEC101	12/31/2008	0790	Quality	N8A	AANA	J023		1	N	Published	If N8A is equal to null, then N8B, N8C, N8D, N8E, N8F, N8G, N8H, N8I, and N8J should be equal to null.	if aanaj023 eq null then aanbj023 eq null and aancj023 eq null and aandj023 eq null and aaeqj023 eq null and aanfj023 eq null and aangj023 eq null and aanhj023 eq null and aanij023 eq null
FFIEC101	12/31/2008	0677	Quality	N9A	AANA	J024		1	N	Published	If N9A is not equal to null, then N9A should be greater than or equal to 4.00% and less than 5.00%.	if aanaj024 ne null then aanaj024 ge 4.00 and aanaj024 lt 5.00
FFIEC101	12/31/2008	0678	Quality	N9A	AANA	J024		1	N	Published	If N9A is not equal to null, then N9B, N9C, N9D, N9E, N9G, N9H and N9I should not be equal to null.	if aanaj024 ne null then aanbj024 ne null and aancj024 ne null and aandj024 ne null and aanej024 ne null and aangj024 ne null and aanhj024 ne null and aanij024 ne null
FFIEC101	12/31/2008	0791	Quality	N9A	AANA	J024		1	N	Published	If N9A is equal to null, then N9B, N9C, N9D, N9E, N9F, N9G, N9H, N9I, and N9J should be equal to null.	if aanaj024 eq null then aanbj024 eq null and aancj024 eq null and aandj024 eq null and aaeqj024 eq null and aanfj024 eq null and aangj024 eq null and aanhj024 eq null and aanij024 eq null
FFIEC101	12/31/2008	0711	Quality	O10A	AAOA	J026		1	O	Published	If O10A is not equal to null, then O10A should be greater than or equal to 5.00% and less than 6.00%.	if aoaj026 ne null then aoaj026 ge 5.00 and aoaj026 lt 6.00

FFIEC101	12/31/2008	0712	Quality	O10A	AAOA	J026		1	O	Published	If O10A is not equal to null, then O10B, O10C, O10D, O10E, O10G, O10H and O10I should not be equal to null.	if aaoaj026 ne null then aaoaj026 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	12/31/2008	0806	Quality	O10A	AAOA	J026		1	O	Published	If O10A is equal to null, then O10B, O10C, O10D, O10E, O10F, O10G, O10H, O10I, and O10J should be equal to null.	if aaoaj026 eq null then aaoaj026 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	12/31/2008	0713	Quality	O11A	AAOA	J027		1	O	Published	If O11A is not equal to null, then O11A should be greater than or equal to 6.00% and less than 7.00%.	if aaoaj027 ne null then aaoaj027 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	12/31/2008	0714	Quality	O11A	AAOA	J027		1	O	Published	If O11A is not equal to null, then O11B, O11C, O11D, O11E, O11G, O11H and O11I should not be equal to null.	if aaoaj027 ne null then aaoaj027 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	12/31/2008	0807	Quality	O11A	AAOA	J027		1	O	Published	If O11A is equal to null, then O11B, O11C, O11D, O11E, O11F, O11G, O11H, O11I, and O11J should be equal to null.	if aaoaj027 eq null then aaoaj027 ge 6.00 and aaoaj027 lt 7.00
FFIEC101	12/31/2008	0715	Quality	O12A	AAOA	J028		1	O	Published	If O12A is not equal to null, then O12A should be greater than or equal to 7.00% and less than 8.00%.	if aaoaj028 ne null then aaoaj028 ge 7.00 and aaoaj028 lt 8.00
FFIEC101	12/31/2008	0716	Quality	O12A	AAOA	J028		1	O	Published	If O12A is not equal to null, then O12B, O12C, O12D, O12E, O12G, O12H and O12I should not be equal to null.	if aaoaj028 ne null then aaoaj028 ge 7.00 and aaoaj028 lt 8.00
FFIEC101	12/31/2008	0808	Quality	O12A	AAOA	J028		1	O	Published	If O12A is equal to null, then O12B, O12C, O12D, O12E, O12F, O12G, O12H, O12I, and O12J should be equal to null.	if aaoaj028 eq null then aaoaj028 ge 7.00 and aaoaj028 lt 8.00
FFIEC101	12/31/2008	0717	Quality	O13A	AAOA	J030		1	O	Published	If O13A is not equal to null, then O13A should be greater than or equal to 8.00% and less than 10.00%.	if aaoaj030 ne null then aaoaj030 ge 8.00 and aaoaj030 lt 10.00
FFIEC101	12/31/2008	0718	Quality	O13A	AAOA	J030		1	O	Published	If O13A is not equal to null, then O13B, O13C, O13D, O13E, O13G, O13H and O13I should not be equal to null.	if aaoaj030 ne null then aaoaj030 ge 8.00 and aaoaj030 lt 10.00
FFIEC101	12/31/2008	0809	Quality	O13A	AAOA	J030		1	O	Published	If O13A is equal to null, then O13B, O13C, O13D, O13E, O13F, O13G, O13H, O13I, and O13J should be equal to null.	if aaoaj030 eq null then aaoaj030 ge 8.00 and aaoaj030 lt 10.00
FFIEC101	12/31/2008	0719	Quality	O14A	AAOA	J032		1	O	Published	If O14A is not equal to null, then O14A should be greater than or equal to 10.00% and less than 100.00%.	if aaoaj032 ne null then aaoaj032 ge 10.00 and aaoaj032 lt 100.00
FFIEC101	12/31/2008	0720	Quality	O14A	AAOA	J032		1	O	Published	If O14A is not equal to null, then O14B, O14C, O14D, O14E, O14G, O14H and O14I should not be equal to null.	if aaoaj032 ne null then aaoaj032 ge 10.00 and aaoaj032 lt 100.00
FFIEC101	12/31/2008	0810	Quality	O14A	AAOA	J032		1	O	Published	If O14A is equal to null, then O14B, O14C, O14D, O14E, O14F, O14G, O14H, O14I, and O14J should be equal to null.	if aaoaj032 eq null then aaoaj032 ge 10.00 and aaoaj032 lt 100.00
FFIEC101	12/31/2008	0721	Quality	O15B	AAOB	J034		1	O	Published	If O15B is not equal to null, then O15C, O15D, O15E, O15G, O15H and O15I should not be equal to null.	if aaoaj034 ne null then aaoaj034 ge 10.00 and aaoaj034 lt 100.00

FFIEC101	12/31/2008	0770	Quality	O15B	AAOB	J034		1	O	Published	If O15B is equal to null, then O15C, O15D, O15E, O15F, O15G, O15H, O15I and O15J should be equal to null.	If aaoj034 eq null then aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null and aaoj034 eq null
FFIEC101	12/31/2008	0722	Quality	O16J	AAOJ	J035		1	O	Published	If O1J, O2J, O3J, O4J, O5J, O6J, O7J, O8J, O9J, O10J, O11J, O12J, O13J, O14J or O15J are not equal to null then O16J should not equal null.	If aaoj011 ne null or aaoj015 ne null or aaoj017 ne null or aaoj018 ne null or aaoj020 ne null or aaoj021 ne null or aaoj022 ne null or aaoj023 ne null or aaoj024 ne null or aaoj026 ne null or aaoj027 ne null or aaoj028 ne null or aaoj030 ne null or aaoj032 ne null or aaoj034 ne null then aaoj035 ne null
FFIEC101	12/31/2008	0723	Quality	O16J	AAOJ	J035		1	O	Published	If O16J is not equal to null then O1J, O2J, O3J, O4J, O5J, O6J, O7J, O8J, O9J, O10J, O11J, O12J, O13J, O14J or O15J should not equal null.	If aaoj035 ne null then aaoj011 ne null or aaoj015 ne null or aaoj017 ne null or aaoj018 ne null or aaoj020 ne null or aaoj021 ne null or aaoj022 ne null or aaoj023 ne null or aaoj024 ne null or aaoj026 ne null or aaoj027 ne null or aaoj028 ne null or aaoj030 ne null or aaoj032 ne null or aaoj034 ne null
FFIEC101	12/31/2008	0724	Quality	O18	AAOX	J041		1	O	Published	If O16J is not equal to null then O18 should not equal null.	If aaoj035 ne null then aaoj041 ne null
FFIEC101	12/31/2008	0693	Quality	O1A	AAOA	J011		1	O	Published	If O1A is not equal to null, then O1A should be greater than or equal to 0.00% and less than 0.50%.	If aaoj011 ne null then aaoj011 ge 0.00 and aaoj011 lt 0.50
FFIEC101	12/31/2008	0694	Quality	O1A	AAOA	J011		1	O	Published	If O1A is not equal to null, then O1B, O1C, O1D, O1E, O1G, O1H and O1I should not be equal to null.	If aaoj011 ne null then aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null and aaoj011 ne null
FFIEC101	12/31/2008	0797	Quality	O1A	AAOA	J011		1	O	Published	If O1A is equal to null, then O1B, O1C, O1D, O1E, O1F, O1G, O1H, O1I, and O1J should be equal to null.	If aaoj011 eq null then aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null and aaoj011 eq null
FFIEC101	12/31/2008	0695	Quality	O2A	AAOA	J015		1	O	Published	If O2A is not equal to null, then O2A should be greater than or equal to 0.50% and less than 1.00%.	If aaoj015 ne null then aaoj015 ge 0.50 and aaoj015 lt 1.00
FFIEC101	12/31/2008	0696	Quality	O2A	AAOA	J015		1	O	Published	If O2A is not equal to null, then O2B, O2C, O2D, O2E, O2G, O2H and O2I should not be equal to null.	If aaoj015 ne null then aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null and aaoj015 ne null
FFIEC101	12/31/2008	0798	Quality	O2A	AAOA	J015		1	O	Published	If O2A is equal to null, then O2B, O2C, O2D, O2E, O2F, O2G, O2H, O2I, and O2J should be equal to null.	If aaoj015 eq null then aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null and aaoj015 eq null
FFIEC101	12/31/2008	0697	Quality	O3A	AAOA	J017		1	O	Published	If O3A is not equal to null, then O3A should be greater than or equal to 1.00% and less than 1.50%.	If aaoj017 ne null then aaoj017 ge 1.00 and aaoj017 lt 1.50
FFIEC101	12/31/2008	0698	Quality	O3A	AAOA	J017		1	O	Published	If O3A is not equal to null, then O3B, O3C, O3D, O3E, O3G, O3H and O3I should not be equal to null.	If aaoj017 ne null then aaoj017 ne null and aaoj017 ne null and aaoj017 ne null and aaoj017 ne null and aaoj017 ne null and aaoj017 ne null
FFIEC101	12/31/2008	0799	Quality	O3A	AAOA	J017		1	O	Published	If O3A is equal to null, then O3B, O3C, O3D, O3E, O3F, O3G, O3H, O3I, and O3J should be equal to null.	If aaoj017 eq null then aaoj017 eq null and aaoj017 eq null and aaoj017 eq null and aaoj017 eq null and aaoj017 eq null and aaoj017 eq null and aaoj017 eq null
FFIEC101	12/31/2008	0699	Quality	O4A	AAOA	J018		1	O	Published	If O4A is not equal to null, then O4A should be greater than or equal to or equal to 1.50% and less than 2.00%.	If aaoj018 ne null then aaoj018 ge 1.50 and aaoj018 lt 2.00

FFIEC101	12/31/2008	0700	Quality	O4A	AAOA	J018		1	O	Published	If O4A is not equal to null, then O4B, O4C, O4D, O4E, O4G, O4H and O4I should not be equal to null.	if aaoaj018 ne null then aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null and aaoaj018 ne null
FFIEC101	12/31/2008	0800	Quality	O4A	AAOA	J018		1	O	Published	If O4A is equal to null, then O4B, O4C, O4D, O4E, O4F, O4G, O4H, O4I, and O4J should be equal to null.	if aaoaj018 eq null then aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null and aaoaj018 eq null
FFIEC101	12/31/2008	0701	Quality	O5A	AAOA	J020		1	O	Published	If O5A is not equal to null, then O5A should be greater than or equal to 2.00% and less than 2.50%.	if aaoaj020 ne null then aaoaj020 ge 2.00 and aaoaj020 lt 2.50
FFIEC101	12/31/2008	0702	Quality	O5A	AAOA	J020		1	O	Published	If O5A is not equal to null, then O5B, O5C, O5D, O5E, O5G, O5H and O5I should not be equal to null.	if aaoaj020 ne null then aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null and aaoaj020 ne null
FFIEC101	12/31/2008	0801	Quality	O5A	AAOA	J020		1	O	Published	If O5A is equal to null, then O5B, O5C, O5D, O5E, O5F, O5G, O5H, O5I, and O5J should be equal to null.	if aaoaj020 eq null then aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null and aaoaj020 eq null
FFIEC101	12/31/2008	0703	Quality	O6A	AAOA	J021		1	O	Published	If O6A is not equal to null, then O6A should be greater than or equal to 2.50% and less than 3.00%.	if aaoaj021 ne null then aaoaj021 ge 2.50 and aaoaj021 lt 3.00
FFIEC101	12/31/2008	0704	Quality	O6A	AAOA	J021		1	O	Published	If O6A is not equal to null, then O6B, O6C, O6D, O6E, O6G, O6H and O6I should not be equal to null.	if aaoaj021 ne null then aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null and aaoaj021 ne null
FFIEC101	12/31/2008	0802	Quality	O6A	AAOA	J021		1	O	Published	If O6A is equal to null, then O6B, O6C, O6D, O6E, O6F, O6G, O6H, O6I, and O6J should be equal to null.	if aaoaj021 eq null then aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null and aaoaj021 eq null
FFIEC101	12/31/2008	0705	Quality	O7A	AAOA	J022		1	O	Published	If O7A is not equal to null, then O7A should be greater than or equal to 3.00% and less than 3.50%.	if aaoaj022 ne null then aaoaj022 ge 3.00 and aaoaj022 lt 3.50
FFIEC101	12/31/2008	0706	Quality	O7A	AAOA	J022		1	O	Published	If O7A is not equal to null, then O7B, O7C, O7D, O7E, O7G, O7H and O7I should not be equal to null.	if aaoaj022 ne null then aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null and aaoaj022 ne null
FFIEC101	12/31/2008	0803	Quality	O7A	AAOA	J022		1	O	Published	If O7A is equal to null, then O7B, O7C, O7D, O7E, O7F, O7G, O7H, O7I, and O7J should be equal to null.	if aaoaj022 eq null then aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null and aaoaj022 eq null
FFIEC101	12/31/2008	0707	Quality	O8A	AAOA	J023		1	O	Published	If O8A is not equal to null, then O8A should be greater than or equal to 3.50% and less than 4.00%.	if aaoaj023 ne null then aaoaj023 ge 3.50 and aaoaj023 lt 4.00
FFIEC101	12/31/2008	0708	Quality	O8A	AAOA	J023		1	O	Published	If O8A is not equal to null, then O8B, O8C, O8D, O8E, O8G, O8H and O8I should not be equal to null.	if aaoaj023 ne null then aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null and aaoaj023 ne null
FFIEC101	12/31/2008	0804	Quality	O8A	AAOA	J023		1	O	Published	If O8A is equal to null, then O8B, O8C, O8D, O8E, O8F, O8G, O8H, O8I, and O8J should be equal to null.	if aaoaj023 eq null then aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null and aaoaj023 eq null
FFIEC101	12/31/2008	0709	Quality	O9A	AAOA	J024		1	O	Published	If O9A is not equal to null, then O9A should be greater than or equal to 4.00% and less than 5.00%.	if aaoaj024 ne null then aaoaj024 ge 4.00 and aaoaj024 lt 5.00



FFIEC101	12/31/2008	0710	Quality	O9A	AAOA	J024		1	O	Published	If O9A is not equal to null, then O9B, O9C, O9D, O9E, O9G, O9H and O9I should not be equal to null.	if aaoaj024 ne null then aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null and aaoaj024 ne null
FFIEC101	12/31/2008	0805	Quality	O9A	AAOA	J024		1	O	Published	If O9A is equal to null, then O9B, O9C, O9D, O9E, O9F, O9G, O9H, O9I, and O9J should be equal to null.	if aaoaj024 eq null then aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null and aaoaj024 eq null
FFIEC101	12/31/2008	0771	Quality	P1C	AAPC	J042		1	P	Published	P1C should be less than or equal to 25% of the sum P1A and P1B.	aapcj042 le (0.25 * (aapaj042 + aapbj042))
FFIEC101	12/31/2008	0772	Quality	P2C	AAPC	J043		1	P	Published	P2C should be less than or equal to 35% of the sum P2A and P2B.	aapcj043 le (0.35 * (aapaj043 + aapbj043))
FFIEC101	12/31/2008	0773	Quality	P3C	AAPC	J044		1	P	Published	P3C should be less than or equal to the sum of P3A and P3B.	aapcj044 le (aapaj044 + aapbj044)
FFIEC101	12/31/2008	0774	Quality	P4C	AAPC	J045		1	P	Published	P4C should be less than or equal to 650% of the sum P4A and P4B.	aapcj045 le (6.5 * (aapaj045 + aapbj045))
FFIEC101	12/31/2008	0725	Quality	P5C	AAPC	J046		1	P	Published	Sum of B17G and B18G should equal P5C.	(aaoaj140 + aaoaj141) eq aapcj046
FFIEC101	12/31/2008	0775	Quality	Q3B	AAQB	J049		1	Q	Published	If Q3C is less than Q3A, then Q3B should not equal null.	if aaoaj049 lt aaoaj049 then aaoaj049 ne null
FFIEC101	12/31/2008	0776	Quality	Q3C	AAQC	J049		1	Q	Published	Q3C should be less than or equal to Q3A.	aaoaj049 le aaoaj049
FFIEC101	12/31/2008	0777	Quality	Q4B	AAQB	J050		1	Q	Published	If Q4C is less than Q4A, then Q4B should not equal null.	if aaoaj050 lt aaoaj050 then aaoaj050 ne null
FFIEC101	12/31/2008	0778	Quality	Q4C	AAQC	J050		1	Q	Published	Q4C should be less than or equal to Q4A.	aaoaj050 le aaoaj050
FFIEC101	12/31/2008	0734	Quality	R14B	AARB	J066		1	R	Published	R14B should equal 7% of R14A (+/- \$1K).	aarb066 ge ((0.07 * aaraj066) - 1) and arb066 le ((0.07 * aaraj066) + 1)
FFIEC101	12/31/2008	0782	Quality	R17B	AARB	J069		1	R	Published	R17B should equal R17A multiplied by 12.5 (+/- \$1K).	aarb069 ge ((aaraj069 * 12.5) - 1) and arb069 le ((aaraj069 * 12.5) + 1)
FFIEC101	12/31/2008	0735	Quality	R18B	AARB	J070		1	R	Published	R18B should equal 200% of R18A.	aarb070 eq (2.00 * aaraj070)
FFIEC101	12/31/2008	0736	Quality	R19B	AARB	J071		1	R	Published	R19B should equal 300% of R19A.	aarb071 eq (3.00 * aaraj071)
FFIEC101	12/31/2008	0726	Quality	R1A	AARA	J053		1	R	Published	If R2A, R3A, or R4A is not equal to null, then R1A should not equal null.	if (aaraj054 ne null or aaraj055 ne null or aaraj056 ne null) then aaraj053 ne null
FFIEC101	12/31/2008	0737	Quality	R23B	AARB	J075		1	R	Published	R23B should equal R23A multiplied by 12.5 (+/- \$1K).	aarb075 ge ((aaraj075 * 12.5) - 1) and arb075 le ((aaraj075 * 12.5) + 1)
FFIEC101	12/31/2008	0738	Quality	R24B	AARB	J076		1	R	Published	R24B should equal 200% of R24A.	aarb076 eq (2.00 * aaraj076)
FFIEC101	12/31/2008	0739	Quality	R2B	AARB	J054		1	R	Published	R2B should equal 0% of R2A.	aarb054 eq (0.00 * aaraj054)
FFIEC101	12/31/2008	0740	Quality	R3B	AARB	J055		1	R	Published	R3B should equal 20% of R3A (+/- \$1K).	aarb055 ge ((0.20 * aaraj055) - 1) and arb055 le ((0.20 * aaraj055) + 1)
FFIEC101	12/31/2008	0727	Quality	R4A	AARA	J056		1	R	Published	If R1A is not equal to null, then R2A, R3A, and R4A should not equal null.	if aaraj053 ne null then aaraj054 ne null and aaraj055 ne null and aaraj056 ne null
FFIEC101	12/31/2008	0741	Quality	R4B	AARB	J056		1	R	Published	R4B should equal 100% of R4A.	aarb056 eq (1.00 * aaraj056)
FFIEC101	12/31/2008	0742	Quality	R5B	AARB	J057		1	R	Published	R5B should equal 100% of R5A.	aarb057 eq (1.00 * aaraj057)
FFIEC101	12/31/2008	0730	Quality	R6A	AARA	J058		1	R	Published	R6A should be less than or equal to the sum of (10% of A(I)11) and A(I)18.	aaraj058 le ((0.10 * aaraj169) + aaraj178)
FFIEC101	12/31/2008	0731	Quality	R6A	AARA	J058		1	R	Published	R6A should be less than or equal to the sum of (10% of A(II)14) and A(II)23.	aaraj058 le ((0.10 * aaraj169) + aaraj178)
FFIEC101	12/31/2008	0743	Quality	R6B	AARB	J058		1	R	Published	R6B should equal 100% of R6A.	aarb058 eq (1.00 * aaraj058)
FFIEC101	12/31/2008	0744	Quality	R7B	AARB	J059		1	R	Published	R7B should equal 300% of R7A.	aarb059 eq (3.00 * aaraj059)
FFIEC101	12/31/2008	0811	Quality	R8A	AARA	J060		1	R	Published	R8A should not be null.	aaraj060 ne null
FFIEC101	12/31/2008	0745	Quality	R8B	AARB	J060		1	R	Published	R8B should equal 400% of R8A.	aarb060 eq (4.00 * aaraj060)
FFIEC101	12/31/2008	0812	Quality	R9A	AARA	J061		1	R	Published	R9A should not be null.	aaraj061 ne null
FFIEC101	12/31/2008	0746	Quality	R9B	AARB	J061		1	R	Published	R9B should equal 600% of R9A.	aarb061 eq (6.00 * aaraj061)
FFIEC101	12/31/2008	0747	Quality	S11	AASA	J093		1	S	Published	If S12 is not equal to null, then S11 should not be null.	if aasaj094 ne null then aasaj093 ne null
FFIEC101	12/31/2008	0748	Quality	S11	AASA	J093		1	S	Published	If S11 is not equal to null, then S14a, S14b, S14c, S14d, S14e, S14f, or S14g should not be null.	if aasaj093 ne null then aasaj096 ne null or aasaj097 ne null or aasaj098 ne null or aasaj099 ne null or aasaj100 ne null or aasaj101 ne null or aasaj102 ne null

FFIEC101	12/31/2008	0749	Quality	S11	AASA	J093		1	S	Published	If S14a, S14b, S14c, S14d, S14e, S14f, or S14g is not equal to null, then S11 should not be null.	if aasaj096 ne null or aasaj097 ne null or aasaj098 ne null or aasaj099 ne null or aasaj100 ne null or aasaj101 ne null or aasaj102 ne null then aasaj093 ne null
FFIEC101	12/31/2008	0750	Quality	S12	AASA	J094		1	S	Published	If S11 is not equal to null, then S12 should not be null.	if aasaj093 ne null then aasaj094 ne null
FFIEC101	12/31/2008	0751	Quality	S12	AASA	J094		1	S	Published	If S12 is not equal to null, then S15a, S15b, S15c, S15d, S15e, S15f, or S15g should not be null.	if aasaj094 ne null then aasaj103 ne null or aasaj104 ne null or aasaj105 ne null or aasaj106 ne null or aasaj107 ne null or aasaj108 ne null or aasaj109 ne null
FFIEC101	12/31/2008	0752	Quality	S12	AASA	J094		1	S	Published	If S15a, S15b, S15c, S15d, S15e, S15f, or S15g is not equal to null, then S12 should not be null.	if aasaj103 ne null or aasaj104 ne null or aasaj105 ne null or aasaj106 ne null or aasaj107 ne null or aasaj108 ne null or aasaj109 ne null then aasaj094 ne null
FFIEC101	12/31/2008	0753	Quality	S12	AASA	J094		1	S	Published	S12 should be greater than or equal to S13.	aasaj094 ge aasaj095
FFIEC101	12/31/2008	0754	Quality	S13	AASA	J095		1	S	Published	If S12 is not equal to null, then S13 should not be null.	if aasaj094 ne null then aasaj095 ne null
FFIEC101	12/31/2008	0755	Quality	S16	AASA	J110		1	S	Published	If S16 is not equal to null then S18a, S18b, S18c, S18d, S18e or S18f should not equal null.	if aasaj110 ne null then aasaj112 ne null or aasaj113 ne null or aasaj114 ne null or aasaj115 ne null or aasaj116 ne null or aasaj117 ne null
FFIEC101	12/31/2008	0756	Quality	S16	AASA	J110		1	S	Published	If S18a, S18b, S18c, S18d, S18e or S18f is not equal to null then S16 should not equal null.	if aasaj112 ne null or aasaj113 ne null or aasaj114 ne null or aasaj115 ne null or aasaj116 ne null or aasaj117 ne null then aasaj110 ne null