

DIE 0075
FLAT SIZE 8.625 X 6.625



Drug Facts
Active ingredient (in each capsule)
Loperamide HCl 1 mg
Anti-diarrhea

Purpose
Use to control symptoms of diarrhea, including traveler's diarrhea.

Warnings
Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.
Do not use if you have bloody or black stool.
Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

Ask a doctor or pharmacist before use if you are taking antidiotics
Ask a doctor before use if you have:
■ fever ■ muscle in the stool ■ a history of liver disease

When using this product: If symptoms get worse, if diarrhea lasts for more than 2 days, if you get abdominal swelling or bloating, these may be signs of a serious condition. Stop use and ask a doctor if:
■ you get abdominal swelling or bloating, these may be signs of a serious condition.
■ diarrhea lasts for more than 2 days
■ symptoms get worse

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use.

Directions ■ Drink plenty of clear fluids to help prevent dehydration caused by diarrhea. ■ Find right dose on chart. If possible, use weight to dose; otherwise, use age.

Children and children 12 years and over: 4 softgels after the first loose stool, but no more than 8 softgels in 24 hours.
Children 6-11 years (60-95 lbs): 2 softgels after the first loose stool, but no more than 4 softgels in 24 hours.
Children 6-5 years (40-59 lbs): 2 softgels after the first loose stool, 1 softgel after each subsequent loose stool, but no more than 4 softgels in 24 hours.
Children under 6 years (up to 47 lbs): Ask a doctor.

Other information
■ Do not use if carton or blister unit is open or torn.
■ Avoid excessive heat above 40°C (104°F).
■ See side panel for lot number and expiration date.
■ Store at 20°-25°C (68°-77°F).

Inactive ingredients butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polypropylene glycol, polypropylene glycol, purified water.

Questions or comments? call toll free 1-800-447-1140

Manufactured by: Bannett Pharmaceuticals Inc.
1025 Premier Drive
High Point, NC 27626

Lot # _____
Expiration Date _____
Box # / 750

Loperamide 1 mg Softgels*

00-0000-0000000000 CND

Compare to the active ingredient in Imodium® A-D

Loperamide HCl
Soft Gelatin Capsules, 1 mg
Anti-Diarrheal

Suitable for adults and children 6 years and over

6 Softgels*
*each Liquid-filled capsule contains 1 mg loperamide HCl



(b) (4)

<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p><input type="checkbox"/></p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
<p>_____</p> <p>_____</p> <p>_____</p>		

