# FREEDOM OF INFORMATION SUMMARY FOR

# COMPONENT® E-S & COMPONENT® E-C

(Progesterone and Estradiol Benzoate)

### 1. GENERAL INFORMATION

NADA Number: 110-315

Sponsor: Ivy Laboratories

Division of Ivy Animal Health, Inc.

8857 Bond Street

Overland Park, KS 66214

Generic Name: Progesterone, Estradiol Benzoate, and Tylosin Tartrate

Trade Name: Component<sup>®</sup> E-S with Tylan<sup>®</sup>; Component<sup>®</sup> E-C with Tylan<sup>®</sup>

Marketing Status: Over-the-counter (OTC)

Effect of Supplement: This supplement provides for the addition of a tylosin tartrate

pellet as a local antibacterial to Component® E-S and

Component® E-C.

### 2. INDICATIONS FOR USE

Component<sup>®</sup> E-S with Tylan<sup>®</sup>: For increased rate of weight gain and improved feed efficiency in steers weighing 400 lbs or more. Component<sup>®</sup> E-C with Tylan<sup>®</sup>: For increased rate of weight gain in suckling beef calves up to 400 lbs body weight.

# 3. DOSAGE FORM(S), ROUTE OF ADMINISTRATION, AND RECOMMENDED DOSAGE

**<u>Dosage Form</u>**: Implantation

Route of Administration: Subcutaneous implantation on the posterior aspect of the middle one-third of the ear by means of an implant gun.

<u>Recommended Dosage</u>: *Component*<sup>®</sup> *E-S with Tylan*<sup>®</sup>: One implant containing 200 mg progesterone, 20 mg estradiol benzoate, and 29 mg tylosin tartrate. *Component*<sup>®</sup> *E-C with Tylan*<sup>®</sup>: One implant containing 100 mg progesterone, 10 mg estradiol benzoate, and 29 mg tylosin tartrate.

#### 4. EFFECTIVENESS

The effectiveness requirement for this supplemental new animal drug application, with the indications for use and dosage as given in Sections 2 and 3 above, is met by utilizing the existing database in NADA 110-315 and conducting the additional adequate and well-controlled study included in this supplemental application.

# **Pivotal Study:**

A study was conducted by William Barton, CAVL, Inc, Amarillo,TX, to evaluate the effectiveness of Component® E-S with Tylan® to lower the incidence of ear abscess formation. An implant site abscess induction model was developed to reliably create a high abscess rate in test animals. This model was used to test the ability of a tylosin tartrate pellet to reduce implant site abscess incidence in animals expected to develop an ear abscess. In the study, 40 beef steers were subjected to the abscess-inducing culture at the same time they were implanted with either Component® E-S with a Tylan® pellet or Component® E-S alone. Implant sites were observed at regular intervals up to 35 days following implantation. Abscess rate at each time point was significantly lower (P<0.001) in steers treated with Component® E-S with a Tylan® pellet compared to steers treated with Component® E-S alone, with the maximum incidence of abscesses of 8% and 94%, respectively.

### 5. TARGET ANIMAL SAFETY

Target animal safety of Component<sup>®</sup> E-S and Component<sup>®</sup> E-C is established by data in the parent application. The data provided in the effectiveness study described above was sufficient to conclude that the use of the tylosin pellet was safe for use in cattle. No further studies were required.

## 6. HUMAN SAFETY

Human safety is established for Component<sup>®</sup> E-S and Component<sup>®</sup> E-C by data in the parent application. No further studies were required for use of the tylosin pellet.

### 7. AGENCY CONCLUSIONS

Adequate data demonstrates the safe and effective use of a tylosin tartrate pellet added to Component<sup>®</sup> E-S and Component<sup>®</sup> E-C as a local antibacterial.

Under the Center's supplemental approval policy (21 CFR 514.106(b)(2)), this is a Category II change providing for the addition of a tylosin tartrate pellet as a local antibacterial to Component<sup>®</sup> E-S and Component<sup>®</sup> E-C. The approval of this change is not expected to have any adverse effect on the safety or effectiveness of this new animal drug. Accordingly, this approval did not require a reevaluation of the safety and effectiveness data in the parent application.

# 8. LABELING

Facsimile labeling is attached as follows:

- Component<sup>®</sup> E-S with Tylan<sup>®</sup> Box Label
  Component<sup>®</sup> E-S with Tylan<sup>®</sup> 20 Dose Foil Pouch
  Component<sup>®</sup> E-S with Tylan<sup>®</sup> Package Insert
  Component<sup>®</sup> E-C with Tylan<sup>®</sup> Box Label
  Component<sup>®</sup> E-C with Tylan<sup>®</sup> 20 Dose Foil Pouch
  Component<sup>®</sup> E-C with Tylan<sup>®</sup> Package Insert