

# How to Install a Calibration Database

Michael F. Corcoran  
Code 662,  
NASA/GSFC,  
Greenbelt, MD20771

Lorraine Breedon  
Code 668,  
NASA/GSFC,  
Greenbelt, MD20771

Version: 2007 Feb 27

## **SUMMARY**

This document describes the steps required to install and build a local Calibration Database (CALDB) system: construction of the filesystem, transfer of the desired calibration files from the HEASARC calibration database and installation of the calibration files into the 'Calibration Index Files' (CIFs). Once set-up, the continued maintenance/management of a local CALDB is covered in OGIP Calibration Memo CAL/GEN/92-015.

## LOG OF SIGNIFICANT CHANGES

<b>Release Date</b>	<b>Sections Changed</b>	<b>Brief Notes</b>
1997 Sept 30	All	First Public Version
2005 Dec 08	All	General Update
2007 Feb 27	§§2.1; 3	refer to <a href="http://heasarc">http://heasarc</a> rather than <a href="ftp://legacy">ftp://legacy</a> in URLs

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Setting up the CALDB Environment</b>	<b>1</b>
2.1	Downloading and Installing CALDB setup files . . . . .	1
2.2	CALDB Setup . . . . .	2
<b>3</b>	<b>Downloading and Installing CALDB Calibration Data from the HEASARC CALDB</b>	<b>3</b>
<b>4</b>	<b>Including Non-HEASARC-Supported Missions in your CALDB</b>	<b>4</b>
<b>5</b>	<b>Additional Information</b>	<b>5</b>

## 1 Introduction

This document describes how to set up a local copy of the HEASARC's calibration database (CALDB) system.

The High Energy Astrophysics Science Archive Research Center (HEASARC) Calibration Database (CALDB) is a modular system for storing and retrieving calibration data on an instrument-by-instrument basis. It is designed to be flexible and installable on any Unix workstation, desktop or laptop. The CALDB is integrated with the HEASoft software package in that the HEASoft tasks can access appropriate calibration data from the CALDB with little input from the user.

Installing all or part of the CALDB is a matter of setting up the CALDB environment variables and downloading and untarring the calibration data. These steps are described below.

Note that calibration data which is archived in the HEASARC CALDB is directly available to all HEASoft users with an internet connection via Remote Access. Remote Access means that users have access to all data in the HEASARC CALDB without having to download the CALDB data to their local disk. More information on setting up Remote Access to the HEASARC CALDB is available at [http://heasarc.gsfc.nasa.gov/docs/heasarc/caldb/caldb\\_remote\\_access.html](http://heasarc.gsfc.nasa.gov/docs/heasarc/caldb/caldb_remote_access.html).

## 2 Setting up the CALDB Environment

Define the environment variable `$CALDB` to point to the directory where the calibration data will be located (we'll call this the top-level CALDB directory). For example, if the CALDB is being installed under the directory `/local/home/user/caldb` you need to define the `$CALDB` environment variable as:

```
% setenv CALDB /local/home/user/caldb
```

### 2.1 Downloading and Installing CALDB setup files

Change your current working directory to `$CALDB` and download the file [http://heasarc.gsfc.nasa.gov/FTP/caldb/software/tools/caldb\\_setup\\_files.tar.Z](http://heasarc.gsfc.nasa.gov/FTP/caldb/software/tools/caldb_setup_files.tar.Z) either using your web browser or using a download utility like `wget` or `curl`. Then uncompress and untar the file in your `$CALDB` directory. For example:

```
% cd $CALDB
% wget http://heasarc.gsfc.nasa.gov/FTP/caldb/software/tools/caldb_setup_files.tar.Z
--14:02:20-- http://heasarc.gsfc.nasa.gov/FTP/caldb/software/tools/caldb_setup_files.tar.Z
```

```

=> 'caldb_setup_files.tar.Z'
Resolving heasarc.gsfc.nasa.gov... 128.183.240.223
Connecting to heasarc.gsfc.nasa.gov[128.183.240.223]:80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 8,172 [application/x-tar]

100%[=====>] 8,172

14:02:20 (12.37 MB/s) - 'caldb_setup_files.tar.Z' saved [8172/8172]

% tar -zxvf caldb_setup_files.tar.Z

```

This will create two \$CALDB configuration files, which are:

```

$CALDB/software/tools/alias_config.fits
$CALDB/software/tools/caldb.config

```

and a CALDB initialization file, \$CALDB/software/tools/caldbinit.csh (for unix C-shell users) or \$CALDB/software/tools/caldbinit.sh (for unix Bourne shell users). Note that there is also an initialization file (caldbinit\_iraf.unix) for users who might want to install the CALDB under IRAF<sup>1</sup>, and even an initialization file for VMS users. The IRAF and VMS initialization files are supplied for largely historical reasons, and are currently deprecated.

Open the appropriate initialization file (caldbinit.csh or caldbinit.sh, depending respectively on whether you are using C-shell or Bourne shell) in an editor (like vi or pico for example), and edit the definition of the \$CALDB environment variable to point to your top-level CALDB directory. In our example the first line of caldbinit.csh should read:

```
setenv CALDB /local/home/user/caldb
```

## 2.2 CALDB Setup

Before accessing calibration data (using the HEASoft analysis tools, for example) you need to set up the CALDB environment variables by sourcing the appropriate CALDB initialization file:

```
source $CALDB/software/tools/caldbinit.csh
```

for c-shell users, for example. If you include this line (or source \$CALDB/software/tools/caldbinit.sh for Bourne shell users) in your .login file, then the CALDB will be available to you every time you log in.

<sup>1</sup>the Image Reduction and Analysis Facility, <http://iraf.noao.edu/>

### 3 Downloading and Installing CALDB Calibration Data from the HEASARC CALDB

This section describes how to download calibration data from the HEASARC for a particular mission and instrument, and how to store the data so the CALDB software tools can access it.

1. Change directory to \$CALDB. If you haven't defined the environment variable \$CALDB, you should do so, as specified above.
2. For each <mission>/<instrument> combination (for example the rosat/pspc) download the file

```
goodfiles_<mission>_<instrument>.tar.Z
```

via web access from <http://heasarc.gsfc.nasa.gov/FTP/caldb/data>. For example, if you want to install the CALDB for the ROSAT PSPC, you should download the file /caldb/data/rosat/pspc/goodfiles\_rosat\_pspc.tar.Z via

3. Uncompress and untar each goodfiles\_<mission>\_<instrument>.tar.Z file; this will create the

```
$CALDB/data/< mission>/< instrument>
```

directory tree. For example:

```
% uncompress goodfiles_rosat_pspc.tar.Z
% tar -xvf goodfiles_rosat_pspc.tar
% rm -i goodfiles_rosat_pspc.tar
```

This will create the CALDB directory structure for each mission and instrument with the currently-available calibration data.

4. Run the FTOOL caldbinfo to check that your installation for this mission and instrument is correct. Use the command-line syntax

```
% caldbinfo INST <mission> <instrument>
```

where INST tells caldbinfo to use the INSTRUMENT mode. For the SWIFT XRT:

```
% caldbinfo INST SWIFT XRT
** caldbinfo 1.0.1
... Local CALDB appears to be set-up & accessible
** caldbinfo 1.0.1 completed successfully
```

## 4 Including Non-HEASARC-Supported Missions in your CALDB

This section is for users who have set up the CALDB structure as described above, and who want to add their own missions and instruments to their CALDB.

1. Make sure the CALDB environment variables are defined as described in Section 2.2.
2. Check the file `$CALDB/software/tools/caldb.config` for the presence of the `<mission>/<instrument>` combination in which you're currently interested. For example, if you want to add your own response file for the BBXRT2 XRS to your CALDB, then you could do the following:

```
% grep BBXRT2 $CALDB/software/tools/caldb.config | grep XRS
```

If the `<mission>/<instrument>` combination does exist in `$CALDB/software/tools/caldb.config`, you can go on to step 3. If `grep` does not find the specified `<mission>/<instrument>` string in the `caldb.config` file you'll need to add an entry for this particular mission/instrument combination. To do this for a particular `<mis>/<inst>`, you need to add the following lines to `caldb.config`:

```
#<mis>
<mis> <inst> CALDB data/<mis>/<inst> caldb.indx CALDB data/<mis>/<inst>
```

For example to add an entry for an instrument called the `xrs` on a mission called `BBXRT2`, you should add the following lines:

```
# BBXRT2
BBXRT2 XRS CALDB data/bbxrt2/xrs caldb.indx CALDB data/bbxrt2/xrs
```

to your `caldb.config` file.

3. Create the appropriate directory structure `data/<mission>/<instrument>` under `$CALDB` if it doesn't already exist. For the example above:

```
% cd $CALDB
% mkdir data
% mkdir data/bbxrt2
% mkdir data/bbxrt2/xrs
```

4. Put the calibration data in the directory `$CALDB/data/<mission>/<instrument>/`. For example

```
% cp /local/home/xrs_970929.rsp $CALDB/data/bbxrt2/xrs/.
```

5. If the file `$CALDB/data/<mission>/<instrument>/caldb.indx` doesn't exist create it with the FTOOL `crcif`:



```
% cd $CALDB/data/bbxrt2/xrs/  
% crcif
```

6. Change directory to the appropriate `$CALDB/data/<mission>/<instrument>/` directory and update the `caldb.indx` file with the FTOOL `udcif`:

```
% cd $CALDB/data/bbxrt2/xrs/  
% udcif  
Name of file containing dataset[] bbxrt2.rsp  
Name of Calibration Index File[] ../caldb.indx  
Dataset:      MATRIX  
Quality value for the dataset being entered[] 0
```

7. Check that the installation was successful using the FTOOL `caldbinfo`:

```
% caldbinfo  
Mode (BASIC, INST, or FULL)[] INST  
Name of Mission[] BBXRT2  
Name of Instrument[] XRS  
** caldbinfo 1.0.1  
... Local CALDB appears to be set-up & accessible  
** caldbinfo 1.0.1 completed successfully
```

## 5 Additional Information

Users who are interested in generating calibration data in format which is compatible with the CALDB should see the web page, “Producing CALDB Data Files” at [http://heasarc.gsfc.nasa.gov/docs/heasarc/caldb/caldb\\_producers.html](http://heasarc.gsfc.nasa.gov/docs/heasarc/caldb/caldb_producers.html).

More information on managing a CALDB is available from “How to Manage a Calibration Database” (calibration document CAL/GEN/92-015).