



**APPENDIX 3**

**COPIES OF RELEVANT PUBLICATIONS**

1. Adami G, Smarrelli D, Martinelli B, Acquavita A, Reisenhofer E. Cobalt blood levels after total hip replacement (THR): a new follow-up study in Trieste (Italy). *Ann Chim.* 2003;93(1-2):1-10.
2. Archibeck MJ, Jacobs JJ, Black J. Alternate bearing surfaces in total joint arthroplasty: biologic considerations. *Clin Orthop Relat Res.* 2000 ;(379):12-21.
3. Beaule PE, Amstutz HC, Le Duff M, Dorey F. Surface arthroplasty for osteonecrosis of the hip: hemiresurfacing versus metal-on-metal hybrid resurfacing. *J Arthroplasty.* 2004;19(8 Suppl 3):54-8.
4. Beaule PE, Dorey FJ, LeDuff M, Gruen T, Amstutz HC. Risk factors affecting outcome of metal-on-metal surface arthroplasty of the hip. *Clin Orthop Relat Res.* 2004;(418):87-93.
5. Beaule PE, Le Duff M, Campbell P, Dorey FJ, Park SH, Amstutz HC. Metal-on-metal surface arthroplasty with a cemented femoral component: a 7-10 year follow-up study. *J Arthroplasty.* 2004;19(8 Suppl 3):17-22.
6. Bowsher JG, Hussain A, Williams P, Nevelos J, Shelton JC. Effect of ion implantation on the tribology of metal-on-metal hip prostheses. *J Arthroplasty.* 2004;19(8 Suppl 3):107-11.
7. Brodner W, Bitzan P, Meisinger V, Kaider A, Gottsauner-Wolf F, Kotz R. Serum cobalt levels after metal-on-metal total hip arthroplasty. *J Bone Joint Surg Am.* 2003;85-A(11):2168-73.
8. Brodner W, Grohs JG, Bancher-Todesca D, Dorotka R, Meisinger V, Gottsauner-Wolf F, Kotz R. Does the placenta inhibit the passage of chromium and cobalt after metal-on-metal total hip arthroplasty? *J Arthroplasty.* 2004;19(8 Suppl 3):102-6.
9. Brodner W, Grohs JG, Bitzan P, Meisinger V, Kovarik J, Kotz R. [Serum cobalt and serum chromium level in 2 patients with chronic renal failure after total hip prosthesis implantation with metal-metal gliding contact] *Z Orthop Ihre Grenzgeb.* 2000;138(5):425-9.

10. Brodner W, Grubl A, Jankovsky R, Meisinger V, Lehr S, Gottsauner-Wolf F. Cup inclination and serum concentration of cobalt and chromium after metal-on-metal total hip arthroplasty. *J Arthroplasty*. 2004;19(8 Suppl 3):66-70.
11. Brown SR, Davies WA, DeHeer DH, Swanson AB. Long-term survival of McKee-Farrar total hip prostheses. *Clin Orthop Relat Res*. 2002 ;(402):157-63.
12. Campbell P, McKellop H, Alim R, Mirra J, Nutt S, Dorr L, Amstutz HC. Metal-on-metal hip replacements: wear performance and cellular response to wear particles. *Cobalt-Base Alloys for Biomedical Applications*, ASTM STP 1365, Disegi JA, Kennedy RL, Pilliar R, editors. American Society for Testing Materials, West Conshohocken, PA, 1999.
13. Campbell P, Shen FW, McKellop H. Biologic and tribologic considerations of alternative bearing surfaces. *Clin Orthop Relat Res*. 2004;(418):98-111.
14. Campbell P, Urban RM, Catelas I, Skipor AK, Schmalzried TP. Autopsy analysis thirty years after metal-on-metal total hip replacement. A case report. *J Bone Joint Surg Am*. 2003;85-A(11):2218-22.
15. Campbell PA, Wang M, Amstutz HC, Goodman SB. Positive cytokine production in failed metal-on-metal total hip replacements. *Acta Orthop Scand*. 2002;73(5):506-12.
16. Clarke MT, Lee PT, Arora A, Villar RN. Levels of metal ions after small- and large-diameter metal-on-metal hip arthroplasty. *J Bone Joint Surg Br*. 2003;85(6):913-7.
17. Clarke MT, Lee PT, Villar RN. Dislocation after total hip replacement in relation to metal-on-metal bearing surfaces. *J Bone Joint Surg Br*. 2003;85(5):650-4.
18. Cuckler JM, Moore KD, Lombardi AV Jr, McPherson E, Emerson R. Large versus small femoral heads in metal-on-metal total hip arthroplasty. *J Arthroplasty*. 2004;19(8 Suppl 3):41-4.

19. Davies AP, Willert HG, Campbell PA, Learmonth ID, Case CP. An unusual lymphocytic perivascular infiltration in tissues around contemporary metal-on-metal joint replacements. *J Bone Joint Surg Am.* 2005;87(1):18-27.
20. Delaunay CP. Metal-on-metal bearings in cementless primary total hip arthroplasty. *J Arthroplasty.* 2004;19(8 Suppl 3):35-40.
21. Dorr LD, Hilton KR, Wan Z, Markovich GD, Bloebaum R. Modern metal on metal articulation for total hip replacements. *Clin Orthop Relat Res.* 1996;(333):108-17.
22. Dorr LD, Long WT, Sirianni L, Campana M, Wan Z. The argument for the use of Metasul as an articulation surface in total hip replacement. *Clin Orthop Relat Res.* 2004;(429):80-5.
23. Dorr LD, Wan Z, Longjohn DB, Dubois B, Murken R. Total hip arthroplasty with use of the Metasul metal-on-metal articulation. Four to seven-year results. *J Bone Joint Surg Am.* 2000;82(6):789-98.
24. Dowson D, Hardaker C, Flett M, Isaac GH. A hip joint simulator study of the performance of metal-on-metal joints: Part I: the role of materials. *J Arthroplasty.* 2004;19(8 Suppl 3):118-23.
25. Dumbleton JH, Manley MT. Metal-on-Metal total hip replacement: what does the literature say? *J Arthroplasty.* 2005;20(2):174-88.
26. Dunstan E, Sanghrajka AP, Tilley S, Unwin P, Blunn G, Cannon SR, Briggs TW. Metal ion levels after metal-on-metal proximal femoral replacements: a 30-year follow-up. *J Bone Joint Surg Br.* 2005;87(5):628-31.
27. Ebrahimzadeh E, Beaulé PE, Culwell JL, Amstutz HC. Fixation strength of an all-metal acetabular component cemented into an acetabular shell: a biomechanical analysis. *J Arthroplasty.* 2004;19(8 Suppl 3):45-9.

28. Hallab N, Merritt K, Jacobs JJ. Metal sensitivity in patients with orthopaedic implants. *J Bone Joint Surg Am.* 2001;83-A(3):428-36.
29. Hallab NJ, Anderson S, Caicedo M, Skipor A, Campbell P, Jacobs JJ. Immune responses correlate with serum-metal in metal-on-metal hip arthroplasty. *J Arthroplasty.* 2004;19(8 Suppl 3):88-93.
30. Hallab NJ, Anderson S, Stafford T, Glant T, Jacobs JJ. Lymphocyte responses in patients with total hip arthroplasty. *J Orthop Res.* 2005;23(2):384-91.
31. Hallab NJ, Vermes C, Messina C, Roebuck KA, Glant TT, Jacobs JJ. Concentration- and composition-dependent effects of metal ions on human MG-63 osteoblasts. *J Biomed Mater Res.* 2002;60(3):420-33.
32. Harding I, Bonomo A, Crawford R, Psychoyios V, Delves T, Murray D, McLardy-Smith P. Serum levels of cobalt and chromium in a complex modular total hip arthroplasty system. *J Arthroplasty.* 2002;17(7):893-5.
33. Heisel C, Silva M, Schmalzried TP. Bearing surface options for total hip replacement in young patients. *Instr Course Lect.* 2004;53:49-65.
34. Heisel C, Silva M, Skipor AK, Jacobs JJ, Schmalzried TP. The relationship between activity and ions in patients with metal-on-metal bearing hip prostheses. *J Bone Joint Surg Am.* 2005;87(4):781-7.
35. Hilton KR, Dorr LD, Wan Z, McPherson EJ. Contemporary total hip replacement with metal on metal articulation. *Clin Orthop Relat Res.* 1996 ;(329 Suppl):S99-105.
36. Howie DW, McCalden RW, Nawana NS, Costi K, Percy MJ, Subramanian C. The long-term wear of retrieved McKee-Farrar metal-on-metal total hip prostheses. *J Arthroplasty.* 2005;20(3):350-7.

37. Huk OL, Catelas I, Mwale F, Antoniou J, Zukor DJ, Petit A. Induction of apoptosis and necrosis by metal ions in vitro. *J Arthroplasty*. 2004;19(8 Suppl 3):84-7.
38. Iida H, Kaneda E, Takada H, Uchida K, Kawanabe K, Nakamura T. Metallosis due to impingement between the socket and the femoral neck in a metal-on-metal bearing total hip prosthesis. A case report. *J Bone Joint Surg Am*. 1999;81(3):400-3.
39. Jacobs JJ, Skipor AK, Campbell PA, Hallab NJ, Urban RM, Amstutz HC. Can metal levels be used to monitor metal-on-metal hip arthroplasties? *J Arthroplasty*. 2004;19(8 Suppl 3):59-65.
40. Jacobs JJ, Skipor AK, Patterson LM, Hallab NJ, Paprosky WG, Black J, Galante JO. Metal release in patients who have had a primary total hip arthroplasty. A prospective, controlled, longitudinal study. *J Bone Joint Surg Am*. 1998;80(10):1447-58.
41. Jacobs M, Gorab R, Mattingly D, Trick L, Southworth C. Three- to six-year results with the Ultima metal-on-metal hip articulation for primary total hip arthroplasty. *J Arthroplasty*. 2004;19(7 Suppl 2):48-53.
42. Komistek RD, Dennis DA, Ochoa JA, Haas BD, Hammill C. In vivo comparison of hip separation after metal-on-metal or metal-on-polyethylene total hip arthroplasty. *J Bone Joint Surg Am*. 2002;84-A(10):1836-41.
43. Ladon D, Doherty A, Newson R, Turner J, Bhamra M, Case CP. Changes in metal levels and chromosome aberrations in the peripheral blood of patients after metal-on-metal hip arthroplasty. *J Arthroplasty*. 2004;19(8 Suppl 3):78-83.
44. Lhotka C, Szekeres T, Steffan I, Zhuber K, Zweymuller K. Four-year study of cobalt and chromium blood levels in patients managed with two different metal-on-metal total hip replacements. *J Orthop Res*. 2003;21(2):189-95.

45. Lombardi AV Jr, Mallory TH, Alexiades MM, Cuckler JM, Faris PM, Jaffe KA, Keating EM, Nelson CL Jr, Ranawat CS, Williams J, Wixson R, Hartman JF, Capps SG, Kefauver CA. Short-term results of the M2a-taper metal-on-metal articulation. *J Arthroplasty*. 2001;16(8 Suppl 1):122-8.
46. Lombardi AV Jr, Mallory TH, Cuckler JM, Williams J, Berend KR, Smith TM. Mid-term results of a polyethylene-free metal-on-metal articulation. *J Arthroplasty*. 2004;19(7 Suppl 2):42-7.
47. Long WT, Dorr LD, Gendelman V. An American experience with metal-on-metal total hip arthroplasties: a 7-year follow-up study. *J Arthroplasty*. 2004;19(8 Suppl 3):29-34.
48. MacDonald SJ, Brodner W, Jacobs JJ. A consensus paper on metal ions in metal-on-metal hip arthroplasties. *J Arthroplasty*. 2004;19(8 Suppl 3):12-6.
49. MacDonald SJ, McCalden RW, Chess DG, Bourne RB, Rorabeck CH, Cleland D, Leung F. Metal-on-metal versus polyethylene in hip arthroplasty: a randomized clinical trial. *Clin Orthop Relat Res*. 2003;(406):282-96.
50. MacDonald SJ. Can a safe level for metal ions in patients with metal-on-metal total hip arthroplasties be determined? *J Arthroplasty*. 2004;19(8 Suppl 3):71-7.
51. Migaud H, Jobin A, Chantelot C, Giraud F, Laffargue P, Duquenois A. Cementless metal-on-metal hip arthroplasty in patients less than 50 years of age: comparison with a matched control group using ceramic-on-polyethylene after a minimum 5-year follow-up. *J Arthroplasty*. 2004;19(8 Suppl 3):23-8.
52. Milosev I, Pisot V, Campbell P. Serum levels of cobalt and chromium in patients with Sikomet metal-metal total hip replacements. *J Orthop Res*. 2005 May;23(3):526-35. Epub 2005 Apr 7.



53. Nassutt R, Wimmer MA, Schneider E, Morlock MM. The influence of resting periods on friction in the artificial hip. *Clin Orthop Relat Res.* 2003;(407):127-38.
54. Naudie D, Roeder CP, Parvizi J, Berry DJ, Eggli S, Busato A. Metal-on-metal versus metal-on-polyethylene bearings in total hip arthroplasty: a matched case-control study. *J Arthroplasty.* 2004;19(7 Suppl 2):35-41.
55. Nevelos J, Shelton JC, Fisher J. Metallurgical considerations in the wear of metal-on-metal hip bearings. *Hip International* 14: 1 – 10, 2004.
56. Reinisch G, Judmann KP, Lhotka C, Lintner F, Zweymuller KA. Retrieval study of uncemented metal-metal hip prostheses revised for early loosening. *Biomaterials.* 2003;24(6):1081-91.
57. Rieker CB, Shen M, Kottig P. In-Vivo Tribological performance of 177 metal-on-metal hip articulations. *World Tribology Forum in Arthroplasty.* Rieker C, Oberholzer S, Wyss U (ed.), Hans Huber, Bern, 2001
58. Rieker CB, Kottig P, Schon R, Windler M, Wyss UP: Clinical Tribological Performance of 144 Metal-on-metal Hip Articulations. In Rieker W, Wyss U (eds). *Metasul: A Metal-on-Metal Bearing.* Bern, Switzerland: Hans Huber 83-91, 1999.
59. Rieker CB, Schon R, Konrad R, Liebentritt G, Gnepf P, Shen M, Roberts P, Grigoris P. Influence of the clearance on in-vitro tribology of large diameter metal-on-metal articulations pertaining to resurfacing hip implants. *Orthop Clin North Am.* 2005;36(2):135-42.
60. Rieker CB, Schon R, Kottig P. Development and validation of a second-generation metal-on-metal bearing: laboratory studies and analysis of retrievals. *J Arthroplasty.* 2004;19(8 Suppl 3):5-11.

61. Savarino L, Granchi D, Ciapetti G, Cenni E, Greco M, Rotini R, Veronesi CA, Baldini N, Giunti A. Ion release in stable hip arthroplasties using metal-on-metal articulating surfaces: a comparison between short- and medium-term results. *J Biomed Mater Res A*. 2003;66(3):450-6.
62. Savarino L, Granchi D, Ciapetti G, Cenni E, Nardi Pantoli A, Rotini R, Veronesi CA, Baldini N, Giunti A. Ion release in patients with metal-on-metal hip bearings in total joint replacement: a comparison with metal-on-polyethylene bearings. *J Biomed Mater Res*. 2002;63(5):467-74.
63. Schmalzried TP. How I choose a bearing surface for my patients. *J Arthroplasty*. 2004;19(8 Suppl 3):50-3.
64. Signorello LB, Ye W, Fryzek JP, Lipworth L, Fraumeni JF Jr, Blot WJ, McLaughlin JK, Nyren O. Nationwide study of cancer risk among hip replacement patients in Sweden. *J Natl Cancer Inst*. 2001;93(18):1405-10.
65. Tager G, Euler E, Plitz W. [Changes in shape of the McKee-Farrar hip endoprosthesis] *Orthopade*. 1997;26(2):142-51.
66. Tharani R, Dorey FJ, Schmalzried TP. The risk of cancer following total hip or knee arthroplasty. *J Bone Joint Surg Am*. 2001;83-A(5):774-80.
67. Urban RM, Tomlinson MJ, Hall DJ, Jacobs JJ. Accumulation in liver and spleen of metal particles generated at nonbearing surfaces in hip arthroplasty. *J Arthroplasty*. 2004;19(8 Suppl 3):94-101.
68. Wagner M, Wagner H. Preliminary results of uncemented metal on metal stemmed and resurfacing hip replacement arthroplasty. *Clin Orthop Relat Res*. 1996;(329 Suppl):S78-88.

69. Weber BG. Experience with the Metasul total hip bearing system. Clin Orthop Relat Res. 1996;(329 Suppl):S69-77.
70. Willert HG, Buchhorn GH, Fayyazi A, Flury R, Windler M, Koster G, Lohmann CH. Metal-on-metal bearings and hypersensitivity in patients with artificial hip joints. A clinical and histomorphological study. J Bone Joint Surg Am. 2005;87(1):28-36.
71. Williams S, Isaac G, Hatto P, Stone MH, Ingham E, Fisher J. Comparative wear under different conditions of surface-engineered metal-on-metal bearings for total hip arthroplasty. J Arthroplasty. 2004;19(8 Suppl 3):112-7.