(Adopted May 1, 1987)(Amended June 7, 1991)(Amended June 6, 1992)
(Amended June 10, 1994)(Amended May 10, 1996)(Amended May 9, 1997)
(Amended May 8, 1998)(Amended May 14, 1999)(Amended May 19, 2000)
(Amended May 11, 2001)(Amended May 3, 2002)(Amended June 6, 2003)
(Amended July 9, 2004)(Amended June 3, 2005)(Amended June 9, 2006)
(Amended May 4, 2007)(Amended May 2, 2008)

## PROPOSED AMENDED RULE 304.1 ANALYSES FEES

Analyses fees for testing pursuant to Rule 304.

## (a) Laboratory Analyses Fees

		Type of Test	Fee
(1)	Partic	le Analysis	
	(A)	Microscopic Identification	\$107.88112.30 / hour of analysis
	(B)	Micro-Fourier Trans- form Infrared Spectroscopy	\$ <del>159.89</del> 166.45 / particle
	(C)	X-Ray Diffraction	\$ <del>159.89</del> <u>166.45</u> / sample
	(D)	Particle Size Determination	
		(i) by microscopy	\$ <del>107.88</del> <u>112.30</u> / hour of analysis
		(ii) by sieve	\$ <del>107.88</del> <u>112.30</u> / sample
	(E)	Energy Dispersive X-Ray - microprobe	As charged by outside laboratory (charge pass through)
(2)	Asbe	stos (Bulk Samples)	
	(A)	PLM	\$107.88112.30 / sub-sample
	(B)	Point Counting	\$107.88112.30 / sub-sample
	(C)	TEM, Quantitative	As charged by outside laboratory (charge pass through)
	(D)	TEM, Qualitative	As charged by outside laboratory (charge pass through)
	(E)	X-Ray Diffraction	\$ <del>238.35</del> 248.12 / sub-sample and/o layer

Type of Test		Fee	
Asbes	stos (Bulk Samples)		
(A)	TEM - 12-hour turnaround	As charged by outside laboratory (charge pass through)	
(B)	TEM - 1-day turnaround	As charged by outside laboratory (charge pass through)	
(C)	TEM - 2-day turnaround	As charged by outside laboratory (charge pass through)	
Vapor	r Pressure Tests		
(A)	Reid Vapor Pressure	\$ <del>71.76</del> <u>74.70</u> / sample	
(B)	Isoteniscope	As charged by outside laboratory (charge pass through)	
(C)	Speciation of Components in each	\$301.98314.36 for five or fewer compounds	
	sample	\$35.8337.30 for each additional compound	
(D)	Calculation	\$ <del>210.71</del> 219.35 / sample	
Fuel A	Analysis		
(A)	Metals (Pb in gasoline)	\$215.72224.56 / sample \$28.4829.65 for each additional sample	
(B)	Ash	As charged by outside laboratory (charge pass through)	
(C)	Water and Sediment	As charged by outside laboratory (charge pass through)	
(D)	Density	\$107.88112.30 / sample	
(E)	Heat Content	As charged by outside laboratory (charge pass through)	
(F)	Water	As charged by outside laboratory (charge pass through)	
(G)	Bromine Number	As charged by outside laboratory (charge pass through)	
	(A) (B) (C) Vapor (A) (B) (C) (D) Fuel A (A) (B) (C) (D) (E) (F)	Asbestos (Bulk Samples)  (A) TEM - 12-hour turnaround  (B) TEM - 1-day turnaround  (C) TEM - 2-day turnaround  Vapor Pressure Tests  (A) Reid Vapor Pressure  (B) Isoteniscope  (C) Speciation of Components in each sample  (D) Calculation  Fuel Analysis  (A) Metals (Pb in gasoline)  (B) Ash  (C) Water and Sediment  (D) Density  (E) Heat Content  (F) Water	

		Type of Test		Fee	
	(H)	(H) Sulfur			
		(i)	In Fuel Gas	\$251.78262.10 / sample	
		(ii)	In Fuel Oil (by XRF)	\$ <del>86.00</del> <u>89.52</u> / sample	
	(I)	Engle	er Distillation	As charged by outside laboratory (charge pass through)	
	(J)	Initia	l Boiling Point	As charged by outside laboratory (charge pass through)	
(6)	VOC	(Regul	ation XI)		
	(A)	Gravi	imetric Test	\$107.88112.30 /sample	
	(B)	Dens: Distil	ity of Coating or llate	\$107.88112.30 / sample	
	(C)	Gloss	s Testing	\$ <del>107.88</del> <u>112.30</u> / sample	
	(D)	Gas ( Analy	Chromatograph ysis	\$301.98314.36 for five or fewer compounds	
				\$35.8337.30 for each additional compound	
	(E)	(E) Photochemical Reactivity -		-	
		(i)	Unknown	\$431.70449.40 / sample	
		(ii)	Known	\$301.98314.36 / sample	
	(F)	Distil	llation -		
		(i)	Normal	\$ <del>86.00</del> 89.53 / sample	
		(ii)	Heavy Ink	\$ <del>122.08</del> <u>127.09</u> / sample	
	(G)	Wate Titrat	r by Karl Fischer tion	\$ <del>143.81</del> 149.71 / sample	
	(H)	Emis Analy	sion Spectrograph ysis	\$107.88112.30 / sample	
	(I)		Chromatograph/Mass crometry	\$287.75299.55 for five or fewer compounds	
				\$28.4529.62 for each additional compound	
	(J)	VOC	in pipe cements	\$ <del>737.88</del> <u>768.13</u> / sample	

- (K) VOC in adhesives contain- \$210.71219.35 / sample ing cyanoacrylates
- (7) For Certification Tests and Analyses not listed above, the fee shall be assessed at a rate <u>107.88112.30</u> per person per hour or prorated portion thereof.
- (8) In addition to the regular analysis fee, all expedite samples which require overtime work by staff shall be charged an additional time and a half fee based on the normal hourly rate of staff performing such work beyond the normal work schedule.
- (9) Time and material fees shall be charged for all samples sent to outside laboratories.

## (b) Emissions Testing and Analyses Fees

	Type of Test	Fee
(1)	Accuracy Confirmation Test of Continuous Emission Monitor	\$ <del>1,093.85</del> <u>1,138.70</u>
(2)	Continuous Gaseous Emission Testing with Mobile Source Testing Vehicle	\$ <del>1,425.19</del> 1,483.62 plus \$ <del>122.34</del> 127.35 / hour
(3)	Non-Continuous Emission Testing	\$1,338.661,393.55 plus fee listed below:
	Cost	Per Sample

		Specific*	Surcharge**
(A)	Moisture	\$ <del>194.11</del>	\$ <del>143.8</del> 3

(A)	Moisture	\$ <del>194.11</del> 202.07	\$ <del>143.81</del> <u>14</u> 9.71
(B)	Particulate	\$ <del>748.28</del>	\$ <del>374.02</del> 38
	Matter	<u>778.96</u>	9.35
(C)	Sulfur Dioxide	\$ <del>664.92</del> <u>692.18</u>	\$332.27 <u>34</u> 5.90
(D)	Oxides of	\$ <del>330.95</del>	\$ <del>100.48</del> <u>10</u>
	Nitrogen	344.52	<u>4.60</u>
(E)	Carbon	\$ <del>276.30</del>	\$ <del>138.02</del> 14
	Monoxide	287.62	<u>3.68</u>

<sup>\*</sup> charge for first sample.

<sup>\*\*</sup> charge for each additional sample, whether at the same or a different sampling location.

Type of Test			Fee		
(F)	(F) Total Hydrocarbons		\$ <del>690.74</del> 719.06	\$4 <del>96.36</del> <u>51</u> 6.71	
			Cost Per Sample		
			Specific*	Surcharge**	
	(i)	Hydrogen Sulfide	\$ <del>664.92</del> <u>692.18</u>	\$ <del>332.27</del> <u>345.90</u>	
	(ii)	Vinyl Chloride	\$ <del>287.75</del> <u>299.55</u>	\$ <del>211.36</del> <u>220.03</u>	
(G)	Gas Chromato- graph/Mass Spectrometry for Unknown		\$287.75299.55 for five or fewer com- pounds \$28.4529.62 for each additional	-	
(H)	High Volume Sampler (Fugitive Dust)		compound \$587.23611.31	\$ <del>293.55</del> <u>305.58</u>	
(I)	Total Reduced Sulfur Com- pounds***		\$4 <del>62.11</del> 481.06	\$ <del>70.98</del> <u>73.89</u>	
(J)	Sample Preparation		\$ <del>35.83</del> <u>37.30</u>	\$ <del>21.34</del> 22.22	

<sup>\*</sup> charge for first sample.

\*\* charge for each additional sample, whether at the same or a different sampling location.

\*\*\* The Non-Continuous Emission Testing Fee will only be charged if AQMD personnel perform the sampling. In the case where the samples are taken by contractor personnel (for compliance) or facility staff (for information only), only the sample analysis fee is applicable.

			Type of Test	Fee			
(c)	Ambie	nt Air A	Analyses Fees				
(-)	(1)		Automatic-Recording Ambient Air or Atmospheric Monitoring at a Fixed				
		Site		_			
		(A)	Installation of One (1) Wind-Monitoring System at One (1) Site.	\$ <del>719.59</del> <u>749.09</u>			
		(B)	Installation of Each Additional Wind-Monitoring System at the Same Site as (A).	\$ <del>215.72</del> <u>224.57</u>			
		(C)	Operation of One (1) Wind-Monitoring System At One (1) Site, Including Data Reduction.	\$143.81 <u>149.71</u> / day			
		(D)	Operation of Each Additional Wind-Monitoring System at Same Site as (C), Including Data Reduction.	\$ <del>50.30</del> <u>52.36</u> / day			
	(2)	Conti	nuous Automatic-Recording Ambient Moni-				
		toring	g In Mobile Mode				
		(A)	Installation of One (1) Instrument and Wind Monitoring System in Mobile Van.	\$ <del>1,007.72</del> <u>1,049.04</u>			
		(B)	Installation of Additional Instrument in Mobile Van.	\$ <del>359.66</del> <u>374.41</u>			
		(C)	Operation of One (1) Instrument and Wind- Monitoring System in Mobile Mode, 10 Hours Per Day, Weekdays Only.	\$ <del>546.93</del> <u>569.36</u> / day			
		(D)	Operation of One (1) Instrument and Wind- Monitoring System In Mobile Mode, 10 Hours Per Day, Weekends and Holidays.	\$ <del>820.46</del> <u>854.10</u> / day			
		(E)	Operation of Each Additional Instrument, Other Than Those Already Installed, in Mobile Van.	\$ <del>50.30</del> <u>52.36</u> / day			
	(3)	Conti	nuous Non-Recording Ambient Sampling				
		With	With Laboratory Analysis of Sample Collected				
		(Wee	kdays Only).				
		(A)	Installation of One (1) 24-Hour Sampler (Bag- or Sequential-Impinger).	\$ <del>719.59</del> <u>749.09</u> plus lab analysis			
		(B)	Installation of Each Additional 24-Hour Sampler.	\$ <del>575.63</del> <u>599.23</u> plus lab analysis			

	Type of Test	Fee
(C)	Operation of One (1) 24-Hour Sampler and Analysis for One (1) Contaminant Per Sample.	\$251.80262.13 / day \$57.2959.64 for each additional contaminant
(D)	Operation of Each Additional 24-Hour	\$ <del>93.38</del> <u>97.21</u> / day
	Sampler and Analysis for Same Contaminant in (C).	\$42.9344.69 for each additional contaminant
(E)	Operation of 24-Hour, Sequential- Impinger Sampler and Spectrophometric Analysis.	\$503.72524.37 / day for up to 12 samples \$215.72224.57 for each additional set of 12 samples
(F)	Installation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour-Samples.	\$ <del>863.52</del> <u>898.92</u>
(G)	Operation of One (1) Non-Sequential Sampler to Collect Less-Than-24-Hour Samples For One Contaminant.	\$431.82 <u>449.53</u> / day
(H)	Sample Preparation or Extraction Prior to Analysis.	\$143.81 <u>149.71</u> / day for up to 12 samples
(I)	Spectrophometric Analysis of Each Sample Collected in (G) From Any Number of Samplers Operated for Same Project on Same Day.	\$71.7674.70 for first sample or contaminant \$28.4529.62 for each additional sample or contaminant
(K)	Analysis of Each Sample Collected in (G) For Particulates.	\$86.0089.52 for first sample \$50.2252.28 for each additional sample
(L)	Gas Chromatograph/Mass Spectrometry Identification For Any Sample Collected Above.	\$143.81149.71 for five or fewer contaminants \$14.2114.80 for each additional contaminant

	Type of Test	\$71.7674.70 additional / hour for each hour exceeding 8-hour normal week day for sample pick-up or collection \$1,151.541,198.75 additional / day for weekends and holidays requiring sample pick-up and analysis same day	
(M)	Additional Fees for Sample Pick-up and Analysis After Normal Weekday Working Hours.		
		\$1,439.561,498.58 additional / day for weekends and holidays requiring manual sam- ple collection and analysis same day	
Mete	orological Monitoring		
(A)	Conduct Upper-Air Observation via Radio or Airsonde.	\$ <del>503.73</del> <u>524.39</u>	
(B)	Conduct Low-Level Air Observation via Tethersonde (8 Hour Program).	\$ <del>2,881.92</del> <u>3,000.07</u>	
(C)	Conduct Pilot Balloon Observation (Pibal).	\$2,881.923,000.07 / release	
	fill Integrated Surface Sampling Program,		
per R	ule 1150.1 Guidelines		
(A)	Conduct Less-Than 24-Hour, Integrated-Surface-Sampling Program Over three (3) 50,000 Square-Foot Grids. Program Includes: Installation and Operation of Wind-Monitoring System; Set-Up of Sample Grid Areas: Conduct of Sampling Sweeps; and Analysis for One (1) Contaminant Per Sample Bag.	\$ <del>2,159.39</del> 2 <u>,247.93</u> / grid	

		Type of Test	Fee	
	(B)	Conduct Less-Than-24-Hour, Integrated-Landfill-Surface-Sampling Program Over Each Additional 50,000 Square-Foot Grid At The Same Site as (A).	\$4 <del>67.64</del> 486.81	
(6)	SF6	Gas-Tracer Study		
	(A)	Conduct SF6 Gas-Tracer Study With Up to Sixty (60) Samples, Including Installation and Operation of a Wind-Monitoring System and Tethersonde Observations.	\$ <del>15,836.5</del> 4 <u>16,485.84</u>	
	(B)	Collection and Analysis of Each Additional Sample for (A).	\$ <del>71.76</del> <u>74.70</u>	