

INFLUENZA/PNEUMONIA DEATHS AND AGE-ADJUSTED DEATH RATES (Deaths per 100,000 population), U.S. AND BY STATE, 2006

	<u>Deaths</u>	<u>Rate</u>
Tennessee	1,535	24.9
Arkansas	772	23.9
Oklahoma	879	22.7
Wyoming	117	22.6
Massachusetts	1,750	22.5
New York	4,892	22.5
California	7,338	21.8
Kentucky	927	21.3
Mississippi	621	20.8
West Virginia	459	20.6
Illinois	2,668	20.1
Maryland	1,082	19.9
Nevada	426	19.8
Georgia	1,463	19.7
Louisiana	833	19.6
North Carolina	1,705	19.6
Rhode Island	268	19.5
Kansas	647	19.4
Missouri	1,285	19.3
Iowa	770	18.8
Alabama	918	18.6
Connecticut	800	18.5
Utah	343	18.2
Arizona	1,166	18.1
New Mexico	353	18.0
Virginia	1,281	17.9
Texas	3,342	17.3
Indiana	1,129	17.0
Maine	269	16.6
South Dakota	173	16.5
South Carolina	724	16.4
Hawaii	257	16.2
Pennsylvania	2,716	16.1
Idaho	225	15.8
Michigan	1,679	15.8
Nebraska	345	15.8
Wisconsin	1,014	15.7
Colorado	614	15.4
Delaware	138	15.1
New Hampshire	212	15.1
North Dakota	138	15.1
Montana	169	15.0
Ohio	1,947	15.0
Alaska	49	13.5
New Jersey	1,315	13.5
Washington	814	12.7
Oregon	522	12.5
Minnesota	630	10.8
Vermont	77	10.8
Florida	2,454	9.7
United States²	56,326	17.8