

List of Tables

Table 1. Summary of fishing mortality rate and biomass status for 20 Northeast groundfish stocks in 2001	<i>xii</i>
Table 2. Summary of status determinations for 20 New England groundfish stocks	<i>xiii-xiv</i>
Table A1. Commercial landings of Atlantic cod from the Georges Bank and South stock, 1960 - 2001	17
Table A2. Standardized stratified mean catch per tow in numbers and weight for Atlantic cod in NEFSC offshore spring and autumn research vessel bottom trawl surveys on Georges Bank, 1963 - 2000	18
Table A3a. Standardized stratified mean catch per tow at age of Atlantic cod in NEFSC offshore spring and autumn bottom trawl surveys on Georges Bank, 1963 – 2002	19-20
Table A3b. Stratified mean catch per tow at age of Atlantic cod in Canadian spring bottom trawl survey on Georges Bank, 1986 – 2002	21
Table A4. USA and Canadian sampling of commercial Atlantic cod landings from the Georges Bank and South cod stock, 1978 – 2001	22
Table A5. USA sampling of commercial Atlantic cod landings, by market category, for the Georges Bank and South cod, 1978 – 2001	23
Table A6. Landings at age and mean weight and mean length at age of total commercial landings of Atlantic cod from the Georges Bank and South stock, 1978-2000	24-25
Table A7. Estimates of beginning year stock size, instantaneous fishing mortality, mean biomass, spawning stock biomass, and percent mature of Georges Bank cod, estimated from virtual population analysis, calibrated using the commercial catch at age ADAPT formulation, 1978-2001	26-27
Table A8. Input parameters and results of stochastic projection analysis using a Beverton-Holt stock recruit model for Georges Bank Atlantic cod for 2002-2019	28
Table B1. Commercial landings of haddock from Georges Bank and south, 1960-2001	39
Table B2. U.S. sampling of commercial haddock landings for length and age composition from Georges Bank and south, 1982-2001	40
Table B3. Total catch at age and mean weight at age of commercial landings and discards of haddock from Georges Bank and south, 1982-2001	41-42
Table B4. Stratified mean catch per tow for haddock in NEFSC offshore spring research vessel bottom trawl surveys on Georges Bank, 1968-2002	43
Table B5. Stratified mean catch per tow for haddock in NEFSC offshore autumn research vessel bottom trawl surveys on Georges Bank, 1963-2001	44
Table B6. Stratified mean catch per tow for haddock in Canadian offshore research vessel bottom trawl surveys on Georges Bank, 1986-2002	45
Table B7. Beginning year stock size of Georges Bank haddock estimated from the VPA, 1963 to 2002	46-47
Table B8. Spawning stock biomass of Georges Bank haddock estimated from the VPA, 1963 to 2001	48-49
Table B9. Fishing mortality at age and average F for Georges Bank haddock estimated from VPA, 1963 to 2001	50-51
Table B10. Input data and results for short-term stochastic stock biomass and catch projections for Georges Bank haddock	52
Table C1. Catch of Georges Bank yellowtail flounder	64
Table C2. Sampling history of the Georges Bank yellowtail flounder fishery	65
Table C3a. Total catch at age of George Bank yellowtail flounder	66
Table C3b. Total weight at age of George Bank yellowtail flounder from US and Canadian commercial samples	67
Table C4a. Survey indices of Georges Bank yellowtail abundance and biomass	68
Table C4b. Survey indices of Georges Bank yellowtail abundance and biomass	69
Table C4c. Survey indices of Georges Bank yellowtail abundance and biomass	70
Table C5a. Estimates of stock size from virtual population analysis	71
Table C5b. Estimates of fishing mortality from VPA	72
Table C5c. Estimates of spawning biomass from VPA	73
Table C6. Projection input and short term output from the age based assessment	74
Table D1. Landings and catch of southern New England yellowtail flounder	86-87
Table D2. Samples of southern New England yellowtail flounder	87
Table D3a. Catch at age of southern New England yellowtail flounder	88
Table D3b. Mean weight at age of southern New England yellowtail flounder catch	89
Table D4a. Survey indices of southern New England yellowtail abundance and biomass	90
Table D4b. Survey indices of southern New England yellowtail abundance and biomass	91
Table D4c. Survey indices of southern New England yellowtail abundance and biomass	92

Table D5a. Stock numbers from VPA for southern New England yellowtail flounder.....	93
Table D5b. Fishing mortality estimates from VPA for southern New England yellowtail flounder.....	94
Table D5c. Spawning stock biomass estimates from VPA for southern New England yellowtail flounder.....	95
Table D6. Short-term projections of southern New England yellowtail flounder.....	96
Table E1. Landings of Cape Cod yellowtail flounder.....	107
Table E2. Samples of Cape Cod yellowtail flounder.....	108
Table E3. Catch at age and mean weights at age of Cape Cod yellowtail flounder.....	109
Table E4a. Survey indices of Cape Cod yellowtail abundance and biomass.....	110
Table E4b. Survey indices of Cape Cod yellowtail abundance and biomass.....	111
Table E4c. Survey indices of Cape Cod yellowtail abundance and biomass.....	112
Table E4d. Survey indices of Cape Cod yellowtail abundance and biomass.....	113
Table E5a. Stock numbers of Cape Cod yellowtail flounder from VPA.....	114
Table E5b. Fishing mortality estimates for Cape Cod yellowtail flounder from VPA.....	115
Table E5c. Spawning stock biomass estimates for Cape Cod yellowtail flounder from VPA.....	116
Table E6. Short term projections of Cape Cod yellowtail flounder.....	117
Table F1. Commercial landings of Atlantic cod from the Gulf of Maine, 1960 - 2001.....	129
Table F2. USA sampling of commercial Atlantic cod landings from the Gulf of Maine cod stock, 1982.....	130
Table F3. Percentage of USA commercial Atlantic cod landings from the Gulf of Maine, by market category, 1964 – 2001.....	131
Table F4a. Total landings at age of Atlantic cod from the Gulf of Maine stock, 1982 – 2001.....	132
Table F4b. Mean weight and mean length at age of total landings of Atlantic cod from the Gulf of Maine stock, 1982 – 2001.....	133
Table F5. Standardized stratified mean catch per tow in numbers and weight (kg) for Atlantic cod from NEFSC offshore spring and autumn research vessel bottom trawl surveys in the Gulf of Maine, 1963-2002.....	134
Table F6. Final VPA Results for Gulf of Maine Cod, 1982-2002.....	135-137
Table F7a. Starting conditions and input data for short-term stochastic stock biomass and catch projections for Gulf of Maine cod.....	138
Table G1. Witch flounder landings, discards and catch from Subareas 5 and 6 1960-2001.....	150
Table G2. Summary of USA commercial witch flounder landings, number of length samples, number of fish measured and number of age samples by market category and quarter for all gear types, 1981 – 2001.....	151-153
Table G3. Numbers at age of witch flounder in the total catch, 1982-2001.....	154
Table G4. Mean weight at age of witch flounder in the total catch, 1982-2001.....	155
Table G5. Stratified mean number per tow at age of witch flounder in NEFSC offshore spring and autumn bottom trawl surveys in Gulf of Maine-Georges Bank region, 1963-2002.....	156
Table G6. Stratified mean number per tow at age of witch flounder in NEFSC bottom trawl spring and autumn surveys, 1980-2002.....	157-158
Table G7. Estimates of beginning year stock size, instantaneous fishing mortality and spawning stock biomass for witch flounder estimated from virtual population analysis, 1982-2001.....	159-161
Table G8. Summary of projection input and results for witch flounder.....	162
Table H1. Commercial landings of American plaice from the Gulf of Maine, Georges Bank, Southern New England and the Mid-Atlantic, 1960-2001.....	176
Table H2. Standardized stratified mean number and mean weight per tow of American plaice in NEFSC spring and autumn bottom trawl surveys in the Gulf of Maine - Georges Bank area, 1963 -2002.....	177
Table H3a. Standardized stratified mean number per tow by age and mean weight per tow of American plaice in NEFSC spring and autumn bottom trawl surveys in the Gulf of Maine - Georges Bank1 area, 1980-2002.....	178-179
Table H3b. Stratified mean number per tow by age of American plaice in Massachusetts spring and autumn bottom trawl surveys in Massachusetts Bay and Cape Cod Bay, 1982-2002.....	180
Table H4. Sampling of commercial American plaice landings, by market category, for the Gulf of Maine and Georges Bank areas, 1985-2001.....	181
Table H5. Catch at age and mean weight of commercial landings, large mesh and northern shrimp fishery discards of American plaice, ages 1-9+, from Gulf of Maine - Georges Bank, and South, 1980-2001.....	182-183
Table H6. Estimates of beginning year stock size, instantaneous fishing mortality and spawning stock biomass of Gulf of Maine-Georges Bank American plaice, estimated from virtual population analysis and calibrated using the commercial catch at age ADAPT formulation, 1980-2001.....	184-185

Table H7. Input parameters and results of stochastic projection analysis using an empirical resampling model for Gulf of Maine-Georges Bank American plaice for 2002-2009	186
Table I1. Landings of Georges Bank winter flounder, by statistical area and country, during 1964-2001.....	198
Table I2. Standardized, stratified abundance and biomass indices for Georges Bank winter flounder from the U.S. NEFSC spring and autumn, and Canadian spring research vessel bottom trawl surveys.....	199
Table I3. Fishing mortality rates and average total biomass estimates for Georges Bank winter flounder during 1964-2001	200
Table I4. Summary of results from a sensitivity analysis of increases in survey biomass indices using an ASPIC biomass dynamics model for the assessment of Georges Bank winter flounder	201
Table I5. Short-term stochastic projections of yield and total biomass, during 2002-2005, for Georges Bank winter flounder assuming $F_{2002}=15\%$ reduction in F_{2001} and $F_{2003-2005}=F_{MSY}$	202
Table J1. Winter flounder commercial landings for southern New England/Mid-Atlantic stock complex area as reported by NEFSC weighout, state bulletin and general canvass data	215
Table J2. Estimated number and weight of winter flounder caught, landed, and discarded in the recreational fishery, Southern New England/Mid-Atlantic stock complex	216
Table J3. The total number of commercial lengths sampled by market category for Southern New England/Mid-Atlantic winter flounder	217
Table J4. Total winter flounder recreational and commercial catch for the Southern New England/Mid-Atlantic stock complex in weight and numbers.....	218
Table J5. Winter flounder NEFSC survey index stratified mean number and mean weight per tow for the Southern New England- Mid-Atlantic stock complex	219-220
Table J6. SNE/MA winter flounder mean weight per tow for annual state surveys	221
Table J7. State survey indices for young-of-year winter flounder in Southern New England/Mid-Atlantic stock complex	222
Table J8. Virtual Population Analysis for SNE/MA winter flounder, 1981-2001.....	223-225
Table K1. Total Landings of white hake by country from the Gulf of Maine to Cape Hatteras, 1964-2001	237
Table K2. Summary of US commercial white hake landings, number of length samples, and number of fish measured by market category and quarter from the Gulf of Maine to the Mid-Atlantic for all gear types, 1985-2001	238-239
Table K3. Summary of Domestic Observer number of number of trips and number of age samples taken by gear type, half year, and catch disposition, 1989-2001	240
Table K4. Commercial catch of white hake by size group	241
Table K5. Stratified mean catch per tow in numbers and weight for white hake from NEFSC offshore spring and autumn research vessel bottom trawl surveys, 1963-2002	242
Table K6. NEFSC autumn and spring survey indices by size group	243
Table K7. Three-year moving average of the NEFSC autumn survey index and the relative F values used in the index-based model of replacement ratios	244
Table L1. Pollock landings from Divisions 4VWX and Subareas 5 and 6 by country, 1960-2001.....	255
Table L2. Stratified mean catch per tow in numbers and weight for Scotian Shelf, Gulf of Maine, and Georges Bank pollock in NEFSC offshore spring, summer, and autumn bottom trawl surveys, 1963-2001	256
Table L3. Total commercial landings, NEFSC autumn survey biomass index, replacement index and exploitation ratio for pollock in NAFO Subareas.....	257
Table M1 Nominal redfish catches, actual and standardized catch per unit effort, and calculated standardized USA and total effort for the Gulf of Maine-Georges Bank redfish fishery.....	269
Table M2 Autumn NEFSC bottom trawl survey stratified mean catch per tow indices, average weights and average lengths of redfish in the Gulf of Maine - Georges Bank region	270
Table M3. Commercial landings, NEFSC autumn survey biomass index, and index of exploitation for Gulf of Maine redfish.....	271
Table N1. Commercial landings of ocean pout from the Gulf of Maine-Mid-Atlantic region, 1962-2002.....	278
Table N2. Stratified mean catch per tow in weight and numbers, mean length and individual average fish weight of ocean pout in NEFSC spring surveys, in the Gulf of Maine-Mid-Atlantic region, 1968-2002	279
Table N3. Annual relative exploitation ratios and relative exploitation ratios used in stock status for ocean pout, 1968-2002.....	280
Table O1. Landings, NEFSC autumn survey biomass indices, and exploitation indices for Gulf of Maine-Georges Bank windowpane flounder during 1963-2001	285

Table P1. Landings, NEFSC autumn survey biomass indices, and exploitation indices for Southern New England-Mid-Atlantic Bight windowpane flounder during 1963-2001	290
Table Q1. Survey indices, landings and exploitation indices of Mid-Atlantic yellowtail flounder	295
Table R1. Commercial landings of haddock from the Gulf of Maine from 1956-2001	300
Table R2. Stratified mean catch number and weight (kg) per tow for haddock in NEFSC offshore spring and autumn research vessel bottom trawl surveys in the Gulf of Maine, 1963-2002	301
Table R3. Exploitation rate index for Gulf of Maine haddock based on autumn NEFSC survey biomass index and annual commercial landings, 1963-2001	302
Table S1. Reported landings of Atlantic halibut from the Gulf of Maine and Georges Bank, 1893-2001	309
Table S2. Stratified mean weight per tow of Atlantic halibut from NEFSC spring and autumn surveys and exploitation rate indices calculated as annual landings divided by the 5-year moving average of swept-area biomass indices	310
Table T1. Winter flounder commercial landings for Gulf of Maine stock	317
Table T2. Estimated number and weight of winter flounder caught, landed, and discarded in the recreational fishery, Gulf of Maine stock	318
Table T3. Number of samples, lengths, ages, and sampling intensity for Gulf of Maine winter flounder	319-320
Table T4. NEFSC and MA DMF survey indices of abundance for Gulf of Maine winter flounder	321
Table 3.1.1. Measured differences in trawl warp lengths at varying fishing depths	330
Table 3.2.1. Gear damage and summary information for bottom trawl survey cruises by the <i>R/V Albatross IV</i> during 1983-2002	341
Table 3.7.1. Summary of statistical tests to evaluate the likelihood that the catch-weighted average depth and variance of catch-weighted depth had changed in response to warp offset factors in 2000 to 2002	389-394
Table 3.7.2. Summary of statistical test of regression model for standardized difference of pre-post treatment catch rates versus depth for numbers per tow, and biomass per tow	395-396
Table 3.7.3. Summary of statistical tests of regression model for standardized difference of pre-post treatment catch rates versus depth for numbers per tow, and biomass per tow	397
Table 3.7.4. Summary of frequencies of standardized residuals of average catch vs. depth for all species combined	398
Table 3.8. Directional change in abundance of various species/stocks for pairs of years	432
Table 3.9.1. Standardized SLSCR indices of relative fishing power for NEFSC bottom trawls during 1991-2002	440
Table 3.9.2. The sign of SLSCR relative fishing power indices during 1991-2002	441
Table 3.10.1 Mean square residual and change in mean square residual relative to the base run from eight stocks assessed with VPA	451
Table 3.11. Estimated relative fishing power coefficients (ratio of <i>Albatross</i> to <i>Delaware</i>) for side-by-side trawling studies done between 1982 and 1988 and in spring 2002	454
Table 5.1. Summary of fishing mortality rate and biomass status for 20 Northeast groundfish stocks in 2001	463
Table 5.2. Summary of status determinations for 20 New England groundfish stocks	468-469
Table 6.3. Summary of commercial catch-at-age sampling for VPA stocks, 1998-2001	476