Data Guidelines for "Clean and Renewable Energy Generation Potential on EPA Tracked Sites" Maps Produced by EPA OSWER Center for Program Analysis

Overview

The U.S. Environmental Protection Agency (EPA) Office of Solid Waste and Emergency Response (OSWER) Center for Program Analysis (OCPA) is encouraging the reuse of contaminated lands for siting clean and renewable energy facilities. According to the U.S. Energy Information Administration's *Annual Energy Outlook 2008*, by 2030 U.S. electricity production will need to increase by nearly 30 percent to meet growing demand. Currently, wind, solar and biomass supply 2.3% of our nation's electricity. While these renewable sources currently make up only a small fraction of energy production, renewable energy production is expected to increase by more than 70% between 2006 and 2030. Identifying and using land located in areas with high quality renewable energy resource will be an essential component of developing more electricity from renewable energy sources.

Contaminated lands are a good fit for siting clean and renewable energy facilities because they generally have: existing transmission capacity and infrastructure in place; adequate zoning; and take the stress off undeveloped lands for construction of new energy facilities, preserving the land carbon sink. Clean and renewable energy is an economically viable reuse for sites with significant cleanup costs or low real estate development demand and it can provide job opportunities in urban and rural communities, particularly where factories, mining, and other manufacturing activities have ceased operations.

In order to demonstrate that contaminated lands have clean and renewable energy potential, OCPA developed geographic information system (GIS)-based maps, a Google Earth interactive map, and an associated Excel data spreadsheet that demonstrate the viability of siting clean and renewable energy on contaminated lands and mining sties (i.e., the number of EPA tracked sites that meet basic clean and renewable energy siting criteria) and generally show what geographical regions have opportunities to reuse contaminated lands for clean and renewable energy development. EPA tracked sites are at varying points in the cleanup process, with some sites being ready for reuse and others requiring cleanup. This data will be updated periodically.

While these maps and data are beneficial as a screening tool to highlight areas with clean and renewable energy potential, they should not be used to identify or prioritize the best EPA sites for developing clean and renewable energy, as EPA tracked site data is dynamic and more detailed site-specific analysis is necessary. Future projects to identify the best sites for clean and renewable energy development may be conducted by individual cleanup programs, EPA Regions, or other partnerships (e.g., public-private partnerships).

Methodology

EPA developed an inventory of abandoned mine lands, Brownfields, Resource Conservation and Recovery Act (RCRA) sites and Superfund sites (see Datasets section for more detail). From this inventory, EPA extracted sites with acreage and viable latitude and longitude data. This subset of sites was then mapped against eight different clean and renewable energy screening criteria groupings, as described below.

The screening criteria used to develop the OCPA clean and renewable energy potential maps were approved by OCPA and the National Renewable Energy Laboratory (NREL). Although slope is also a critical factor for siting clean and renewable energy facilities, it was not considered in the mapping analysis because site-specific slope information can not be accurately obtained from available electronic data sources. In addition, as many sites cover thousands of acres, the slope may vary widely over the entire site.

¹ U.S. Department of Energy, Energy Information Administration. *Annual Energy Outlook 2008*. Table A8: Electricity Supply, Disposition, Prices, and Emissions. www.eia.doe.gov/oiaf/aeo/pdf/appa.pdf

² U.S. Department of Energy, Energy Information Administration. Renewable and Alternative Fuel, Table 4: 2007 U.S. Electric Net Summer Capacity. www.eia.doe.gov/cneaf/alternate/page/renew_energy_consump/table4.html

³ U.S. Department of Energy, Energy Information Administration. *Annual Energy Outlook 2008*. Table A8: Electricity Supply, Disposition, Prices, and Emissions. www.eia.doe.gov/oiaf/aeo/pdf/appa.pdf

Clean and Renewable Energy Mapping Screening Criteria

Please refer to the Data Considerations section for a description of the limitations of this methodology.

| Utility Wind | |
|--------------------------|-----------|
| Wind class, measured at | ≥4 |
| 50 meters above ground | |
| Distance to transmission | ≤10 miles |
| lines | |
| Acreage | ≥2,000 |
| Distance to graded roads | ≤25 miles |

| Utility Solar (CSP) | |
|-----------------------------|---------------|
| Direct normal solar | ≥6 kWh/m²/day |
| resource availability | , |
| Distance to | ≤10 miles |
| transmission lines | |
| Acreage (stirling | ≥40 |
| engine system) ² | |
| Acreage (trough and | ≥250 |
| power tower | |
| Distance to graded | ≤25 miles |
| roads | |

| Biopower | Facility Siting |
|--------------------------|---------------------------|
| Cumulative biomass | ≥140,000 metric |
| resources ⁴ | tons/year within 50 miles |
| Distance to | ≤10 miles |
| transmission lines | |
| Acreage | ≥50 |
| | |
| Distance to graded roads | ≤3 miles |
| Distance to rail | ≤8 miles |

| Community Wind | |
|--------------------------|-----------|
| Wind class, measured at | ≥3 |
| 50 meters above ground | |
| Distance to transmission | N/A |
| lines ¹ | |
| Acreage | 100 - |
| | 1,999 |
| Distance to graded roads | ≤25 miles |
| | |

| Utility Solar (Photovoltaic (PV)) | |
|-----------------------------------|---------------|
| Direct normal solar | ≥5 kWh/m²/day |
| resource availability | , |
| Distance to | ≤10 miles |
| transmission lines | |
| Acreage | ≥40 |
| Distance to graded roads | ≤25 miles |

| Biorefinery Facility Siting | |
|-----------------------------|---------------------------|
| Cumulative crop | ≥330,000 metric |
| residues ⁵ | tons/year within 50 miles |
| Acreage | ≥50 |
| Distance to graded roads | ≤3 miles |
| Distance to rail | ≤8 miles |

| Non-Grid-Connected Wind | |
|-------------------------------------|----|
| Wind class, measured at | ≥3 |
| 50 meters above ground ¹ | |

| Non-Grid-Connected Solar (PV) |
|--|
| There are no formal screening criteria |
| as PV technology can be sited at all |
| properties ³ |

¹ Energy is generally distributed only to the local area, often serving only adjacent properties so distance to transmission lines is not a screening criterion.

A biopower facility is defined as the use of biomass to generate electricity (NREL). A biorefinery facility is defined as a facility that integrates biomass conversion processes and equipment to produce fuels, power, and chemicals from biomass.

Data Considerations

The following information should be considered when reviewing OCPA's maps:

Each EPA tracked site was mapped using a single latitude and longitude point obtained from EPA's official cleanup program databases (see Datasets section, below, for more information on program-specific databases). Because site boundary data is not readily available, these maps may not reflect the total potential for clean and renewable energy generation across an entire site. For example, a portion of a site could have a high wind power class due to being situated on a ridge line, but if the latitude and longitude recorded in EPA's databases are not along this ridgeline, the site may not meet screening criteria and may not be

² For more information on various Concentrating Solar Power (CPS) technologies, please visit: http://www.nrel.gov/learning/re_csp.html

³ Systems are typically used to power a single property and are not constrained by solar resource availability, acreage and distance to transmission lines and roads.

⁴Cumulative biomass resources include residues from: crops, forests, primary and secondary mills; urban wood waste; and methane emissions from manure management, landfills, and domestic wastewater treatment.

⁵ Cumulative crop residues include residues from: crops; forests; primary and secondary mills and urban wood waste.

represented on a map. To help account for this, the site latitude and longitude point was mapped and a circular buffer was drawn around the site that was equal to the area reported for the site. The maximum and minimum renewable energy resource values that the buffer covered were recorded for solar and wind resources. For biomass analysis, resources within a 50 mile radius of the site were considered. Therefore, a 50 mile buffer was drawn around the site buffer and the sum of the biomass resource within 50 miles of the site was recorded. This methodology has limitations in that sites are typically not circles and latitude and longitude are not always recorded at the center of the site. However, given these limitations, this method will allow a more accurate snapshot of what energy potential may be available than a single data point.

- EPA sites that were identified as having potentially incorrect latitude and longitude data (e.g., mapped 5 miles from the state as recorded or no coordinates were provided in EPA databases) are not included in the maps.
- Since acreage is a key screening criterion, EPA sites that do not have acreage information recorded in EPA databases are not included in the maps, except for the non-grid connected wind and non-grid connected PV solar maps as acreage is not a screening criterion for these clean and renewable energy types. Acreage is not a screening criterion for non-grid connected wind and non-grid connected solar PV maps because such systems are typically used to power a single property and are not constrained by limited acreage. For example, a property owner could install PV panels or "micro" or small-scale wind turbines to supplement the electricity provided to the site from traditional sources, but would not generate power for use off-site.
- The US territories were not evaluated or included in this analysis as renewable energy resource and transmission data was not readily available for the US territories.
- The transmission and rail data used for this analysis did not include information for Alaska and Hawaii. The only maps that could be developed without this information are non-grid-connected wind and non-grid connected PV, which were not mapped at the state level.
- In instances where distances to transmission lines, highways or rails are zero, the transmission line, highway or rail is intersecting the site buffer, meaning that the infrastructure is present within the generated site boundary.
- EPA databases are updated continuously. These maps provide a snapshot in time, as described in the datasets section. The use of site-specific information provided herein should only be used with the understanding that the information changes over time. Acreage is the most variable.

Datasets

The following data sources were used to develop the inventory of EPA sites displayed on OCPA's clean and renewable energy potential maps. Note: EPA datasets are updated continuously so the maps provide a snapshot in time.

Abandoned Mine Lands (AML)

Includes all abandoned hardrock mines and mineral processing sites listed in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) as well as many AMLs with emergency response actions that are not listed in CERCLIS. AML data includes information from the AML inventory dated 2/27/2008 and includes CERCLIS information current as of January 2008. Acreage from the AML Inventory was used in most cases. In cases where acreage was not provided in the AML Inventory, CERCLIS acreage was used.

Brownfields

Includes data in the Assessment Cleanup and Redevelopment Exchange (ACRES) database, queried on 7/8/08. Data includes information on properties associated with Brownfields Grants awarded in fiscal year 2003 and beyond, where an assessment or cleanup activity has been completed and EPA Brownfields funding was expended. This includes: Assessment, Cleanup, Revolving Loan Fund, Section 128 and Targeted Brownfields Assessment grants.

Resource Conservation and Recovery Act (RCRA)

Includes all sites from the RCRA 2020 Universe Inventory from July 2007. Acreage information was only provided for the 2008 Baseline Inventory sites, but site latitude and longitude information was provided for all sites.

Superfund

Includes Superfund sites included in the EPA OSWER Cross-Program Revitalization Measure (CPRM) universe, with information provided by the Superfund Office on 7/24/08. Superfund site-specific information in available in the Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS).

In addition, the following GIS data was compiled and used to produce the OCPA clean and renewable energy potential maps.

National Renewable Energy Laboratory (NREL) Data

NREL data was downloaded on October 12, 2007 (http://www.nrel.gov/gis/). Specific information on how the data was collected by NREL is available at: http://www.nrel.gov/gis/data_analysis.html

- Low resolution wind data for the lower 48 states and high resolution wind data for AK, AZ, AR, CA, CO, CT, DE, DC, HI, ID, IL, IN, ME, MD, MA, MI, MO, NV, NE, NH, NJ, NM, NC, ND, MT, OH, OR, PA, RI, SD, UT, VT, VA, WA, WV, and WY: Used to determine potential for utility scale wind, community wind, and non-grid-connected wind.
- High resolution direct normal solar resource data for the lower 48 states and low resolution direct normal solar data for AK and HI: Used to determine potential for utility scale concentrating solar power (CSP) stirling engine system, utility scale CSP trough and power tower systems, and utility scale photovoltaic (PV) solar power.
- High resolution latitude tilt collected solar resource data for the lower 48 states and low resolution latitude tilt data for AK and HI: Used to determine potential for non-grid-connected PV solar power.
- Biomass data: Biomass resources available by county, used to determine potential for biorefinery and biopower facility siting.
- FEMA Transmission Lines (FEMA Electric): Used to determine the distance to transmission lines. Note: there is more accurate transmission line data available from other sources, but due to security concerns it is not publicly available and therefore not used in this analysis.

NREL resource potential information is described below:

Wind Resource (For Utility Scale, Community and Non-Grid Wind Maps)

| Power | Resource | 50 m Wind Power Density (Watts/m ² ; |
|-------|-------------|--|
| Class | Potential | W/m ²) |
| 1 | Poor | 0 - 200 |
| 2 | Marginal | 200 - 300 |
| 3 | Fair | 300 - 400 |
| 4 | Good | 400 - 500 |
| 5 | Excellent | 500 - 600 |
| 6 | Outstanding | 600 - 800 |
| 7 | Superb | > 800 |

Solar Resource (For Utility Scale CSP and PV and Non-Grid Solar Maps)

| kWh/m²/day | Resource Potential |
|------------|-----------------------|
| < 4 | Moderate |
| > 4 - 5 | Good |
| > 5 - 6 | Very Good |
| > 6 | Excellent |

Biomass Resource (For Biopower and Biofinery Facility Maps)

| | Resource |
|-------------------|-------------|
| Metric Tons/ Year | Potential |
| < 50,000 | Low |
| 50,000 - 100,000 | Marginal |
| 100,000 - 150,000 | Good |
| 150,000 - 250,000 | Very Good |
| 250,000 - 500,000 | Excellent |
| > 500,000 | Outstanding |

ESRI Data

ESRI software, copyright 2001-2006

- U.S. Highways (highways.sdc): Used to calculate the approximate distance to the nearest graded road.
- U.S. States (states.sdc): Used to provide state outlines for mapping purposes.
- U.S. National Transportation Atlas Railroads (rail100k): Used to calculate the approximate distance to the nearest railway.

<u>Common Attributes</u>
The following is a description of attributes used in the data tables that accompanies the OCPA clean and renewable energy potential maps, which is available at:

http://www.epa.gov/renewableenergyland/maps/ocpa_renewable_energy_data.xls.

| Attribute Name | Attribute Description |
|---|---|
| EPA Reg | EPA region where the site is located |
| Program | EPA program in which data was obtained |
| EPA ID/ BF Acres | EPA unique identification code |
| Property ID | |
| Site ID/ BF Grant IDs | EPA Site ID or Brownfield Grant ID |
| Site Name | Name of the property |
| City | City where the site is located |
| State | State where the site is located |
| Federal Facility | Indicates whether the site is a federal facility |
| Mapped Acreage | Acreage used for mapping |
| Renewable Energy | Indicates which renewable energy types have potential at the site |
| Potential Types | |
| *Utility Wind Map | Indicates sites with utility wind energy generation potential |
| *Comm Wind Map | Indicates sites with community wind energy generation potential |
| *CSP Utility Solar Map | Indicates sites with utility stirling engine and/or trough and power tower system Concentrated Solar Power |
| | (CSP) energy generation potential |
| *PV Utility Solar Map | Indicates sites with utility Photovoltaic (PV) solar energy generation potential |
| *Biopower Facility Map | Indicates sites with biopower facility siting potential |
| *Biorefinery Facility Map | Indicates sites with biorefinery facility siting potential |
| *Non-Grid Wind Map | Indicates sites with non-grid connected wind energy generation potential |
| *Non-Grid PV Solar Map | Indicates sites with non-grid Photovoltaic (PV) generation potential |
| Latitude | Latitude in decimal degrees, NAD 27 projection |
| Longitude | Longitude in decimal degrees, NAD 27 projection |
| Dist Power (miles) | Distance to the nearest transmission line |
| KV | Kilovolt capacity of the nearest transmission line |
| Dist Hwys (miles) | Distance to the nearest graded road |
| Dist Rail (miles) | Distance to the nearest railway |
| Max Wind | Measurement of the wind power class, measured at 50 meters above ground |
| Wind Range (W/m² at | Measurement of the wind speed, measured in Watts per meter squared (W/m²) at 50 meters |
| 50m) | |
| Wind Potential | Description of the wind energy potential |
| Max DNI Solar | Measurement of the direct normal irradiance (DNI) solar resource availability in kilowatt hour per meter |
| (kWh/m²/day) | squared per day (kWh/m2/day) for utility scale projects |
| DNI Solar Potential | Description of the solar energy potential for utility scale project |
| Max LATilt Solar | Measurement of the solar resource availability in kilowatt hour per meter squared per day (kWh/m²/day) |
| (kWh/m²/day) | for non-grid connected projects |
| Non-Grid PV Solar | Description of the solar energy potential for non-grid projects |
| Potential | |
| Cum Biomass Resources | Cumulative biomass resources in metric tons/year, used to determine biopower facility siting potential |
| (metric tons/yr w/i 50 | (includes: crops, forests, primary and secondary mills; urban wood waste; and methane emissions from |
| miles) | manure management, landfills, and domestic wastewater treatment) |
| Biopower Potential | Description of the biomass energy potential for siting biopower facilities |
| Cum Crop Residues (metric tons/yr w/i 50 | Cumulative crop residues in metric tons/year, used to determine biorefinery siting potential (includes: crops; forests; primary and secondary mills and urban wood waste) |
| miles) | Tolops, forests, primary and secondary mins and diban wood waste) |
| Biorefinery Potential | Description of the biomass energy potential for siting biorefinery facilities |
| Piolellilel à Lorellilai | Description of the piomass energy potential for sitting professional years. |

| Attribute Name | Attribute Description |
|--|---|
| Crops (metric tons/yr w/i 50 miles) | Crop residues (dry metric tons/year), includes residues from corn, wheat, soybeans, cotton, sorghum, barley, oats, rice, rye, canola, dry edible beans, dry edible peas, peanuts, potatoes, safflower, sunflower, sugarcane, and flaxseed |
| Manure (metric tons/yr w/i 50 miles) | Methane emissions from manure management (metric tons/year), includes dairy cows, beef cows, hogs and pigs, sheep, chickens and layers, broilers, and turkey |
| Forest (metric tons/yr w/i 50 miles) | Forest residues (dry metric tons/year), includes logging residues and other removable material left after carrying out silviculture operations and site conversions |
| Primmill (metric tons/yr w/i 50 miles) | Primary mill residues (dry metric tons/year), includes wood materials (coarse and fine) and bark generated at manufacturing plants (primary wood-using mills) when round wood products are processed into primary wood products |
| Secmil (metric tons/yr w/i 50 miles) | Secondary mill residues (dry metric tons/year), includes wood scraps and sawdust from woodworking shops |
| Urban (metric tons/yr w/i 50 miles) | Urban wood residues (dry metric tons/year), includes wood residues from wood chips, pallets, utility tree trimming and/or private tree companies, and construction and demolition sites |
| Landfill (metric tons/yr w/i 50 miles) | Methane emissions from landfills (metric tons/year) |
| WWTreat (metric tons/yr w/i 50 miles) | Methane emissions from domestic wastewater treatment (metric tons/year) |
| Energy Crops (metric tons/yr w/i 50 miles) | Energy crops (dry metric tons/year), includes hybrid poplar, willow, and switchgrass on Conservation Reserve Program lands |
| **Cum Biomass Resources (TJ/yr w/i 50 miles) | Cumulative biomass resources (terajoule/year) (includes: crops, forests, primary and secondary mills; urban wood waste; and methane emissions from manure management, landfills, and domestic wastewater treatment) |
| **Cum Crop Residues (TJ/yr w/i 50 miles) | Cumulative crop residues (terajoule/year) (includes: crops; forests; primary and secondary mills and urban wood waste) |
| **Crops (TJ/yr w/i 50 miles) | Crop residues (terajoule/year) a conversion factor of 6,500 BTU/pound was used |
| **Manure (TJ /yr w/i 50 miles) | Methane emissions from manure management (terajoule/year), a conversion factor of 24,000 BTU/pound was used |
| **Forest (TJ/yr w/i 50 miles) | Forest residues (terajoule/year), a conversion factor of 8,500 BTU/pound was used |
| **Primmill (TJ/yr w/i 50 miles) | Primary mill residues (terajoule/year), a conversion factor of 4,700 BTU/pound was used |
| **Secmil (TJ/yr w/i 50 miles) | Secondary mill residues (terajoule/year), a conversion factor of 4,700 BTU/pound was used |
| **Urban (TJ/yr w/i 50 miles) | Urban wood residues (terajoule/year), a conversion factor of 4,700 BTU/pound was used |
| **Landfill (TJ/yr w/i 50 miles) | Methane emissions from landfills (terajoule/year), a conversion factor of 24,000 BTU/pound was used |
| **WWTreat (TJ/yr w/i 50 miles) | Methane emissions from domestic wastewater treatment (terajoule/year), a conversion factor of 24,000 BTU/pound was used |
| **Energy Crops (TJ/yr w/i 50 miles) | Energy crops (terajoule/yr), includes hybrid poplar, willow, and switchgrass on Conservation Reserve Program lands a conversion factor of 6,500 BTU/pound was used |

^{*} These attributes have comments which indicate the screening criteria for each map.

Maps Developed

The spreadsheet on the next page lists the types of clean and renewable energy each state qualifies for, based on described screening criteria.

Contact Information

For more information, please visit http://www.epa.gov/renewableenergyland or contact EPA's OSWER Center for Program Analysis (OCPA) at cleanenergy@epa.gov.

^{**} One terajoule is equivalent to 947,817,077.75 BTUs

| State | Utility Scale Wind | Community Wind | Utility Scale Concentrating Solar Power (CSP) | Utility Scale Photovoltaic (PV) Solar | Biopower Facility | Biorefinery Facility | Non-Grid Wind | Non-Grid PV Solar |
|------------------------|--------------------------|-------------------|---|---|----------------------|-------------------------|------------------|----------------------|
| Alabama | | | , | , | Х | Х | | Х |
| Alaska | | | | | | | Χ | Χ |
| Arizona | | | Х | Χ | Х | Х | Χ | Х |
| Arkansas | | | | | Х | Х | | Χ |
| California | Х | Х | Х | Х | Х | Х | Χ | Χ |
| Colorado | Х | Х | Х | Х | Х | Х | Χ | Χ |
| Connecticut | | Х | | | Х | Х | Х | Х |
| Delaware | | | | | Х | Х | | Х |
| District of Columbia | | | | | Х | Х | | Х |
| Florida | | | | | Х | Χ | | Х |
| Georgia | | | | | X | X | Х | X |
| Hawaii | | | | | | | X | X |
| Idaho | Х | Х | | Х | Х | Х | X | X |
| Illinois | | X | | | X | X | X | X |
| Indiana | | X | | | X | X | X | X |
| lowa | | X | | | X | X | X | X |
| Kansas | | X | | Х | X | X | X | X |
| Kentucky | | Λ | | Λ | X | X | | X |
| Louisiana | | | | | X | X | | X |
| Maine | | | | | X | X | Х | X |
| Maryland | | | | | X | X | | X |
| Massachusetts | | Х | | | X | X | Х | X |
| Michigan | | X | | | X | X | X | X |
| Minnesota | Χ | X | | | X | X | X | X |
| Mississippi | ^ | ^ | | | X | X | ^ | X |
| Missouri | | | | | X | X | Х | X |
| Montana | Х | Х | | X | X | X | X | X |
| Nebraska | X | X | | X | X | X | X | X |
| Nevada | ^ | X | X | X | X | X | X | X |
| New Hampshire | | ^ | ^ | ^ | X | X | ^ | X |
| New Jersey | | | | | X | X | | X |
| New Mexico | Х | Х | X | X | X | X | Х | X |
| New York | ^ | X | ^ | ^ | X | X | X | X |
| North Carolina | | X | | | X | X | X | X |
| North Dakota | Х | X | | | X | X | X | X |
| Ohio | ^ | X | | | X | X | X | X |
| Oklahoma | Х | X | | X | X | X | X | X |
| | ^ | | | | | X | | |
| Oregon Poppsylvania | | X | | X | X | X | X | X |
| Pennsylvania | | | | | | | | |
| Rhode Island | | X | | | X | X | X | X |
| South Carolina | | X | | V | | X | | X |
| South Dakota | | | | Х | X | | X | |
| Tennessee | V | X | V | V | X | X | X | X |
| Texas | X | X | X | X | X | Х | X | X |
| Utah | Χ | Х | X | Х | X | | X | X |
| Vermont | | V | | | X | X | Х | X |
| Virginia | ., | X | | V | X | X | V | X |
| Washington | Х | Х | | Х | X | X | Х | X |
| West Virginia | | ,, | | | X | X | | X |
| Wisconsin | | Х | | | X | X | X | X |
| Wyoming | Χ | Х | | Х | Х | Х | Х | Х |