

Port Richey Fire Department Incident Report

Three (3) pages total including this cover



FIRE DEPARTMENT **PRFD**
 FIRE CHIEF **T. FUSSELL**

represent "most likely" and "most probable" cause and effect.
 Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

ALL INCIDENTS												
EDD	INCIDENT #	EXP. #	MO	DAY	YEAR	DAY OF WEEK	SUN	MON	TUE	ALARM	ARRIVAL	TIME IN SERVICE
A	2810411	1750	10	11	1704	4-WED	5-THUR	6-FRI	7-SAT	1110138	110412	11415
TYPE OF SITUATION FOUND*		33 LOCK-IN, TRAPPED	53 SMOKE REMOVAL		73 ALARM MALFUNCTION		74 UNINTENTIONAL FALSE		TYPE OF ACTION TAKEN			
11 STRUCTURE FIRE		34 SEARCH	55 ASSIST POLICE		75 EXTINGUISHMENT		76 EXTINGUISHMENT		MUTUAL AID			
12 OUTSIDE FIRE W/VALUE		35 EXTRICATION	56 UNAUTHORIZED BURN		77 RESCUE		78 INVESTIGATION ONLY		REC'D			
13 VEHICLE FIRE		39 VEHICLE ACCIDENT	57 MOVE-UP		79 UNCLASSIFIED		80 REMOVE HAZARD		2 GIVEN			
14 BRUSH FIRE		41 SPILL, LEAK - NO FIRE	59 CANCELED AT SCENE		81 STANDBY		82 SALVAGE		3 CONTROLLED			
15 TRASH FIRE		44 POWER LINE DOWN	61 SMOKE SCARE		83 AMBULANCE SERVICE		84 LACK OF MAINT.		7 UNDETERMINED			
16 EXPLOSION		45 ARCING ELECTRIC EQUIP	63 CONTROLLED BURN		85 FILL IN MOVE UP		86 CANCELED		9 UNDETERMINED			
17 OUTSIDE SPILL W/FIRE		46 AIRCRAFT STANDBY	65 STEAM, GAS MISTAKE FOR SMOKE		87 CANCELED		88 UNDETERMINED		10 UNDETERMINED			
21 STEAM RUPTURE		47 CHEMICAL SPILL	69 CANCELED ENROUTE		89 CANCELED		90 UNDETERMINED		11 UNDETERMINED			
22 AIR/GAS RUPTURE		49 HAZARDOUS CONDITION	71 MALICIOUS FALSE		91 CANCELED		92 UNDETERMINED		12 UNDETERMINED			
32 EMERG. MEDICAL		51 LOCK OUT	72 BOMB SCARE		93 UNDETERMINED		94 UNDETERMINED		13 UNDETERMINED			
FIXED PROPERTY USE*		445 HOTEL, 100+ UNITS	931 BACKYARD, FIELD		IGNITION FACTOR*		47 IMPROPER STORAGE		74 OVERLOADED			
123 PLAYGROUND		512 GROCERY STORE	936 VACANT LOT		11 INCENDIARY		51 PART FAILURE, LEAK		75 SPONTANEOUS			
161 RESTAURANT		571 SERVICE STATION	961 LIMITED ACCESS HWY		21 SUSPICIOUS		55 SHORT CIRCUIT		84 LIGHTNING			
213 ELEMENTARY SCHOOL		585 MALL	962 ROAD/STREET		31 ABANDONED MATERIALS		55 OTHER ELECT. FAULT		92 REKINDLED			
215 HIGH SCHOOL		591 GENERAL OFFICE	965 PARKING LOT		33 FALLING ASLEEP		56 LACK OF MAINT.		93 UNDETERMINED			
311 CARE OF THE AGED W/STAFF		642 TRANSFORMER, UTILITY POLE			34 UNCONTROLLED OPEN FIRE		57 BACKFIRE		61 DESIGN DEFICIENCY			
331 HOSPITAL		661 FOREST			35 CUTTING, WELDING		64 INSTALLATION DEFICIENCY		65 EXPOSURE			
411 ONE FAMILY DWELLING		664 TREE			36 CHILDREN PLAYING		71 COLLISION		72 FUELS SPILLED			
422 APARTMENT, 3-6 UNITS		808 TOOL SHED			37 DRUGS, ALCOHOL USE		73 UNATTENDED		74 UNATTENDED			
423 APARTMENT, 7-20 UNITS		881 RESIDENTIAL GARAGE			41 FUELS SPILLED							
424 APARTMENT, OVER 20 UNITS		888 FIRE STATION			46 COMBUSTIBLE TOO CLOSE							
CORRECT ADDRESS OF INCIDENT 4317 HARBOR POINTE DR PR FL ZIP CODE 34106 CENSUS TRACT												
OCCUPANT LAST NAME		FIRST		MI		OWNER'S ADDRESS		TELEPHONE		ROOM OR APT.		
ROCAMORA		MAREO		CAPTAIN		7917 BAYVIEW ST.		787-841-6406				
OWNER LAST NAME		FIRST		MI		OWNER'S ADDRESS		TELEPHONE		ROOM OR APT.		
SON-CRUZ		CASINO				7917 BAYVIEW ST.		787-841-6406				
METHOD OF ALARM FROM PUBLIC		4 RADIO	8 VOICE SIGNAL-FIRE ALARM		DISTRICT		SHIFT		# OF ALARMS			
1 TELEPHONE - DIRECT		5 VERBAL	9 NOT CLASSIFIED		17		10101		1			
2 MUNICIPAL ALARM SYSTEM		6 NO ALARM - NO RESPONSE	0 UNDETERMINED									
3 PRIVATE ALARM SYSTEM		0 E-LINE (911)										
# OF FIRE SERVICE PERSONNEL RESPONDED		1024	# ENGINES RESPONDED		1004	# AERIAL APPARATUS RESPONDED		1001	# OTHER VEHICLES RESPONDED		1017	

CIVILIAN INJURIES AND DEATHS ONLY FOR FIRE INCIDENTS			
NUMBER OF INJURIES FIRE SERVICE	CIVILIAN	NUMBER OF FATALITIES FIRE SERVICE	CIVILIAN
1000	10011	10010	10000

FIRES ONLY			
COMPLEX*	44 HOTEL	80 WAREHOUSE/STORAGE	MOBILE PROPERTY TYPE
11 RECREATION	47 MOBILE HOME PARK	96 ROAD	11 AUTOMOBILE
20 EDUCATION	58 SHOPPING	97 AIRPORT	14 MOTOR HOME
33 MEDICAL CARE	59 OFFICE	98 NO COMPLEX	17 MOBILE HOME
41 DWELLING	65 FARM	99 OTHER	21 TRUCK OVER 1 TON
42 APARTMENT	70 INDUSTRIAL		23 PICKUP
AREA OF FIRE ORIGIN*		62 WATER HEATER AREA	EQUIPMENT INVOLVED IN IGNITION*
14 LOUNGE/LIVING ROOM	74 CEILING & ROOF ASSEMBLY	76 EXTERIOR WALL SURFACE	41 FIXED WIRING
21 BEDROOM	81 VEHICLE PASSENGER AREA	8 ENGINE/RUNNING GEAR AREA	46 LIGHTING FIXTURE SIGN
24 KITCHEN	92 MEDIAN, ON OR NEAR ROAD	94 LAWN, FIELD, OPEN AREA	52 DRYER
25 LAVATORY, BATHROOM	95 WOODS		66 INTERNAL COMBUSTION ENGINE
26 LAUNDRY ROOM			87 TORCHES
42 CLOSET*			96 VEHICLE, VEHICLE PARTS
46 TRASH CONTAINER			98 NONE
47 GARAGE, CARPORT			
FORM OF HEAT OF IGNITION*		55 REKINDLE	TYPE OF MATERIAL IGNITED*
14 HEAT - LIQUID FUELED EQUIP	56 HEAT - ELEC. EQUIP.	63 FIREWORKS	71 MAN-MADE FABRIC
24 SHORT CIRCUIT	63 FIREWORKS	73 LIGHTNING	72 COTTON, RAYON
31 CIGARETTE	73 LIGHTNING	81 EXPOSURE-DIRECT FLAME	
41 CUTTING TORCH OP.			
42 WELDING TORCH OP.			
45 MATCHES			
46 LIGHTER			
47 OPEN FIRE			
48 BACKFIRE			
METHOD OF EXTINGUISHMENT		6 PRE-CONNECT HOSE/HYDRANT	LEVEL OF FIRE ORIGIN
1 SELF EXTINGUISHED	7 HAND-LAID HOSE/HYDRANT	8 MASTER STREAM DEVICE	6 OVER 70 FEET
2 MAKE SHIRT AIDS	9 NOT CLASSIFIED	0 UNDETERMINED	7 IN FLIGHT
3 PORTABLE EXTINGUISHER			8 BELOW GROUND
4 AUTOMATIC, EXT. SYSTEM			9 NOT CLASSIFIED
5 PRE-CONNECT HOSE/TANK			0 UNDETERMINED
ESTIMATED TOTAL DOLLAR LOSS (DOLLARS ONLY)		ONE MILLION	
		\$ 1,000,000	

STRUCTURE FIRES ONLY			
NUMBER OF STORIES	6 13 TO 24 STORIES	CONSTRUCTION TYPE	6 UNPROTECTED ORDINARY (CBS HOMES)
1 1 STORY	7 25 TO 49 STORIES	1 FIRE RESISTANCE	7 PROTECTED WOOD FRAME
2 2 STORIES	8 50 STORIES OR MORE	2 HEAVY TIMBER	8 UNPROTECTED WOOD FRAME (MOBILE HOMES)
3 3 TO 4 STORIES	0 UNDETERMINED	3 PROTECTIVE NONCOMBUSTIBLE	9 NOT CLASSIFIED
4 5 TO 6 STORIES		4 UNPROTECTED NONCOMBUSTIBLE	0 UNDETERMINED
5 7 TO 12 STORIES		5 PROTECTED ORDINARY	
EXTENT OF DAMAGE - FLAME		6 CONFINED TO STRUCTURE	EXTENT OF DAMAGE - SMOKE
1 CONFINED TO OBJECT OF ORIGIN	7 EXTENDED BEYOND STRUCTURE	0 UNDETERMINED	1 CONFINED TO OBJECT OF ORIGIN
2 CONFINED TO AREA OF ORIGIN			2 CONFINED TO AREA OF ORIGIN
3 CONFINED TO ROOM OF ORIGIN			3 CONFINED TO ROOM OF ORIGIN
4 CONFINED TO FIRE RELATED COMP.			4 CONFINED TO FIRE RELATED COMP.
5 CONFINED TO FLOOR OF ORIGIN			5 CONFINED TO FLOOR OF ORIGIN
DETECTOR PERFORMANCE		6 CONFINED TO STRUCTURE OF ORIGIN	7 EXTENDED BEYOND STRUCTURE
1 DET. IN ROOM OR SPACE OF THE ORIGIN - OPER.			9 NO DAMAGE OF THIS TYPE
2 DET. NOT IN ROOM OR SPACE OF THE ORIGIN - OPER.			0 UNDETERMINED
3 DET. IN ROOM OR SPACE OF ORIGIN - NO OPER.			
4 DET. NOT IN ROOM OR SPACE OF ORIGIN - NO OPER.			
5 DET. IN ROOM OR SPACE OF ORIGIN BUT FIRE TOO SMALL TO OPERATE			
8 NO DETECTORS PRESENT			
9 NOT CLASSIFIED			
0 UNDETERMINED			
TYPE OF MATERIAL GENERATING MOST SMOKE*		SPRINKLER PERFORMANCE	1 EQUIPMENT OPERATED
31 FAT/GREASE (FOOD)	71 MAN-MADE FABRIC	2 EQUIPMENT SHOULD HAVE OPERATED - DID NOT	3 EQUIPMENT PRESENT BUT FIRE TOO SMALL TO OPERATE
51 RUBBER	72 COTTON/RAYON	8 NO EQUIPMENT PRESENT	9 NOT CLASSIFIED ABOVE
57 FOOD/STARCH	00 UNDETERMINED	0 UNDETERMINED	
63 SAWN WOOD	98 NO SMOKE SPREAD		
67 PAPER			
AVENUE OF SMOKE TRAVEL		6 UTILITY OPENING IN THE WALL	7 UTILITY OPENING IN THE FLOOR
1 AIR DUCT		8 NO AVENUE OF SMOKE TRAVEL	9 NOT CLASSIFIED
2 CORRIDOR		0 UNDETERMINED	
3 ELEVATOR SHAFT			
4 STAIRWELL			
5 OPENING IN CONSTRUCTION			
FORM OF MATERIAL GENERATING THE MOST SMOKE*		61 ELECTRIC WIRE	00 UNDETERMINED
17 STRUCTURAL FRAMING	32 BEDDING	73 TRASH, WASTE	98 NO SMOKE SPREAD
21 SOFA, CHAIR	34 CLOTHING NOT ON A PERSON	76 COOKING MATERIALS	
23 CABINETRY	44 PAPERS, MAGAZINES	81 DUST, LINT	
31 MATTRESS, PILLOW	51 BOX, CARTON		

S	IF MOBILE PROPERTY	YEAR	MAKE	MODEL	SERIAL #	LICENSE #
			UNKNOWN	UNKNOWN	1053146	
T	IF EQUIPMENT INVOLVED	YEAR	MAKE	MODEL	SERIAL #	

* ALL CODES NOT INCLUDED
 SEE HANDBOOK
 D14-1078 (7/95)
 SIGNATURE **R. GUSTON CAPT. 407 C-SHIFT 10-17-04**
 DATE

E11 RESPONDED TO A SUN-CRUZ SHUTTLE
BOAT ON FIRE. ON SCENE FOUND @ 75 FT.
3 STORY CASINO SHUTTLE BOAT INVOLVED
ON ALL THREE DECKS. E11 ON SCENE.

COURTYARD LAY & TWO 150' 1 3/4" PRE-CONNECTS
PULLED. 407, CAPT. 11, & 453 BOARDED P.C.S.O.

MARINE 3 TO MAKE AN INITIAL ATTACK.

BAT. 1 & BAT. 3, E19, NPRFD LADDER 1, R17,

BRUSH 17 & TANKER 17, E42, & REHAB ONE

ARRIVED ON SCENE & ASSISTED W/ COMMAND,
EXTINGUISHMENT, & REHAB. STATE FIRE

MARSHALL NOTIFIED. FIRE EXTINGUISHED

& VESSEL TOWED OUT OF THE CHANNEL

AFTER STATE FIRE MARSHALL ARRIVED

ON SCENE.

407 11 PERS, FROM P.C.F.R.

438 3 PERS, FROM NPRFD.

453

454

457

461

460

465

470

456