

---

**U.S. Department  
of Commerce**  
Seattle, Washington

**Volume 101  
Number 2  
April 2003**

# Fishery Bulletin

---

## Contents

### *Articles*

- 201–214** **Able, Kenneth W., Peter Rowe, Mark Burlas, and Don Byrne**  
Use of ocean and estuarine habitats by young-of-year bluefish  
(*Pomatomus saltatrix*) in the New York Bight
- 215–228** **Adam, M. Shiham, John Sibert, David Itano,  
and Kim Holland**  
Dynamics of bigeye (*Thunnus obesus*) and yellowfin (*T. albacares*)  
tuna in Hawaii's pelagic fisheries: analysis of tagging data with a bulk  
transfer model incorporating size-specific attrition

### *Companion articles*

- 229–242** **Beacham, Terry D., K. Janine Supernault,  
Michael Wetklo, Bruce Deagle, Karen Labaree,  
James R. Irvine, John R. Candy, Kristina M. Miller,  
R. John Nelson, and Ruth E. Withler**  
The geographic basis for population structure in Fraser River  
chinook salmon (*Oncorhynchus tshawytscha*)
- 243–259** **Beacham, Terry D., John R. Candy,  
K. Janine Supernault, Michael Wetklo,  
Bruce Deagle, Karen Labaree, James R. Irvine,  
Kristina M. Miller, R. John Nelson, and  
Ruth E. Withler**  
Evaluation and application of microsatellites for population  
identification of Fraser River chinook salmon  
(*Oncorhynchus tshawytscha*)
- 260–280** **Butler, John L., Larry D. Jacobson, J. Thomas Barnes,  
and H. Geoffrey Moser**  
Biology and population dynamics of cowcod (*Sebastes levis*)  
in the southern California Bight
- 281–292** **Carlson, John K., Enric Cortés, and Dana M. Bethea**  
Life history and population dynamics of the finetooth shark  
(*Carcharhinus isodon*) in the northeastern Gulf of Mexico

---

The conclusions and opinions expressed in *Fishery Bulletin* are solely those of the authors and do not represent the official position of the National Marine Fisheries Service (NOAA) or any other agency or institution.

The National Marine Fisheries Service (NMFS) does not approve, recommend, or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to NMFS, or to this publication furnished by NMFS, in any advertising or sales promotion which would indicate or imply that NMFS approves, recommends, or endorses any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this NMFS publication.

- 293–304 Francis, Chris R. I. C., Rosemary J. Hurst, and James A. Renwick**  
Quantifying annual variation in catchability for commercial and research fishing
- 305–311 Grandcourt, Edwin M.**  
The effect of intensive line fishing on the virgin biomass of a tropical deepwater snapper, the crimson jobfish (*Pristipomoides filamentosus*)
- 312–320 Ju, Se-Jong, David H. Secor, and H. Roger Harvey**  
Demographic assessment of the blue crab (*Callinectes sapidus*) in Chesapeake Bay using extractable lipofuscins as age markers
- 321–331 Lindley, Steven T., and Michael S. Mohr**  
Modeling the effect of striped bass (*Morone saxatilis*) on the population viability of Sacramento River winter-run chinook salmon (*Onchorhynchus tshawytscha*)
- 332–342 Macchi, Gustavo J., Eduardo M. Acha, and María I. Militelli**  
Seasonal egg production of whitemouth croaker (*Micropogonias furnieri*) in the Río de la Plata estuary, Argentina-Uruguay
- 343–357 McDonough, Christopher J., and Charles A. Wenner**  
Growth, recruitment, and abundance of juvenile striped mullet (*Mugil cephalus*) in South Carolina estuaries
- 358–367 McFarlane, Gordon A., and Jacquelynne R. King**  
Migration patterns of spiny dogfish (*Squalus acanthias*) in the North Pacific Ocean
- 368–376 Noell, Craig J.**  
Larval development of the southern sea garfish (*Hyporhamphus melanochir*) and the river garfish (*H. regularis*) (Belontiiformes: Hemiramphidae) from South Australian waters
- 377–383 Rosas, Fernando César Weber, André Silva Barreto, and Emygdio Leite de Araujo Monteiro-Filho**  
Age and growth of the estuarine dolphin (*Sotalia guianensis*) (Cetacea, Delphinidae) on the Paraná Coast, southern Brazil
- 384–404 Ross, Steve W.**  
The relative value of different estuarine nursery areas in North Carolina for transient juvenile marine fishes
- 405–413 Sulikowski, James A., Michael D. Morin, Seung H. Suk, and W. Huntting Howell**  
Age and growth estimates of the winter skate (*Leucoraja ocellata*) in the western Gulf of Maine
- 414–423 Walter III, John F., and Herbert M. Austin**  
Diet composition of large striped bass (*Morone saxatilis*) in Chesapeake Bay
- 424–442 White, Geoffrey G., Thomas A Munroe, and Herbert M. Austin**  
Reproductive seasonality, fecundity, and spawning frequency of tautog (*Tautoga onitis*) in the lower Chesapeake Bay and coastal waters of Virginia
- Notes*
- 443–450 Cordes, Jan F., and John E. Graves**  
Investigation of congeneric hybridization in and stock structure of weakfish (*Cynoscion regalis*) inferred from analyses of nuclear and mitochondrial DNA loci
- 451–456 Salthaug, Are**  
Dynamic age-length keys
- 457–459 Walls, Elizabeth A., and Jim Berkson**  
Effects of blood extraction on horseshoe crabs (*Limulus polyphemus*)
- 460 Erratum**
- 461 Subscription form**