File #	Original File Name
1	ENVCAN_STIFS_GAG_JRB_PM25+PM25-10_PARTISOL_2001_07_V1.csv

	Principal Investigator Namelast		File Contents Descriptionshort	
Data Exchange Standard Version	first	Principal Investigator Affiliation	long	Sampling Interval As Reported in Main Table
NARSTO 2002/05/28 (2.301)	Brook ; Jeffrey	Environment Canada,	PM25+PM25-10 ; PM2.5 and	8 h day/16 h night
		Meteorological Service of Canada	PM2.5-10 mass concentration	

Sampling Frequency Of Data in Main Table	Quality Control Level	Organization Acronym	Organization Name	Data Usage Acknowledgement	Study Or Network Acronym
2 times per day	1	ENVCAN_MSC	Environment	Environment Canada,	ENVCAN_STIFS
			CanadaMeteorological	Meteorological Service of	
			Service of Canada	Canada, 4905 Dufferin St.,	
				Toronto, Ont. M3H 5T4	

				Co-investigator Namelast	
Study Or Network Name	Country Code	State Or Province Code	Principal Investigator Contact Information	first	Co-investigator Affiliation
Environment CanadaSupersite Transboundary Intensive Field Study	CA		Environment Canada, Meteorological Service of Canada, 4905 Dufferin St., Toronto, Ont. M3H 5T4	None ; None	None

Date Of Last Modification To Data In Main Table	Name And Version Of Software Used To Create This File
2003/02/10	MS Excel/2002

•	Date This File Generated	
format And Version	archive Version Number	Table Explanation Of Zero Or Negative Values
None ; 0		Blank corrections are performed after samples are compared to the DL and flagged accordingly. Only the variables that have a mean blank concentration that is >5% of the mean air concentration (in units of ug/filter) are corrected by subtracting the mean blank concentration (in ug/filter). In some cases this results in final concentrations in ug/m^3 that are negative or less than the stated detection limit (in ug/m^3). Such samples are not flagged as BDL because on a ug/filter basis before blank correction they were above the detection limit. The user may also choose to classify this samples as BDL.

Table Explanation Of Reported Detection Limit Values	Table Explanation Of Reported Uncertainty	Table User Note	Table User Note2	Table User Note3	Table User Note4
Detection limits (DL) are based upon 3*SD of field blanks in ug/filter. Non blank-corrected laboratory analysis results in ug/filter for each sample are	no uncertainty reported	None	None		
compared to this DL to determine if the sample is BDL and then flagged					
accordingly (V1 means BDL).					

Table Name	Table Focus
PM25+PM25-10	Surfacefixed

Site Information

		State			Sampling height	Ground elevation	
Site ID	Name	Province code	Latitude: decimal degree	Longitude: decimal degree	above ground (m)	above sea level (m)	Site land use
STIFCAONGAG_	Gage	ON	43.65842	-79.39714	15.0	103.6	Residential

				Co-incident		Lat
Site ID	Site location setting	Measurement start date	Measurement end date	measurements	Study site ID	Ion accuracy
STIFCAONGAG_	Urban and center city	2001/06/30	2001/08/02	None		

Flag: NARSTO	Description					
H1	Historical data that have not been assessed or validated					
M1	Missing value because no value is available					
M2	Missing value because invalidated by data originator					
	Missing value because invalidated by Data Originator					
	Missing value because invalidated by data originator					
V0	Valid value					
V1	Valid value but comprised wholly or partially of below detection limit data					
V2	Valid estimated value					
V3	Valid interpolated value					
V4	Valid value despite failing to meet some QC or statistical criteria					
V5	Valid value but qualified because of possible contamination (e.g., pollution source, laboratory contamination source)					
V6	Valid value but qualified due to non-standard sampling conditions					
	Valid value but qualified due to non-standard sampling conditions (e.g., instrument malfunction, sample handling)					
	Valid value but qualified due to non-standard sampling conditions					
V7	Valid value but set equal to the detection limit (DL) because the measured value was below the DL					

NAtChem Time Series Plot 21SEP2004

Site ID: **STIFCAONGAG**_ Variable name: **PM2.5: mass** Units: **ug/m3** Sampling interval: **8 h day/16 h night** Sampling frequency: **2 times per day**Observation type: **Particles** Particle diameter--lower bound (UM): **Undetermined** Particle diameter--upper bound (UM): **2.5**


Field sampling or measurement principle: Single filter Medium: Teflon Inlet type: Impactor--direct Laboratory analytical method: Microbalance

Sample preparation: Water extraction Blank Correction: Not blank corrected Volume standardization: 25 deg. C; 1 atmosphere


Sampling Height above ground (m): 2 Instrument name and model number: R+P FRM Model 2000 Partisol

Measurement principal investigator: Jeffrey Brook Detection Limit: Varies--see Detection lim

Site Name: Gage, Ontario Latitude: 43.65842 deg. Longitude: -79.39714 deg. Start Date: 2001-06-30 End Date: 2001-08-02



Site Name: Gage, Ontario Latitude: 43.65842 deg. Longitude: -79.39714 deg. Start Date: 2001-06-30 End Date: 2001-08-02



Sample: total volume (m3)