

12.0 REFERENCES

ASTM. 1999. Standard practice for conducting an interlaboratory study to determine the precision of a test method. ASTM E691-92. In: Annual Book of ASTM Standards. Philadelphia:American Society for Testing and Materials.

Balls M, Botham PA, Bruner LH, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test. *Toxicol In Vitro* 9:871-929.

Barkman R, Germanis M, Karpe G, Malmberg AS. 1969. Preservatives in drops. *Acta Ophthalmol.* 47:461-475.

Berdasco N, Gilbert K, Lacher J, and Mattsson J. 1996. Low rate of severe injury from dermal and ocular irritation tests and the validity of using fewer animals. *Journal of the American College of Toxicology.* 15:177-193.

Berta A. 1992. Chapter 17. In: *Enzymology of the tears.* (Berta A. ed.). Boca Raton: CRC Press, 285-295.

BLS. 2004. US Dept. of Labor, Bureau of Labor Statistics, Case and Demographic Characteristics for Work-related Injuries and Illnesses Involving Days Away From Work Available: <http://www.bls.gov/iif/oshcdnew.htm> [accessed 26 October 2004].

Bone J. 1979. *Anatomy and Physiology of the Fowl: The Organs of Special Sense.* In: *Animal Anatomy and Physiology.* Reston Publishing Company, Inc., 533-534.

Botham JW, McKillop CM, Purchase IFH. 1989. Acute and topical toxicity profiles for substances involved in the in vitro validation of the in vivo ocular irritation model. In: *Collaborative Study on the Evaluation of Alternative Methods to the Eye Irritation Test.* EC Document XI/632/91, V/E/1/131/91. Commission of the European Communities.

Brevard TA, Calvert GM, Blondell JM, Mehler LN. 2003. Acute occupational disinfection-related illness among youth, 1993-1998. *Environ Health Perspect* 111:1654-1659.

Bruner L. 1992. Chapter 7: Ocular irritation. In: *In Vitro Toxicology Testing* (Frazier J, ed). New York:Marcel Dekker, Inc., 149-190.

Bruner LH, Evans MG, McPherson JP, Southee JA, Williamson PS. 1998. Investigation of ingredient interactions in cosmetic formulations using isolated bovine corneas. *Toxicol In Vitro* 12:669-690.

Burton ABG. 1972. A method for the objective assessment of eye irritation. *Food Cosmet Toxicol* 10, 209-217.

Burton ABG, York M, Lawrence RS. 1981. The *in vitro* assessment of severe irritants. Food Cosmet Toxicol 19:417-480.

Butscher P. 1953. Beitrag zur therapie von augenschadigunen durch thioglykolsaur bei der herstellung der sogenannten kaltwelle. Klin Monatsbl Augenheilkd. 122:349-350.

Calabrese EJ. 1983. Dermatotoxicity: Predictive Models. In: Principles of Animal Extrapolation. Wiley Interscience: New York.

Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. Am J Ophthal. 29:1363-1372.

Cater K, Patrick E, Harbell J, Merrill J, Schilcher S. 2004. Comparison of *in vitro* eye irritation potential by BCOP assay to erythema scores in human eye sting test of surfactant-based formulations. [Abstract]. Toxicol Sci 78:1307.

Commission of the European Communities 1991. Collaborative study on the evaluation of alternative methods to the eye irritation test. EC Document XI/632/91, V/E/1/131/91.

Chamberlain M, Gad SC, Gautheron P, Prinsen MK. 1997. IRAG Working Group I: Organotypic models for the assessment/prediction of ocular irritation. Food Chem Toxicol 35:23-37.

Clean Air Act Amendments of 1990. Public Law 101-549. Available: <http://www.ehso.com/caa.htm> [accessed 26 August 2004].

Cooper KJ, Earl LK, Harbell J, Raabe H. 2001. Prediction of ocular irritancy of prototype shampoo formulations by the isolated rabbit eye (IRE) test and bovine corneal opacity and permeability (BCOP) assay. Toxicol In Vitro 15:95-103.

CPSC. 1984. Animal Testing Policy. Fed Reg 49:22522-22523.

CPSC. 1995. Test for eye irritants. 16CFR1500.42.

CPSC. 2003. Commercial practices. Hazardous Substances and Articles; Administration and Enforcement Regulations. 16 CFR 1500.42.

CPSC. 2004. Definitions. Hazardous Substances and Articles; Administration and Enforcement Regulations 16 CFR 1500.3.

Curren RD, Harbell JW. 1998. *In vitro* alternatives for ocular irritation. Envir Health Persp 106:485-492.

Dalbey W, Rodriguez S, Wilkins K, Cope C. 1993. Reducing the number of rabbits in eye and skin irritancy tests. Journal of the American College of Toxicology 12:347-357.

DeSousa D, Rouse A, Smolon W. 1984. Statistical consequences of reducing the number of rabbits utilized in eye irritation testing: Data on 67 petrochemicals. *Toxicology and Applied Pharmacology* 76:234-242.

Draize J, Woodard G, Calvery H. 1944. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *J Pharmacol Exper Ther.* 82:377-390.

Dua HS, Azuara-Blanco A. 2000. Limbal stem cells of the corneal epithelium. *Survey of Ophth* 44(5):415-425.

Duane TD. 1949. The steady state of corneal hydration. *Am J Ophth* 32:203-207.

Earl L. 1998. Experience with other isolated eye models: Isolated rabbit eye (IRE). BCOP Technical Workshop. 11:342-345.

ECETOC. 1992. Eye Irritation – Reference Chemicals Data Bank. Technical Report No. 48. European Centre for Ecotoxicology and Toxicology of Chemicals, Brussels.

ECETOC. 1998. Eye Irritation – Reference Chemicals Data Bank. Technical Report No. 48(2). Brussels:European Centre for Ecotoxicology and Toxicology of Chemicals.

EPA. 1996. Label Review Manual: 2nd Ed. EPA737-B-96-001. Washington:U.S. Environmental Protection Agency.

EPA. 1998. Health Effects Test Guideline, OPPTS 870.2400 Acute Eye Irritation. EPA 712-C-98-195. Washington:U.S. Environmental Protection Agency.

EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40 CFR 792.

EPA. 2003b. Good Laboratory Practice Standards. Federal Insecticide, Fungicide, and Rodenticide Act. 40 CFR 160.

Eskes C, Bessou S, Bruner L, Curren R, Harbell J, Jones P, KreilingR, Liebsch M, McNamee, Pape W, Prinsen M, Seidle T, Vanparys P, Worth A, Zuang V. 2005. Eye Irritation. In: *Alternative (Non-Animal) Methods for Cosmetics Testing: Current Status and Future Perspectives* (Eskes C, Zuang V, eds.). *ATLA* 33 (Supplement 1): 47-81.

Estable JL. 1948. The ocular effect of several irritant drugs applied directly to the conjunctiva. *Am J Ophthalmol.* 31:837-844.

EU. 2001. Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L255:1-333.

EU. 2004. Commission Directive 2004/73/EC of 29 April 2004 adapting to technical progress for the 29th time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances. Official Journal of the European Union L152:1-316.

FDA. 2003. Good laboratory practice for nonclinical laboratory studies. 21CFR58.

Federal Environmental Pesticide Control Act. 1972. Public Law 92-516.

Federal Insecticide, Fungicide and Rodenticide Act. 1947. Public Law 80-102.

FHSA. 1964. Federal Hazardous Substances Act. Public Law 86-613.

Fentem J, Archer GEB, Balls M, Botham PA, Curren R, Earl LK, Esdaile DJ, Holzhütter H-G, Liebsch M. 1998. The ECVAM international validation study on in vitro tests for skin corrosivity: 2. Results and evaluation by the Management Team. *Toxicol In Vitro*, 12:483-524.

FDA. 1938. Food, Drug and Cosmetic Act of 1938. Public Law 75-717.

Fox DA, Boyes WK. 2001. Toxic responses of the ocular and visual system. In: Casarett and Doull's *Toxicology, the Basic Science of Poisons* (Klaassen CD, ed.). 3rd ed. New York:McGraw-Hill, 3rd edition, 565-595.

Friedenwald JS, Hughes WF, Hermann H. 1946. Acid burns of the eye. *Arch Ophth.* 35:98-108.

Gartner S. 1944. Blood vessels of the conjunctiva. *Arch Ophthalmol.* 36:464-471.

Grant WM. 1974. Toxicology of the eye. In: *Toxicology of the eye*. 2nd ed. (Grant WM, ed.) Springfield:Charles C Thomas.

Harbell JW, Curren RD. 2002. In vitro methods for the prediction of ocular and dermal toxicity. In *Handbook of Toxicology* (Derelanko MJ and Hollinger MA, eds). CRC Press: Boca Raton. 835-866.

- Holzhütter HG, Archer G, Dami N, Lovell DP, Saltelli A, Sjöström M. 1996. Recommendations of the application of biostatistical methods during the development and validation of alternative toxicological methods. ECVAM Biostatistics Task Force Report 1. ATLA, 24:511-530.
- ICCVAM. 1997. Validation and Regulatory Acceptance of Toxicological Test Methods: A Report of the ad hoc Interagency Coordinating Committee on the Validation of Alternative Methods. NIH Publication No.: 97-3981. Research Triangle Park:National Toxicology Program.
- ICCVAM. 2003. ICCVAM Guidelines for the Nomination and Submission of New, Revised, and Alternative Test Methods. NIH Publication No: 03-4508. Research Triangle Park:National Toxicology Program.
- ICCVAM Authorization Act of 2000. 2000. Public Law 106-545. [114 Stat. 2721]. Available: <http://iccvam.niehs.nih.gov/about/overview.htm> [accessed 21 October 2004].
- INVITTOX. 1994. Protocol No. 80: Chicken enucleated eye test (CEET). Available: <http://ecvam-sis.jrc.it/invittox/static/index.html>. [accessed 18 February 2004].
- Jester JV, Maurer JK, Pertoll WM, Wilkie DA, Parker RD, Cavanaugh HD. 1996. Application of *in vivo* confocal microscopy to the understanding of surfactant-induced ocular irritation. Tox Path. 24:412-428.
- Jester JV, Li L, Molai A, Maurer JK. 2001. Extent of corneal injury as a basis for alternative eye irritation tests. Toxicol In Vitro 15:115-130.
- Kinoshita J. 1962. Some aspects of the carbohydrate metabolism of the cornea. Inves Ophth. 1:178-186.
- Koëter, BWM, Prinsen MK. 1985. Comparison of *in vivo* and *in vitro* eye irritancy test systems: A study with 34 substances. In: Alternative methods in Toxicology, Volume 3, New York:Mary Ann Liebert, Inc., 571-579.
- Kuckelkorn R, Schrage N, Keller G, Redbrake C. 2002. Emergency treatment of chemical and thermal eye burns. Acta Ophth Scand 80:4-10.
- Leopold IH. 1945. Local toxic effect of detergents on ocular structures. Arch Ophthalmol. 34:99-102.
- Lewin L, Guillery H. 1913. Die Wirkungen von Arzneimitteln und Giften auf das Auge. Hirschwald, Berlin. 2nd edition.
- Liebsch M, Spielmann H. 2002. Currently available *in vitro* methods used in the regulatory toxicology. Toxicol Letters. 127:127-134

Marsh RJ, Maurice DM. 1971. The influence of non-ionic detergents and other surfactants on human corneal permeability. *Exp Eye Res.* 11:43-48.

Marzulli F, Ruggles D. 1973. Rabbit eye irritation test: collaborative study. *Journal of the Association of Analytical Chemists.* 56:905-914.

Maurer JK, Li HF, Petroll WM, Parker RD, Cavanaugh HD, Jester JV. 1997. Confocal microscopic characterization of initial corneal changes of surfactant-induced eye irritation in the rabbit. *Tox Appl Pharm.* 143:291-300.

Maurer JK, Parker RD, Jester JV. 2002. Extent of initial corneal injury as the mechanistic basis for ocular irritation: key findings and recommendations for the development of alternative assays. *Reg Tox Pharmacol.* 36:106-17

Maurice DM. 1957. The structure and transparency of the cornea. *J Physiol* 136:263-286.

McCulley JP. 1987. Chemical injuries. In: *Cornea; scientific foundations and clinical practice* (Smolin G, Thoft RA, eds.). Boston:Little, Brown, 527-542.

McDonald TO, Seabaugh V, Shaddock JA, Edelhauser HF. 1987. Eye irritation. In: *Dermatotoxicology* (Marzulli FN, Maibach HI, eds). Washington:Hemisphere Publishing Corporation, 641-696.

McLaughlin RS. 1946. Chemical burns of the human cornea. *Am J Ophthalmol.* 29:1355-1362.

MeSH Medical Subject Heading. Available: <http://www.nlm.nih.gov/mesh> [accessed 12 July 2005].

Mishima S, Hedbys BO. 1968a. Physiology of the cornea. *Int Opt Clin.* 8(3):527-560.

Mishima S, Hedbys BO. 1968b. Measurement of corneal thickness with the Haag-Streit pachymeter. *Arch Ophthal.* 80:710-713.

Nakano M. 1958. Effect of various antifungal preparations on the conjunctiva and cornea of rabbits. *Yakuzaigaku.* 18:94-99.

NIOSH. 2004. Work-Related Injury Statistics Query System. Available: <http://www2a.cdc.gov/risqs/> [accessed 26 October 2004].

Nourse WL, Tyson, CA, Bednarz RM. 1995. Mechanisms of Mild Ocular Irritation. *Toxicol In Vitro.* 9(6):967-976.

Occupational Safety and Health Act of 1970 (OSHA). 1970. Public Law 91-596

OECD. 1987. Test guideline 405, Acute eye irritation/corrosion, adopted February 24, 1987. In OECD Guidelines for Testing of Chemicals. OECD, Paris.

OECD. 1991. Series on Principles of Good Laboratory Practice and Compliance Monitoring, Number 1: The OECD Principles of Good Laboratory Practice. OECD, Paris.

OECD. 1996. Final Report of the OECD Workshop on Harmonization of Validation and Acceptance Criteria for Alternative Toxicological Methods. ENV/MC/CHEM/TG (96)9. OECD, Paris.

OECD. 1998. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice (as revised in 1997). ENV/MC/CHEM(98)17. OECD, Paris.

OECD. 2002. Test guideline 405. Acute eye irritation/corrosion, adopted April 24, 2002. In: OECD Guidelines for Testing of Chemicals. OECD, Paris.

Oksala O, Stjernschantz J. 1988. Effects of calcitonin gene-related peptide in the eye. *Inv Opth Vis Sci.* 29(7):1006-1011.

Parish W. 1985. Ability of in vitro (corneal injury-eye organ-and chorioallantoic membrane) tests to represent histopathological features of acute eye inflammation. *Food Chem Toxicol* 23:215-227.

Pasquale LC, Hayes AW. 2001. Chapter 18. Acute Toxicity and Eye Irritancy. In: *Principles and Methods of Toxicology 4th Ed.* (Hayes AW, ed.). Philadelphia:Taylor and Francis, 853-915.

Pfister R. 2005. Chemical Trauma. In: *Smolin and Thoft's, The Cornea: Scientific Foundations and Clinical Practice* (Foster CS, Azar DT, and Dohlman CH eds). New York:Lippincott Williams and Wilkins, 781-796.

Prinsen MK. 1991a. Acute eye irritation/corrosion study with 1-butanol in albino rabbits. TNO-report V91.187/210069, November 1991. Dept. of Biological Toxicology, TNO Toxicology and Nutrition Institute, Zeist, The Netherlands. (Available on request)

Prinsen MK. 1991b. Acute eye irritation/corrosion study with 2-methoxyethanol in albino rabbits. TNO-report V91.188/210069, November 1991. Dept. of Biological Toxicology, TNO Toxicology and Nutrition Institute, Zeist, The Netherlands. (Available on request)

Prinsen MK. 1996. The chicken enucleated eye test (CEET): A practical (pre)screen for the assessment of eye irritation/corrosion potential of test materials. *Food Chem Toxicol* 34:291-296.

Prinsen MK. 2000. Chicken enucleated eye test with reference surfactants and siloxane polymers in Phase II of the reference standard validation project; an *ex vivo* alternative to the Draize eye irritation test with rabbits. TNO Report V99.521b. Unpublished report provided directly to NICEATM by M Prinsen, TNO Nutrition and Food Research Institute.

Prinsen MK. 2005. *In vitro* and *in vivo* data for 94 substances tested in the isolated chicken eye test. Unpublished data provided directly to NICEATM by MK Prinsen, TNO Nutrition and Food Research Institute.

Prinsen MK, Koëter BWM. 1993. Justification of the enucleated eye test with eyes of slaughterhouse animals as an alternative to the Draize eye irritation test with rabbits. *Food Chem Toxicol* 31:69-76.

Russell WMS, Burch RL. 1992. *The Principles of Humane Experimental Technique*. 14th ed. South Mimms, Potters Bar, Herts:Universities Federation for Animal Welfare.

Scala RA, Springer J. 1997. IRAG working group 6. Guidelines for the evaluation of eye irritation alternative tests: criteria for data submission. Interagency Regulatory Alternatives Group. *Food Chem Toxicol* 35:13-22.

Solti J, Freeman JJ. 1988. Effect of reducing the number of animals in acute toxicity/irritation tests on U.S. and European labeling requirements. *The Toxicologist* 8:263.

Springer J, Chambers W, Green S, Gupta K, Hill R, Hurley P, Lambert L, Lee C, Lee J, Liu P, Lowther D, Roberts C, Seabaugh V, Wilcox N. 1993. Number of animals for sequential testing. *Food and Chemical Toxicology* 31:105-109.

Suker GF. 1913. Injury to cornea from oxalic acid. *Ophthalmol Rec.* 23:40-47.

Swanston DW. 1985. Assessment of the validity of animal techniques in eye irritation testing. *Food Chem Toxicol* 23:169-173.

Talsma D, Leach C, Hatoum N, Gibbons R, Roger J-C, Garvin P. 1988. Reducing the number of rabbits in the Draize eye irritancy test: A statistical analysis of 155 studies conducted over 6 years. *Fundamental and Applied Toxicology* 10:146-153.

Thoft RA. 1979. Chemical and thermal injury. *Int Ophthalmol Clin Summer* 19(2):243-256.

Toxic Substances Control Act of 1976. 1976. Public Law 94-469.

UN. 2003. *Globally Harmonised System of Classification and Labelling of Chemicals (GHS)*. New York & Geneva:United Nations Publications.

Unger WG. 1990. Review: Mediation of the Ocular Response to Injury. J Ocular Pharmacol 6(4):337-353.

Unger WG. 1992. Pharmacological and neural bases for eye irritation. Ann NY Acad Sci 641:176-186.

Vaughn D, Asbury T, Riordan-Eva P. 1999. General Ophthalmology. 15th ed. New York:McGraw-Hill.

Wilhelmus K. 2001. The Draize eye test. Survey of Ophthalmology. 45:493-515.

Wilkie DA and Wyman M. 1991. Comparative anatomy and physiology of the mammalian eye. In Dermal and Ocular Toxicology, Fundamentals and Methods (Ed. DW Hobson). BocaRaton: CRC Press, Inc., 433-491.

Wilson SE, Mohan RR, Mohan RR, Ambrósio, Jr. R, Hong JW, Lee JS. 2001. The corneal wound healing response: Cytokine-mediated interaction of the epithelium, stroma, and inflammatory cells. Prog Retin and Eye Res 20(5): 625-637.

York M, Lawrence RS, Gibson GB. 1982. An *in vitro* test for the assessment of eye irritancy in consumer products – preliminary findings. Int J of Cosm Sci 4:223-234.

[This Page Intentionally Left Blank]