

#####

Keyed-Hash Message Authentication Code (HMAC)

Hashlen = 224

#####

Key length = 64

Tag length = 28

Input Data:

"Sample message for keylen=blocklen"

Text is

5361 6D706C65 206D6573  
73616765 20666F72 206B6579 6C656E3D 626C6F63 6B6C656E

Key is

00010203 04050607 08090A0B 0C0D0E0F  
10111213 14151617 18191A1B 1C1D1E1F 20212223 24252627  
28292A2B 2C2D2E2F 30313233 34353637 38393A3B 3C3D3E3F

-----  
K0 is

00010203 04050607 08090A0B 0C0D0E0F  
10111213 14151617 18191A1B 1C1D1E1F 20212223 24252627  
28292A2B 2C2D2E2F 30313233 34353637 38393A3B 3C3D3E3F

K0^ipad is

36373435 32333031 3E3F3C3D 3A3B3839  
26272425 22232021 2E2F2C2D 2A2B2829 16171415 12131011  
1E1F1C1D 1A1B1819 06070405 02030001 0E0F0C0D 0A0B0809

Hash((Key^ipad)||text) is

8D993002  
FF74C1E8 5C28C0C8 B5FB220E 9EE7CEB9 621270BF A1EF0F7C

K0 xor opad is

5C5D5E5F 58595A5B 54555657 50515253

4C4D4E4F 48494A4B 44454647 40414243 7C7D7E7F 78797A7B  
74757677 70717273 6C6D6E6F 68696A6B 64656667 60616263

Hash((K<sup>0</sup>^ipad)||Hash((K<sup>0</sup>^ipad)||text)) is

C7405E3A  
E058E8CD 30B08B41 40248581 ED174CB3 4E1224BC C1EFC81B

-----  
mac is

C7405E3A  
E058E8CD 30B08B41 40248581 ED174CB3 4E1224BC C1EFC81B

=====  
Key length = 28

Tag length = 28

Input Data:

"Sample message for keylen<blocklen"

Text is

5361 6D706C65 206D6573  
73616765 20666F72 206B6579 6C656E3C 626C6F63 6B6C656E

Key is

00010203  
04050607 08090A0B 0C0D0E0F 10111213 14151617 18191A1B

-----  
K<sup>0</sup> is

00010203 04050607 08090A0B 0C0D0E0F  
10111213 14151617 18191A1B 00000000 00000000 00000000  
00000000 00000000 00000000 00000000 00000000 00000000

K<sup>0</sup>^ipad is

36373435 32333031 3E3F3C3D 3A3B3839  
26272425 22232021 2E2F2C2D 36363636 36363636 36363636  
36363636 36363636 36363636 36363636 36363636 36363636

Hash((Key^ipad)||text) is

E6242C93  
AD4D7159 AA0234D4 DD5805C2 D3AC3347 977A8D97 3BFA4081

K0 xor opad is

5C5D5E5F 58595A5B 54555657 50515253  
4C4D4E4F 48494A4B 44454647 5C5C5C5C 5C5C5C5C 5C5C5C5C  
5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C

Hash((K0^opad)||Hash((K0^ipad)||text)) is

E3D249A8  
CFB67EF8 B7A169E9 A0A59971 4A2CECBA 65999A51 BEB8FBBE

-----  
mac is

E3D249A8  
CFB67EF8 B7A169E9 A0A59971 4A2CECBA 65999A51 BEB8FBBE

=====  
Key length = 100

Tag length = 28

Input Data:

"Sample message for keylen=blocklen"

Text is

5361 6D706C65 206D6573  
73616765 20666F72 206B6579 6C656E3D 626C6F63 6B6C656E

Key is

00010203  
04050607 08090A0B 0C0D0E0F 10111213 14151617 18191A1B  
1C1D1E1F 20212223 24252627 28292A2B 2C2D2E2F 30313233  
34353637 38393A3B 3C3D3E3F 40414243 44454647 48494A4B  
4C4D4E4F 50515253 54555657 58595A5B 5C5D5E5F 60616263

-----  
K0 is

6E08215B 5470DDEB 67E44A49 4E52E259

A9C2C4FB ED4AF5DC 6DB3E92A 00000000 00000000 00000000  
00000000 00000000 00000000 00000000 00000000 00000000

K<sup>0</sup>^ipad is

583E176D 6246EBDD 51D27C7F 7864D46F  
9FF4F2CD DB7CC3EA 5B85DF1C 36363636 36363636 36363636  
36363636 36363636 36363636 36363636 36363636 36363636

Hash((Key^ipad)||text) is

5FBAE182  
DA6789EF F04F242B DC572DD6 67C9DEED F2FE9DC7 8A72EE7F

K<sup>0</sup> xor opad is

32547D07 082C81B7 3BB81615 120EBE05  
F59E98A7 B116A980 31EFB576 5C5C5C5C 5C5C5C5C 5C5C5C5C  
5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C

Hash((K<sup>0</sup>^opad)||Hash((K<sup>0</sup>^ipad)||text)) is

91C52509  
E5AF8531 601AE623 0099D90B EF88AAEF B961F408 0ABC014D

-----  
mac is

91C52509  
E5AF8531 601AE623 0099D90B EF88AAEF B961F408 0ABC014D

=====  
Key length = 49

Tag length = 16

Input Date:

"Sample message for keylen<blocklen, with truncated tag"

Text is

5361 6D706C65  
206D6573 73616765 20666F72 206B6579 6C656E3C 626C6F63  
6B6C656E 2C207769 74682074 72756E63 61746564 20746167

Key is

00  
01020304 05060708 090A0B0C 0D0E0F10 11121314 15161718  
191A1B1C 1D1E1F20 21222324 25262728 292A2B2C 2D2E2F30

-----  
K0 is

00010203 04050607 08090A0B 0C0D0E0F  
10111213 14151617 18191A1B 1C1D1E1F 20212223 24252627  
28292A2B 2C2D2E2F 30000000 00000000 00000000 00000000

K0^ipad is

36373435 32333031 3E3F3C3D 3A3B3839  
26272425 22232021 2E2F2C2D 2A2B2829 16171415 12131011  
1E1F1C1D 1A1B1819 06363636 36363636 36363636 36363636

Hash((Key^ipad)||text) is

F74EBAF6  
1394F4D9 14A54DAD ED03D873 5A8EB7D5 E4F37E43 6861495F

K0 xor opad is

5C5D5E5F 58595A5B 54555657 50515253  
4C4D4E4F 48494A4B 44454647 40414243 7C7D7E7F 78797A7B  
74757677 70717273 6C5C5C5C 5C5C5C5C 5C5C5C5C 5C5C5C5C

Hash((K0^opad)||Hash((K0^ipad)||text)) is

D522F1DF  
596CA4B4 B1C23D27 BDE067D6 153BA972 5FD5CDE0 AF4A2A42

-----  
mac is

D522F1DF 596CA4B4 B1C23D27 BDE067D6