

814-RD-501-001

EOSDIS Core System Project

HDF-EOS 2.5 Version Description Document (VDD) for the ECS Project

June 1999

Raytheon Systems Company
Upper Marlboro, Maryland

HDF-EOS 2.5 Version Description Document (VDD) for the ECS Project

June 1999

Prepared Under Contract NAS5-60000

RESPONSIBLE ENGINEER

Charles L. Poole for /s/	6/17/99
<hr/>	
LaVerne Jackson, Staff Engineer EOSDIS Core System Project	Date

SUBMITTED BY

William Knauss for /s/	6/17/99
<hr/>	
Mary Armstrong, Director of Development EOSDIS Core System Project	Date

Raytheon Systems Company
Upper Marlboro, Maryland

814-RD-501-001

This page intentionally left blank.

Preface

This document accompanies the delivery of HDF-EOS 2.5 (Hierarchical Data Format - Earth Observing System) software for the ECS project. It is a formal deliverable and has been placed under configuration control by the EOSDIS Core System (ECS) Science Data Processing Segment. Changes to this document shall be made by document change notice (DCN) or by complete revision.

This HDF-EOS version is directed at Earth Observing System (EOS) instrument data providers who will deliver code to the ECS Release %a Distributed Active Archive Centers (DAACs). It describes the HDF-EOS library tools. EOS data consumers will also use it. HDF files consist of a directory and a collection of data objects. Every data object has a directory entry, containing a pointer to the data object location, and information defining the datatype. Additions to traditional HDF are required to fully support these datatypes.

This document describes three new EOS specific datatypes – *point*, *swath*, and *grid*. Each of these new datatypes is constructed using conventions for combining standard HDF datatypes and is supported by a special application programming interface (API) which aids the data product user or producer in the application of the conventions. The APIs allow data products to be created and manipulated in ways appropriate to each datatype, without regard to the actual HDF objects and conventions underlying them. The sum of these new APIs comprises the HDF-EOS library.

Any questions regarding distribution should be addressed to:

Data Management Office
ECS Project Office
Raytheon Systems Company
1616 McCormick Drive
Upper Marlboro, MD 20774-5301

This page intentionally left blank.

Abstract

This document describes the delivery contents of HDF-EOS 2.5 software. HDF refers to the scientific data format standard selected by NASA as the baseline standard for EOS and HDF-EOS refers to EOS conventions for using HDF. The three interfaces described include – Point, Swath, and Grid.

It briefly describes the capabilities of the product, provides an inventory of the delivery, lists unresolved problems, and addresses issues such as special operating instructions, system limitations, and disclaimer notices for public domain software used in the product.

Keywords: API, HDF-EOS, standard, data, product, disk, format, point, grid, swath

This page intentionally left blank.

Change Information Page

List of Effective Pages			
Page Number		Issue	
Title iii through x 1-1 and 1-2 2-1 and 2-2 3-1 through 3-8 4-1 through 4-4 5-1 through 5-4 A-1 and A-2 B-1 and B-2 C-1 and C-2 AB-1 through AB-6		Original Original Original Original Original Original Original Original Original Original	
Document History			
Document Number	Status/Issue	Publication Date	CCR Number
814-RD-501-001	Original	June 1999	99-0535

This page intentionally left blank.

Contents

Preface

Abstract

1. Introduction

1.1	Identification of Document.....	1-1
1.2	Scope of Document.....	1-1
1.3	Purpose and Objectives of Document	1-1
1.4	Document Status and Schedule.....	1-1
1.5	Document Organization	1-1

2. Related Documentation

2.1	Parent Documents.....	2-1
2.2	Applicable Documents.....	2-1

3. Product Description

3.1	Product Description and General Capabilities	3-1
3.2	HDF-EOS Version 2.5 Routine Listing.....	3-1
	3.2.1.....PT API Routines	3-2
	3.2.2.....SW API Routines	3-2
	3.2.3.....GD API Routines.....	3-4
3.3	HDF-EOS 2.5 Test Tools and Drivers	3-6
3.4	HDF-EOS 2.5 Hierarchical Data Format.....	3-6
3.5	HDF-EOS Users Guide.....	3-7

4. Product Inventory

4.1	HDF-EOS 2.5 Tar File Listing.....	4-1
4.2	HDF-EOS2.5v1.00_TestDrivers.tar Listing	4-3
4.3	Documentation	4-3
4.4	Archive Tape	4-3

5. Non-Conformance Status

5.1	Known Problems with HDF-EOS 2.5	5-1
5.2	HDF-EOS 2.5 Non-Conformance Reports (Close Status)	5-1
5.3	HDF-EOS 2.5 Non-Conformance Reports (Open Status).....	5-4

Appendix A. Build/Installation Instructions

Appendix B. User Feedback Procedures

Appendix C. Test Baseline Configuration

Abbreviations and Acronyms

1. Introduction

1.1 Identification of Document

This document is a Version Description Document (VDD) prepared using NASA-STD-2100-91 as a guide. It is submitted as required for the Earth Observing System Data and Information System (EOSDIS) Core System (ECS), contract number NAS5-60000.

1.2 Scope of Document

This VDD specifies the delivery contents of the HDF-EOS 2.5 software and accompanying documentation.

1.3 Purpose and Objectives of Document

The purpose of this VDD is to describe the contents of the delivery of HDF-EOS 2.5 software. The document briefly describes all tools that incorporate the delivery, provides an inventory of the delivery, lists unresolved problems, and addresses special issues such as special operating instructions, system limitations, and disclaimer notices for public domain software used in the library.

1.4 Document Status and Schedule

This Version Description Document for HDF-EOS 2.5 is submitted as a final document. Any changes to HDF-EOS 2.5 that require a subsequent version to be released will be described in a new Version Description Document.

1.5 Document Organization

The format and contents of this document comply with NASA-DID-P500 and NASA-DID-999 as defined in NASA-STD-2100-91.

- Introduction — Introduces the VDD scope, purpose, objectives, status, schedule and document organization.
- Related Documentation — Provides a bibliography of reference documents for the VDD organized by parent and binding subsections.
- Product Description — Describes the general capabilities and product contents.
- Inventory — Lists tar file listings for HDF-EOS and test drivers, documentation, and archive tape.

- Non-conformance Status — Discusses known problems with HDF-EOS Version 2.20 and lists Non-conformance Reports with open status.
- Appendices — Contain supplemental information such as: Build/installation instructions, user feedback procedures, and the test baseline configuration.

2. Related Documentation

2.1 Parent Documents

The following documents are the parent from which this document's scope and content derive:

423-16-02	Science Data Processing (SDP) Toolkit Requirements Specification for the ECS Project
423-41-01	EOSDIS Core System Statement of Work-CN10

2.2 Applicable Documents

The following documents are directly applicable to this plan to the extent referenced herein. In the event of conflict between any of these documents and this plan, the plan shall take precedence.

170-TP-500	HDF-EOS Library Users Guide for the ECS Project, Volume 1: Overview and Examples
170-TP-501	HDF-EOS Library Users Guide for the ECS Project Volume 2: Function Reference Guide
175-WP-500	HDF-EOS Primer for Version 1 EOSDIS
333-CD-500	SDP Toolkit Users Guide for the ECS Project
814-RD-500	SCF Toolkit 5.2.5 Version Description Document (VDD) for the ECS Project
NASA-STD-2100-91	NASA Software Documentation Standard, Software Engineering Program

This page intentionally left blank.

3. Product Description

This section describes the general capabilities of HDF-EOS 2.5 and the tools and test drivers provided.

3.1 Product Description and General Capabilities

HDF-EOS is an extension of NCSA (National Center for Supercomputing Applications) HDF and uses HDF library calls as an underlying basis. Version 4.1r1 of HDF is used. The library tools are written in C language and a FORTRAN interface is provided. The current version contains software for creating, accessing and manipulating grid, point and swath structures. Also included are overviews of the interfaces, function-by-function calling sequences, explanations, and code examples. Included also are tools for subsetting and data projection. EOSView, our viewing tool has been revised to accommodate the current version of the libraries.

HDF is the scientific data format standard selected by NASA as the baseline standard for EOS. These libraries are aimed at EOS data producers and consumers, who will develop their data into increasingly higher order products. These products range from calibrated Level 1 to Level 4 model data. The primary use of HDF-EOS libraries will be to create structures for associating geolocation data with their associated science data. Producers through use of supplied libraries specify this association. Most EOS data products identified fall into categories of grid, point, or swath structures. These structures are implemented in the current version of the libraries. Services based on geolocation information will be built on HDF-EOS structures. Producers of products not covered by these structures (for example, non-geolocated data) can use standard HDF libraries.

In the ECS (EOS Core System) production system, the HDF-EOS libraries will be used in conjunction with SDP (Science Data Processing) Toolkit software. The primary tools used in conjunction to HDF-EOS libraries will be those for metadata handling, process control, and status message handling. Metadata tools will be used to write ECS inventory and granule specific metadata into HDF-EOS files, while the process control tools will be used to access physical file handles used by the HDF tools.

3.2 HDF-EOS Version 2.5 Routine Listing

The HDF-EOS library is comprised of three new APIs:

- Point (PT) interface – designed to support data that has associated geolocation information, but is not organized in any well-defined spatial or temporal way
- Swath (SW) interface – tailored to support time-ordered data such as satellite swaths (which consist of a time-ordered series of scanlines), or profilers (which consist of a time-ordered series of profiles)

- Grid (GD) interface – designed to support data that has been stored in a rectilinear array based on a well defined and explicitly supported projection

The HDF library is accessible from both C and FORTRAN programs because it contains a set of “wrapper” functions that make the underlying C code callable from FORTRAN. HDF provides two names for each function; one for use in C programming and a shorter version for use in FORTRAN programming. The following HDF-EOS Routine listings provide a description of the tools.

3.2.1 PT API Routines

All C routine names in the point data interface have the prefix “PT” and the equivalent FORTRAN routine names are prefixed by “pt.” The PT routines are grouped into categories that are described in the HDF-EOS User’s Guide. The PT function calls are listed in the following table.

Routine Name		Description
C	FORTRAN	
PTopen	ptopen	creates a new file or opens an existing one
PTcreate	ptcreate	creates a new point data set and returns a handle
PTattach	ptattach	attaches to an existing point data set
PTdetach	ptdetach	releases a point data set and frees memory
PTclose	ptclose	closes the HDF-EOS file and deactivates the point interface
PTdeflevel	ptdeflev	defines a level within the point data set
PTdeflinkage	ptdeflink	defines link field to use between two levels
PTwritelevel	ptwrlev	writes (appends) full records to a level
PTreadlevel	ptrdlev	reads data from the specified fields and records of a level
PTupdatelevel	ptuplev	updates the specified fields and records of a level
PTwriteattr	ptwrattr	creates or updates an attribute of the point data set
PTreadattr	ptrdatr	reads existing attribute of point data set
PTnlevels	ptnlevs	returns the number of levels in a point data set
PTnrecs	ptnrecs	returns the number of records in a level
PTnfields	ptnfls	returns number of fields defined in a level
PTlevelinfo	ptnlevinfo	returns information about a given level
PTlevelindx	ptlevidx	returns index number for a named level
PTbcklinkinfo	ptblinkinfo	returns link field to previous level
PTfwdlinkinfo	ptflinkinfo	returns link field to following level
PTgetlevelname	ptgetlevname	returns level name given level number
PTsizeof	ptsizeof	returns size in bytes for specified fields in a point
PTattrinfo	ptattrinfo	returns information about point attributes
PTinqattr	ptinqattr	retrieves number and names of attributes defined

Routine Name		Description (cont.)
C	FORTRAN	
PTinqpoint	ptinqpoint	retrieves number and names of points in file
PTgetrecnums	ptgetrecnums	returns corresponding record numbers in a related level
PTdefboxregion	ptdefboxreg	define region of interest by latitude/longitude
PTregioninfo	ptreginfo	returns information about defined region
PTregionrecs	ptregrecs	returns # of records and record #s within region
PTextractregion	ptextreg	read a region of interest from a set of fields in a single level
PTdeftimeperiod	ptdeftmper	define time period of interest
PTperiodinfo	ptperinfo	returns information about defined time period
PTperiodrecs	ptperrecs	returns # of records and record #s within time period
PTextractperiod	ptextper	read a time period from a set of fields in a single level
PTdefvrtregion	ptdefvrtregion	Define a region of interest by vertical field

3.2.2 SW API Routines

The SW interface consists of routines for storing, retrieving, and manipulating data in swath data sets. All C routine names in the swath data interface have the prefix “SW” and the equivalent FORTRAN routine names are prefixed by “sw.” The SW routines are grouped into categories that are described in the HDF-EOS User’s Guide. The SW function calls are listed in the following table.

Routine Name		Description
C	FORTRAN	
SWopen	swopen	opens or creates HDF file in order to create, read, or write a swath
SWcreate	swcreate	creates a swath within the file
SWattach	swattach	attaches to an existing swath within the file
SWdetach	swdetach	detaches from swath interface
SWclose	swclose	closes file
SWdefdim	swdefdim	defines a new dimension within the swath
SWdefdimmap	swdefmap	defines the mapping between the geolocation and data dimensions
SWdefidxmap	swdefimap	defines a non-regular mapping between the geolocation and data dimension
SWdefgeofield	swdefgfld	defines a new geolocation field within the swath
SWdefdatafield	swdefdfld	defines a new data field within the swath
SWdefcomp	swdefcomp	defines a field compression scheme
SWwritegeometa	swwrgmeta	writes field metadata for an existing swath geolocation field

Routine Name		Description (cont.)
C	FORTRAN	
SWwritedatameta	swwrmeta	writes field metadata for an existing swath data field
SWwritefield	swwrfld	writes data to a swath field
SWreadfield	swrdfld	reads data from a swath field.
SWwriteattr	swwrattr	writes/updates attribute in a swath
SWreadattr	swrdattr	reads attribute from a swath
SWsetfillvalue	swsetfill	sets fill value for the specified field
SWgetfillvalue	swgetfill	retrieves fill value for the specified field
SWinqdims	swinqdims	retrieves information about dimensions defined in swath
SWinqmaps	swinqmaps	retrieves information about the geolocation relations defined
SWinqidxmaps	swinqimaps	retrieves information about the indexed geolocation/data mappings defined
SWinqgeofields	swinqgflds	retrieves information about the geolocation fields defined
SWinqdatafields	swinqdflds	retrieves information about the data fields defined
SWinqattrs	swinqattrs	retrieves number and names of attributes defined
SWnentries	swnentries	returns number of entries and descriptive string buffer size for a specified entity
SWdiminfo	swdiminfo	retrieve size of specified dimension
SWmapinfo	swmapinfo	retrieve offset and increment of specified geolocation mapping
SWidxmapinfo	swimmapinfo	retrieve offset and increment of specified geolocation mapping
SWattrinfo	swattrinfo	returns information about swath attributes
SWfieldinfo	swfldinfo	retrieve information about a specific geolocation or data field
SWcompinfo	swcompinfo	retrieve compression information about a field
SWinqswath	swinqswath	retrieves number and names of swaths in file
SWperiodinfo	swperinfo	returns information about a defined time period
SWregionindex	swregidx	returns information about the swath region
SWupdateidxmap	swupimap	update map index for a specified region
SWgeomapinfo	swgmapinfo	retrieve type of dimension mapping for a dimension
SWdupregion	swdupregion	duplicate a region or time period

3.2.3 GD API Routines

The table below provides the routines available for storing and retrieving HDF-EOS *Grid Data*. All C routine names in the grid data interface have the prefix “GD” and the equivalent FORTRAN routine names are prefixed by “gd.” The GD routines are grouped into categories, which are described in the HDF-EOS User’s Guide.

Routine Name		Description
C	FORTTRAN	
GDbkSOMoffset	n/a	writes block SOM offset values (special function for SOM MISR data)
GDopen	gdopen	creates a new file or opens an existing one
GDcreate	gdcreate	creates a new grid in the file
GDattach	gdattach	attaches to a grid
GDdetach	gddetach	detaches from grid interface
GDclose	gdclose	closes file
GDdeforigin	gddeforigin	defines origin of grid
GDdefdim	gddefdim	defines dimensions for a grid
GDdefproj	gddefproj	defines projection of grid
GDdefpixreg	gddefpixreg	defines pixel registration within grid cell
GDdeffield	gddeffld	defines data fields to be stored in a grid
GDdefcomp	gddefcomp	defines a field compression scheme
GDwritefieldmeta	gdwrmeta	writes metadata for field already existing in file
GDwritefield	gdwrfld	writes data to a grid field.
GDreadfield	gdrfld	reads data from a grid field
GDwriteattr	gdwrattr	writes/updates attribute in a grid.
GDreadattr	gdrdattr	reads attribute from a grid
GDsetfillvalue	gdsetfill	sets fill value for the specified field
GDsettilecomp	n/a	function allows the user to have a field with fill values and use tiling and compression
GDgetfillvalue	gdgetfill	retrieves fill value for the specified field
GDinqdims	gdinqdims	retrieves information about dimensions defined in grid
GDinqfields	gdinqflds	retrieves information about the data fields defined in grid
GDinqattrs	gdinqattr	retrieves number and names of attributes defined
GDnentries	gdnentries	returns number of entries and descriptive string buffer size for a specified entity
GDgridinfo	gdgridinfo	returns dimensions of grid and X-Y coordinates of corners
GDprojinfo	gdprojinfo	returns all GCTP projection information
GDdiminfo	gddiminfo	retrieves size of specified dimension.
GDcompinfo	gdcompinfo	retrieve compression information about a field
GDfieldinfo	gdfldinfo	retrieves information about a specific geolocation or data field in the grid
GDinqgrid	gdinqgrid	retrieves number and names of grids in file
GDattrinfo	gdattrinfo	returns information about grid attributes
GDorigininfo	gdorginfo	return information about grid origin
GDpixreginfo	gdpreginfo	return pixel registration information for given grid
GDdefboxregion	gddefboxreg	define region of interest by latitude/longitude

Routine Name		Description (cont.)
C	FORTRAN	
GDregioninfo	gdreginfo	returns information about a defined region
GDextractregion	gdextrreg	read a region of interest from a field
GDdeftimeperiod	gddeftmeper	define a time period of interest
GDdefvrtregion	gddefvrtreg	define a region of interest by vertical field
GDgetpixels	gdgetpix	get row/columns for lon/lat pairs
GDgetpixvalues	gdgetpixval	get field values for specified pixels
GDinterpolate	gdinterpolate	perform bilinear interpolation on a grid field
GDdupregion	gdDupreg	duplicate a region or time period
GDdeftile	gddeftle	define a tiling scheme
GDtileinfo	gdtleinfo	returns information about tiling for a field
GDsettilecache	gdsettleche	set tiling cache parameters
GDreadtile	gdrdtle	read data from a single tile
GDwritetile	gdwrtile	write data to a single tile

3.3 HDF-EOS 2.5 Test Tools and Drivers

Included in the software delivery of HDF-EOS 2.5 is a tar file containing test driver programs. These test programs are provided to aid the user in the development of software using the HDF-EOS libraries. The user may run the same test cases as included in this file to verify that the software is functioning correctly. These programs were written to support the internal testing and are not an official part of the delivery. Users make use of them at their own risk. No support will be provided to the user of these programs. The tar file contains source code for a driver in C and FORTRAN for each tool; sample output files, and input files and/or shell scripts, where applicable.

The following UNIX command will create a directory called testdrivers beneath the current directory containing all these test files.

```
zcat HDF-EOS2.5v1.00_TestDrivers.tar.Z | tar xvf -
```

3.4 HDF-EOS 2.5 Hierarchical Data Format

HDF refers to the scientific data format standard selected by NASA as the baseline standard for EOS and HDF-EOS refers to EOS conventions for using HDF. This document provides information on the use of the three interfaces included in HDF-EOS – Point, Swath, and Grid.

The Hierarchical Data Format (HDF) has been selected by the EOSDIS Project as the format of choice for standard product distribution. HDF is a *disk format* and *subroutine library* for storage of most kinds of scientific data. As a *disk format*, HDF files consist of a directory and an unordered set of binary data objects. Each directory entry describes the location, the type, and the size of these binary objects.

The *HDF subroutine library* is designed to be easy for C and FORTRAN programmers to use. The HDF library consists of callable routines, each of which belongs to a particular *interface*. Each interface within these layers address a particular HDF function or a particular HDF data structure, such as arrays, tables, and annotations.

3.5 HDF-EOS Users Guide

The purpose of the *HDF-EOS Library User's Guide for the ECS Project, Volume 1: Overview and Examples* (170-TP-500-001) is to provide EOS instrument data processing software developers and scientists with knowledge of HDF-EOS 2.5 functionality. The Users Guide also provides a listing of routine calling sequences, detailed descriptions, and examples of usage.

The *HDF-EOS Library User's Guide for the ECS Project Volume 2: Function Reference Guide* (170-TP-501-001) is intended for use by anyone who wishes to use the HDF-EOS library to create or read EOS data products. Users of this document will include EOS instrument team science software developers and data product designers, DAAC personnel, and end users of EOS data products such as scientists and researchers.

This page intentionally left blank.

4. Product Inventory

4.1 HDF-EOS 2.5 Tar File Listing

A listing of the tar file “HDF-EOS2.5v1.00.tar.Z” follows:

Checksum	Blocksize	Filename (location)
51221	35	/HDF-EOS2.5v1.00.README
45786	11180	/HDF-EOS2.5v1.00.tar
27993	5	/HDF-EOS2.5v1.00_TestDrivers.README
6484	1780	/HDF-EOS2.5v1.00_TestDrivers.tar
9222	26	/hdfeos/.cmake.state
11828	13	/hdfeos/Makefile
46351	2	/hdfeos/make_exclude_list
41536	58	/hdfeos/bin/INSTALL-HDFEOS
18720	35	/hdfeos/bin/tmp/hdfeos_env.csh.tmp
58336	30	/hdfeos/bin/tmp/hdfeos_env.ksh.tmp
52501	18	/hdfeos/doc/HDFEOS-DEFINITION.TXT
51221	35	/hdfeos/doc/README
62090	20	/hdfeos/include/HdfEosDef.h
13130	162	/hdfeos/include/cfortHdf.h
50113	2	/hdfeos/include/cproj.h
6993	7	/hdfeos/include/isin.h
17970	4	/hdfeos/include/proj.h
39743	807	/hdfeos/lib/tmp/geolibDEC.a
30028	446	/hdfeos/lib/tmp/geolibHP.a
17854	552	/hdfeos/lib/tmp/geolibIBM.a
37178	1167	/hdfeos/lib/tmp/geolibIRIX53.a
65056	784	/hdfeos/lib/tmp/geolibIRIX62-32.a
58057	1168	/hdfeos/lib/tmp/geolibIRIX62-64.a
2937	1180	/hdfeos/lib/tmp/geolibIRIX62-64mips3.a
49740	893	/hdfeos/lib/tmp/geolibIRIX62-n32.a
36025	656	/hdfeos/lib/tmp/geolibSOL24.a
60042	449	/hdfeos/lib/tmp/geolibSUN4.a
34112	1	/hdfeos/make/CLSInstall.sh
21876	9	/hdfeos/make/Makefile.instr
10601	3	/hdfeos/make/Makefile.template
20857	26	/hdfeos/make/make.options
29618	5	/hdfeos/make/make.targets
17318	5	/hdfeos/make/makeidl.include
33447	6	/hdfeos/make/makeidlxx.include
59673	4	/hdfeos/make/makerec.include
30677	1	/hdfeos/make/makerec.template
37486	3	/hdfeos/samples/AppendField.c
10711	6	/hdfeos/samples/DefineFields.c
37345	5	/hdfeos/samples/DefineGdflds.c
58369	7	/hdfeos/samples/DefineLevels.c
14443	8	/hdfeos/samples/InquireGrid.c

34761	8	/hdfeos/samples/InquireSwath.c
28050	6	/hdfeos/samples/README
22218	3	/hdfeos/samples/ReadFields.c
49331	2	/hdfeos/samples/ReadGdflds.c
5758	6	/hdfeos/samples/ReadLevels.c
54657	7	/hdfeos/samples/SetupGrid.c
21173	3	/hdfeos/samples/SetupPoint.c
23932	8	/hdfeos/samples/SetupSwath.c
25451	3	/hdfeos/samples/SubsetGrid.c
39870	3	/hdfeos/samples/SubsetPoint.c
47305	4	/hdfeos/samples/SubsetSwath.c
18745	3	/hdfeos/samples/UpdateLevels.c
17081	5	/hdfeos/samples/WriteFields.c
24018	3	/hdfeos/samples/WriteGdflds.c
45318	8	/hdfeos/samples/WriteLevels.c
47596	4	/hdfeos/samples/appendfield.f
40306	7	/hdfeos/samples/definefields.f
44383	3	/hdfeos/samples/definegdflds.f
36495	8	/hdfeos/samples/definelevels.f
8109	1	/hdfeos/samples/fixdBuoy0.txt
30568	2	/hdfeos/samples/fixdBuoy1.txt
30568	2	/hdfeos/samples/fixdBuoy1s.txt
5095	1	/hdfeos/samples/floatBuoy0.txt
2555	4	/hdfeos/samples/floatBuoy1.txt
12770	8	/hdfeos/samples/inquiregrid.f
37747	7	/hdfeos/samples/inquireswath.f
21548	3	/hdfeos/samples/readfields.f
58294	2	/hdfeos/samples/readgdflds.f
5955	6	/hdfeos/samples/readlevels.f
33814	9	/hdfeos/samples/setupgrid.f
38520	3	/hdfeos/samples/setuppoint.f
30750	8	/hdfeos/samples/setupswath.f
29431	2	/hdfeos/samples/simple.txt
25591	3	/hdfeos/samples/subsetgrid.f
48773	4	/hdfeos/samples/subsetpoint.f
13010	5	/hdfeos/samples/subsetswath.f
18143	3	/hdfeos/samples/updatelevels.f
31730	5	/hdfeos/samples/writelfields.f
22732	3	/hdfeos/samples/writegdflds.f
14258	8	/hdfeos/samples/writelevels.f
23914	255	/hdfeos/src/EHapi.c
52105	774	/hdfeos/src/GDapi.c
31115	5	/hdfeos/src/Makefile
41545	3	/hdfeos/src/Makefile_CM
44753	4	/hdfeos/src/Makefile_alt
62855	452	/hdfeos/src/PTapi.c
44330	736	/hdfeos/src/SWapi.c
64346	2	/hdfeos/src/make_IT/makeDEC4.0r1
60627	2	/hdfeos/src/make_IT/makeHP4.0r1
61311	2	/hdfeos/src/make_IT/makeIBM4.0r1
60711	2	/hdfeos/src/make_IT/makeSGI4.0r1
62510	2	/hdfeos/src/make_IT/makeSUN4.0r1

4.2 HDF-EOS2.5v1.00_TestDrivers.tar Listing

<u>Checksum</u>	<u>Blocksize</u>	<u>Filename (location)</u>
27993	5	/hdfeos/testdrivers/README
57783	397	/hdfeos/testdrivers/grid/testgrid.c
7726	147	/hdfeos/testdrivers/grid/testgrid.f
32822	63	/hdfeos/testdrivers/grid/testgridf90-32.f
37905	5	/hdfeos/testdrivers/grid/tutils.h
7353	1	/hdfeos/testdrivers/point/fixedBuoy0.txt
29008	2	/hdfeos/testdrivers/point/fixedBuoy1.txt
29008	2	/hdfeos/testdrivers/point/fixedBuoy1s.txt
4627	1	/hdfeos/testdrivers/point/floatBuoy0.txt
605	3	/hdfeos/testdrivers/point/floatBuoy1.txt
28549	2	/hdfeos/testdrivers/point/simple.txt
43954	146	/hdfeos/testdrivers/point/testpoint.c
42528	132	/hdfeos/testdrivers/point/testpoint.f
30190	84	/hdfeos/testdrivers/point/testpointf90-32.f
37905	5	/hdfeos/testdrivers/point/tutils.h
36399	467	/hdfeos/testdrivers/swath/testswath.c
37805	187	/hdfeos/testdrivers/swath/testswath.f
36343	95	/hdfeos/testdrivers/swath/testswathf90-32.f
37905	5	/hdfeos/testdrivers/swath/tutils.h

4.3 Documentation

The documents provided with this release are:

Document Number: 170-TP-100-003
 Title: HDF-EOS Library Users Guide for the ECS Project-Volume 1: Overview and Examples
 Delivery Source: Hardcopy, WEB

Document Number: 170-TP-101-003
 Title: HDF-EOS Library Users Guide for the ECS Project-Volume 2: Function Reference Guide
 Delivery Source: Hardcopy, WEB

4.4 Archive Tape

The following magnetic tape is used to archive the delivered baseline configuration of the developed software.

904-PR-052-003

Tape label: ECS RELB HDF-EOS 2.5 v1.00

Distribution Date: June 9, 1999

>>> 3.0gbyte format (low density) <<<<

Filenames: HDF-EOS2.5v1.00.README
 HDF-EOS2.5v1.00.tar.Z
 HDF-EOS2.5v1.00_TestDrivers.tar.Z
 HDF-EOS2.5v1.00_TestDrivers.README

This page intentionally left blank.

5. Non-Conformance Status

5.1 Known Problems with HDF-EOS 2.5

This section contains the list of problems closed (Section 5.2) and known problems (Section 5.3) as of 6/7/99 in the HDF-EOS 2.5 delivery. These problems were found and recorded during unit and integration and captured in the formal problem tracking system, Distributed Defect Tracking System (DDTS). The DDTS system generated the attached list of “closed” NCRs. HITC management has reviewed this list and HDF-EOS is considered to be acceptable for delivery at this time. The list includes the NCR ID, Title, Description, and Status. DDTS Problem Severity Definitions, on a 1-5 scale, are defined as follows:

- 1 Catastrophic and severely broken and no workaround.
Example: can't use major product function.
- 2 A severe defect that must be fixed but there is a workaround.
Example: user data must be modified to work.
- 3 A defect that must be fixed, but the system can be deployed with it.
Example: A rarely used Tool won't work on a rarely used platform.
- 4 A defect that causes small impact. Easy to recover or workaround.
Example: error messages aren't very clear.
- 5 Trivial defect or enhancement request.
Example: bad layout or misuse of grammar in manual.

The status of the NCRs corrected for this release is included in Section 5.2. This NCR report reflects the information obtained from DDTS on June 7, 1999. To obtain a detailed description of the NCRs, the DDTS system can be accessed from the following WEB page:

<http://newsroom.hitc.com/sit/ddts/ddts.html>

5.2 HDF-EOS 2.5 Non-Conformance Reports (Close Status)

The following HDF-EOS problems, listed in numerical order by severity, were closed with the HDF-EOS 2.5 Release:

NCR ID: ECSed21197
Title: GDbkSOMoffset, datatype of offset param. needs update
Severity: 2
Description: In the function GDbkSOMoffset, the datatype of the offset parameter is an integer, for

MISR's level2 PGEs they need to be able to pass float.

Resolution: Modification of Library source code to accept float data types instead of integer data types.

NCR ID: ECSed21195

Title: Grid Interface doesn't fully support SOM projection (MISR)

Severity: 3

Description: The SOM projection was never fully implemented in the Grid interface. If the function GDbkSOMoffset function is used when creating a SOM projection, i.e. MISR, the dataset cannot be subsetted by the HDF-EOS library.

Resolution: Added code to GDapi.c to fully support MISR SOM projection.

NCR ID: ECSed21092

Title: Ingest has problem with strcpy and memcpy in GDapi.c

Severity: 2

Description: INGEST has problem with memcpy and strcpy in two functions in GDapi.c. These two try to copy a string onto itself. The functions memcpy and strcpy are not the appropriate functions to copy a string onto itself.

Resolution: In files /ecs/hdfeos/src/GDapi.c two changes were made:

1. in function GDfieldinfo changed:

```
memcpy(utlstr, utlstr + 1, strlen(utlstr) - 2);
```

to:

```
memmove(utlstr, utlstr + 1, strlen(utlstr) - 2);
```

2. in function GDdefield changed:

```
strcpy(dimbuf, comma + 1);
```

to:

```
memmove(dimbuf, comma + 1, strlen(comma)-1);
```

```
dimbuf[strlen(comma)-1]= 0;
```

NCR ID: ECSed20707

Title: Max index value in a loop does not match with declaration in testgrid

Severity: 3

Description: For array ray3[25][80] the second index is declared as 80, while in the code index2 looped up to 90. This results in memory corruption.

Resolution: In /ecs/hdfeos/testdrivers/grid/testgrid.c changed:

```
while(index1 < 25) {  
    while(index2 < 90) {  
        ray3[index1][index2] = ray3cnt;  
        index2++;  
        ray3cnt=ray3cnt + .1;  
    }  
    index1++;  
    index2 = 0;  
}
```

TO:

```
while(index1 < 25) {  
    while(index2 < 80) {  
        ray3[index1][index2] = ray3cnt;  
        index2++;  
        ray3cnt=ray3cnt + .1;  
    }  
    index1++;  
    index2 = 0;  
}
```

NCR ID: ECSed22513

Title: SWattach gives an error when no SDS's in swath

Severity: 3

Description: Changes made to the SWapi.c interface for memory management and error checking didn't cover all possible conditions for file access. In this particular case, the function SWattach doesn't allow a user to attach to a swath if there are no SDS's in the swath.

Resolution: In the section of code, in SWapi.c, that does error checking, a check was added for the number of SDSs in the swath.

5.3 HDF-EOS 2.5 Non-Conformance Reports (Open Status)

The following NCRs are liens against the HDF-EOS 2.5 delivery:

NCR ID: ECSed19128

Title: Index mapping update

Severity: 2

Description: In Landsat7 data subsetting, when index mapping list needs to be updated, SWupdateidxmap function will either give garbage values or core dump the HDF-EOS server for index mappings other than GeoTrack/ScanlineTrack. SWupdateidxmap function should be able to detect which needs to be updated or which does not need to.

NCR ID: ECSed10922

Title: HDF-EOS library has return values not being tested

Severity: 5

Description: The HDF-EOS library has functions that the return values are not being tested for correct return values. Small errors could be propagating through the library.

Appendix A. Build/Installation Instructions

Build/installation instructions for HDF-EOS are located in Appendix A of the HDF-EOS Users Guide (170-TP-500-001) and in the README file available with the HDF-EOS delivery.

This page intentionally left blank.

Appendix B. User Feedback Procedures

The mechanism for handling user feedback, documentation and software discrepancies, and bug reports follows:

- a. Accounts at the ECS Landover facility have been set up for user response:

pgstlkit@eos.hitc.com or

hdfeos@eos.hitc.com

- b. Users will e-mail problem reports and comments to the above account. A receipt will be returned to the sender. A work-off plan for the discrepancy will be developed and status report issued once a month. Responses will be prioritized based on the severity of the problem and the available resources. Simple bug fixes will be turned around sooner, while requested functional enhancements to the Toolkit will be placed in a recommended requirements database (RRDB) and handled more formally.

- c. In order to help expedite responses, we request the following information be supplied with problem reports:

Name:

Date:

EOS Affiliation (DAAC, Instrument, ESDIS, etc.):

Phone No.:

Development Environment:

Computing Platform:

Operating System:

Compiler and Compiler Flags:

Tool Name:

Problem Description:

(Please include exact inputs to and outputs from the toolkit call, including error code returned by the function, plus exact error message returned where applicable.)

Suggested Resolution (include code fixes or workarounds if applicable):

- d. In addition to the e-mail response mechanism, a phone answering machine is also provided. The telephone number is 301-925-0781. Calls will be returned as soon as possible. Note, however, that e-mail is the preferred method of responding to users.

Appendix C. Test Baseline Configuration

The HDF-EOS library was built and tested in a multi-platform environment using the following platforms, operating systems, and compilers:

Table C-1. HDF-EOS Development Configuration

Platform	OS	Version	C Compiler	FORTRAN
Sun Sparc	Solaris	2.5.1(5.5.1)	Sun C 4.0	Sun FORTRAN 4.0
HP 9000/770	HP-UX	A.10.01	HP C 10.24	HP FORTRAN 10.24
DEC Alpha	Digital Unix	4.0	DEC C 5.2	DEC FORTRAN 5.2
IBM RS-6000	AIX	4.2	IBM C 3.1.4.0	IBM FORTRAN 3.2.5
SGI Power Challenge	IRIX	6.2	SGI C 7.2.1	SGI FORTRAN 7.2.1

This page intentionally left blank.

Abbreviations and Acronyms

A.A.	Astronomical Almanac
AA	Ancillary Data Access
AIRS	Atmospheric Infrared Sounder
API	Application Program Interface
APID	Application Process Identifier
ASTER	Advanced Spaceborne Thermal Emission and Reflection Radiometer
BNF	Bachus-Nauer Form
CBP	Celestial Body Position
CCR	Configuration Change Request
CCSDS	Consultative Committee on Space Data Systems
CDRL	Contract Deliverable Requirements List
CERES	Clouds and Earth Radiant Energy System
COTS	Commercial off-the-shelf Software
CSMS	Communications and Systems Management Segment (ECS)
CRC	Cyclic Redundancy Code
CSC	Coordinate System Conversion
CUC	Constant and Unit Conversions
DAAC	Distributed Active Archive Center
DCE	Distributed Computing Environment
DCN	Document Change Notice
DCW	Digital Chart World
DDF	Data Distribution Facility
DEM	Digital Elevation Model
DDTS	Distributed Defect Tracking System
DPFT	Data Processing Focus Team

DTM	Digital Terrain Model
ECI	Earth Centered Inertial
ECR	Earth Centered Rotating
ECS	EOSDIS Core System
EDHS	ECS Data Handling System
EDOS	EOS Data and Operations System
EOS	Earth Observing System
EOSAM	EOS AM Project (morning spacecraft series)
EOSDIS	EOS Data and Information System
EOSPM	EOS PM Project (afternoon spacecraft series)
EPH	Ephemeris Data Access
ESDIS	Earth Science Data and Information System
ET	Ephemeris Tool
FDF	Flight Dynamics Facility
FOV	Field-of-View
ftp	file transfer protocol
GAST	Greenwich Apparent Sidereal Time
GCT	Geo-Coordinate Transformation
GMST	Greenwich Mean Sidereal Time
GPS	Global Positioning System
GSFC	Goddard Space Flight Center
HAIS	Hughes Applied Information Systems
HDF	Hierarchical Data Format
HDF-EOS	Hierarchical Data Format - Earth Observing System
HITC	Hughes Information Technology Company
http	hypertext transport protocol
I&T	Integration & Test
I/O	input/output
IEEE	Institute of Electrical and Electronic Engineers

IMS	Information Management System (ECS)
IWG	Investigator Working Group
JPL	Jet Propulsion Laboratory
LaRC	Langley Research Center
MOO	Maintain and Operation
MCF	Metada Configuration File
MDUE	Missing Data Unit Entry
MEM	Memory Management
MET	Metadata
MODIS	Moderate-Resolution Imaging Spectroradiometer
MSFC	Marshall Space Flight Center
NASA	National Aeronautics and Space Administration
NCR	Nonconformance Report
NCSA	National Center for Supercomputer Applications
netCDF	network Common Data Format
NMC	National Meteorological Center
PACOR	Packet Processor
PC	Process Control
PGE	Product Generation Executive
PCF	Process Control File
PDS	Production Data Set
PDPS	Planning & Data Production System
PCF	Process Control File
PDR	Preliminary Design Review
PGE	Product Generation Executive (formerly Product Generation Executable)
PGS	Product Generation System (ECS)
PGSTK	Product Generation System Toolkit
POSIX	Portable Operating System Interface for Computer Environments
QA	Quality Assurance

QAC	Quality and Accounting Capsule
RDBMS	Relation Data Base Management System
RPC	Remote Procedure Calls
RRDB	Recommended Requirements Database
SCF	Science Computing Facility
SDP	Science Data Production
SES	Scheduling and Execution Subsystem
SDPS	Science Data Processing Segment
SDPF	Science Data Processing Facility
SIG	Silicon Graphics International
smf	Collection of utilities and library routines used for generating SMFs and manipulating SMF-defined status values and messages
SMF	Status Message File
SPSO	Science Processing Support Office
SSM/I	Special Sensor for Microwave Imaging
TAI	International Atomic Time
TBD	To Be Determined
TD	Time Date Conversion
TDB	Barycentric Dynamical Time
TDRSS	Tracking and Data Relay Satellite System
TDT	Terrestrial Dynamical Time
TLCF	Team Leader Computing Facility
TRMM	Tropical Rainfall Measuring Mission (joint US - Japan)
TSS	(TDRSS) Service Session
UARS	Upper Atmosphere Research Satellite
URL	Universal Research Locator
US	United States
USNO	U.S. Naval Observatory
UT	Universal Time

UTC	Universal Coordinated Time
UTCf	Universal Time Correlation Factor
UTM	Universal Transverse Mercator
VCDU	Virtual Channel Data Unit
VDD	Version Description Document
VPF	Vector Product Format
WWW	World Wide Web

This page intentionally left blank.