

Authors, Titles, and Subjects in the *Marine Fisheries Review* 59(1–4), 1997

A–B

- Abalone
People's Republic of China
mariculture, 4:12
- Alopias superciliosus*—see Shark, bigeye
thresher
- Alopias vulpinus*—see Shark, thresher
- Ammodytes hexapterus*—see Sand lance, Pacific
- Argopecten irradians*—see Scallop, gulf
- "An assessment of fishery yields from the East China Sea ecosystem," by W. Z. Chen, Y. Z. Zheng, Y. Q. Chen, and C. P. Mathews, 4:1
- "Assessment of the distribution and abundance of coastal sharks in the U.S. Gulf of Mexico and eastern seaboard, 1995 and 1996," by Mark Grace and Terry Henwood, 4:23
- Balanus* sp.—see Barnacles
- Barnacles
Mexican oyster spat competitor, 3:5
- Bering Sea, eastern
groundfish bycatch management
chinook salmon savings area, 4:18
chum salmon savings area, 4:18
domestic fisheries, 1985–88, 4:17
domestic fisheries, 1988–97, 4:17–19
herring savings area, 4:17
Japanese fleet bycatch allocation allowance, 4:16–17
joint-venture operations, 4:17
pre-Magnuson Act, 4:15
prohibited species, 4:15
red king crab savings area, 4:18
regulated foreign fisheries, 4:15–16
timeline, 4:16
winter halibut savings area, 4:15
- "Blue crab, *Callinectes sapidus*, trap selectivity studies: Mesh size," by Vincent Guillory and Paul Prejean, 1:29
- Bluefish
drift gillnet fishery, 1:19, 20
- Boreogadus saida*—see Cod, Arctic
- Bowerbankia* sp.—see Bryozoa
- Brachidontes* sp.—see Mussels
- "A brief history of bycatch management measures for eastern Bering Sea groundfish fisheries," by David Witherell and Clarence Pautzke, 4:15
- Bryozoa
Mexican oyster spat competitor, 3:5
- Bycatch
Gulf of Mexico shrimp fishery, 3:23, 4:33
high-seas driftnet fishing, 3:41
management, eastern Bering Sea, 4:15–22
timeline, 4:16
shark drift gillnet fishery, 1:19–28
tuna fishery, central-western Pacific Ocean, 3:38

C

- "The California red sea urchin, *Strongylocentrotus franciscanus*, fishery: Catch, effort, and management trends," by Peter E. Kalvass and Jon M. Hendrix, 2:1
- Callinectes sapidus*—see Crab, blue
- Capelin
spotted seal prey, 1:7
- Carcharhinus acronotus*—see Shark, blacknose
- Carcharhinus altimus*—see Shark, bignose
- Carcharhinus brachyurus*—see Shark, narrow-tooth
- Carcharhinus brevipinna*—see Shark, spinner
- Carcharhinus falciformis*—see Shark, silky
- Carcharhinus galapagensis*—see Shark, Galapagos
- Carcharhinus isodon*—see Shark, finetooth
- Carcharhinus leucas*—see Shark, bull
- Carcharhinus limbatus*—see Shark, blacktip
- Carcharhinus longimanus*—see Shark, whitetip
- Carcharhinus obscurus*—see Shark, dusky
- Carcharhinus perezii*—see Shark, Caribbean reef
- Carcharhinus plumbeus*—see Shark, sandbar
- Carcharhinus porosus*—see Shark, smalltail
- Carcharhinus signatus*—see Shark, night
- Carcharodon carcharias*—see Shark, white
- Carlson, J. K.—see Trent et al.
- Catch
brown shrimp in Mexico, 2:18–24
shark drift gillnet fishery, 1:19–28
tuna fishery, central-western Pacific Ocean, 3:36–38
- "Catch and bycatch in the shark drift gillnet fishery off Georgia and East Florida," by L. Trent, D. E. Parshley, and J. K. Carlson, 1:19
- Cetorhinus maximus*—see Shark, basking
- Chen, W. Z., Y. Z. Zheng, Y. Q. Chen, and C. P. Mathews, "An assessment of fishery yields from the East China Sea ecosystem," 4:1
- Chen, Y. Q.—see Chen et al.
- China Sea—see East China Sea
- Chionoecetes spp.—see Crab, Tanner
- Ciscos, Bering
spotted seal prey, 1:7
- Cliona* sp.—see Sponge
- Clupea harengus pallasii*—see Herring, Pacific
- Clupea* spp.—see Herring
- Coan, Atilio L., Jr., Gary T. Sakagawa, Doug Prescott, and Gordon Yamasaki, "The 1996 U.S. purse seine fishery for tropical tunas in the central-western Pacific Ocean," 3:34
- Cod, Arctic
spotted seal prey, 1:7
- Commercial fisheries—see Fisheries, commercial
- Conch, queen

- habitat requirements, 3:15
- juvenile mortality, 3:15–16
- larval ecology, 3:16–19
- nursery grounds, 3:15, 17
- reproductive stock conservation, 3:19
depth refugia, 3:19–20
marine reserves, 3:20
- research history, 3:14
- stock enhancement, 3:15–16
- Coregonus laurettae*—see Ciscos, Bering
- Crab, blue
Mexican oyster predator, 3:5
trap selectivity study, 1:29–31
- Crab, king
eastern Bering Sea
groundfish fishery prohibited species, 4:16
savings area, 4:18
- Crab, Tanner
eastern Bering Sea
bycatch limits, 4:19
groundfish fishery prohibited species, 4:16
- Crassostrea gigas*—see Oysters, Pacific
- Crassostrea rhizophorae*—see Oysters, mangrove
- Crassostrea virginica*—see Oyster, eastern
- Crepidula* sp.—see Slipper shells

D–E

- Dermo
Mexican oyster pathogen, 3:5
- Diving
California sea urchin fishery, 2:1–17
- Dogfish
smooth
species profile, 4:28
- spiny
pilot studies 1995 and 1996, 4:25
species profile, 4:28
- Dolphin, bottlenose
shark fishery bycatch, 1:19, 26
- Dolphins
high-seas driftnet fishery interaction, 3:41–44
epimeletic behavior, 3:44
- East China Sea fishery
area, 1971–82, 4:3
CPUE calibration, 4:3
crustacean landings, 4:9–10
foreign landings estimates, 4:1
gear, 4:3
landing changes, 4:3–4, 6–7
landings and fisheries assessment
fisheries statistics data, 4:1, 3
offshore fishing fleet logbook data, 4:3
People's Republic of China 1992 landings, 4:1
surplus production modeling, 4:4
- Economics
People's Republic of China mariculture
abalone, 4:12
gulf scallop, 4:13
shrimp, 4:11, 12
oyster industry, in eastern Mexico, 3:1–13
red sea urchin fishery, 2:9–10
- Eleginus navaga*—see Navaga
- Emergency Position Indicating Radio Beacons (EPIRB), 2:25
- Enhydra lutris*—see Sea otter, southern
- Epinephelus awaara*—see Grouper
- Erignathus barbatus*—see Seals, bearded
- "Estimation of standardized effort in the heterogeneous Gulf of Mexico shrimp fleet," by

Wade L. Griffin, Arvind K. Shah, and James M. Nance, 3:23

F

- Fisheries, commercial—see also seal hunting
brown shrimp closure in Mexico, 2:18–24
California sea urchin, 2:1–17
East China Sea, 4:1–14
oyster industry, eastern Mexico, 3:1–13
safety training, 2:25–27
shark driftnet fishery, 1:20
spotted seal interactions, 1:7, 8
tropical tunas, 3:34–40
- Fisheries history
California sea urchin, 2:1–17
eastern Bering Sea bycatch management, 4:15
oyster shell uses in Mexico, 3:2
queen conch research, 3:14
spotted seal abundance, 1:8
- Fisheries management
blue crab trap size, 1:29–31
brown shrimp closure in Mexico, 2:18–24
East China Sea, 4:1–14
eastern Bering Sea bycatch management, 4:15
Gulf of Mexico shrimp fishery, 3:23, 4:33
high-seas driftnet fishery, 3:41
queen conch, 3:19–20
red sea urchin fishery, 2:11–15
shark population assessment
U.S. Gulf of Mexico, 4:23
- Fishermen
safety training, 2:25
- Flatworm
in Mexican oysters, 3:2, 4

G

- Galeocerdo cuvieri*—see Shark, tiger
- Gear—see also Nets
blue crab, 1:29–31
East China Sea fisheries, 4:3
longline
shark survey, 4:23–24
oyster industry, eastern Mexico, 3:6–8
- Ginglymostoma cirratum*—see Shark, nurse
- Grace, Mark, and Terry Henwood, “Assessment of the distribution and abundance of coastal sharks in the U.S. Gulf of Mexico and eastern seaboard, 1995 and 1996,” 4:23
- Gracia, Adolfo, “Simulated and actual effects of the brown shrimp, *Penaeus aztecus*, closure in Mexico,” 2:18
- Griffin, Wade L., Arvind K. Shah, and James M. Nance, “Estimation of standardized effort in the heterogeneous Gulf of Mexico shrimp fleet,” 3:23
- Groundfish fisheries
eastern Bering Sea
bycatch management, 4:15–21
domestic fisheries, 1985–88, 4:17
domestic fisheries, 1988–97, 4:17–19
joint-venture operations, 4:17
pre-Magnuson Act, 4:15
prohibited species, 4:15
regulated foreign fisheries, 4:15–16
- Grouper
People’s Republic of China
experimental mariculture, 4:13
- Guillory, Vincent, and Paul Prejean, “Blue crab, *Callinectes sapidus*, trap selectivity studies: Mesh size,” 1:29
- Gulf of Mexico

- brown shrimp closure study, 2:18
coastal shark assessment, 4:23
oyster industry, 3:1
shrimp fishery, 3:23
shrimp statistical zone study, 4:33

H

- Habitat
queen conch, 3:15–19
spotted seal, 1:2–6
- Halibut, Pacific
eastern Bering Sea
groundfish fishery prohibited species, 4:16
- Haliotis discus*—see Abalone
- Haliotis diversicolor*—see Abalone
- Hendrix, Jon M.—see Kalvass and Hendrix
- Henwood, Terry—see Grace and Henwood
- Heptanchias perlo*—see Shark, sevengill
- Herring
spotted seal prey, 1:7
- Herring, Pacific
eastern Bering Sea
groundfish fishery prohibited species, 4:15
savings areas, 4:17–18, 21
- Hexanchus griseus*—see Shark, sixgill
- Hexanchus viulius*—see Shark, bigeye sixgill
- High-seas driftnet fishery
bycatch study, 3:41
- Hippoglossus stenolepis*—see Halibut, Pacific
- History—see Fisheries history
- Hutchinson, C.—see Mizroch and Hutchinson

I–J–K

- Isurus oxyrinchus*—see Mako, shortfin
- Isurus paucus*—see Mako, longfin
- Jellyfish
People’s Republic of China
restocking project, 4:11–12
mariculture, 4:9
- Kalvass, Peter E., and Jon M. Hendrix, “The California red sea urchin, *Strongylocentrotus franciscanus*, fishery: Catch, effort, and management trends,” 2:1
- Katsuwonus pelamis*—see Tuna, skipjack
- Kelp
bull
California sea urchin habitat, 2:2
giant
California sea urchin habitat, 2:2

L–M

- Lagenorhynchus obliquidens*—see Dolphins
- Lamna nasus*—see Porbeagle
- Link, Jason, “Untrawlable bottom in shrimp statistical zones of the northwest Gulf of Mexico,” 4:33
- Lutjanus campechanus*—see Snapper, red
- MacKenzie, Clyde L., Jr., and Armando T. Wakida-Kusunoki, “The oyster industry of eastern Mexico,” 3:1
- Mackerel
king
driftnet fishery, 1:19, 20
Spanish
drift gillnet fishery, 1:19, 20
- Macrocyttis pyriferus*—see Kelp, giant
- Magnuson-Stevens Fishery Conservation and Management Act
eastern Bering Sea
fishery management plan, 4:16

groundfish bycatch, 4:15–21

- Mako
longfin
pilot studies, 1995 and 1996, 4:25
shortfin
pilot studies, 1995 and 1996, 4:25
- Mallotus villosus*—see Capelin
- Mariculture
oyster industry in eastern Mexico, 3:1–13
People’s Republic of China, 4:8–14
- Mathews, C. P.—see Chen et al.; -see Xu et al.
- Melongena melongena*—see Snails, boring
- Mexican oyster industry, 3:1–13
- Mizroch, S. A., and C. Hutchinson, “An observed entanglement of *Lagenorhynchus obliquidens* in the high seas driftnet area in the North Pacific,” 3:41
- Mussels
on Mexican oysters, 3:5
- Mustelus canis*—see Dogfish, smooth
- Mylio macrocephalus czerskii*—see Porgy, black

N

- Nance, James M.—see Griffin et al.
- Navaga
spotted seal prey, 1:7
- Negaprion brevirostris*—see Shark, lemon
- Nereocystis luetkeana*—see Kelp, bull
- Nets
high-seas squid driftnet fishery, 3:41
shark driftnet fishery, 1:20
- “The 1996 U.S. purse seine fishery for tropical tunas in the central-western Pacific Ocean,” by Atilio L. Coan, Jr., Gary T.

This statement is required by the Act of August 12, 1970, Section 3685, Title 39, U.S. Code, showing ownership, management, and circulation of the *Marine Fisheries Review*, publication number 366-360, and was filed on 28 October 1997. The *Review* is published quarterly (four issues annually) with an annual subscription price of \$8.50 (sold by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402). The complete mailing address of the office of publication is: NMFS Scientific Publications Office, NOAA, 7600 Sand Point Way NE, BIN C15700, Seattle, WA 98115. The complete mailing address of the headquarters of the publishing agency is: National Marine Fisheries Service, NOAA, Department of Commerce, 1335 East-West Highway, Silver Spring, MD 20910. The name of the publisher and editor is Willis Hobart and the managing editor is Jacki Strader; their mailing address is: NMFS Scientific Publications Office, 7600 Sand Point Way NE, BIN C15700, Seattle, WA 98115. The owner is the U.S. Department of Commerce, 14th St. N.W., Washington, DC 20230; there are no bondholders, mortgages, or other security holders. The purpose, function, and nonprofit status of the organization (agency) and the exempt status for Federal income tax purposes has not changed during the preceding 12 months. The extent and nature of circulation is as follows: Total number of copies (A) (average number of copies of each issue during the preceding 12 months) was 1989 and the actual number of copies of the single issue published nearest to the filing date was 1903. Paid circulation (B) is handled by the U.S. Government Printing Office, Washington, DC 20402, and the total number printed for their sales (mail subscriptions and individual sales) was 300 for both the average number of copies each issue during the preceding 12 months and the actual number of copies of the single issue published nearest to the filing date. Free distribution (D) by mail, carrier, or other means; samples, complimentary, and other free copies (average number of copies each issue during the preceding 12 months) was 1689 and the actual number of copies of the single issue published nearest to the filing date was 1603. The total distribution (E: sum of C and D) (average number of copies each issue during the preceding 12 months) was 1989 and the actual number of copies of the single issue published nearest to the filing date was 1903. There were no copies not distributed or returned from news agents (F). The total (G: sum of E and F) is equal to the net press run figures shown in Item A: 2008 and 1926 copies, respectively. I certify that the statements made by me above are correct and complete: (Signed) Willis Hobart, Publisher.

Sakagawa, Doug Prescott, and Gordon Yamasaki, 3:34
Ning, X.—see Xu et al.
NMFS Shrimp Fishing Effort Estimation Workshop, 3:23

O

“An observed entanglement of *Lagenorhynchus obliquidens* in the high seas driftnet area in the North Pacific,” by S. A. Mizroch and C. Hutchinson, 3:41–44
Octopus
 spotted seal prey, 1:7
Odontaspis noronhai—see Shark, bigeye sand tiger
Odontaspis taurus—see Shark, sand tiger
Oncorhynchus gorbuscha—see Salmon, pink
Oncorhynchus keta—see Salmon, chum
Oncorhynchus spp.—Salmon, Pacific
Oncorhynchus tshawytscha—see Salmon, chinook
Osmerus mordax—see Smelt, rainbow
Ostrea equestris—see Oysters, noncommercial
Oyster drill, Gulf
 in Mexican oysters, 3:5
“The oyster industry of eastern Mexico,” by Clyde L. MacKenzie, Jr., and Armando T. Wakida-Kusunoki, 3:1
Oysters
 eastern
 biology, 3:4
 industry in Mexico
 culture, 3:8
 fishermen, 3:6
 fishermen’s cooperatives, 3:6
 harvesting gear and methods, 3:6–8
 lagoons, 3:3–4
 landing statistics in Mexico, 3:2
 local consumption, 3:9
 markets/marketing, 3:10–12
 oil pollution, 3:6
 pests and predators, 3:4–5
 processing, 3:10
 public health problems, 3:5–6
 red tide, 3:6
 mangrove, 3:5
 noncommercial, 3:5
 Pacific, 3:1

P

Paralithodes spp.—see Crab, king
Parshley, D. E.—see Trent et al.
Pautzke, Clarence—see Witherell and Pautzke
Penaeus aztecus—see Shrimp, brown
Penaeus duorarum—see Shrimp, pink
Penaeus orientalis—see Shrimp
Penaeus setiferus—see Shrimp, white
People’s Republic of China fisheries
 aquaculture landings, 4:8
 East China Sea, 4:1–7
 mariculture, 4:8–14
 shrimp, 4:9–11
 Xixuan Aquatic Experimental Station, 4:9
 Zhejiang Marine Fisheries Research Institute, 4:9
Perkinsus marinus—see Dermo
Phoca fasciata—see Seals, ribbon
Phoca hispida—see Seals, ringed
Phoca largha—see Seals, spotted
Phoca vitulina largha—see Seals, spotted
Phoca vitulina richardsi—see Seals, spotted

Phoca vitulina stejneger—see Seals, spotted
Poggie, John J., and Richard B. Pollnac,
 “Safety training and oceanic fishing,” 2:25
Pollnac, Richard B.—see Poggie and Pollnac
Pollock, walleye
 spotted seal prey, 1:7
Polydora sp.—see Worm, mud blister
Pomatomus saltatrix—see Bluefish
Porbeagle
 pilot studies, 1995 and 1996, 4:25, 4:25
Porgy, black
 People’s Republic of China
 experimental mariculture, 4:13
Prejean, Paul—see Guillory and Prejean
Prescott, Doug—see Coan et al.
Prionace glauca—see Shark, blue

R–S

Rhincodon typus—see Shark, whale
Rhizoprionodon porosus—see Shark, Caribbean sharpnose
Rhizoprionodon terraenovae—see Shark, Atlantic sharpnose
Rhopilema esculenta—see Jellyfish
Rugh, David J., Kim E. W. Sheldon, and David E. Withrow, “Spotted seals, *Phoca largha*, in Alaska,” 1:1
“Safety training and oceanic fishing,” by John J. Poggie and Richard B. Pollnac, 2:25–28
Sakagawa, Gary T.—see Coan et al.
Salmon, chinook
 eastern Bering Sea
 groundfish fishery prohibited species, 4:16
 savings areas, 4:18
Salmon, chum
 eastern Bering Sea
 savings areas, 4:18, 21
Salmon, Pacific
 eastern Bering Sea
 groundfish fishery prohibited species, 4:16
Salmon, pink
 spotted seal prey, 1:7
Sand lance, Pacific
 spotted seal prey, 1:7
Scallop, gulf
 People’s Republic of China
 mariculture, 4:12–13
Schizoporella sp.—see Bryozoa
Scomberomorus cavalla—see Mackerel, king
Scomberomorus maculatus—see Mackerel, Spanish
Sea otter, southern
 impact on California sea urchins, 2:1
Seal hunting, Alaska
 commercial, 1:6–7
 subsistence, 1:7
Seals
 bearded
 habitat, 1:4
 ribbon
 habitat, 1:4
 ringed
 habitat, 1:4
 spotted
 abundance, 1:16
 aerial identification, 1:
 behavior, 1:6
 breeding concentrations, 1:1–2
 commercial hunting, 1:6–7
 distribution, 1:1–2, 13–14
 group size, 1:12
 habitat, 1:2–6
 historical abundance, 1:8
 location, 1:12
 mortality, 1:7
 prey preference, 1:7
 subsistence hunting, 1:7
 survey methods, 1992–93, 1:9–10
 survey results, 1992–93, 1:10–12
 taxonomy, 1:1
Shah, Arvind K.—see Griffin et al.
Shark
 Atlantic angel, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:29
 Atlantic sharpnose, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 basking, 4:25
 pilot studies, 1995 and 1996, 4:25
 bigeye sand tiger, 4:25
 pilot studies, 1995 and 1996, 4:25
 bigeye sixgill, 4:25
 pilot studies, 1995 and 1996, 4:25
 bigeye thresher, 4:25
 pilot studies, 1995 and 1996, 4:25
 bignose, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 blacknose, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:26
 blacktip, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 blue, 4:25
 pilot studies, 1995 and 1996, 4:25
 bonnethead, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:29
 bull, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 Caribbean reef, 4:25
 pilot studies, 1995 and 1996, 4:25
 Caribbean sharpnose, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:28
 dusky, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 finetooth, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:27
 Galapagos, 4:25
 pilot studies, 1995 and 1996, 4:25
 great hammerhead, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:28
 lemon, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:29
 narrowtooth, 4:25
 pilot studies, 1995 and 1996, 4:25
 night, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:29
 nurse, 4:25
 pilot studies, 1995 and 1996, 4:25
 species profile, 4:28
 sand tiger, 4:25
 pilot studies, 1995 and 1996, 4:25

species profile, 4:28

sandbar, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:28

scalloped hammerhead, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:28

sevengill, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:27

sixgill, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:28

smooth hammerhead, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:29

spinner, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:27

thresher, 4:25

 pilot studies, 1995 and 1996, 4:25

tiger, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:28

whale, 4:25

 pilot studies, 1995 and 1996, 4:25

white, 4:25

 pilot studies, 1995 and 1996, 4:25

 species profile, 4:29

whitetip, 4:25

 pilot studies, 1995 and 1996, 4:25

Shark drift gillnet fishery

 boats, 1:20

 bycatch, 1:23–25

 catch, 1:23–24

 catch disposition, 1:25–26

 fishing effort, 1:22–23

 locating, 1:20–21

 nets, 1:20

 hauling, 1:21

 setting, 1:21

 observation, 1:21–22

 processing catch, 1:21

 study area, 1:19–20

 trip description, 1:21–22

Shelden, Kim E. W.—see Rugh et al.

Shrimp

 brown

 artisanal fishery, 2:19

 Mexican fishery closure, 2:18–24

 East China Sea fishery, 4:10

 fishing effort estimation workshop, 3:23

 Gulf shrimp statistical zones, 4:33

 mariculture, 4:9, 12

 pink

 Mexican fishery, 2:18

 white

 Mexican fishery, 2:18

 Xiang Shan Bay

 economics, 4:11

 landings, 4:11

 stocking, 4:10–11

 stocking constraints, 4:13–14

Shrimp fishery, Gulf of Mexico

 nominal and standardized effort estimates

 abundance model, 3:27

 catch model, 3:27

 comparing estimates, 3:29–33

 effort model, 3:26–27

 expansion model, 3:28–29

 modeling approach, 3:26

 relative fishing power, 3:29

 standardization model, 3:27–28

 “Simulated and actual effects of the brown shrimp, *Penaeus aztecus*, closure in Mexico,” by Adolfo Gracia, 2:18–24

Slipper shells

 Mexican oyster spat competitor, 3:5

Smelt, rainbow

 spotted seal prey, 1:7

Snails, boring

 Mexican oyster predator, 3:5

Snapper, red

 Gulf of Mexico shrimp fishery bycatch, 3:23

South Pacific Regional Tuna Treaty, 3:34

Sphyrna lewini—see Shark, scalloped hammerhead

Sphyrna mokarran—see Shark, great hammerhead

Sphyrna tiburo—see Shark, bonnethead

Sphyrna zygaena—see Shark, smooth hammerhead

Sponge

 Mexican oyster spat competitor, 3:5

 “Spotted seals, *Phoca largha*, in Alaska,” by David J. Rugh, Kim E. W. Shelden, and David E. Withrow, 1:1

Squalus acanthias—see Dogfish, spiny

Squatina dumerili—see Shark, Atlantic angel

 “The status of queen conch, *Strombus gigas*, research in the Caribbean,” by Allan W. Stoner, 3:14

 “Stocking, enhancement, and mariculture of *Penaeus orientalis* and other species in Shanghai and Zhejiang provinces, China,” by J. Xu, M. Xia, X. Ning, and C. P. Mathews, 4:8

Stoner, Allan W., “The status of queen conch, *Strombus gigas*, research in the Caribbean,” 3:14

Strombus gigas—see Conch, queen

Strongylocentrotus franciscanus—see Urchin, red sea

Strongylocentrotus purpuratus—see Urchin, purple sea

Stylochus sp.—see Flatworm

T–U–V

Thais haemostoma—see Snails, boring

Theragra chalcogramma—see Pollock, walleye

Thunnus albacares—see Tuna, yellowfin

Thunnus obesus—see Tuna, bigeye

Trent, L., D. E. Parshley, and J. K. Carlson, “Catch and bycatch in the shark drift gillnet fishery off Georgia and East Florida,” 1:19

Tuna, central-western Pacific Ocean

 bigeye

 catch, 3:36, 38

 bycatch, 3:38

 catch rates, 3:38

 fishing area, 3:36

 fishery

 monitoring, 3:35–36

 performance, 3:39

 skipjack

 catch, 3:36, 38

 South Pacific Regional Treaty, 3:34

 yellowfin

 catch 3:36, 38

Tursiops truncatus—see Dolphin, bottlenose

 “Untrawlable bottom in shrimp statistical zones of the northwest Gulf of Mexico,” by Jason Link, 4:33

Urchin, purple sea, 2:1

Urchin, red sea

 catch patterns, 2:3

 northern California, 2:3–5

 southern California, 2:5–7

 economic trends, 2:9–10

 effort patterns, 2:7–8

 northern California, 2:8

 southern California, 2:8–9

 management, 2:11–15

 growth, 2:11

 history, 2:13–15

 stock assessment, 2:11–13

 survival, 2:11

 northern California fishery area, 2:2

Urosalpinx perrugata—see Oyster drill, Gulf Vessels

 California sea urchin fishery, 2:1

 oyster industry, eastern Mexico, 3:6–8

 shark driftnet fishery, 1:20

 shark survey, 4:24–25

W–X–Y–Z

Wakida-Kusunoki, Armando T.—see MacKenzie and Wakida-Kusunoki

Witherell, David, and Clarence Pautzke, “A brief history of bycatch management measures for eastern Bering Sea groundfish fisheries,” 4:15

Withrow, David E.—see Rugh et al.

Worm, mud blister

 in Mexican oysters, 3:5

Xia, M.—see Xu et al.

Xixuan Aquatic Experimental Station, 4:9

Xu, J., M. Xia, X. Ning, and C. P. Mathews, “Stocking, enhancement, and mariculture of *Penaeus orientalis* and other species in Shanghai and Zhejiang provinces, China,” 4:8

Yamasaki, Gordon—see Coan et al.

Zhejiang Marine Fisheries Research Institute, 4:9

Zheng, Y. Z.—see Chen et al.

Papers in the *Marine Fisheries Review* 59(1–4), 1997

59(1)

- “Spotted seals, *Phoca largha*, in Alaska,” by David J. Rugh, Kim E. W. Shelden, and David E. Withrow, 1:1–18
- “Catch and bycatch in the shark drift gillnet fishery off Georgia and east Florida,” by L. Trent, D. E. Parshley, and J. K. Carlson, 1:19–28
- “Blue crab, *Callinectes sapidus*, trap selectivity studies: Mesh size,” by Vincent Guillory and Paul Prejean, 1:29–31

59(2)

- “The California red sea urchin, *Strongylocentrotus franciscanus*, fishery: Catch, effort, and management trends,” by Peter E. Kalvass and Jon M. Hendrix, 2:1–17

- “Simulated and actual effects of the brown shrimp, *Penaeus aztecus*, closure in Mexico,” by Adolfo Gracia, 2:18–24
- “Safety training and oceanic fishing,” by John J. Poggie and Richard B. Pollnac, 2:25–28

59(3)

- “The oyster industry of eastern Mexico,” by Clyde L. MacKenzie, Jr., and Armando T. Wakida-Kusunoki, 3:1–13
- “The status of queen conch, *Strombus gigas*, research in the Caribbean,” by Allan W. Stoner, 3:14–22
- “Estimation of standardized effort in the heterogeneous Gulf of Mexico shrimp fleet,” by Wade L. Griffin, Arvind K. Shah, and James M. Nance, 3:23–33

- “The 1996 U.S. purse seine fishery for tropical tunas in the central-western Pacific Ocean,” by Atilio L. Coan, Jr., Gary T. Sakagawa, Doug Prescott, and Gordon Yamasaki, 3:34–40

- “An observed entanglement of *Lagenorhynchus obliquidens* in the high seas driftnet area in the North Pacific,” by S. A. Mizroch and C. Hutchinson, 3:41–44

59(4)

- “An assessment of fishery yields from the East China Sea ecosystem,” by W. Z. Chen, Y. Z. Zheng, Y. Q. Chen, and C. P. Mathews, 4:1–7
- “Stocking, enhancement, and mariculture of *Penaeus orientalis* and other species in Shanghai and Zhejiang provinces, China,” by J. Xu, M. Xia, X. Ning, and C. P. Mathews, 4:8–14
- “A brief history of bycatch management measures for eastern Bering Sea groundfish fisheries,” by David Witherell and Clarence Pautzke, 4:15–22
- “Assessment of the distribution and abundance of coastal sharks in the U.S. Gulf of Mexico and eastern seaboard, 1995 and 1996,” by Mark Grace and Terry Henwood, 4:23–32
- “Untrawlable bottom in shrimp statistical zones of the northwest Gulf of Mexico,” by Jason Link, 4:33–36

Errata

Dunn, J. R. 1996. Charles Henry Gilbert (1859–1928), naturalist-in-charge: the 1906 North Pacific expedition of the steamer *Albatross*. *Marine Fisheries Review* 58(1–2):17–28.

In footnote 8, page 18, the biographical data of Hubert Lyman Clark (1870–1948) was erroneously attributed to Austin Hobart Clark. Correct information on A. H. Clark may be found in Cattell and Cattell (1938). Additionally, the reference in the footnote to Palmer (1948) is in error.

I thank Dr. Gordon Hendler, Natural History Museum of Los Angeles County, Los Angeles, for bringing these errors to my attention. J. R. Dunn