

JPL Publication 99-003

The Terrestrial Planet Finder (TPF):
A NASA Origins Program to Search for Habitable Planets

The TPF Science Working Group
Edited by C.A. Beichman, N.J. Woolf, and C.A. Lindensmith

May, 1999

<http://tpf.jpl.nasa.gov/>

Prepared by the TPF Science Working Group

Roger Angel, University of Arizona, Steward Observatory
Dana Backman, Franklin & Marshall College
Charles Beichman, Infrared Processing and Analysis Center,
Jet Propulsion Laboratory
Robert Brown, Space Telescope Science Institute
Alan Dressler, Carnegie Institution of Washington
Suzan Edwards, Smith College
Malcolm Fridlund, European Space Agency, ESTEC
Dan Gezari, NASA Goddard Space Flight Center
James Kasting, Pennsylvania State University
Doug Lin, University of California, Santa Cruz
Jonathan Lunine, University of Arizona/Lunar and Planetary Laboratory
Geoffrey Marcy, University of California, Berkeley and
San Francisco State University
Jean-Marie Mariotti (deceased), European Southern Observatory
Kenneth Nealon, Jet Propulsion Laboratory
Tobias Owen, University of Hawaii, Institute of Astronomy
Anneila Sargent, California Institute of Technology
Cornelius Schalinski, Deutsches Zentrum für Luft- und
Raumfahrt (DLR)
Michael Shao, Jet Propulsion Laboratory
Frank Shu, University of California, Berkeley
Diane Wooden, NASA Ames Research Center
Neville Woolf, University of Arizona

The research described in this publication was carried out in part by the Jet Propulsion Laboratory, California Institute of Technology, under a contract with the National Aeronautics and Space Administration.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, does not constitute or imply its endorsement by the United States government or the Jet Propulsion Laboratory, California Institute of Technology.

Acknowledgements

Pre-Project Manager: Gary Parks
Pre-Project Scientist: Charles A. Beichman
Pre-Project Mission Scientist: Neville Woolf
System Engineer: Christian Lindensmith
Project Technologist: Daniel Coulter
Production Coordinator: Dion Horn
Publication Team: Kathy Austin, Mary Bothwell, Willis Goss, Ken Gowey,
Christopher Hawley, Jim Jackson, Kristy Kawasaki, Laila Lalami, Cecelia
Lawshe, Peter Lawson, Sunjay Moorthy, Harman Smith, and Sugi Sorensen.

The members of the TPF Science Working Group note with sadness the passing of Jean-Marie Mariotti. His friendship, his enthusiasm for the search for habitable planets, and his contributions to astronomical interferometry will be greatly missed.

Table of Contents

1	<i>Executive Summary</i>	1
	Science Goals	1
	Illustrative Mission Concept	2
	Technology	4
	Community Involvement	5
	Programmatic Considerations	5
2	<i>Introduction</i>	7
	Goals and Background	7
	Relationship of TPF to Other Programs	10
	Overview of this Report	11
	References	11
3	<i>Extrasolar Terrestrial Planets: Present Status and Future Prospects</i>	13
	Detection Techniques	14
	Doppler Measurements	14
	Astrometry	14
	Transits and Microlensing	16
	Direct Detection	17
	Doppler Results to Date	17
	Interpretation of Planetary-Mass Companions	18
	Detection Efficiency and Selection Effects	18
	Companion Masses	18
	Companion Orbits	19
	Multiple Planets	20
	Conclusions	21
	References	21

4	<i>Indicators of Life: Detection of Life via Remote Sensing</i>	23
	Development of Life24
	Remote Sensing and the Search for Life26
	Atmospheric Composition as an Indicator of Life26
	Significance of Ozone28
	Planets Resembling the Early Earth31
	References34
5	<i>Zodiacal Dust in our Own and Other Planetary Systems</i>	37
	The Local Zodiacal Cloud38
	Dust Sources38
	Zodiacal Cloud Density Versus Time40
	Wakes and Other Signs of Planets40
	Possible Self-Limitation of Zodiacal Cloud Density41
	Zodiacal Dust Around Other Stars41
	Cold Dust in the Kuiper Belts of Other Stars41
	Hot Dust and Inner Gaps42
	Prospects for Improved Knowledge of the Zodiacal Clouds44
	Far Infrared Observations44
	Interferometric Observations44
	Other Techniques45
	Conclusions46
	References46
6	<i>Design, Sensitivity, and Operation of the TPF Interferometer</i>	49
	Introduction49
	The Case for Interferometry49
	Introduction to Interferometry and Nulling51
	The TPF Interferometer52
	Factors Affecting the Sensitivity of TPF52
	Simulations of Planet Detection with TPF55
	The Role of Chopping55
	Interferometer Configurations for TPF58
	Sensitivity of TPF for General Imaging60

	Application of TPF for High Spectral Resolution Observations . . .	62
	References	62
7	<i>Target Stars for Planet Searches</i>	65
	The Nearby Stars	66
	Constraints on the Target Stars	67
	Necessary Observations in Advance of TPF:	
	The Nearby Star Database	70
	References	71
8	<i>Probing the Central Arcsecond: General Astrophysics with TPF</i>	73
	Star and Planetary System Formation and Evolution with TPF	73
	The Nearest Stellar and Planetary Nurseries	74
	Massive Star Formation	78
	Evolution of Planetary Systems	79
	Targets and Integration Times	80
	Understanding the Formation of Interstellar Dust, the Building Blocks of Planets	80
	Origin of Dust in the Interstellar Medium	80
	Dust Formation in AGB Stars	82
	Dust from Supernovae	82
	Starburst Galaxies and Buried AGN at the Epoch of Peak Star Formation	82
	Starburst Galaxies	82
	IR Interferometry of AGNs	84
	Cosmological Deep Surveys and Confusion Noise	85
	References	86
9	<i>Illustrative Science Mission</i>	87
	Overall Mission Concept	87
	Planet Survey	87
	Spectroscopic Follow-Up Program	88
	General Astrophysical Imaging	88
	Allocation of TPF Observing Time	89

10 *Progress Toward Astronomical Nulling* **91**

Introduction	.91
Introduction to Nulling	.92
Roadmap Toward TPF Nulling Performance	.93
Recent Laboratory and Telescope Demonstrations of Nulling	.96
Conclusion	.96
References	.97

11 *Feasibility of a Planet Finder Mission* **99**

Introduction	.99
The TPF Instrument	.101
Array Configuration	.102
Collector Telescopes	.102
Central Beam-Combining Subsystems	.104
Cophasing Subsystem	.104
Nulling and Imaging Subsystems	.105
Detection Subsystem	.107
Operations During Observations	.108
Spacecraft System Configuration and Design	.109
Passive Cooling and Thermal Design	.112
TPF Formation Flying	.113
Contamination	.115
Integration and Test	.116
Orbit Trades: L2 vs. Earth-Trailing	.118
Launch Vehicle Packing and System Deployment	.119
References	.122

12 *Technology for the Terrestrial Planet Finder* **123**

Introduction	.123
TPF Technology Roadmap	.124
Technology Precursors for TPF	.125
Ground-Based Infrared Interferometers	.125
Space Missions	.127

TPF Technologies	130
Large Lightweight Cryogenic Optics Technology	130
Cryogenic Active Optical System Technology	131
Pathlength Control	131
Detector Technology	132
Metrology Technology	132
Interferometer System Technologies	133
Passive Cooling Technology	135
Precision Formation Flying	135
Pointing, Stabilization, and Vibration Control Technology	135
Orbit	138
13 <i>The Development of the Terrestrial Planet Finder Mission</i>	139
Defining the TPF Mission and Configuration	139
Schedule and Cost	140
Near-Term Plans	141
Potential for International Collaboration	141
Community Involvement	142
14 <i>A Long-Term Program for Finding Life Beyond the Solar System</i>	143
A <i>Appendix A: Signal to Noise Calculations</i>	147
Target Properties	147
Interferometer Properties	149
References	152
B <i>Appendix B: Additional Contributors and Credits</i>	153
C <i>Appendix C: Acronyms</i>	157

List of Tables

1.1 Illustrative Properties of a TPF Observatory Concept3

1.2 Time Requirements for Various Configurations
of TPF to Observe Terrestrial Planets 4

2.1 Scientific and Technological Precursors to TPF10

3.1 Orbits of Some Planetary-Mass Companions18

4.1 Properties of Planets and the Search for Life Using
Remote Sensing27

5.1 Illustrative Properties of a “1 Zodi” Cloud38

5.2 Relative Strength of Sources of Zodiacal
Dust Near the Earth39

6.1 Time Requirements for Various Configurations of
TPF to Observe Terrestrial Planets53

6.2 TPF Nulling Configurations58

7.1 Illustrative Samples of Main Sequence Target Stars67

9.1 Illustrative Scientific Utilization Plan for TPF88

10.1 Required Nulling Performance92

10.2 Requirements for Achieving a Deep Null93

10.3 Nulling development for TPF94

11.1 Trade Matrix100

11.2 Principal Mission Development Issues.101

11.3 Mass and Power Summaries.111

11.4 Launch Vehicles120

12.1 TPF Precursors will Make Significant Contributions
to Key TPF Technologies.124

A.1 Properties of Target Planet.148

A.2 Properties of Zodiacal Cloud148

A.3 Interferometer Observing System149

A.4 Signal and Noise Sources at 1 AU and 5 AU.152

List of Figures

1.1	TPF and its precursor missions	5
3.1	A schematic representation of recent detections of companion objects	14
3.2	Radial velocity measurements have been used to infer the presence of multiple planets orbiting Upsilon Andromedae.	15
3.3	Distribution of $M\sin(i)$ values for substellar candidates up to $15 M_J$	19
3.4	The sensitivity of astrometric and Doppler searches for planet-mass objects	20
4.1	A phylogenetic tree of life	25
4.2a	Underwater volcanic vents are home to some of the most primitive life forms on Earth	25
4.2b	A micrograph of a thin section through a thermophilic, anaerobic archaeo	25
4.3	The oxygen concentration in the Earth's atmosphere from 4.5 billion years ago to today	25
4.4	A microphotograph of cyanobacteria	26
4.5	Spectral lines in the mid-infrared could be used to characterize the atmosphere of a planet	28
4.6	Model calculations show the effect of various trace gases on the Earth's thermal spectrum	29
4.7	Model calculations show the plausible thermal spectra for the prebiotic Earth	33
5.1	The surface area of the debris produced by the collision of two large asteroids	40
5.2	The ratio of dust disk to stellar luminosity as a function of age for a number of stars	41
5.3	COBE results for the $25 \mu\text{m}$ zodiacal emission and numerical simulations of dust in the solar system	42
5.4	A sub-mm image from the JCMT showing emission from the dust disk of ϵ Eridani and a comparison to the objects in our own solar system	44
5.5	HST/NICMOS images of the dust disks around the star HR 4796A	45
6.1	The spectral energy distributions of the Sun and the Earth as seen from 10 pc	50
6.2	The expected signal from an Earth-like planet in a 10^5 s integration period	55
6.3	The emission from an exozodiacal cloud observed face-on and as observed through the TPF transmission pattern	56

6.4	The time series produced as TPF rotates around its axis while observing an extra-solar planet	56
6.5	A reconstruction of a TPF observation of a terrestrial planet 10 pc away	57
6.6	A reconstruction of a planetary system at 10 pc containing Venus, Earth, and Mars analogs	57
6.7	Simulated spectrum of a terrestrial planet as observed by TPF in a ~15 d integration time	57
6.8	A simulation of the Earth-Venus-Mars system showing the advantages of a chopped configuration	58
6.9	Sample interferometer configurations with and without chopping	59
6.10	A simulation of the Earth-Venus-Mars system as seen by a system consisting of two 3-element interferometers	60
6.11	A model for the emission from a disk around a young star	61
7.1	Histograms illustrate the variation of sample size and composition as a function of distance and operational constraints	66
7.2	Brightness and angular scale for the habitable zone for Earth-size planets around stars within 15 pc	68
7.3	The effect of excess photon noise from the companion star on the integration time.	69
7.4	The effect of interferometer baseline on target selection for planet searches	70
7.5	Integration time as a function of exo-zodiacal emission	71
8.1	Simulated TPF observations of a protostar	75
8.2	Spectrum of protostar W33A from the ISO-SWS spectrometer	77
8.3	A spectrum from ISO of the dust surrounding a pair of dying stars	81
8.4	A simulated TPF image of milli-arcsec structure of the wind emanating from an AGB star	82
8.5	An HST image of SN1987A	83
8.6	Centaurus A in the radio, IR, and visible	84
8.7	Calculations of the integral source count for galaxies seen at 12 μm	85
10.1	The experimental configuration used at the MMT for nulling observations	95

10.2	Observations at the MMT demonstrate nulling on the stars α Tau and α Ori	96
10.3	An interferometer at JPL has demonstrated nulling in the visible to 1 part in 25,000 in the laboratory	97
11.1	Array geometry showing optical paths to the combiner	103
11.2	Collector optics schematic showing a possible arrangement of beam transfer and steering mirrors	104
11.3	Beam combiner layout	105
11.4	Nulling beamsplitter with rooftop prisms	106
11.5	The transmission pattern on the sky of the dual-Bracewell configuration	107
11.6	Flight paths during data acquisition for planet detection and imaging	108
11.7	Artist's rendering of the TPF reference design	109
11.8	Spacecraft detail	110
11.9	Propellant mass as a function of rotation period for planet observations	112
11.10	Schematic of a passive cooling system that will readily satisfy TPF requirements	113
11.11	TPF formation and communications schematic	114
11.12	Effects of contamination on reflective and emissive surfaces	115
11.13	TPF sketch shown in an existing thermal vacuum test chamber	117
11.14	Schematic of integrated optical system test setup	118
11.15	Trajectory options for TPF	119
11.16	The launch and deployment sequence for a TPF concept	121
11.17	Fairing & payload module options	122
12.1	TPF Technology Development Roadmap	125
12.2	Artist's rendering of the Keck interferometer in its final form	126
12.3	NASA's Space Infrared Telescope Facility	127
12.4	NASA's Space Technology 3 separated spacecraft demonstration mission	128
12.5	NASA's Space Interferometry Mission	129
12.6	One concept for NASA's Next Generation Space Telescope	130

12.7 Mirror technologies in development for NGST131

12.8 Schematic of high dynamic-range optical delay line132

12.9 Simulated reconstructed image data for a
simplified interferometer134

12.10 Half-scale NGST sunshade deployment
demonstration136

13.1 Technological precursors to TPF140

14.1 Requirements, sketch, and simulated results
from an enhanced version of TPF with a
spectral resolution of ~1000145

14.2 Requirements, sketch, and simulated results
from a visible light constellation capable of
imaging an extrasolar Earth-like planet146