

## CITATIONS

Alverson, D.L., and W.T. Pereyra. 1969. Demersal fish explorations in the northeastern Pacific Ocean -- An evaluation of exploratory fishing methods and analytical approaches to stock size and yield forecasts. *J. Fish. Res. Board Can.* 26:1985-2001.

Berendzen, P.B. 1997. Phylogenetic analysis of the Order Pleuronectiformes using molecular and morphological evidence. Abstracts of the 1997 Annual Meeting of the American Society of Ichthyologists and Herpetologists, Seattle, Washington.

Britt, L., and M.H. Martin. 2000. Data report: 1999 Gulf of Alaska bottom trawl survey. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-121, 249 p.

Cochran, W.G. 1977. Sampling Techniques. 3rd ed. Wiley Series in Probability and Mathematical Statistics - Applied. John Wiley & Sons. N.Y., NY 428 p.

Cooper, J., and F. Chapleau 1998. The monophyletic status of *Pleuronectes* (Pleuronectidae: Pleuronectiformes). Abstracts of the 1996 Annual Meeting of the American Society of Ichthyologists and Herpetologists, New Orleans, Louisiana.

Ivankov, V.N. 1996. Review of the book by G.U. Lindberg and V.V. Fedorov, The fishes of the Sea of Japan and adjacent parts of the Sea of Okhotsk and the Yellow Sea. Part 6. Teleostomi, Osteichthyes, Actinopterygii. XXXI. Pleuronectiformes—Family Psettodidae-CCI—Family Cynoglossidae. J.Ichthyol. 36(7):549-550.  
[Transl. By P.A. Aleinikov.]

Martin, M.H., and D.M. Clausen. 1995. Data report: 1993 Gulf of Alaska bottom trawl survey. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-59, 217 p.

Munro, P.T., and R.Z. Hoff. 1995. Two demersal trawl surveys in the Gulf of Alaska: Implications of survey design and methods. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-50, 139 p.

Munro, P.T., and D.A. Somerton. 2002. Estimating net efficiency of a survey trawl for flatfishes. Fish. Res. 55:267-279.

Orr, J.W., and A.C. Matarese. 2000. Revision of the genus *Lepidopsetta* Gill, 1862 (Teleostei: Pleuronectidae) based on larval and adult morphology, with a description of a new species from the North Pacific Ocean and Bering Sea. Fish. Bull., U.S. 98:539-582.

Orr, J.W., and J.E. Blackburn. 2004. The dusky rockfishes (Teleostei: Scorpaeniformes) of the North Pacific Ocean: resurrection of *Sebastodes variabilis* (Pallas, 1814) and a redescription of *Sebastodes ciliatus* (Tilesius, 1813). Fish. Bull., U.S. 102:328-348.

Orr, J.W., and S. Hawkins. 2008. Species of the rougheye rockfish complex: resurrection of *Sebastodes melanostictus* (Matsubara, 1934) and a redescription of *Sebastodes aleutianus* (Jordan and Evermann, 1898) (Teleostei: Scorpaeniformes). Fish. Bull., U.S. 106:111-134.

Rass, T.S. 1996. On taxonomy of Pleuronectini (Pleuronectidae). J. Ichthy. 36:546-548.

Robins, C.R., R.M. Bailey, C.E. Bond, J.R. Brooker, E.A. Lachner, R.N. Lea, and W.B. Scott. 1991. Common and scientific names of fishes from the United States and Canada. Fifth ed. Am. Fish. Soc. Spec. Publ. No. 20. 183 p.

Somerton, D.A., and K.L. Weinberg. 2000. The effect of speed through water on footrope contact of a survey trawl. Fish. Res. 53:17-24.

Somerton, D.A., and P.T. Munro. 2001. Bridle efficiency of a survey trawl for flatfish. Fish. Bull., U.S. 99(4): 641-652.

Stark, J.W., and D.M. Clausen. 1995. Data report: 1990 Gulf of Alaska bottom trawl survey. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-49, 221 p.

Stauffer, G. 2004. NOAA protocols for groundfish bottom trawl surveys of the nation's fishery resources. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-F/SPO-65, 205 p. Available online at <http://spo.nmfs.noaa.gov/tm/tm65.pdf>

Wakabayashi, K., R.G. Bakkala, and M.S. Alton. 1985. Methods of the U.S.-Japan demersal trawl surveys, . 7-29. *In* R. G. Bakkala and K. Wakabayashi (eds.), Results of cooperative U.S.-Japan groundfish investigations in the Bering Sea during May-August 1979. Int. North Pac. Fish. Comm. Bull. 44.