

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Private industry		1,833,380	494,428	239,341	128,860	80,600	99,882	198,128	57,425
Head	0	123,392	80,206	38,722	12,771	531	3,270	7,787	—
Head, unspecified	00	20,260	12,691	6,840	5,643	97	1,236	3,101	—
Cranial region, including skull	01	11,582	6,273	3,987	2,159	76	1,347	1,720	—
Cranial region, unspecified	010	135	75	—	—	—	—	—	—
Brain	011	7,038	3,382	2,289	1,078	—	1,094	1,182	—
Scalp	012	3,528	2,306	1,238	978	59	187	381	—
Skull	013	817	474	400	53	—	52	106	—
Multiple cranial region locations	018	45	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	20	—	—	—	—	—	—	—
Ear(s)	02	2,523	555	288	147	—	—	74	—
Face	03	87,298	59,952	27,182	4,589	261	492	2,776	—
Face, unspecified	030	4,707	1,753	1,474	264	—	56	472	—
Forehead	031	5,097	3,679	2,182	1,455	—	240	804	—
Eye(s)	032	64,909	46,505	16,758	1,876	95	—	396	—
Nose, nasal cavity	033	2,957	1,998	1,647	315	—	—	348	—
Nose, except internal location of diseases or disorders	0330	2,871	1,988	1,637	315	—	—	348	—
Cheek(s)	034	971	587	428	71	88	—	156	—
Jaw/chin	035	1,391	618	520	72	—	57	59	—
Mouth	036	3,362	2,756	2,381	327	—	—	185	—
Mouth, unspecified	0360	458	287	201	85	—	—	—	—
Lip(s)	0361	771	561	502	57	—	—	47	—
Tongue	0362	131	122	116	—	—	—	—	—
Tooth(teeth)	0363	1,716	1,541	1,327	168	—	—	107	—
Multiple mouth locations	0368	235	198	188	—	—	—	—	—
Multiple face locations	038	3,682	1,899	1,664	180	—	45	337	—
Face, n.e.c.	039	223	158	128	—	—	—	19	—
Multiple head locations	08	1,495	600	355	169	76	171	113	—
Head, n.e.c.	09	233	134	70	64	—	—	—	—
Neck, including throat	1	32,008	4,604	2,966	1,237	70	1,061	1,441	310
Neck, except internal location of diseases or disorders	10	31,872	4,604	2,966	1,237	70	1,061	1,441	310
Internal neck location, unspecified	11	87	—	—	—	—	—	—	—
Trunk	2	687,395	36,593	20,968	10,167	2,342	28,980	58,463	17,920
Trunk, unspecified	20	2,828	356	179	96	66	340	562	60
Shoulder, including clavicle, scapula	21	92,763	8,024	5,399	1,953	363	4,963	8,956	1,393
Chest, including ribs, internal organs	22	29,357	6,470	3,558	2,342	384	3,447	5,206	108
Chest, except internal location of diseases or disorders	220	27,316	6,470	3,558	2,342	384	3,422	5,202	108
Internal chest location, unspecified	221	101	—	—	—	—	—	—	—
Heart	223	380	—	—	—	—	—	—	—
Bronchus	224	143	—	—	—	—	—	—	—
Lung(s), pleura	225	1,412	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	472,091	16,069	8,284	4,430	943	15,998	33,683	14,558
Back, including spine, spinal cord, unspecified	230	210,342	8,001	4,370	1,718	527	7,836	15,693	7,913
Lumbar region	231	219,571	6,195	2,725	2,295	365	6,178	13,333	5,909
Thoracic region	232	17,138	832	641	107	—	592	926	258
Sacral region	233	4,497	212	77	53	—	190	287	131
Coccygeal region	234	2,959	140	—	103	—	590	1,828	—
Multiple back regions	238	16,239	573	354	131	—	547	1,538	303

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Private industry	507,520	297,317	75,188	83,441	74,134	3,716	27,060	21,329	5,731	212,460
Head	180	92	—	20,524	4,130	939	4,077	3,649	428	2,253
Head, unspecified	72	43	—	222	1,635	—	571	564	—	692
Cranial region, including skull	—	—	—	132	1,442	—	423	411	—	211
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	848	—	324	324	—	150
Scalp	—	—	—	47	529	—	—	—	—	42
Skull	—	—	—	48	55	—	58	46	—	18
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	1,642	59	63	—	—	—	96
Face	100	49	—	18,418	863	691	2,724	2,329	395	1,255
Face, unspecified	—	—	—	1,263	228	266	632	522	110	—
Forehead	—	—	—	47	145	—	143	99	44	—
Eye(s)	47	—	—	16,227	145	135	606	553	52	812
Nose, nasal cavity	—	—	—	78	104	—	266	247	18	140
Nose, except internal location of diseases or disorders	—	—	—	—	104	—	266	247	18	115
Cheek(s)	—	—	—	129	—	—	—	—	—	—
Jaw/chin	—	—	—	—	56	—	393	338	55	186
Mouth	—	—	—	74	—	—	248	170	79	—
Mouth, unspecified	—	—	—	—	—	—	117	117	—	—
Lip(s)	—	—	—	48	—	—	96	—	79	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	568	145	286	391	363	—	—
Face, n.e.c.	—	—	—	—	—	—	19	—	—	—
Multiple head locations	—	—	—	110	120	118	262	262	—	—
Head, n.e.c.	—	—	—	—	—	—	63	63	—	—
Neck, including throat	11,011	6,112	1,019	432	6,067	—	1,431	1,349	82	4,623
Neck, except internal location of diseases or disorders	11,010	6,112	1,002	349	6,062	—	1,431	1,349	82	4,594
Internal neck location, unspecified	—	—	—	62	—	—	—	—	—	—
Trunk	409,360	253,729	12,448	4,107	20,150	161	6,886	6,412	474	92,328
Trunk, unspecified	828	418	—	63	132	19	—	—	—	414
Shoulder, including clavicle, scapula	49,493	25,374	6,499	107	2,527	—	1,052	1,002	50	9,712
Chest, including ribs, internal organs	6,977	3,942	149	2,151	2,002	—	883	755	128	1,934
Chest, except internal location of diseases or disorders	6,954	3,929	148	648	2,000	—	883	755	128	1,454
Internal chest location, unspecified	—	—	—	69	—	—	—	—	—	—
Heart	—	—	—	—	—	—	—	—	—	333
Bronchus	—	—	—	143	—	—	—	—	—	—
Lung(s), pleura	—	—	—	1,255	—	—	—	—	—	123
Back, including spine, spinal cord	296,313	187,785	5,155	269	13,025	49	3,814	3,678	136	73,158
Back, including spine, spinal cord, unspecified	127,846	82,441	1,537	139	7,804	47	1,698	1,637	61	31,827
Lumbar region	143,600	91,648	3,035	68	3,580	—	1,704	1,678	—	35,968
Thoracic region	11,277	6,099	448	—	526	—	83	83	—	2,160
Sacral region	2,945	1,363	—	—	64	—	—	—	—	629
Coccygeal region	222	43	—	—	—	—	—	—	—	104
Multiple back regions	9,590	5,766	103	—	988	—	300	251	49	2,286

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Back, including spine, spinal cord, n.e.c.	239	1,345	116	90	—	—	65	78	—
Abdomen	24	43,346	1,741	1,133	423	129	454	539	365
Abdomen, except internal location of diseases or disorders	240	11,707	1,498	977	361	123	263	307	110
Internal abdominal location, unspecified	241	13,645	108	49	43	—	90	83	174
Stomach organ	242	824	—	—	—	—	—	—	—
Intestines, peritoneum	245	16,671	134	105	20	—	100	139	82
Intestines, peritoneum, unspecified	2450	12,297	121	102	—	—	87	99	66
Peritoneum	2451	1,030	—	—	—	—	—	—	—
Small intestine	2452	180	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	2,067	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	1,096	—	—	—	—	—	—	—
Other digestive structures	246	44	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	397	—	—	—	—	—	—	—
Pelvic region	25	31,477	2,505	1,344	800	269	2,237	6,297	1,194
Pelvic region, unspecified	250	962	242	79	129	—	129	279	—
Hip(s)	251	11,325	997	613	244	101	1,499	4,090	328
Pelvis	252	830	193	—	57	100	139	251	—
Buttock(s)	253	1,655	211	—	168	—	264	758	42
Groin	254	15,592	566	394	131	—	172	557	819
External reproductive tract structures	255	571	218	154	57	—	—	158	—
External reproductive tract structures, unspecified	2550	157	—	—	—	—	—	103	—
Scrotum	2551	259	123	71	50	—	—	—	—
Penis	2552	95	81	77	—	—	—	—	—
Internal reproductive tract structures	256	50	—	—	—	—	—	—	—
Multiple pelvic region locations	258	251	—	—	—	—	—	84	—
Pelvic region, n.e.c.	259	241	47	41	—	—	—	116	—
Multiple trunk locations	28	15,220	1,382	1,032	116	188	1,514	3,151	240
Trunk, n.e.c.	29	313	46	—	—	—	—	70	—
Upper extremities	3	419,519	228,129	94,273	59,334	64,638	10,494	31,965	964
Upper extremities, unspecified	30	753	213	—	77	83	—	—	—
Arm(s)	31	78,935	22,868	9,991	9,272	3,019	4,470	12,096	408
Arm(s), unspecified	310	28,291	7,194	3,638	1,718	1,545	1,516	3,651	227
Upper arm(s)	311	4,334	781	376	180	190	242	475	66
Elbow(s)	312	29,902	8,241	2,067	5,736	317	2,293	6,584	—
Forearm(s)	313	12,795	5,852	3,529	1,430	769	313	899	—
Multiple arm(s) locations	318	2,994	552	267	150	124	84	416	—
Arm(s), n.e.c.	319	619	248	115	59	74	—	70	—
Wrist(s)	32	92,157	13,039	7,089	3,435	2,063	4,219	11,921	399
Hand(s), except finger(s)	33	72,862	47,033	21,605	12,376	10,873	839	4,010	20
Finger(s), fingernail(s)	34	154,112	137,868	52,791	32,774	45,840	540	2,175	58
Multiple upper extremities locations ..	38	20,470	7,104	2,785	1,396	2,759	387	1,736	79
Multiple upper extremities locations, unspecified	380	286	70	18	—	—	—	—	—
Hand(s) and finger(s)	381	5,196	3,433	1,192	649	1,550	—	139	—
Hand(s) and wrist(s)	382	4,575	1,179	614	188	341	46	691	—
Hand(s) and arm(s)	383	2,829	589	191	104	286	—	137	—
Multiple upper extremities locations, n.e.c.	389	7,584	1,834	769	453	542	284	747	—
Upper extremities, n.e.c.	39	231	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Back, including spine, spinal cord, n.e.c.	834	426	—	—	—	—	—	—	—	185
Abdomen	35,374	23,329	358	1,075	348	—	393	389	—	2,682
Abdomen, except internal location of diseases or disorders	7,404	4,613	136	743	286	—	388	384	—	555
Internal abdominal location, unspecified	11,891	8,154	135	—	45	—	—	—	—	1,113
Stomach organ	566	444	—	197	—	—	—	—	—	48
Intestines, peritoneum	15,112	9,799	87	81	—	—	—	—	—	932
Intestines, peritoneum, unspecified	11,120	7,294	60	79	—	—	—	—	—	662
Peritoneum	989	865	—	—	—	—	—	—	—	—
Small intestine	135	80	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	1,949	1,057	—	—	—	—	—	—	—	87
Intestines, n.e.c.	918	504	—	—	—	—	—	—	—	141
Other digestive structures	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	387	303	—	—	—	—	—	—	—	—
Pelvic region	14,307	9,687	120	308	657	—	540	403	137	3,308
Pelvic region, unspecified	228	112	—	—	—	—	—	—	—	—
Hip(s)	2,241	1,426	—	72	369	—	153	121	—	1,545
Pelvis	157	128	—	—	54	—	—	—	—	—
Buttock(s)	170	83	—	52	54	—	72	—	44	—
Groin	11,291	7,804	84	155	142	—	249	211	—	1,553
External reproductive tract structures	86	47	—	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—
Scrotum	54	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	65	43	—	—	—	—	—	—	—	57
Pelvic region, n.e.c.	53	43	—	—	—	—	—	—	—	20
Multiple trunk locations	5,962	3,145	150	102	1,450	—	167	156	—	1,096
Trunk, n.e.c.	104	48	—	—	—	—	—	—	—	—
Upper extremities	43,292	18,048	56,666	22,260	3,585	626	6,881	4,120	2,761	14,658
Upper extremities, unspecified	70	53	309	76	—	—	—	—	—	—
Arm(s)	18,136	8,375	7,654	5,555	1,354	239	1,964	962	1,002	4,193
Arm(s), unspecified	7,324	3,174	2,118	2,917	631	172	1,084	435	649	1,457
Upper arm(s)	1,936	1,031	207	208	—	41	99	84	—	239
Elbow(s)	6,055	2,820	3,876	242	381	—	222	115	108	1,962
Forearm(s)	1,715	788	1,087	1,993	163	—	410	241	169	320
Multiple arm(s) locations	929	497	362	185	118	—	127	70	58	199
Arm(s), n.e.c.	177	65	—	—	—	—	—	—	—	—
Wrist(s)	16,360	6,580	38,702	1,111	950	—	1,405	1,250	155	4,033
Hand(s), except finger(s)	2,661	803	3,655	10,902	427	186	1,227	497	730	1,902
Finger(s), fingernail(s)	2,922	901	2,473	2,502	474	62	1,738	1,018	720	3,299
Multiple upper extremities locations ..	3,046	1,259	3,853	2,110	345	122	538	390	149	1,152
Multiple upper extremities locations, unspecified	82	—	45	—	—	—	—	—	—	—
Hand(s) and finger(s)	129	—	387	839	19	—	101	60	41	105
Hand(s) and wrist(s)	762	494	1,115	160	84	—	111	111	—	399
Hand(s) and arm(s)	502	139	411	667	41	64	166	83	83	216
Multiple upper extremities locations, n.e.c.	1,572	556	1,895	437	188	41	132	106	—	425
Upper extremities, n.e.c.	97	77	—	—	19	—	—	—	—	51

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lower extremities	4	375,031	126,967	70,991	41,448	11,333	36,184	60,287	34,967
Lower extremities, unspecified	40	360	94	53	—	—	—	49	—
Leg(s)	41	181,887	46,779	21,071	19,970	3,436	15,743	37,931	17,000
Leg(s), unspecified	410	27,601	10,057	6,207	2,430	979	3,125	4,166	1,300
Thigh(s)	411	6,980	2,578	1,584	742	118	345	1,169	179
Knee(s)	412	129,948	26,904	9,387	14,194	1,774	10,800	29,261	14,621
Lower leg(s)	413	13,544	6,172	3,178	2,379	444	1,082	2,425	571
Multiple leg(s) locations	418	2,865	838	555	177	100	302	681	201
Leg(s), n.e.c.	419	948	231	160	48	—	89	228	129
Ankle(s)	42	89,243	15,730	6,241	7,327	1,961	13,294	14,857	14,718
Foot(feet), except toe(s)	43	69,262	41,534	26,185	10,891	3,969	5,370	4,041	2,017
Foot(feet), except toe(s), unspecified	430	61,125	38,051	24,664	9,255	3,732	3,172	3,706	1,906
Instep(s)	431	580	389	301	85	—	—	—	—
Sole	432	5,815	2,414	793	1,381	164	1,647	202	52
Sole(s), unspecified	4320	631	573	—	556	—	—	—	—
Ball(s)	4321	69	67	—	—	—	—	—	—
Arch(es)	4322	143	62	44	—	—	—	—	—
Heel(s)	4323	4,765	1,565	687	702	142	1,638	195	42
Multiple sole(s) locations	4328	69	—	—	—	19	—	—	—
Sole(s), n.e.c.	4329	139	121	45	76	—	—	—	—
Multiple foot(feet) locations	438	883	235	145	—	48	497	83	—
Foot(feet), n.e.c.	439	859	444	283	132	—	—	—	—
Toe(s), toenail(s)	44	21,272	18,472	14,770	2,280	1,239	358	358	95
Multiple lower extremities locations	48	12,838	4,343	2,664	941	719	1,402	2,979	1,099
Multiple lower extremities locations, unspecified	480	143	44	—	—	—	49	—	—
Foot(feet) and leg(s)	481	883	236	192	—	—	133	76	—
Foot(feet) and ankle(s)	482	3,841	1,032	477	301	254	462	493	690
Foot(feet) and toe(s)	483	1,730	1,321	973	88	260	—	—	—
Multiple lower extremities locations, n.e.c.	489	6,241	1,710	992	547	162	740	2,356	391
Lower extremities, n.e.c.	49	168	—	—	—	—	—	73	—
Body systems	5	25,193	534	118	395	—	—	134	96
Multiple body parts	8	150,635	16,534	10,852	3,341	1,514	19,165	36,813	2,915
Other body parts	9	20,206	860	449	166	165	698	1,238	254
Prosthetic devices	91	76	56	48	—	—	—	—	—
Other body parts, n.e.c.	98	52	—	—	—	—	—	—	—
Nonclassifiable	9999	20,078	775	372	163	162	698	1,236	254

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 1997 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Lower extremities	19,127	7,085	1,521	8,922	12,637	83	2,890	1,695	1,195	71,445
Lower extremities, unspecified	—	—	—	81	—	—	—	—	—	46
Leg(s)	15,050	6,092	987	2,821	5,311	78	2,316	1,306	1,011	37,871
Leg(s), unspecified	1,910	648	108	1,596	1,811	—	565	90	475	2,924
Thigh(s)	792	410	—	545	240	—	278	128	150	817
Knee(s)	11,441	4,819	772	160	2,523	—	1,282	1,050	232	32,173
Lower leg(s)	522	115	66	345	481	—	183	—	150	1,673
Multiple leg(s) locations	308	80	—	126	180	—	—	—	—	214
Leg(s), n.e.c.	77	—	—	49	75	—	—	—	—	71
Ankle(s)	2,465	600	104	686	1,854	—	227	134	93	25,304
Foot(feet), except toe(s)	1,150	325	360	4,376	3,727	—	283	225	58	6,404
Foot(feet), except toe(s), unspecified	1,051	323	172	4,151	3,477	—	271	223	48	5,165
Instep(s)	—	—	—	89	—	—	—	—	—	—
Sole	96	—	188	103	176	—	—	—	—	925
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	47
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	66
Heel(s)	93	—	173	103	176	—	—	—	—	770
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	—	—	—	—	—	—	269
Toe(s), toenail(s)	114	20	—	202	940	—	—	—	—	683
Multiple lower extremities locations	309	—	43	754	804	—	—	—	—	1,086
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	190	99	—	—	—	—	104
Foot(feet) and ankle(s)	51	—	—	360	174	—	—	—	—	569
Foot(feet) and toe(s)	—	—	—	93	169	—	—	—	—	82
Multiple lower extremities locations, n.e.c.	220	—	—	96	356	—	—	—	—	330
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	50
Body systems	55	—	56	18,307	251	261	951	912	—	4,516
Multiple body parts	23,128	11,624	3,123	7,535	26,649	1,561	3,375	2,898	477	9,838
Other body parts	1,369	604	327	1,354	664	75	569	294	276	12,798
Prosthetic devices	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	1,362	598	327	1,341	661	75	555	281	274	12,792

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults

and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.

n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor