

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		13,159.2	1,876.6	14.3	1,462.9	11.1	2,374.9	18.0
Traumatic injuries and disorders	0	12,101.6	1,763.4	14.6	1,380.7	11.4	2,245.4	18.6
Traumatic injuries and disorders, unspecified	00	334.0	46.3	13.9	33.6	10.1	57.7	17.3
Traumatic injuries to bones, nerves, spinal cord	01	1,077.3	60.9	5.7	53.0	4.9	111.4	10.3
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	12.9	1.0	7.8	1.5	11.6	4.0	31.0
Dislocations	011	109.2	4.9	4.5	5.2	4.8	10.4	9.5
Fractures	012	949.6	54.5	5.7	46.2	4.9	96.3	10.1
Traumatic injuries to nerves, except the spinal cord	014	2.7	.5	18.5	-	-	-	-
Multiple traumatic injuries to bones, nerves, spinal cord	018	1.9	-	-	-	-	-	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	.9	-	-	-	-	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	5,689.0	644.6	11.3	612.4	10.8	1,085.0	19.1
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	43.1	3.6	8.4	2.9	6.7	5.8	13.5
Sprains, strains, tears	021	5,639.1	640.2	11.4	608.5	10.8	1,077.7	19.1
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	6.8	.9	13.2	1.1	16.2	1.5	22.1
Open wounds	03	1,263.9	285.7	22.6	186.3	14.7	250.7	19.8
Open wounds, unspecified	030	1.9	-	-	-	-	.6	31.6
Amputations	031	81.5	5.1	6.3	4.3	5.3	10.9	13.4
Amputations, fingertip	0311	56.2	4.8	8.5	3.9	6.9	9.7	17.3
Amputations, except fingertip	0319	25.3	-	-	-	-	1.2	4.7
Animal or insect bites	032	42.5	10.1	23.8	5.7	13.4	12.4	29.2
Avulsions	033	20.9	2.4	11.5	2.5	12.0	2.5	12.0
Cuts, lacerations	034	964.1	233.7	24.2	146.6	15.2	193.2	20.0
Gunshot wounds	036	2.5	-	-	.4	16.0	-	-
Punctures, except bites	037	146.9	33.3	22.7	26.3	17.9	30.8	21.0
Multiple open wounds	038	1.3	-	-	-	-	-	-
Open wounds, n.e.c.	039	2.2	.5	22.7	-	-	-	-
Surface wounds and bruises	04	1,463.7	379.2	25.9	239.4	16.4	319.0	21.8
Surface wounds and bruises, unspecified	040	4.7	1.0	21.3	1.4	29.8	.7	14.9
Abrasions, scratches	041	107.2	46.6	43.5	19.3	18.0	22.1	20.6
Blisters	042	3.6	-	-	1.3	36.1	-	-
Bruises, contusions	043	1,188.0	252.8	21.3	183.8	15.5	270.9	22.8
Foreign bodies (superficial splinters, chips)	044	144.5	76.3	52.8	31.6	21.9	21.8	15.1
Friction burns	045	.7	-	-	-	-	-	-

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	1,626.1	12.4	1,483.4	11.3	892.1	6.8	3,443.2	26.2	8
Traumatic injuries and disorders	1,511.2	12.5	1,343.7	11.1	777.0	6.4	3,080.2	25.5	7
Traumatic injuries and disorders, unspecified	38.0	11.4	33.0	9.9	18.5	5.5	106.8	32.0	9
Traumatic injuries to bones, nerves, spinal cord	94.1	8.7	126.6	11.8	97.5	9.1	533.8	49.5	30
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	1.6	12.4	.7	5.4	.5	3.9	3.6	27.9	5
Dislocations	9.3	8.5	12.4	11.4	8.4	7.7	58.6	53.7	33
Fractures	82.6	8.7	113.3	11.9	87.9	9.3	468.8	49.4	30
Traumatic injuries to nerves, except the spinal cord	—	—	.2	7.4	—	—	.9	33.3	18
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	—	—	1.4	73.7	60
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	26
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	765.9	13.5	680.7	12.0	393.3	6.9	1,507.1	26.5	8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	3.9	9.0	7.5	17.4	7.6	17.6	11.7	27.1	18
Sprains, strains, tears	761.5	13.5	672.6	11.9	385.3	6.8	1,493.4	26.5	8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.5	7.4	.5	7.4	—	—	2.0	29.4	5
Open wounds	163.6	12.9	131.5	10.4	70.0	5.5	176.1	13.9	4
Open wounds, unspecified	—	—	—	—	—	—	—	—	5
Amputations	7.5	9.2	7.5	9.2	6.6	8.1	39.7	48.7	30
Amputations, fingertip	5.8	10.3	5.2	9.3	4.4	7.8	22.3	39.7	17
Amputations, except fingertip	1.7	6.7	2.2	8.7	2.2	8.7	17.4	68.8	54
Animal or insect bites	5.0	11.8	6.9	16.2	1.1	2.6	1.2	2.8	3
Avulsions	2.4	11.5	2.8	13.4	5.1	24.4	3.2	15.3	14
Cuts, lacerations	127.6	13.2	97.2	10.1	51.3	5.3	114.5	11.9	4
Gunshot wounds	—	—	—	—	—	—	1.8	72.0	80
Punctures, except bites	20.4	13.9	16.1	11.0	5.6	3.8	14.4	9.8	3
Multiple open wounds	—	—	—	—	—	—	.6	46.2	15
Open wounds, n.e.c.	—	—	.7	31.8	—	—	—	—	15
Surface wounds and bruises	163.8	11.2	121.3	8.3	58.3	4.0	182.7	12.5	3
Surface wounds and bruises, unspecified8	17.0	.4	8.5	—	—	.5	10.6	2
Abrasions, scratches	6.4	6.0	4.3	4.0	2.4	2.2	6.2	5.8	2
Blisters7	19.4	—	—	—	—	.8	22.2	4
Bruises, contusions	146.1	12.3	111.5	9.4	53.0	4.5	170.0	14.3	4
Foreign bodies (superficial splinters, chips)	6.5	4.5	3.4	2.4	2.1	1.5	2.8	1.9	1
Friction burns	—	—	—	—	—	—	—	—	13

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple surface wounds and bruises	048	12.3	1.8	14.6	1.7	13.8	3.0	24.4
Surface wounds and bruises, n.e.c.	049	2.7	—	—	—	—	—	—
Burns	05	283.5	57.2	20.2	45.1	15.9	59.4	21.0
Chemical burns	051	76.9	22.8	29.6	15.8	20.5	18.7	24.3
Electrical burns	052	9.1	.6	6.6	1.1	12.1	1.9	20.9
Heat burns, scalds	053	196.1	33.0	16.8	28.1	14.3	38.6	19.7
Multiple burns	058	.2	—	—	—	—	—	—
Burns, n.e.c.	059	1.1	.7	63.6	—	—	—	—
Intracranial injuries	06	62.3	9.6	15.4	10.0	16.1	13.6	21.8
Intracranial injuries, unspecified	060	4.4	.4	9.1	2.0	45.5	—	—
Cerebral hemorrhages	061	.4	—	—	—	—	—	—
Concussions	062	56.0	9.1	16.2	8.0	14.3	13.3	23.8
Multiple intracranial injuries	068	1.5	—	—	—	—	—	—
Effects of environmental conditions ...	07	24.3	8.7	35.8	3.6	14.8	6.4	26.3
Effects of reduced temperature	071	1.5	—	—	.5	33.3	—	—
Frostbite	0711	1.3	—	—	—	—	—	—
Effects of heat and light	072	19.7	8.6	43.7	3.0	15.2	4.8	24.4
Effects of heat and light, unspecified	0720	.4	—	—	—	—	—	—
Heat stroke	0721	1.3	.5	38.5	—	—	—	—
Heat syncope	0722	1.6	—	—	—	—	1.3	81.2
Heat fatigue	0723	4.9	3.8	77.6	.4	8.2	.5	10.2
Effects of heat and light, n.e.c. ...	0729	11.5	3.8	33.0	2.2	19.1	2.8	24.3
Effects of air pressure	073	2.8	—	—	—	—	1.0	35.7
Effects of air pressure, unspecified	0730	.8	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	1.7	—	—	—	—	.6	35.3
Multiple traumatic injuries and disorders	08	479.5	67.2	14.0	44.2	9.2	83.1	17.3
Multiple traumatic injuries and disorders, unspecified	080	14.5	1.9	13.1	.8	5.5	2.5	17.2
Cuts, abrasions, bruises	081	77.8	17.9	23.0	10.8	13.9	15.3	19.7
Sprains and bruises	082	201.9	24.8	12.3	19.0	9.4	36.5	18.1
Fractures and burns	083	.5	—	—	—	—	—	—
Fractures and other injuries	084	95.6	8.7	9.1	6.0	6.3	9.1	9.5
Burns and other injuries	085	.8	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	88.1	13.7	15.6	7.5	8.5	19.6	22.2
Other traumatic injuries and disorders	09	1,424.0	203.9	14.3	153.2	10.8	259.1	18.2
Other traumatic injuries and disorders, unspecified	090	1.6	—	—	—	—	1.3	81.2
Asphyxiations/strangulations, suffocations	091	1.7	—	—	—	—	—	—
Electrocutions, electric shocks	093	15.0	3.9	26.0	2.6	17.3	2.0	13.3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple surface wounds and bruises	2.9	23.6	0.7	5.7	—	—	2.0	16.3	5
Surface wounds and bruises, n.e.c.	—	—	.7	25.9	—	—	—	—	11
Burns	44.2	15.6	34.1	12.0	17.8	6.3	25.8	9.1	5
Chemical burns	8.3	10.8	4.5	5.9	2.8	3.6	4.0	5.2	2
Electrical burns	2.5	27.5	.9	9.9	.6	6.6	1.5	16.5	7
Heat burns, scalds	33.3	17.0	28.6	14.6	14.3	7.3	20.2	10.3	5
Multiple burns	—	—	—	—	—	—	—	—	9
Burns, n.e.c.	—	—	—	—	—	—	—	—	1
Intracranial injuries	7.3	11.7	5.8	9.3	1.7	2.7	14.3	23.0	5
Intracranial injuries, unspecified	—	—	—	—	—	—	1.4	31.8	2
Cerebral hemorrhages	—	—	—	—	—	—	—	—	30
Concussions	5.8	10.4	5.7	10.2	1.7	3.0	12.5	22.3	5
Multiple intracranial injuries	—	—	—	—	—	—	.2	13.3	6
Effects of environmental conditions	3.4	14.0	.6	2.5	.9	3.7	.7	2.9	2
Effects of reduced temperature	—	—	—	—	—	—	—	—	5
Frostbite	—	—	—	—	—	—	—	—	6
Effects of heat and light	1.9	9.6	—	—	.7	3.6	.4	2.0	2
Effects of heat and light, unspecified	—	—	—	—	—	—	—	—	1
Heat stroke	—	—	—	—	—	—	—	—	2
Heat syncope	—	—	—	—	—	—	—	—	3
Heat fatigue	—	—	—	—	—	—	—	—	1
Effects of heat and light, n.e.c.	1.7	14.8	—	—	.5	4.3	—	—	2
Effects of air pressure	1.3	46.4	—	—	—	—	.2	7.1	7
Effects of air pressure, unspecified	—	—	—	—	—	—	—	—	3
Effects of air pressure, n.e.c.	1.0	58.8	—	—	—	—	—	—	7
Multiple traumatic injuries and disorders	64.1	13.4	51.5	10.7	35.7	7.4	133.7	27.9	9
Multiple traumatic injuries and disorders, unspecified	1.6	11.0	1.7	11.7	.5	3.4	5.5	37.9	13
Cuts, abrasions, bruises	9.9	12.7	10.3	13.2	4.4	5.7	9.2	11.8	4
Sprains and bruises	27.0	13.4	20.1	10.0	18.0	8.9	56.4	27.9	9
Fractures and burns	—	—	—	—	—	—	—	—	26
Fractures and other injuries	12.7	13.3	11.8	12.3	7.2	7.5	40.0	41.8	20
Burns and other injuries	—	—	—	—	—	—	—	—	12
Other combinations of traumatic injuries and disorders, n.e.c.	12.7	14.4	7.4	8.4	5.2	5.9	22.1	25.1	6
Other traumatic injuries and disorders	166.8	11.7	158.6	11.1	83.3	5.8	399.1	28.0	8
Other traumatic injuries and disorders, unspecified	—	—	—	—	—	—	—	—	3
Asphyxiations/strangulations, suffocations	—	—	—	—	—	—	—	—	5
Electrocutions, electric shocks5	3.3	.9	6.0	—	—	4.8	32.0	4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Internal injuries to organs and blood vessels of the trunk	094	1.5	—	—	—	—	—	—
Other poisonings and toxic effects	095	66.5	24.4	36.7	9.1	13.7	16.5	24.8
Other poisonings and toxic effects, unspecified	0950	1.8	.8	44.4	—	—	—	—
Animal or insect bites, venomous	0951	36.9	13.1	35.5	5.7	15.4	8.4	22.8
Other poisonings and toxic effects, n.e.c.	0959	27.8	10.5	37.8	3.3	11.9	7.9	28.4
Traumatic complications	096	1.8	.8	44.4	—	—	.5	27.8
Traumatic complications, unspecified	0960	.4	—	—	—	—	—	—
Traumatic shock	0961	.4	—	—	—	—	—	—
Multiple traumatic complications	0968	.4	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	.6	—	—	—	—	—	—
Nonspecified injuries and disorders	097	1,313.1	171.5	13.1	139.8	10.6	233.5	17.8
Crushing injuries	0971	150.9	24.0	15.9	20.9	13.9	20.8	13.8
Back pain, hurt back	0972	374.7	41.1	11.0	40.7	10.9	77.7	20.7
Soreness, pain, hurt, except the back	0973	664.0	90.8	13.7	66.4	10.0	117.7	17.7
Multiple nonspecified injuries and disorders	0978	65.0	6.6	10.2	5.4	8.3	7.9	12.2
Nonspecified injuries and disorders, n.e.c.	0979	58.6	9.0	15.4	6.3	10.8	9.4	16.0
Other traumatic injuries and disorders, n.e.c.	099	22.8	2.9	12.7	1.2	5.3	5.0	21.9
Systemic diseases and disorders	1	785.9	66.5	8.5	54.6	6.9	83.4	10.6
Systemic diseases and disorders, unspecified	10	3.5	—	—	—	—	—	—
Diseases of the blood and blood forming organs	11	.5	—	—	—	—	—	—
Nervous system and sense organs diseases	12	278.7	29.4	10.5	16.2	5.8	27.5	9.9
Inflammatory diseases of the central nervous system	121	.5	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	.4	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	.4	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	0.9	60.0	48
Other poisonings and toxic effects	5.7	8.6	4.9	7.4	1.9	2.9	4.1	6.2	2
Other poisonings and toxic effects, unspecified	—	—	.2	11.1	—	—	—	—	2
Animal or insect bites, venomous	4.1	11.1	3.2	8.7	.5	1.4	1.9	5.1	2
Other poisonings and toxic effects, n.e.c.	1.5	5.4	1.5	5.4	1.2	4.3	1.9	6.8	3
Traumatic complications	—	—	—	—	—	—	—	—	3
Traumatic complications, unspecified	—	—	—	—	—	—	—	—	1
Traumatic shock	—	—	—	—	—	—	—	—	4
Multiple traumatic complications	—	—	—	—	—	—	—	—	3
Traumatic complications, n.e.c.	—	—	—	—	—	—	—	—	2
Nonspecified injuries and disorders	156.8	11.9	149.6	11.4	80.2	6.1	381.7	29.1	9
Crushing injuries	18.9	12.5	19.2	12.7	9.7	6.4	37.4	24.8	7
Back pain, hurt back	49.7	13.3	46.2	12.3	22.5	6.0	96.7	25.8	7
Soreness, pain, hurt, except the back	73.8	11.1	70.4	10.6	40.2	6.1	204.6	30.8	10
Multiple nonspecified injuries and disorders	6.9	10.6	5.8	8.9	3.0	4.6	29.3	45.1	20
Nonspecified injuries and disorders, n.e.c.	7.4	12.6	8.0	13.7	4.8	8.2	13.7	23.4	8
Other traumatic injuries and disorders, n.e.c.	3.1	13.6	2.7	11.8	.8	3.5	7.2	31.6	10
Systemic diseases and disorders	84.2	10.7	116.3	14.8	93.9	11.9	286.9	36.5	20
Systemic diseases and disorders, unspecified	1.4	40.0	—	—	—	—	1.1	31.4	9
Diseases of the blood and blood forming organs	—	—	—	—	—	—	—	—	13
Nervous system and sense organs diseases	23.5	8.4	35.3	12.7	26.7	9.6	120.0	43.1	23
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	—	—	7
Inflammatory diseases of the central nervous system, n.e.c.	—	—	—	—	—	—	—	—	7
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	74

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Degenerative diseases of the central nervous system, n.e.c.	1229	0.4	—	—	—	—	—	—
Other disorders of the central nervous system	123	1.5	—	—	—	—	—	—
Migraine	1232	1.1	—	—	—	—	—	—
Other disorders of the central nervous system, n.e.c.	1239	.2	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	232.7	8.9	3.8	9.7	4.2	17.0	7.3
Disorders of the peripheral nervous system, unspecified	1240	2.6	—	—	—	—	—	—
Carpal tunnel syndrome	1241	221.4	8.4	3.8	9.5	4.3	15.6	7.0
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	1.0	—	—	—	—	.2	20.0
Other disorders of the peripheral nervous system, n.e.c.	1249	7.6	.4	5.3	—	—	.9	11.8
Disorders of the eye, adnexa, vision	125	39.6	19.9	50.3	5.8	14.6	10.0	25.3
Disorders of the eye, adnexa, vision, unspecified	1250	4.7	2.1	44.7	.9	19.1	1.3	27.7
Conjunctivitis non-viral	1252	8.9	3.0	33.7	1.0	11.2	3.0	33.7
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	3.1	1.6	51.6	.6	19.4	.5	16.1
Welder's flash	1256	18.2	11.0	60.4	2.8	15.4	3.8	20.9
Visual disturbances	1258	.9	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	3.6	2.1	58.3	—	—	.8	22.2
Disorders of the ear, mastoid process, hearing	126	3.5	—	—	.6	17.1	.5	14.3
Deafness, hearing loss or impairment	1261	1.4	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	1.1	.2	18.2	—	—	—	—
Circulatory system diseases	13	5.8	.2	3.4	—	—	.6	10.3
Hypertensive disease	132	.4	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	2.4	—	—	—	—	.2	8.3
Myocardial infarction (heart attack)	1331	2.4	—	—	—	—	—	—
Other forms of heart disease	135	.4	—	—	—	—	—	—
Cerebrovascular disease	136	1.0	—	—	—	—	—	—
Stroke	1361	.9	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	.4	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Degenerative diseases of the central nervous system, n.e.c.	—	—	—	—	—	—	—	—	74
Other disorders of the central nervous system	0.8	53.3	—	—	—	—	—	—	7
Migraine6	54.5	—	—	—	—	—	—	7
Other disorders of the central nervous system, n.e.c.	—	—	—	—	—	—	—	—	9
Disorders of the peripheral nervous system	19.7	8.5	33.2	14.3	26.4	11.3	117.8	50.6	31
Disorders of the peripheral nervous system, unspecified	—	—	.7	26.9	—	—	1.2	46.2	24
Carpal tunnel syndrome	18.1	8.2	31.6	14.3	24.8	11.2	113.3	51.2	32
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—	—	—	23
Other disorders of the peripheral nervous system, n.e.c.	1.4	18.4	.8	10.5	.9	11.8	3.1	40.8	26
Disorders of the eye, adnexa, vision	1.9	4.8	.8	2.0	—	—	.9	2.3	1
Disorders of the eye, adnexa, vision, unspecified	—	—	—	—	—	—	—	—	2
Conjunctivitis non-viral	1.0	11.2	.7	7.9	—	—	—	—	3
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—	1
Welder's flash5	2.7	—	—	—	—	—	—	1
Visual disturbances	—	—	—	—	—	—	—	—	3
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—	—	—	1
Disorders of the ear, mastoid process, hearing7	20.0	1.0	28.6	—	—	—	—	6
Deafness, hearing loss or impairment2	14.3	—	—	—	—	—	—	10
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	—	—	—	5
Circulatory system diseases9	15.5	—	—	1.2	20.7	2.3	39.7	21
Hypertensive disease	—	—	—	—	—	—	—	—	3
Ischemic heart disease, including heart attack	—	—	—	—	1.2	50.0	.6	25.0	21
Myocardial infarction (heart attack)	—	—	—	—	1.2	50.0	.6	25.0	21
Other forms of heart disease	—	—	—	—	—	—	—	—	85
Cerebrovascular disease	—	—	—	—	—	—	.6	60.0	60
Stroke	—	—	—	—	—	—	—	—	39
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—	—	—	69

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	0.4	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	.8	—	—	—	—	—	—
Respiratory system diseases	14	19.8	3.0	15.2	3.4	17.2	4.7	23.7
Respiratory system diseases, unspecified	140	3.1	1.1	35.5	.5	16.1	.6	19.4
Acute respiratory infections (including common cold)	141	3.0	—	—	—	—	2.4	80.0
Other diseases of upper respiratory tract	142	1.1	—	—	—	—	.2	18.2
Other diseases of upper respiratory tract, unspecified	1420	.4	—	—	—	—	—	—
Allergic rhinitis	1421	.4	—	—	—	—	—	—
Pneumonia, influenza	143	2.0	—	—	1.1	55.0	—	—
Influenza	1432	.6	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	7.2	1.1	15.3	1.1	15.3	1.0	13.9
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	1.0	—	—	—	—	—	—
Bronchitis	1441	1.0	—	—	—	—	—	—
Extrinsic asthma	1443	3.7	.7	18.9	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	1.0	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	.6	—	—	—	—	—	—
Pneumoconioses	145	.4	—	—	—	—	—	—
Coal workers' pneumoconiosis (including anthracosis, black lung, miner's asthma)	1451	.2	—	—	—	—	—	—
Byssinosis, Mill fever	1461	.2	—	—	—	—	—	—
Other respiratory system diseases	149	2.6	—	—	—	—	—	—
Atelectasis, collapsed lung	1495	1.7	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	.7	—	—	—	—	—	—
Digestive system diseases and disorders	15	227.1	2.7	1.2	6.5	2.9	11.2	4.9
Hernia	153	226.2	2.6	1.1	6.4	2.8	11.0	4.9
Hernia, unspecified	1530	102.8	.6	.6	1.1	1.1	3.9	3.8
Inguinal hernia	1531	87.4	1.5	1.7	3.4	3.9	4.9	5.6
Hiatal hernia	1532	3.1	—	—	.5	16.1	.5	16.1
Ventral hernia	1533	15.7	—	—	1.3	8.3	1.1	7.0
Hernia, n.e.c.	1539	17.2	—	—	—	—	.6	3.5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Diseases of arteries, arterioles, capillaries, n.e.c.	—	—	—	—	—	—	—	—	69
Diseases of the veins, lymphatics ..	—	—	—	—	—	—	—	—	14
Respiratory system diseases	3.1	15.7	1.9	9.6	1.6	8.1	2.3	11.6	5
Respiratory system diseases, unspecified	—	—	.2	6.5	—	—	.4	12.9	2
Acute respiratory infections (including common cold)	—	—	—	—	—	—	—	—	5
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	—	5
Other diseases of upper respiratory tract, unspecified	—	—	—	—	—	—	—	—	20
Allergic rhinitis	—	—	—	—	—	—	—	—	3
Pneumonia, influenza	—	—	—	—	—	—	—	—	2
Influenza	—	—	—	—	—	—	—	—	4
Chronic obstructive pulmonary disease and allied conditions6	8.3	1.1	15.3	1.3	18.1	1.0	13.9	10
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	—	.6	60.0	—	—	22
Bronchitis2	20.0	—	—	—	—	—	—	12
Extrinsic asthma	—	—	.9	24.3	—	—	.8	21.6	11
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	—	—	—	—	—	3
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	—	—	—	—	—	3
Pneumoconioses	—	—	—	—	—	—	—	—	16
Coal workers' pneumoconiosis (including anthracosis, black lung, miner's asthma)	—	—	—	—	—	—	—	—	180
Byssinosis, Mill fever	—	—	—	—	—	—	—	—	2
Other respiratory system diseases	1.6	61.5	—	—	—	—	—	—	7
Atelectasis, collapsed lung	1.6	94.1	—	—	—	—	—	—	7
Other respiratory system diseases, n.e.c.	—	—	—	—	—	—	—	—	38
Digestive system diseases and disorders	23.4	10.3	46.5	20.5	46.6	20.5	90.3	39.8	25
Hernia	23.3	10.3	46.2	20.4	46.6	20.6	90.0	39.8	25
Hernia, unspecified	9.0	8.8	17.5	17.0	27.2	26.5	43.4	42.2	30
Inguinal hernia	10.3	11.8	20.1	23.0	14.1	16.1	33.2	38.0	23
Hiatal hernia5	16.1	—	—	.6	19.4	.8	25.8	10
Ventral hernia	2.4	15.3	4.0	25.5	1.6	10.2	5.0	31.8	20
Hernia, n.e.c.	1.1	6.4	4.5	26.2	3.1	18.0	7.6	44.2	28

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Digestive system diseases and disorders, n.e.c.	159	0.4	—	—	—	—	—	—
Genitourinary system diseases and disorders	16	.6	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	.2	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	188.8	17.7	9.4	15.4	8.2	26.0	13.8
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	7.6	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	1.6	—	—	.2	12.5	—	—
Dorsopathies	172	21.2	1.3	6.1	3.1	14.6	3.0	14.2
Dorsopathies, unspecified	1720	.7	—	—	—	—	—	—
Sciatica	1721	5.1	—	—	—	—	1.4	27.5
Lumbago	1722	1.5	—	—	—	—	—	—
Disc disorders, except dislocation	1723	.6	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	13.3	.9	6.8	2.4	18.0	1.5	11.3
Rheumatism, except the back	173	152.4	15.8	10.4	11.6	7.6	22.0	14.4
Rheumatism, except the back, unspecified	1730	14.0	1.6	11.4	.6	4.3	1.6	11.4
Bursitis	1731	9.6	.9	9.4	.5	5.2	1.6	16.7
Synovitis	1732	1.3	—	—	—	—	—	—
Tendonitis	1733	77.3	9.7	12.5	6.5	8.4	13.3	17.2
Tenosynovitis	1734	10.0	.8	8.0	1.0	10.0	.6	6.0
Ganglion/cystic tumor	1735	10.1	.8	7.9	1.4	13.9	1.4	13.9
Rheumatism, except the back, n.e.c.	1739	30.0	1.9	6.3	1.6	5.3	3.6	12.0
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	5.9	.4	6.8	—	—	.6	10.2
Disorders of the skin and subcutaneous tissue	18	59.0	12.9	21.9	12.5	21.2	13.0	22.0
Disorders of the skin and subcutaneous tissue, unspecified	180	1.3	.6	46.2	—	—	—	—
Infections of the skin and subcutaneous tissue	181	10.2	.4	3.9	1.7	16.7	1.9	18.6
Infections of the skin and subcutaneous tissue, unspecified	1810	2.6	—	—	.6	23.1	—	—
Cellulitis and abscess	1812	6.3	—	—	.9	14.3	1.5	23.8
Infections of the skin and subcutaneous tissue, n.e.c.	1819	.9	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Digestive system diseases and disorders, n.e.c.	—	—	—	—	—	—	—	—	3
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	1
Diseases and disorders of the genital tract	—	—	—	—	—	—	—	—	13
Musculoskeletal system and connective tissue diseases and disorders	22.4	11.9	26.5	14.0	15.6	8.3	65.2	34.5	15
Musculoskeletal system and connective tissue diseases and disorders, unspecified	1.1	14.5	1.0	13.2	1.4	18.4	3.5	46.1	25
Arthropathies and related disorders (arthritis)2	12.5	—	—	—	—	1.0	62.5	43
Dorsopathies	3.5	16.5	3.0	14.2	1.0	4.7	6.3	29.7	8
Dorsopathies, unspecified	—	—	—	—	—	—	—	—	121
Sciatica	—	—	.6	11.8	—	—	2.1	41.2	17
Lumbago	—	—	—	—	—	—	.2	13.3	7
Disc disorders, except dislocation	—	—	—	—	—	—	—	—	61
Dorsopathies, n.e.c.	2.8	21.1	2.1	15.8	.6	4.5	3.0	22.6	6
Rheumatism, except the back	16.4	10.8	21.8	14.3	12.0	7.9	52.8	34.6	15
Rheumatism, except the back, unspecified7	5.0	.9	6.4	—	—	8.3	59.3	50
Bursitis	2.1	21.9	.6	6.2	1.2	12.5	2.7	28.1	10
Synovitis	—	—	—	—	—	—	.6	46.2	20
Tendonitis	8.0	10.3	11.5	14.9	4.1	5.3	24.2	31.3	11
Tenosynovitis	1.4	14.0	1.4	14.0	1.0	10.0	3.9	39.0	19
Ganglion/cystic tumor	1.1	10.9	1.8	17.8	1.8	17.8	1.6	15.8	11
Rheumatism, except the back, n.e.c.	2.5	8.3	5.5	18.3	3.5	11.7	11.5	38.3	20
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	1.1	18.6	.6	10.2	1.2	20.3	1.5	25.4	13
Disorders of the skin and subcutaneous tissue	9.0	15.3	5.0	8.5	1.8	3.1	4.8	8.1	3
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	2
Infections of the skin and subcutaneous tissue	2.6	25.5	1.5	14.7	.9	8.8	1.1	10.8	7
Infections of the skin and subcutaneous tissue, unspecified	1.4	53.8	—	—	—	—	.2	7.7	7
Cellulitis and abscess9	14.3	1.2	19.0	.8	12.7	.7	11.1	6
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	7

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Dermatitis	182	43.0	10.5	24.4	9.5	22.1	10.6	24.7
Dermatitis, unspecified	1820	6.4	.9	14.1	1.7	26.6	1.5	23.4
Contact dermatitis and other eczema	1822	10.6	3.3	31.1	1.7	16.0	3.0	28.3
Allergic dermatitis	1823	18.8	3.4	18.1	4.8	25.5	4.4	23.4
Irritant dermatitis	1824	5.5	2.1	38.2	1.1	20.0	1.2	21.8
Other contact dermatitis	1825	.7	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	.7	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	1.9	—	—	.7	36.8	—	—
Other inflammatory conditions of the skin, unspecified	1830	1.0	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	.7	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	2.4	1.1	45.8	—	—	—	—
Corns and callosities (including callus, clavus)	1891	.5	—	—	—	—	—	—
Urticaria, hives	1898	1.5	.8	53.3	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	.2	—	—	—	—	—	—
Other systemic diseases and disorders	19	2.2	.2	9.1	—	—	.2	9.1
Endocrine, nutritional, metabolic, and immunity disorder	191	.5	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	.5	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	1.7	—	—	—	—	—	—
Infectious and parasitic diseases	2	20.2	5.6	27.7	4.2	20.8	3.8	18.8
Infectious and parasitic diseases, unspecified	20	.4	—	—	—	—	—	—
Bacterial diseases	21	2.5	—	—	—	—	.6	24.0
Bacterial diseases, unspecified	210	.4	—	—	—	—	—	—
Other bacterial diseases	219	1.8	—	—	—	—	.6	33.3
Diphtheria, whooping cough	2192	.8	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	.9	—	—	—	—	—	—
Viral diseases	22	4.8	1.6	33.3	.2	4.2	.8	16.7
Viral diseases accompanied by exanthem (eruptive fever)	223	2.6	—	—	—	—	.5	19.2
Chickenpox	2233	1.5	—	—	—	—	—	—
Herpes zoster	2234	.5	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Dermatitis	5.7	13.3	2.8	6.5	0.7	1.6	3.2	7.4	3
Dermatitis, unspecified8	12.5	—	—	—	—	.9	14.1	4
Contact dermatitis and other eczema	1.4	13.2	.6	5.7	—	—	.5	4.7	3
Allergic dermatitis	2.9	15.4	1.5	8.0	—	—	1.5	8.0	3
Irritant dermatitis4	7.3	.4	7.3	—	—	.2	3.6	2
Other contact dermatitis	—	—	—	—	—	—	—	—	1
Dermatitis, n.e.c.	—	—	—	—	—	—	—	—	1
Other inflammatory conditions of the skin	—	—	—	—	—	—	—	—	2
Other inflammatory conditions of the skin, unspecified	—	—	—	—	—	—	—	—	4
Other inflammatory conditions, n.e.c.	—	—	—	—	—	—	—	—	2
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	—	2
Corns and callosities (including callus, clavus)	—	—	—	—	—	—	—	—	1
Urticaria, hives	—	—	—	—	—	—	—	—	1
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	22
Other systemic diseases and disorders	—	—	—	—	—	—	.8	36.4	25
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	—	—	—	5
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—	—	—	5
Systemic diseases and disorders, n.e.c.	—	—	—	—	—	—	.7	41.2	28
Infectious and parasitic diseases	2.4	11.9	1.5	7.4	1.8	8.9	.9	4.5	3
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	—	10
Bacterial diseases	1.1	44.0	—	—	.4	16.0	—	—	7
Bacterial diseases, unspecified	—	—	—	—	—	—	—	—	30
Other bacterial diseases9	50.0	—	—	—	—	—	—	7
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	5
Other bacterial diseases, n.e.c. ..	.8	88.9	—	—	—	—	—	—	7
Viral diseases9	18.8	.7	14.6	.5	10.4	—	—	5
Viral diseases accompanied by exanthem (eruptive fever)8	30.8	.5	19.2	.5	19.2	—	—	9
Chickenpox7	46.7	—	—	—	—	—	—	9
Herpes zoster	—	—	—	—	—	—	—	—	25

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	0.4	—	—	—	—	—	—
Viral hepatitis	225	.2	—	—	—	—	—	—
Non-Type A or non-Type B viral hepatitis	2259	.2	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	1.9	1.5	78.9	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	1.9	1.5	78.9	—	—	—	—
Other arthropod-borne diseases	23	.8	—	—	—	—	—	—
Lyme disease	237	.7	—	—	—	—	—	—
Mycoses	24	1.1	—	—	—	—	—	—
Mycoses, n.e.c.	249	.6	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	6.0	2.0	33.3	3.0	50.0	0.2	3.3
Infectious diseases peculiar to the intestines, unspecified	260	1.0	.6	60.0	—	—	—	—
Other salmonella infections	263	.4	—	—	—	—	—	—
Shigellosis	264	.2	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	4.4	1.4	31.8	2.9	65.9	—	—
Other infectious and parasitic diseases	29	4.6	1.8	39.1	.5	10.9	2.0	43.5
Acariasis (including scabies, chiggers, mites)	294	4.1	1.6	39.0	.5	12.2	1.7	41.5
Neoplasms, tumors, and cancer	3	.2	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	137.6	27.6	20.1	15.9	11.6	21.7	15.8
Symptoms, signs, and ill-defined conditions, unspecified	40	.5	—	—	—	—	—	—
Symptoms	41	136.3	27.4	20.1	15.8	11.6	21.3	15.6
Symptoms, unspecified	410	5.3	.7	13.2	—	—	—	—
General symptoms	411	47.3	11.6	24.5	5.7	12.1	7.0	14.8
General symptoms, unspecified	4110	1.0	—	—	—	—	—	—
Loss of consciousness not heat related	4111	12.5	2.7	21.6	2.1	16.8	1.4	11.2
Convulsions, seizures	4112	2.5	1.7	68.0	—	—	.4	16.0
Malaise and fatigue	4113	.4	—	—	—	—	—	—
Dizziness	4114	6.5	1.8	27.7	.7	10.8	2.0	30.8
Non-specified allergic reaction ...	4115	6.2	1.4	22.6	.7	11.3	.7	11.3
Multiple general symptoms	4118	1.2	—	—	—	—	—	—
General symptoms, n.e.c.	4119	17.0	2.6	15.3	1.8	10.6	2.1	12.4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	-	-	-	-	-	-	-	-	5
Viral hepatitis	-	-	-	-	-	-	-	-	16
Non-Type A or non-Type B viral hepatitis	-	-	-	-	-	-	-	-	16
Viral diseases of the conjunctiva	-	-	-	-	-	-	-	-	1
Viral conjunctivitis (ophthalmia) ..	-	-	-	-	-	-	-	-	1
Other arthropod-borne diseases	-	-	-	-	-	-	-	-	30
Lyme disease	-	-	-	-	-	-	-	-	30
Mycoses	-	-	-	-	-	-	-	-	180
Mycoses, n.e.c.	-	-	-	-	-	-	-	-	180
Infectious diseases peculiar to the intestines	-	-	-	-	-	-	-	-	2
Infectious diseases peculiar to the intestines, unspecified	-	-	-	-	-	-	-	-	1
Other salmonella infections	-	-	-	-	-	-	-	-	17
Shigellosis	-	-	-	-	-	-	-	-	13
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	-	-	-	-	-	-	-	-	2
Other infectious and parasitic diseases	-	-	-	-	-	-	-	-	2
Acariasis (including scabies, chiggers, mites)	-	-	-	-	-	-	-	-	2
Neoplasms, tumors, and cancer	-	-	-	-	-	-	-	-	40
Symptoms, signs, and ill-defined conditions	18.7	13.6	12.0	8.7	9.5	6.9	32.1	23.3	6
Symptoms, signs, and ill-defined conditions, unspecified	-	-	-	-	-	-	-	-	10
Symptoms	18.4	13.5	12.0	8.8	9.5	7.0	31.9	23.4	6
Symptoms, unspecified5	9.4	-	-	.6	11.3	2.7	50.9	33
General symptoms	8.9	18.8	4.1	8.7	1.7	3.6	8.4	17.8	5
General symptoms, unspecified	-	-	-	-	-	-	-	-	2
Loss of consciousness not heat related	3.9	31.2	1.1	8.8	.2	1.6	1.1	8.8	6
Convulsions, seizures	-	-	-	-	-	-	-	-	1
Malaise and fatigue	-	-	-	-	-	-	-	-	1
Dizziness4	6.2	.6	9.2	.2	3.1	.8	12.3	3
Non-specified allergic reaction	1.8	29.0	-	-	-	-	1.3	21.0	7
Multiple general symptoms	-	-	-	-	-	-	-	-	2
General symptoms, n.e.c.	2.4	14.1	2.0	11.8	1.0	5.9	5.1	30.0	10

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving nervous and musculoskeletal systems	412	41.8	5.2	12.4	2.8	6.7	6.0	14.4
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	6.7	1.4	20.9	—	—	—	—
Spasms or tremors, n.e.c.	4121	.4	—	—	—	—	—	—
Earache	4122	1.3	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	.4	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	33.0	3.3	10.0	2.7	8.2	5.3	16.1
Symptoms involving skin and other integumentary tissue	413	14.0	2.7	19.3	1.9	13.6	2.2	15.7
Symptoms involving skin and other integumentary tissue, unspecified	4130	1.6	—	—	—	—	—	—
Edema (including dropsy)	4131	10.6	2.4	22.6	1.0	9.4	1.6	15.1
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	1.8	—	—	.8	44.4	—	—
Symptoms involving head and neck	414	5.8	1.1	19.0	1.6	27.6	.7	12.1
Headache, except migraine	4141	4.8	1.0	20.8	1.3	27.1	.7	14.6
Symptoms involving head and neck, n.e.c.	4149	.5	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	13.5	3.8	28.1	2.7	20.0	2.3	17.0
Symptoms involving respiratory system and chest, unspecified	4160	4.3	.9	20.9	1.2	27.9	1.0	23.3
Chest pain	4164	2.6	.4	15.4	.6	23.1	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	6.2	2.3	37.1	.8	12.9	.9	14.5
Symptoms involving digestive and urinary system	417	1.9	—	—	—	—	.9	47.4
Nausea and vomiting	4171	1.3	—	—	—	—	.7	53.8
Abdominal pain, unspecified	4175	.2	—	—	—	—	—	—
Multiple symptoms	418	6.4	1.8	28.1	.4	6.2	1.9	29.7
Abnormal findings	42	.2	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	.2	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	.6	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving nervous and musculoskeletal systems	4.2	10.0	4.4	10.5	5.3	12.7	14.0	33.5	14
Symptoms involving nervous and musculoskeletal systems, unspecified2	3.0	—	—	3.7	55.2	.7	10.4	30
Spasms or tremors, n.e.c.	—	—	—	—	—	—	—	—	1
Earache7	53.8	—	—	—	—	—	—	8
Multiple symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	22
Symptoms involving nervous and musculoskeletal systems, n.e.c.	3.2	9.7	4.0	12.1	1.4	4.2	13.1	39.7	14
Symptoms involving skin and other integumentary tissue	2.5	17.9	1.9	13.6	.6	4.3	2.1	15.0	6
Symptoms involving skin and other integumentary tissue, unspecified5	31.2	—	—	—	—	—	—	7
Edema (including dropsy)	1.5	14.2	1.8	17.0	.4	3.8	2.0	18.9	6
Symptoms involving skin and other integumentary tissue, n.e.c.5	27.8	—	—	—	—	—	—	4
Symptoms involving head and neck	—	—	—	—	.5	8.6	1.4	24.1	3
Headache, except migraine	—	—	—	—	.5	10.4	1.1	22.9	3
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—	4
Symptoms involving respiratory system and chest	1.2	8.9	1.2	8.9	.5	3.7	1.9	14.1	3
Symptoms involving respiratory system and chest, unspecified5	11.6	.2	4.7	—	—	—	—	3
Chest pain5	19.2	—	—	—	—	.4	15.4	5
Symptoms involving respiratory system and chest, n.e.c.2	3.2	.6	9.7	.2	3.2	1.1	17.7	2
Symptoms involving digestive and urinary system	—	—	—	—	—	—	—	—	3
Nausea and vomiting	—	—	—	—	—	—	—	—	3
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	1
Multiple symptoms7	10.9	—	—	—	—	1.2	18.8	4
Abnormal findings	—	—	—	—	—	—	—	—	6
Abnormal findings from histological and immunological studies	—	—	—	—	—	—	—	—	6
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—	—	—	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other diseases, conditions, and disorders	5	40.6	3.5	8.6	1.1	2.7	5.4	13.3
Mental disorders or syndromes	52	40.2	3.2	8.0	1.1	2.7	5.4	13.4
Mental disorder or syndrome, unspecified	520	1.5	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	38.2	3.2	8.4	.8	2.1	5.2	13.6
Anxiety, stress, neurotic disorders, unspecified	5210	13.9	.2	1.4	.5	3.6	2.3	16.5
Post-traumatic anxiety acute	5211	6.0	.7	11.7	—	—	1.3	21.7
Panic disorder	5213	.5	—	—	—	—	—	—
Neurotic reaction to stress	5214	14.0	.7	5.0	—	—	1.6	11.4
Multiple anxiety, stress, neurotic disorders	5218	2.5	1.2	48.0	—	—	—	—
Neurotic disorders, n.e.c.	5219	1.1	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	.6	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	10.1	1.7	16.8	1.2	11.9	1.2	11.9
Nonclassifiable	9999	63.0	8.2	13.0	5.2	8.3	14.0	22.2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2003 — Continued

(in hundreds)

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other diseases, conditions, and disorders	4.1	10.1	3.4	8.4	2.0	4.9	21.1	52.0	36
Mental disorders or syndromes	4.1	10.2	3.3	8.2	2.0	5.0	21.1	52.5	36
Mental disorder or syndrome, unspecified	—	—	—	—	—	—	.9	60.0	47
Anxiety, stress, neurotic disorders	4.1	10.7	3.1	8.1	2.0	5.2	19.7	51.6	36
Anxiety, stress, neurotic disorders, unspecified8	5.8	1.1	7.9	.9	6.5	8.1	58.3	47
Post-traumatic anxiety acute5	8.3	—	—	.2	3.3	2.9	48.3	24
Panic disorder	—	—	—	—	—	—	—	—	1
Neurotic reaction to stress	2.4	17.1	1.6	11.4	.4	2.9	7.2	51.4	35
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	—	.7	28.0	6
Neurotic disorders, n.e.c.	—	—	—	—	—	—	.8	72.7	73
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	—	—	—	37
Multiple diseases, conditions, and disorders6	5.9	.4	4.0	1.0	9.9	4.0	39.6	18
Nonclassifiable	4.9	7.8	6.0	9.5	6.8	10.8	17.9	28.4	10

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor